

























































SAMPLE NUMBER	D.D.H. NUMBER	FACE/STOPE			Σ	FROM	TO	LENGTH	ROCK TYPE	%SnT	%SnS	%Cu	%WO <sub>3</sub>	%MoS <sub>2</sub>	%Bi	%CaF <sub>2</sub>	SG
		LENS	LEVEL	DATE													
947	1800	SOLEY				150-0	152.5	2.5		0.02		0.01	0.010	<0.005	<0.005	5.35	2.97
948						152.5	155-0	11		0.04		0.06	0.045	<0.005	0.020	12.3	3.10
949						155-0	157.5	11		0.02		<0.01	0.050	<0.005	0.035	13.2	3.00
950						157.5	160-0	11		0.03		0.03	0.040	<0.005	0.010	9.05	3.00
951						160-0	162.5	11		0.01		<0.01	0.010	<0.005	0.015	4.25	2.91
952						162.5	165-0	11		0.04		0.01	0.040	0.005	0.015	2.90	2.89
953						165-0	167.5	11		0.03		0.05	0.050	<0.005	0.060	25.1	3.12
954						167.5	170-0	11		0.03		<0.01	0.195	0.005	0.050	5.35	2.90
955						170-0	172.5	11		0.03		0.01	0.080	<0.005	0.035	19.3	3.03
956						172.5	175-0	11		0.02		0.06	0.055	0.020	0.035	6.00	2.95
957						175-0	177.5	11		0.04		0.01	0.045	<0.005	0.020	7.55	2.93
958						177.5	180-0	11		0.04		0.01	0.220	0.005	0.060	13.6	3.04
959						180-0	182.5	11		0.01		0.02	0.015	<0.005	0.005	3.10	2.89
960						182.5	185-0	11		0.02		0.01	0.135	0.015	0.020	2.40	2.86
961						185-0	187.5	11		0.02		0.01	0.035	0.010	0.065	4.25	2.91
962						187.5	190-0	11		0.01		0.01	0.050	0.010	0.020	2.45	2.89
963						190-0	192.5	11		0.06		0.02	0.200	0.010	0.026	4.85	2.98
964						192.5	195-0	11		0.02		0.01	0.075	0.015	0.025	3.80	2.91
965						195-0	197.5	11		0.03		0.01	0.085	0.015	0.030	4.25	2.91
966						197.5	200-0	11		0.02		0.01	0.070	0.010	0.020	3.85	2.90

CLEVELAND TIN - GEOLOGY DEPT.

**SAMPLE ASSAY DATA**

FINAL ASSAY REPORT

COST CODE: 953C

COMPILATION DATE: 2.9.82

COMPILED BY: E. Brooks

PAGE 5 OF 5

ASSAY DATES:

SAMPLE NUMBER	D.D.H. NUMBER	FACE/STOPE			Σ	FROM	TO	LENGTH	ROCK TYPE	%SnT	%SnS	%Cu	%WO <sub>3</sub>	%MoS <sub>2</sub>	%Bi	%CaF <sub>2</sub>	SG
		LENS	LEVEL	DATE													
303967	C1800	FOLEY				200-0	202.5	2.5		0.11		0.05	0.120	0.025	0.065	5.00	2.82
968						202.5	205-0	11		0.03		0.01	0.125	0.030	0.075	3.60	2.83
969						205-0	207.5	11		0.03		0.03	0.075	0.050	0.035	5.00	2.90
970						207.5	210-0	11		0.02		0.01	0.105	0.025	0.030	2.45	2.58
971						210-0	212.5	11		0.02		0.01	0.035	0.035	0.015	3.30	2.93
972						212.5	215-0	11		0.02		<0.01	0.080	0.030	0.030	3.85	2.89
973						215-0	217.5	11		0.03		0.01	0.330	0.055	0.055	9.45	2.88
974						217.5	220-0	11		0.05		0.01	0.120	0.080	0.125	3.60	2.91
975						220-0	222.5	11		0.02		0.01	0.040	0.005	0.015	4.35	2.93
976						222.5	225-0	11		0.05		0.03	0.100	0.020	0.030	3.85	2.88
977						225-0	227.5	11		0.03		0.05	0.145	0.260	0.065	3.70	2.88
978						227.5	230-0	11		0.03		0.04	0.070	0.005	0.030	3.70	2.89
979						230-0	232.5	11		0.02		0.01	0.135	0.085	0.045	3.60	2.86
980						232.5	235-0	11		0.01		0.01	0.035	0.010	0.025	3.10	2.87
981						235-0	237.5	11		0.01		0.01	0.125	0.030	0.015	3.85	2.86
982						237.5	240-0	11		0.08		0.06	0.590	0.170	0.180	3.60	2.81
983						240-0	242.5	11		0.02		<0.01	0.070	0.035	0.025	2.55	2.85
984						242.5	245-0	11		0.02		0.02	0.045	0.005	0.015	3.30	2.89
985						245-0	247.5	11		0.01		0.01	0.065	0.100	0.125	2.90	2.71
986						247.5	250-0	11		0.02		0.03	0.365	0.015	0.045	3.30	2.98

