



**SAMPLE ASSAY DATA**

PRELIMINARY  
ASSAY REPORT

SAMPLE NUMBER	D.D.H. NUMBER	FACE/SLOPE			FROM	TO	LENGTH	ROCK TYPE	%SnT	%SnS	%Cu	%WO <sub>3</sub>	%MoS <sub>2</sub>	%Bi	%CaF <sub>2</sub>	SG.
		LENS	LEVEL	DATE												
303 913	1803	FOLLEY			50-0	52.5	2.5		0.03		0.01	0.065	0.020	0.020	2.95	2.84
914					52.5	55-0	11		0.09		0.08	0.020	0.005	0.010	1.30	2.81
915					55-0	57.5	11		0.01		<0.01	0.075	0.020	0.015	1.45	2.81
916					57.5	60-0	11		0.03		0.01	0.105	0.065	0.025	1.90	2.79
917					60-0	62.5	11		0.04		0.01	0.190	0.035	0.055	2.40	2.84
918					62.5	65-0	11		0.01		0.01	0.140	0.020	0.045	1.95	2.77
919					65-0	67.5	11		0.09		0.03	0.110	0.015	0.030	3.35	2.80
920					67.5	70-0	11		0.02		<0.01	0.235	0.025	0.030	2.90	2.82
921					70-0	72.5	11		0.02		0.01	0.265	0.025	0.040	2.45	2.81
922					72.5	75-0	11		0.01		0.09	0.095	0.030	0.025	3.05	2.83
923					75-0	77.5	11		0.03		0.01	0.270	0.050	0.040	2.45	2.89
924					77.5	80-0	11		<0.01		0.01	0.070	0.005	0.010	2.65	2.82
925					80-0	82.5	11		0.04		0.01	0.350	0.060	0.030	6.75	3.01
926					82.5	85-0	11		0.02		0.01	0.075	0.030	0.030	4.45	2.88
927					85-0	87.5	11		0.03		0.02	0.250	0.030	0.050	4.50	2.87
928					87.5	90-0	11		0.02		0.01	0.170	0.055	0.020	6.65	2.84
929					90-0	92.5	11		0.03		0.02	0.670	0.035	0.045	4.25	2.82
930					92.5	95-0	11		0.09		0.06	0.335	0.110	0.055	4.45	2.90
931					95-0	97.5	11		0.03		0.01	0.495	0.020	0.025	4.95	2.86
932					97.5	100-0	11		0.05		0.02	0.255	0.035	0.025		2.87





























CLEVELAND TIN - GEOLOGY DEPT.

## SAMPLE ASSAY DATA

FINAL ASSAY REPORT

COST CODE: 953 C

COMPILATION DATE: 17. 8. 82

COMPILED BY: E. S. ...

PAGE 1 OF 1

ASSAY DATES: ...

SAMPLE NUMBER	D.D.H. NUMBER	FACE/SLOPE			Σ	FROM	TO	LENGTH	ROCK TYPE	%SnT	%SnS	%Cu	%WO <sub>3</sub>	%MoS <sub>2</sub>	%Bi	%CaF <sub>2</sub>	S.G.
		LENS	LEVEL	DATE													
303893	C1803	FOLEY				00-0	2.5	2.5		0.02		<0.01	0.010	<0.005	0.005		2.78
894						2.5	5.0	11		0.02		<0.01	0.050	<0.005	0.010		2.78
895						5.0	7.5	11		0.02		0.01	0.015	<0.005	0.005		2.79
896						7.5	10.0	11		0.06		0.01	0.140	0.030	0.030		2.87
897						10.0	12.5	11		0.03		0.01	0.105	0.045	0.030		2.83
898						12.5	15.0	11		0.01		0.01	0.070	0.010	0.025		2.83
899						15.0	17.5	11		0.01		0.01	0.025	0.010	0.015		2.81
900						17.5	20.0	11		0.01		0.01	0.025	0.005	0.005		2.80
901						20.0	22.5	11		0.02		0.01	0.220	0.110	0.065		2.84
902						22.5	25.0	11		0.06		0.03	0.070	0.005	0.010		2.86
903						25.0	27.5	11		0.06		0.04	0.070	0.115	0.045		2.86
904						27.5	30.0	11		0.01		0.01	0.175	0.010	0.020		2.81
905						30.0	32.5	11		0.01		<0.01	0.055	0.040	0.020		2.84
906						32.5	35.0	11		0.01		<0.01	0.035	0.015	0.020		2.84
907						35.0	37.5	11		0.01		<0.01	0.110	0.030	0.035		2.83
908						37.5	40.0	11		0.01		<0.01	0.075	0.010	0.015		2.80
909						40.0	42.5	11		0.01		<0.01	0.080	0.020	0.020		2.85
910						42.5	45.0	11		0.01		0.01	0.140	0.020	0.035		2.86
911						45.0	47.5	11		0.02		0.03	0.240	0.010	0.015		2.89
912						47.5	50.0	11		0.01		<0.01	0.035	0.015	0.010		2.84

44 303

CLEVELAND TIN - GEOLOGY DEPT.

**SAMPLE ASSAY DATA**

PRELIMINARY  
ASSAY REPORT

COST CODE: 953C  
 COMPILATION DATE: 27.8.82  
 COMPILED BY: E. Brooke  
 ASSAY DATES: .....

1st cont  
 sub.  
 PAGE 4 OF 4

SAMPLE NUMBER	D.D.H. NUMBER	FACE/SLOPE			Σ	FROM	TO	LENGTH	ROCK TYPE	%SnT	%SnS	%Cu	%WO <sub>3</sub>	%MoS <sub>2</sub>	%Bi	%CaF <sub>2</sub>	S G
		LENS	LEVEL	DATE													
303 947	C1800	FOLLY				150-0	152.5	2.5		0.02.			0.010				
948						152.5	155-0	11		0.04.			0.045				
949						155-0	157.5	11		0.02.			0.050				
950						157.5	160-0	11		0.03			0.040				
951						160-0	162.5	11		0.01.			0.010				
952						162.5	165-0	11		0.04			0.040				
953						165-0	167.5	11		0.03			0.050				
954						167.5	170-0	11		0.03			0.195				
955						170-0	172.5	11		0.03			0.080				
956						172.5	175-0	11		0.02.			0.055				
957						175-0	177.5	11		0.04			0.045				
958						177.5	180-0	11		0.04			0.220				
959						180-0	182.5	11		0.01.			0.015				
960						182.5	185-0	11		0.02.			0.135				
961						185-0	187.5	11		0.02.			0.035				
962						187.5	190-0	11		0.01.			0.050				
963						190-0	192.5	11		0.06			0.200				
964						192.5	195-0	11		0.02.			0.075				
965						195-0	197.5	11		0.03			0.085				
966						197.5	200-0	11		0.02.			0.070				

44 304