

RGC EXPLORATION PTY LTD

DRILL HOLE No GAR 011

SHEET 1 OF 1

- Bedding
- └ Cleavage
- ▲ Foliation
- ~ Fault, Shear
- ⚠ Breccia
- ▨ Broken core
- ▤ Disseminated
- Massive
- ▨ Pervasive
- ↘ Narrow vein
- * Visible gold

PROJECT	: SUMMARY LOGS OF
PROSPECT	: GARFIELD GEOTHERM. DDH.
DATE	: 21-04-75
LOGGED BY	: SUE CORLETT

HOLE DEPTH	SAMPLE No	ASSAY RESULTS	STRUCT.	GRAPHIC LOG	ALTERATION					GEOLOGY NOTES	SUMMARY	
					SIL.	SER.	PY.	CHL	SO ₄		ROCK	ALTERATION
GAR 011	0 10 20 30 40		S1 S4 S1 S1 S1 40							<p>START 1.0M</p> <p>rhyolite (quartz pyrite)</p> <p>quartz-carbonate-limonite vein (± chlorite)</p> <p>feldspar phyric andesite</p> <p>< 1% pyrite (variably brecciated)</p> <p>pyrite veins commonly feature 0.2-0.5cm alteration</p> <p>selvedges of sericite or chlorite</p> <p>limonitic fractures to end of hole.</p> <p>END OF HOLE 40.0M.</p>		

REMARKS

723027

RGC EXPLORATION DRILL HOLE RECORD

HOLE NUMBER	GAR 011	DRILLED BY	NIC POLTOCIS
PROJECT	GARFIELD	NORTHING	1975 N / 5324568 m
PROSPECT	GARFIELD	EASTING	2040 E / 380072 m E
DESIGNED BY	S. CORLETT	RL	295
LOGGED BY	S. CORLETT	INCLINATION	-60°
COMMENCED	APRIL 1995	AZIMUTH	050
FINISHED	APRIL 1995	EOH	40.0 m

PURPOSE

GEOCHEMICAL HOLE - DRILLED TO TEST IP ANOMALY.

SURVEY DATA

DEPTH	INC.	AZL	DEPTH	INC.	AZL	DEPTH	INC.	AZL
0	-60	050						

DRILLING DATA

HOLE SIZE	DEPTH	COMMENTS

RGC EXPLORATION PTY LTD

DRILL HOLE No GAR 011

SHEET 1 OF 2

- Bedding
- ┌ Cleavage
- ▲ Foliation
- ~ Fault, Shear
- ⚡ Breccia
- ▨ Broken core
- ▤ Disseminated
- Massive
- ▨ Pervasive
- ↘ Narrow vein
- * Visible gold lenses.

PROJECT : <u>GARFIELD</u>
PROSPECT :
DATE : <u>19-04-95</u>
LOGGED BY : <u>S. CORLETT</u>

HOLE DEPTH	SAMPLE NO PREFIX	ASSAY RESULTS	STRUCT.	GRAPHIC LOG	ALTERATION	GEOLOGY NOTES	SUMMARY	
							ROCK	ALTERATION
0				16 1 1 16 2	SIL. SER. PY. CHL. CARB.	<p>START 1.0m.</p> <p>1.0-2.4m • quartz phytic myolite</p>		
2				/ /		<p>2.4-3.0m • quartz-carbonate chlorite vein</p>		ECTP
				Q/CHL		<p>3.0-3.4m • feldspar phytic andesite</p>		
4				/ /		<p>3.4-5.0m • Quartz-chlorite-limonite-cb. vein (broken core)</p>		
6			S ₁ 46	/ /		<p>5.0-18.1m • feldspar phytic andesite moderately chloritised. • <1% pyrite; commonly contained in chloritic zones</p>		
8			S ₁	/ /		<p>• 8.8m-3cm pyritic vein with lim sericite alteration selvage.</p>		
10			S ₁	/ /		<p>• 11.2m - cross cutting pyrite/quartz veins (+ siderite) & lenses - strongly sericatised.</p>		
12			S ₁ 48	/ /		<p>• 13.1m pyrite vein with 0.5cm chlorite rim - vuggy limonitic (ex. pyrite / carbonate)</p>		
14			/ /	/ /		<p>15.1-19.1m • limonite - chlorite veins with sericite alteration selvage (<1%) • abundant limonitic fractures with <1% dissem. pyrite ⇒ feldspar phytic andesite</p>		
16			S ₁ 50	/ /		<p>19.1-19.3m • andesitic breccia</p>		
18			/ /	/ /		<p>• moderately chloritised feldspar phytic andesite</p>		
20			/ /	/ /				

REMARKS Sampled 1-40.0m @ 1m intervals.

723043

