

RGC EXPLORATION DRILL HOLE RECORD

| | | | |
|-------------|---------------------|-------------|----------|
| HOLE NUMBER | GAR012 | DRILLED BY | D.D. TAG |
| PROJECT | TAS BASE METALS | NORTHING | 5324637 |
| PROSPECT | GARFIELD ELSS/09 | EASTING | 379827 |
| DESIGNED BY | S. HALLEY | RL | (285) |
| LOGGED BY | S. HALLEY | INCLINATION | -75.8 |
| COMMENCED | 3/10/95 | AZIMUTH | 056 Am6. |
| FINISHED | 14/10/95 | EOH | 482.0m |

PURPOSE

| |
|----------------------------------|
| To test for Cu mineralisation at |
| depth 100m to the north of D.D.H |
| GAR001. |
| |

SURVEY DATA

| DEPTH | INC. | AZL | DEPTH | INC. | AZL | DEPTH | INC. | AZL |
|-------|-------|-------|-------|-------|-----|-------|-------|-----|
| 30 | -75.8 | 056 | 240 | -70.3 | 047 | 450 | -67.1 | 049 |
| 60 | -75.4 | 054 | 270 | -70 | 047 | 480 | -66.2 | 051 |
| 90 | -75 | 052 | 300 | -69.5 | 047 | | | |
| 120 | (-74) | (050) | 330 | -68.8 | 047 | | | |
| 150 | -73 | 049 | 360 | -68.5 | 050 | | | |
| 180 | -72.1 | 048 | 390 | -68.1 | 050 | | | |
| 210 | -71.1 | 047 | 420 | -67.8 | 051 | | | |












DRILLING DATA

| HOLE SIZE | DEPTH | COMMENTS |
|-----------|-------|----------|
| | | |
| | | |
| | | |

RGC EXPLORATION PTY LTD

DRILL HOLE No GAR 012

SHEET 1 OF 25

-  Bedding
-  Cleavage
-  Foliation
-  Fault, Shear
-  Breccia
-  Broken core
-  Disseminated
-  Massive
-  Pervasive
-  Narrow vein
-  Visible gold

PROJECT : TAS BASE METALS

PROSPECT : GARFIELD

DATE : 4/11/95

LOGGED BY : SWH

| HOLE DEPTH | SAMPLE No PREFIX | ASSAY RESULTS | STRUCT. | GRAPHIC LOG | ALTERATION | | | GEOLOGY NOTES | SUMMARY | |
|------------|---------------------|---------------|---------|-------------|------------|------|------|--|---------|------------|
| | | | | | SIL. | SER. | P.V. | | ROCK | ALTERATION |
| 1 | | | | | | | | 0-3 No CORE | | |
| 2 | | | | | | | | | | NONE |
| 3 | | | | | | | | 3.0-25.1 | | |
| 4 | | | | | | | | silty to fine sandy sediment | | |
| 5 | | | | | | | | The base of complete oxidation is 25.5m. | | |
| 6 | | | | | | | | | | |
| 7 | | | | | | | | | | |
| 8 | | | | | | | | | | |
| 9 | | | | | | | | | | |
| 10 | | | | | | | | | | |
| 11 | | | | | | | | | | |
| 12 | | | | | | | | | | |
| 13 | | | | | | | | | | VDAF |
| 14 | | | | | | | | | | |
| 15 | | | | | | | | | | |
| 16 | | | | | | | | | | |
| 17 | | | | | | | | | | |
| 18 | | | | | | | | | | |
| 19 | | | | | | | | | | |
| REMARKS | | | | | | | | | | |
| 723047 | | | | | | | | | | |

- Bedding
- └ Cleavage
- ▲ Foliation
- ~ Fault, Shear
- ⚡ Breccia
- ▣ Broken core
- ⋯ Disseminated
- Massive
- ▨ Pervasive
- ↘ Narrow vein
- * Visible gold

| | |
|-------------|-----------------|
| PROJECT : | TAS BASE METALS |
| PROSPECT : | GARFIELD |
| DATE : | 4/11/95 |
| LOGGED BY : | S W H |

| HOLE DEPTH | SAMPLE No PREFIX | ASSAY RESULTS | STRUCT. | GRAPHIC LOG | ALTERATION | | | GEOLOGY NOTES | SUMMARY | |
|------------|---------------------|---------------|---------|-------------|------------|------|-----|------------------------------|---------|------------|
| | | | | | SNL | SER. | PY. | | ROCK | ALTERATION |
| 21 | | | | | | | | | | |
| 22 | | | | | | | | | | |
| 23 | | | | | | | | | | |
| 24 | | | | | | | | | | |
| 25 | | | | | | | | | | |
| 26 | | | | | | | | 25.1 - 29.0 | | |
| 27 | | | | | | | | volcanic breccia with coarse | | |
| 28 | | | | | | | | dacite and rhyolite lava | | |
| 29 | | | | | | | | clasts. clast supported. | | |
| 30 | | | | | | | | moderately foliated | | |
| 31 | | | | | | | | 29.0 - 29.2 rhyolite dyke | | |
| 32 | | | | | | | | 29.2 - 46.7 | | |
| 33 | | | | | | | | lithic-rich volcanic breccia | | |
| 34 | | | | | | | | > 50% lithics | | |
| 35 | | | | | | | | S ₁ to CA 15° | | |
| 36 | | | | | | | | | | |
| 37 | | | | | | | | | | |
| 38 | | | | | | | | | | |
| 39 | | | | | | | | | | |

REMARKS

723048

RGC EXPLORATION PTY LTD

DRILL HOLE No 6AR01Z

SHEET 3 OF 25

- Bedding
- └ Cleavage
- ▲ Foliation
- ~ Fault, Shear
- ⊠ Breccia
- ▨ Broken core
- ▤ Disseminated
- Massive
- ▨ Pervasive
- ↘ Narrow vein
- * Visible gold












| | |
|-------------|-----------------|
| PROJECT : | TAS BASE METALS |
| PROSPECT : | GARFIELD |
| DATE : | 4/11/95 |
| LOGGED BY : | S. W. H |

| HOLE DEPTH | SAMPLE No PREFIX | ASSAY RESULTS | STRUCT. | GRAPHIC LOG | ALTERATION | | | GEOLOGY NOTES | SUMMARY | |
|------------|---------------------|---------------|----------------|---------------|------------|------|-----|--|---------|------------|
| | | | | | SIL. | SER. | PY. | | ROCK | ALTERATION |
| 41 | | | | 1 2 3 4 16 32 | | | | | | |
| 42 | | | | 1 2 3 4 16 32 | | | | | | |
| 43 | | | | 1 2 3 4 16 32 | | | | | | |
| 44 | | | | 1 2 3 4 16 32 | | | | | | |
| 45 | | | | 1 2 3 4 16 32 | | | | | | |
| 46 | | | | 1 2 3 4 16 32 | | | | S ₀ to CA 25° | | |
| 47 | | | S ₁ | 1 2 3 4 16 32 | | | | 46.7 - 63.2 | | |
| 48 | | | | 1 2 3 4 16 32 | | | | finer-grained, fewer lithics matrix supported | | |
| 49 | | | | 1 2 3 4 16 32 | | | | | | |
| 50 | | | | 1 2 3 4 16 32 | | | | | | |
| 51 | | | | 1 2 3 4 16 32 | | | | | | |
| 52 | | | | 1 2 3 4 16 32 | | | | | | |
| 53 | | | | 1 2 3 4 16 32 | | | | | | |
| 54 | | | | 1 2 3 4 16 32 | | | | base of fracture oxidation 54 m. | | VR < M |
| 55 | | | | 1 2 3 4 16 32 | | | | | | |
| 56 | | | | 1 2 3 4 16 32 | | | | | | |
| 57 | | | S ₁ | 1 2 3 4 16 32 | | | | S ₁ to CA 35° | | |
| 58 | | | | 1 2 3 4 16 32 | | | | | | |
| 59 | | | | 1 2 3 4 16 32 | | | | | | |
| REMARKS | | | | | | | | | | |
| 723049 | | | | | | | | | | |

RGC EXPLORATION PTY LTD

DRILL HOLE No GAR012

SHEET 4 OF 25

-  Bedding
-  Cleavage
-  Foliation
-  Fault, Shear
-  Breccia
-  Broken core
-  Disseminated
-  Massive
-  Pervasive
-  Narrow vein
-  Visible gold

| | |
|-------------|-----------------|
| PROJECT : | TAS BASE METALS |
| PROSPECT : | GARFIELD |
| DATE : | 4/11/95 |
| LOGGED BY : | S.W.H |

| HOLE DEPTH | SAMPLE NO PREFIX | ASSAY RESULTS | STRUCT. | GRAPHIC LOG | | | | | | ALTERATION | GEOLOGY NOTES | SUMMARY | | | |
|------------|---------------------|---------------|---------|-------------|---|---|----|----|-----|------------|---------------|-----------------------|--------------------------|-----|------|
| | | | | 1 | 1 | 4 | 16 | 32 | SIL | | | SER | PY | CHL | ROCK |
| 61 | | | | | | | | | | | | | | | |
| 62 | | | | | | | | | | | | | | | |
| 63 | | | 35 | | | | | | | | | | | | |
| 64 | | | | | | | | | | | | 63.2 - 78.0 | | | |
| 65 | | | | | | | | | | | | chloritic andesite | | | |
| 66 | | | | | | | | | | | | with abundant white | | | |
| 67 | | | | | | | | | | | | sericitized feldspars | | | |
| 68 | | | | | | | | | | | | strongly foliated | | | |
| 69 | | | | | | | | | | | | | | | |
| 70 | | | 151 | | | | | | | | | | | | |
| 71 | | | | | | | | | | | | | S ₁ to CA 35° | | IAP |
| 72 | | | | | | | | | | | | | | | |
| 73 | | | | | | | | | | | | | | | |
| 74 | | | | | | | | | | | | | | | |
| 75 | | | | | | | | | | | | | | | |
| 76 | | | | | | | | | | | | | | | |
| 77 | | | | | | | | | | | | | | | |
| 78 | | | | | | | | | | | | | 78.0 - 126.2 | | |
| 79 | | | | | | | | | | | | | | | |

REMARKS

723050

RGC EXPLORATION PTY LTD

DRILL HOLE No GAR 012

SHEET 5 OF 25

- Bedding
- └ Cleavage
- ▲ Foliation
- ~ Fault, Shear
- ⚠ Breccia
- ▨ Broken core
- ▤ Disseminated
- Massive
- ▩ Pervasive
- ⚡ Narrow vein
- * Visible gold

| | |
|-------------|-----------------|
| PROJECT : | TAS BASE METALS |
| PROSPECT : | GARFIELD |
| DATE : | 4/11/95 |
| LOGGED BY : | S. W. H |

| HOLE DEPTH | SAMPLE No PREFIX | ASSAY RESULTS | STRUCT. | GRAPHIC LOG | ALTERATION | | | GEOLOGY NOTES | SUMMARY | |
|------------|---------------------|---------------|----------------|-------------|------------|------|-----|--|---------|------------|
| | | | | | SIL. | SER. | PY. | | ROCK | ALTERATION |
| 81 | | | | 1 16 | | | | massive homogenous volcanoclastic unit with small lithic clasts including some lava clasts + siltstone may be some pumice fragments sparse altered pyritic clasts moderately sericitic and foliated S ₁ to CA 35° | | |
| 82 | | | | 1 16 | | | | | | |
| 83 | | | | 1 16 | | | | | | |
| 84 | | | | 1 16 | | | | | | |
| 85 | | | | 1 16 | | | | | | |
| 86 | | | | 1 16 | | | | | | |
| 87 | | | S ₁ | 1 16 | | | | | | |
| 88 | | | | 1 16 | | | | | | |
| 89 | | | | 1 16 | | | | | | |
| 90 | | | | 1 16 | | | | | | |
| 91 | | | | 1 16 | | | | | VDCM | |
| 92 | | | | 1 16 | | | | | | |
| 93 | | | | 1 16 | | | | | | |
| 94 | | | | 1 16 | | | | | | |
| 95 | | | S ₁ | 1 16 | | | | | | |
| 96 | | | | 1 16 | | | | | | |
| 97 | | | | 1 16 | | | | | | |
| 98 | | | | 1 16 | | | | | | |
| 99 | | | | 1 16 | | | | | | |

REMARKS

723081

RGC EXPLORATION PTY LTD

DRILL HOLE No GAR01Z

SHEET 6 OF 25

- Bedding
- └ Cleavage
- ▲ Foliation
- ~ Fault, Shear
- ⚠ Breccia
- ▨ Broken core
- ▤ Disseminated
- Massive
- ▩ Pervasive
- ↘ Narrow vein
- * Visible gold

| | |
|-------------|-----------------|
| PROJECT : | TAS BASE METALS |
| PROSPECT : | GARFIELD |
| DATE : | 4/11/95 |
| LOGGED BY : | S.W.H |

| HOLE DEPTH | SAMPLE No PREFIX | ASSAY RESULTS | STRUCT. | GRAPHIC LOG | | | | | | ALTERATION | | | GEOLOGY NOTES | SUMMARY | | |
|------------|---------------------|---------------|---------|-------------|-----|---|---|----|----|------------|------|-----|--------------------------|---------|------------|--|
| | | | | 1/16 | 1/4 | 1 | 4 | 16 | 32 | SIL. | SER. | PY. | | ROCK | ALTERATION | |
| 101 | | | | | | | | | | | | | | | | |
| 102 | | | | | | | | | | | | | 0-102.1 HQ | | | |
| 103 | | | | | | | | | | | | | 102.1 - EOH NR* | | | |
| 104 | | | | | | | | | | | | | | | | |
| 105 | | | | | | | | | | | | | S ₁ to CA 30° | | | |
| 106 | | | | | | | | | | | | | | | | |
| 107 | | | | | | | | | | | | | | | | |
| 108 | | | | | | | | | | | | | | | | |
| 109 | | | | | | | | | | | | | | | | |
| 110 | | | | | | | | | | | | | | | | |
| 111 | | | | | | | | | | | | | | | | |
| 112 | | | | | | | | | | | | | | | | |
| 113 | | | | | | | | | | | | | | | | |
| 114 | | | | | | | | | | | | | S ₁ to CA 40° | | | |
| 115 | | | | | | | | | | | | | | | | |
| 116 | | | | | | | | | | | | | | | | |
| 117 | | | | | | | | | | | | | | | | |
| 118 | | | | | | | | | | | | | | | | |
| 119 | | | | | | | | | | | | | | | | |
| REMARKS | | | | | | | | | | | | | | | | |
| 723052 | | | | | | | | | | | | | | | | |

RGC EXPLORATION PTY LTD

DRILL HOLE No GAR 012
 SHEET 7 OF 25

- Bedding
- └ Cleavage
- ▲ Foliation
- ~ Fault, Shear
- △ Breccia
- ▨ Broken core
- ▤ Disseminated
- Massive
- ▩ Pervasive
- ↘ Narrow vein
- * Visible gold

| | |
|-------------|-----------------|
| PROJECT : | TAS BASE METALS |
| PROSPECT : | GARFIELD |
| DATE : | 4/11/95 |
| LOGGED BY : | S.W.H |

| HOLE DEPTH | SAMPLE No PREFIX | ASSAY RESULTS | STRUCT. | GRAPHIC LOG | | | | | | ALTERATION | | | GEOLOGY NOTES | SUMMARY | | |
|------------|---------------------|---------------|----------------|-------------|---|---|---|----|----|------------|------|-----|--|---------|------------|--|
| | | | | 1 | 1 | 1 | 4 | 16 | 32 | SIL. | SER. | PY. | | ROCK | ALTERATION | |
| 121 | | | | | | | | | | | | | | | | |
| 122 | | | | | | | | | | | | | | | | |
| 123 | | | | | | | | | | | | | | | | |
| 124 | | | S ₁ | | | | | | | | | | S ₁ to CA 30° | | | |
| 125 | | | | | | | | | | | | | | | | |
| 126 | | | | | | | | | | | | | | | | |
| 127 | | | | | | | | | | | | | 126.2 - 127.0 dacite dyke with chilled margins | | DF | |
| 128 | | | | | | | | | | | | | 127.0 - 129.3 volcaniclastic | | VD | |
| 129 | | | | | | | | | | | | | | | | |
| 130 | | | | | | | | | | | | | 129.3 - 142.0 rhyolite lava, weakly sericitic | | | |
| 131 | | | | | | | | | | | | | vague breccia textures particularly towards the base | | | |
| 132 | | | | | | | | | | | | | | | | |
| 133 | | | | | | | | | | | | | | | | |
| 134 | | | | | | | | | | | | | | | | |
| 135 | | | | | | | | | | | | | | | | |
| 136 | | | S ₁ | | | | | | | | | | | | | |
| 137 | | | | | | | | | | | | | | | | |
| 138 | | | | | | | | | | | | | | | | |
| 139 | | | | | | | | | | | | | | | | |

REMARKS

723053

RGC EXPLORATION PTY LTD

DRILL HOLE No GAR 012

SHEET 8 OF 25

- Bedding
- └ Cleavage
- ▲ Foliation
- ~ Fault, Shear
- ⚡ Breccia
- ▨ Broken core
- ▤ Disseminated
- Massive
- ▩ Pervasive
- ↘ Narrow vein
- * Visible gold

| | |
|-------------|-----------------|
| PROJECT : | TAS BASE METALS |
| PROSPECT : | GARFIELD |
| DATE : | 4/11/95 |
| LOGGED BY : | S. W. H |

| HOLE DEPTH | SAMPLE No PREFIX | ASSAY RESULTS | STRUCT. | GRAPHIC LOG | ALTERATION | | | GEOLOGY NOTES | SUMMARY | |
|------------|---------------------|---------------|---------|-------------|------------|------|-----|---|---------|------------|
| | | | | | SIL. | SER. | PY. | | ROCK | ALTERATION |
| 141 | | | | | | | | | | |
| 142 | | | | | | | | 142.0 - 148.3 volcanic breccia S ₀ to CA 35° | | VR < C |
| 143 | | | | | | | | | | |
| 144 | | | | | | | | 148.3 - 164.8 rhyolite lava | | |
| 145 | | | | | | | | | | |
| 146 | | | | | | | | | | |
| 147 | | | | | | | | | | |
| 148 | | | | | | | | | | |
| 149 | | | | | | | | | | |
| 150 | | | | | | | | Weak sericite - pyrite | | |
| 151 | | | | | | | | | | |
| 152 | | | | | | | | Weakly brecciated | | |
| 153 | | | | | | | | | | |
| 154 | | | | | | | | | | |
| 155 | | | | | | | | | | |
| 156 | | | | | | | | | | |
| 157 | | | | | | | | | | |
| 158 | | | | | | | | | | |
| 159 | | | | | | | | | | |

REMARKS

723054

RGC EXPLORATION PTY LTD

DRILL HOLE No 6AR 012

SHEET 9 OF 25

- Bedding
- ┌ Cleavage
- ▲ Foliation
- ~ Fault, Shear
- ⚡ Breccia
- ▨ Broken core
- ▤ Disseminated
- Massive
- ▨ Pervasive
- ↘ Narrow vein
- * Visible gold

| | |
|-------------|-----------------|
| PROJECT : | TAS BASE METALS |
| PROSPECT : | GARFIELD |
| DATE : | 4/11/95 |
| LOGGED BY : | S. W. H. |

| HOLE DEPTH | SAMPLE No PREFIX | ASSAY RESULTS | STRUCT. | GRAPHIC LOG | ALTERATION | | | GEOLOGY NOTES | SUMMARY | |
|------------|---------------------|---------------|---------|--------------|------------|------|-----|--|---------|------------|
| | | | | | SIL. | SER. | PY. | | ROCK | ALTERATION |
| 161 | | | | 16 1 4 16 22 | | | | weak breccia texture | | |
| 162 | | | | 16 1 4 16 22 | | | | | | |
| 163 | | | | 16 1 4 16 22 | | | | | | |
| 164 | | | | 16 1 4 16 22 | | | | | | |
| 165 | | | 35 | 16 1 4 16 22 | | | | 164.8 - 167.8 amygdaloidal dacite dyke | | IDF |
| 166 | | | | 16 1 4 16 22 | | | | | | |
| 167 | | | 35 | 16 1 4 16 22 | | | | | | |
| 168 | | | | 16 1 4 16 22 | | | | 167.8 - 168 rhyolite lava | LRGB | |
| 169 | | | | 16 1 4 16 22 | | | | 168.0 - 172.6 amygdaloidal dacite dyke | | IDF |
| 170 | | | | 16 1 4 16 22 | | | | | | |
| 171 | | | | 16 1 4 16 22 | | | | | | |
| 172 | | | 35 | 16 1 4 16 22 | | | | | | |
| 173 | | | | 16 1 4 16 22 | | | | 172.6 - 175.5 rhyolite lava breccia includes several pyrite-quartz clasts | | LRGB |
| 174 | | | | 16 1 4 16 22 | | | | | | |
| 175 | | | 45 | 16 1 4 16 22 | | | | | | |
| 176 | | | | 16 1 4 16 22 | | | | 175.5 - 177.8 amygdaloidal dacite dyke | | IDF |
| 177 | | | cutting | 16 1 4 16 22 | | | | | | |
| 178 | | | | 16 1 4 16 22 | | | | 177.8 - 190.1 | | LRGB |
| 179 | | | | 16 1 4 16 22 | | | | | | |

REMARKS

723053

RGC EXPLORATION PTY LTD

DRILL HOLE No GAR 012

SHEET 10 OF 25

- Bedding
- └ Cleavage
- ▲ Foliation
- ~ Fault, Shear
- ⚡ Breccia
- ▣ Broken core
- ▨ Disseminated
- Massive
- ▩ Pervasive
- ↘ Narrow vein
- * Visible gold

| | |
|-------------|-----------------|
| PROJECT : | TAS BASE METALS |
| PROSPECT : | GARFIELD |
| DATE : | 4/11/95 |
| LOGGED BY : | S L H |

| HOLE DEPTH | SAMPLE No PREFIX | ASSAY RESULTS | STRUCT. | GRAPHIC LOG | ALTERATION | | | | GEOLOGY NOTES | SUMMARY | |
|------------|---------------------|---------------|----------------|-------------|------------|------|-----|-------|--|---------|------------|
| | | | | | SIL. | SER. | PY. | CARB. | | ROCK | ALTERATION |
| 181 | | | | | | | | | quartz phyric rhyolite lava with a ghosted fragmental texture and heterogeneous sericitic alteration | | |
| 182 | | | | | | | | | it contains unusual pyrite clasts(?) | | |
| 183 | | | | | | | | | | | |
| 184 | | | | | | | | | | | |
| 185 | | | | | | | | | | | |
| 186 | | | | | | | | | | | LRQB |
| 187 | | | | | | | | | | | |
| 188 | | | | | | | | | | | |
| 189 | | | | | | | | | | | |
| 190 | | | | | | | | | 190-1 - 214.0 | | |
| 191 | | | | | | | | | graded volcanic sandstone distinctly bedded in places | | |
| 192 | | | | | | | | | wiggy sericite domains in the coarse bands may be after pumice | | |
| 193 | | | S ₀ | | | | | | | | |
| 194 | | | | | | | | | | | |
| 195 | | | | | | | | | | | |
| 196 | | | | | | | | | | | VRSM |
| 197 | | | | | | | | | | | |
| 198 | | | | | | | | | | | |
| 199 | | | S ₀ | | | | | | S ₀ to CA 40° | | |

REMARKS

723056

RGC EXPLORATION PTY LTD

DRILL HOLE No GAR 012

SHEET 11 OF 25

- Bedding
- └ Cleavage
- ▲ Foliation
- ~ Fault, Shear
- ⊠ Breccia
- ▨ Broken core
- ▤ Disseminated
- Massive
- ▩ Pervasive
- ↖ Narrow vein
- * Visible gold

| | |
|-------------|-----------------|
| PROJECT : | TAS BASE METALS |
| PROSPECT : | GARFIELD |
| DATE : | 4/11/95 |
| LOGGED BY : | S. W. H |

| HOLE DEPTH | SAMPLE No PREFIX | ASSAY RESULTS | STRUCT. | GRAPHIC LOG | ALTERATION | | | | GEOLOGY NOTES | SUMMARY | |
|------------|---------------------|---------------|----------------|--------------------|------------|------|-----|-------|---|---------|------------|
| | | | | | SIL. | SER. | PY. | CARB. | | ROCK | ALTERATION |
| 201 | | | | 16 32 1 4 16 32 | | | | | | | |
| 202 | | | | | | | | | | | |
| 203 | | | S ₀ | | | | | | S ₀ to CA 35° | | |
| 204 | | | | | | | | | | | |
| 205 | | | | | | | | | | | |
| 206 | | | | | | | | | | | |
| 207 | | | | | | | | | | | VR<M |
| 208 | | | | | | | | | blotchy carbonate alteration with secondary rhombs (1-2mm) of ferrous carbonate | | |
| 209 | | | | | | | | | distinctly bedded | | |
| 210 | | | S ₀ | | | | | | S ₀ to CA 40° | | |
| 211 | | | | | | | | | | | |
| 212 | | | | | | | | | | | |
| 213 | | | | | | | | | | | |
| 214 | | | | | | | | | 214.0 - 214.9 sandstone | | ER<M |
| 215 | | | | | | | | | 214.9 - 217.1 | | |
| 216 | | | | | | | | | dacitic dyke | | IDF |
| 217 | | | | | | | | | | | |
| 218 | | | | | | | | | 217.1 - 232.9 sandstone | | |
| 219 | | | S ₀ | | | | | | more 'mature' sediment than the last volcanoclastic unit | | ER-M |

REMARKS

723057

RGC EXPLORATION PTY LTD

DRILL HOLE No CAR 012

SHEET 12 OF 25

- Bedding
- └ Cleavage
- ▲ Foliation
- ~ Fault, Shear
- ⊠ Breccia
- ▨ Broken core
- ⋯ Disseminated
- Massive
- ▨ Pervasive
- ↘ Narrow vein
- * Visible gold

| |
|-------------|
| PROJECT : |
| PROSPECT : |
| DATE : |
| LOGGED BY : |

| HOLE DEPTH | SAMPLE No PREFIX | ASSAY RESULTS | STRUCT. | GRAPHIC LOG | ALTERATION | | | | GEOLOGY NOTES | SUMMARY | |
|------------|---------------------|---------------|----------------|-------------|------------|------|-----|-------|---|---------|------------|
| | | | | | SIL. | SER. | PY. | CARB. | | ROCK | ALTERATION |
| 221 | | | | 1 16 | | | | | | | |
| 222 | | | | 1 4 | | | | | | | |
| 223 | | | | 1 16 | | | | | | | |
| 224 | | | | 1 16 | | | | | | | |
| 225 | | | S ₀ | 1 16 | | | | | S ₀ 40° | | |
| 226 | | | | 1 16 | | | | | patchy ferroan carbonite alteration, enhancing the bedding. | | ER-M |
| 227 | | | | 1 16 | | | | | | | |
| 228 | | | | 1 16 | | | | | | | |
| 229 | | | | 1 16 | | | | | | | |
| 230 | | | | 1 16 | | | | | | | |
| 231 | | | S ₀ | 1 16 | | | | | S ₀ 45° | | |
| 232 | | | | 1 16 | | | | | | | |
| 233 | | | | 1 16 | | | | | 232.9 - 234.4 | | IDF |
| 234 | | | CONTACT | 1 16 | | | | | dacite dyke | | |
| 235 | | | | 1 16 | | | | | 234.4 - 235.8 | | ER-M |
| 236 | | | | 1 16 | | | | | 235.8 - 236.4 dacite dyke | | IDF |
| 237 | | | | 1 16 | | | | | 236.4 - 238 sandstone | | ER-M |
| 238 | | | | 1 16 | | | | | 238.0 - 260.3 | | ER-F |
| 239 | | | | 1 16 | | | | | siltstone | | |

REMARKS

723058

RGC EXPLORATION PTY LTD

DRILL HOLE No 6A2012

SHEET 13 OF 25

- Bedding
- └ Cleavage
- ▲ Foliation
- ~ Fault, Shear
- ⚡ Breccia
- ▨ Broken core
- ▤ Disseminated
- Massive
- ▩ Pervasive
- ↘ Narrow vein
- * Visible gold

| | |
|-------------|--|
| PROJECT : | |
| PROSPECT : | |
| DATE : | |
| LOGGED BY : | |

| HOLE DEPTH | SAMPLE No PREFIX | ASSAY RESULTS | STRUCT. | GRAPHIC LOG | ALTERATION | GEOLOGY NOTES | SUMMARY | |
|------------|---------------------|---------------|----------------|---------------------|------------|-------------------------------------|---------|------------|
| | | | | | | | ROCK | ALTERATION |
| 241 | | | | 1 1 4 16 32 TR 7 | | | | |
| 242 | | | | | | * * | | |
| 243 | | | | | | | | |
| 244 | | | S ₀ | | | S ₀ 40° | | |
| 245 | | | | ▨ | | | | |
| 246 | | | | | | | | |
| 247 | | | | | | | | |
| 248 | | | | | | | | |
| 249 | | | | | | | | |
| 250 | | | | | | | | |
| 251 | | | S ₀ | | | S ₀ 60° | | |
| 252 | | | | | | | | ER-F |
| 253 | | | | | | | | |
| 254 | | | | | | | | |
| 255 | | | | | | | | |
| 256 | | | QUARTZ VEIN | ▨ | | | | |
| 257 | | | | | | | | |
| 258 | | | | | | | | |
| 259 | | | S ₁ | | | S ₁ , S ₀ 25° | | |

REMARKS

723059

RGC EXPLORATION PTY LTD

DRILL HOLE No GAR 012

SHEET 14 OF 25

- Bedding
- └ Cleavage
- ▲ Foliation
- ~ Fault, Shear
- ⚡ Breccia
- ▨ Broken core
- ▤ Disseminated
- Massive
- ▩ Pervasive
- ↘ Narrow vein
- * Visible gold

| | |
|-------------|--|
| PROJECT : | |
| PROSPECT : | |
| DATE : | |
| LOGGED BY : | |

| HOLE DEPTH | SAMPLE No PREFIX | ASSAY RESULTS | STRUCT. | GRAPHIC LOG | ALTERATION | GEOLOGY NOTES | SUMMARY | |
|------------|---------------------|---------------|---------|-------------|------------|--|---------|------------|
| | | | | | | | ROCK | ALTERATION |
| 261 | | | | | | 260.3 - 262.4 quartz phyric volcanoclastic * | VRQM | |
| 262 | | | | | | 262.4 - 264.7 S ₀ to CA 40° | VRQF | |
| 263 | | | | | | 264.7 - 265.4 andesite dyke | IAF | |
| 264 | | | | | | 265.4 - 266 | VRQF | |
| 265 | | | | | | 266.0 - 270.7 andesite dyke feldspar-rich. | IAF | |
| 266 | | | | | | S ₁ to CA 40° | IAF | |
| 267 | | | | | | 270.7 - 289.0 rhyolite lava breccia | | |
| 268 | | | | | | heterogeneous sericitic alteration with minor pyrite, locally 2 to 5%. | | |
| 269 | | | | | | | | |
| 270 | | | | | | | | |
| 271 | | | | | | | | |
| 272 | | | | | | | | |
| 273 | | | | | | | | |
| 274 | | | | | | | | |
| 275 | | | | | | | | |
| 276 | | | | | | | | |
| 277 | | | | | | | | |
| 278 | | | | | | | | |
| 279 | | | | | | | | |

REMARKS

723060

RGC EXPLORATION PTY LTD

DRILL HOLE No GAR 012

SHEET 15 OF 25

- Bedding
- └ Cleavage
- ▲ Foliation
- ~ Fault, Shear
- ⚡ Breccia
- ▣ Broken core
- ▤ Disseminated
- Massive
- ▨ Pervasive
- ↘ Narrow vein
- * Visible gold

| |
|-------------|
| PROJECT : |
| PROSPECT : |
| DATE : |
| LOGGED BY : |

| HOLE DEPTH | SAMPLE No PREFIX | ASSAY RESULTS | STRUCT. | GRAPHIC LOG | | | | | | | ALTERATION | GEOLOGY NOTES | SUMMARY | | | | | | | | | |
|------------|---------------------|---------------|---------|-------------|-----|-----|-----|---|-------|---|------------|---------------|---------------------------|------|-----|------|------------|--|--|--|--|--|
| | | | | 1/16 | 1/4 | 1/2 | 3/4 | 1 | 1 1/2 | 2 | | | SIL. | SER. | PY. | ROCK | ALTERATION | | | | | |
| 281 | | | | | | | | | | | | | | | | | | | | | | |
| 282 | | | | | | | | | | | | | | | | | | | | | | |
| 283 | | | | | | | | | | | | | | | | | | | | | | |
| 284 | | | | | | | | | | | | | | | | | | | | | | |
| 285 | | | | | | | | | | | | | | | | | | | | | | |
| 286 | | | | | | | | | | | | | | | | LRQ | | | | | | |
| 287 | | | | | | | | | | | | | | | | | | | | | | |
| 288 | | | | | | | | | | | | | | | | | | | | | | |
| 289 | | | | | | | | | | | | | 289-0-289-6 andesite dyke | | | IAF | | | | | | |
| 290 | | | | | | | | | | | | | 289-6-332-2 | | | | | | | | | |
| 291 | | | | | | | | | | | | | | | | | | | | | | |
| 292 | | | | | | | | | | | | | | | | | | | | | | |
| 293 | | | | | | | | | | | | | S ₁ to CA 40° | | | | | | | | | |
| 294 | | | | | | | | | | | | | | | | | | | | | | |
| 295 | | | | | | | | | | | | | | | | LRQ | | | | | | |
| 296 | | | | | | | | | | | | | | | | | | | | | | |
| 297 | | | | | | | | | | | | | thin andesite dykes | | | | | | | | | |
| 298 | | | | | | | | | | | | | | | | | | | | | | |
| 299 | | | | | | | | | | | | | | | | | | | | | | |
| REMARKS | | | | | | | | | | | | 723061 | | | | | | | | | | |

RGC EXPLORATION PTY LTD

DRILL HOLE No 6AR012

SHEET 16 OF 25

- Bedding
- └ Cleavage
- ▲ Foliation
- ~ Fault, Shear
- ⚡ Breccia
- ▨ Broken core
- ▤ Disseminated
- Massive
- ▩ Pervasive
- ↘ Narrow vein
- * Visible gold

| |
|-------------|
| PROJECT : |
| PROSPECT : |
| DATE : |
| LOGGED BY : |

| HOLE DEPTH | SAMPLE No | ASSAY RESULTS | STRUCT. | GRAPHIC LOG | | | | | | ALTERATION | GEOLOGY NOTES | SUMMARY | |
|------------|-----------|---------------|---------|-------------|---|---|----|----|------|------------|--|---------|-----|
| | | | | 1 | 1 | 1 | 16 | 32 | SIL. | | | SER. | PY. |
| 301 | | | | ▨ | ▨ | ▨ | ▨ | ▨ | ▨ | ▨ | | | |
| 302 | | | | ▨ | ▨ | ▨ | ▨ | ▨ | ▨ | ▨ | | | |
| 303 | | | | ▨ | ▨ | ▨ | ▨ | ▨ | ▨ | ▨ | | | |
| 304 | | | | ▨ | ▨ | ▨ | ▨ | ▨ | ▨ | ▨ | | | |
| 305 | | | 60°/S1 | ▨ | ▨ | ▨ | ▨ | ▨ | ▨ | ▨ | massive quartz phyric rhyolite lava, weakly sericitic, weakly foliated | | |
| 306 | | | | ▨ | ▨ | ▨ | ▨ | ▨ | ▨ | ▨ | | | |
| 307 | | | | ▨ | ▨ | ▨ | ▨ | ▨ | ▨ | ▨ | | | |
| 308 | | | | ▨ | ▨ | ▨ | ▨ | ▨ | ▨ | ▨ | | | |
| 309 | | | | ▨ | ▨ | ▨ | ▨ | ▨ | ▨ | ▨ | | | |
| 310 | | | | ▨ | ▨ | ▨ | ▨ | ▨ | ▨ | ▨ | | | LRQ |
| 311 | | | 60°/S1 | ▨ | ▨ | ▨ | ▨ | ▨ | ▨ | ▨ | | | |
| 312 | | | | ▨ | ▨ | ▨ | ▨ | ▨ | ▨ | ▨ | | | |
| 313 | | | | ▨ | ▨ | ▨ | ▨ | ▨ | ▨ | ▨ | | | |
| 314 | | | | ▨ | ▨ | ▨ | ▨ | ▨ | ▨ | ▨ | | | |
| 315 | | | 60°/S1 | ▨ | ▨ | ▨ | ▨ | ▨ | ▨ | ▨ | | | |
| 316 | | | | ▨ | ▨ | ▨ | ▨ | ▨ | ▨ | ▨ | | | |
| 317 | | | | ▨ | ▨ | ▨ | ▨ | ▨ | ▨ | ▨ | | | |
| 318 | | | | ▨ | ▨ | ▨ | ▨ | ▨ | ▨ | ▨ | | | |
| 319 | | | | ▨ | ▨ | ▨ | ▨ | ▨ | ▨ | ▨ | | | |












REMARKS

723062

RGC EXPLORATION PTY LTD

DRILL HOLE No 6AR012

SHEET 17 OF 25

-  Bedding
-  Cleavage
-  Foliation
-  Fault, Shear
-  Breccia
-  Broken core
-  Disseminated
-  Massive
-  Pervasive
-  Narrow vein
-  * Visible gold

| |
|-------------|
| PROJECT : |
| PROSPECT : |
| DATE : |
| LOGGED BY : |

| HOLE DEPTH | SAMPLE NO PREFIX | ASSAY RESULTS | STRUCT. | GRAPHIC LOG | ALTERATION | | | GEOLOGY NOTES | SUMMARY | |
|------------|---------------------|---------------|----------------|-------------|------------|------|-----|---|---------|------------|
| | | | | | SIL. | SER. | PY. | | ROCK | ALTERATION |
| 321 | | | | 1 16 | | | | | | |
| 322 | | | | 1 4 | | | | | | |
| 323 | | | | 1 1 | | | | | | |
| 324 | | | | 1 16 | | | | | | |
| 325 | | | S ₁ | 1 32 | | | | S ₁ to CA 35° irregular quartz-chlorite-carbonate veins | | LRQ |
| 326 | | | | | | | | | | |
| 327 | | | | | | | | | | |
| 328 | | | | | | | | | | |
| 329 | | | | | | | | | | |
| 330 | | | | | | | | | | |
| 331 | | | | | | | | | | |
| 332 | | | 40 CONTACT | | | | | 332.2 - 332.7 andesite dyke | IAF | |
| 333 | | | | | | | | 332.7 - 338.4 | | |
| 334 | | | | | | | | rhyolite lava | | LRQ |
| 335 | | | | | | | | | | |
| 336 | | | | | | | | | | |
| 337 | | | | | | | | | | |
| 338 | | | 45 CONTACT | | | | | 338.4 - 339.7 andesite dyke | IAF | |
| 339 | | | | | | | | | | |

REMARKS

723063

RGC EXPLORATION PTY LTD

DRILL HOLE No GAR 012

SHEET 19 OF 25

- Bedding
- └ Cleavage
- ▲ Foliation
- ~ Fault, Shear
- ⚡ Breccia
- ▨ Broken core
- ▤ Disseminated
- Massive
- ▩ Pervasive
- ↘ Narrow vein
- * Visible gold

| | |
|-------------|-----------------|
| PROJECT : | TAS BASE METALS |
| PROSPECT : | GARFIELD |
| DATE : | 4/11/95 |
| LOGGED BY : | S.W.H |

| HOLE DEPTH | SAMPLE No PREFIX | ASSAY RESULTS | STRUCT. | GRAPHIC LOG | ALTERATION | | | | GEOLOGY NOTES | SUMMARY | |
|------------|---------------------|---------------|----------------|--------------------|------------|------|-----|--|---|---------|------------|
| | | | | | SIL. | SER. | PY. | | | ROCK | ALTERATION |
| 361 | | | | 1/16 1/4 1 4 16 32 | | | | | | | |
| 362 | | | | 1/16 1/4 1 4 16 32 | | | | | | | |
| 363 | | | | 1/16 1/4 1 4 16 32 | | | | | | | |
| 364 | | | | 1/16 1/4 1 4 16 32 | | | | | | | |
| 365 | | | S ₁ | 1/16 1/4 1 4 16 32 | | | | | * massive rhyolite lava sericitic, spaced cleavage with distinctive green sericite in bands at ~ 2 cm spacings S ₁ to CA 35° | | |
| 366 | | | | 1/16 1/4 1 4 16 32 | | | | | | | |
| 367 | | | | 1/16 1/4 1 4 16 32 | | | | | | | |
| 368 | | | | 1/16 1/4 1 4 16 32 | | | | | | | |
| 369 | | | | 1/16 1/4 1 4 16 32 | | | | | | | |
| 370 | | | S ₁ | 1/16 1/4 1 4 16 32 | | | | | | | |
| 371 | | | | 1/16 1/4 1 4 16 32 | | | | | | | |
| 372 | | | | 1/16 1/4 1 4 16 32 | | | | | | | |
| 373 | | | | 1/16 1/4 1 4 16 32 | | | | | | | |
| 374 | | | | 1/16 1/4 1 4 16 32 | | | | | | | |
| 375 | | | S ₁ | 1/16 1/4 1 4 16 32 | | | | | | | |
| 376 | | | | 1/16 1/4 1 4 16 32 | | | | | | | |
| 377 | | | S ₁ | 1/16 1/4 1 4 16 32 | | | | | | | |
| 378 | | | | 1/16 1/4 1 4 16 32 | | | | | | | |
| 379 | | | | 1/16 1/4 1 4 16 32 | | | | | | | |
| REMARKS | | | | | | | | | | | |
| | | | | | | | | | | | 723065 |

RGC EXPLORATION PTY LTD

DRILL HOLE No 6AR012

SHEET 20 OF 25

- Bedding
- └ Cleavage
- ▲ Foliation
- ~ Fault, Shear
- ⚠ Breccia
- ▨ Broken core
- ▤ Disseminated
- Massive
- ▨ Pervasive
- ↘ Narrow vein
- * Visible gold

| | |
|-------------|-----------------|
| PROJECT : | TAS BASE METALS |
| PROSPECT : | GARFIELD |
| DATE : | 4/11/95 |
| LOGGED BY : | S.L.H. |

| HOLE DEPTH | SAMPLE No PREFIX | ASSAY RESULTS | STRUCT. | GRAPHIC LOG | ALTERATION | | | | | GEOLOGY NOTES | SUMMARY | |
|------------|---------------------|---------------|------------------|--------------|------------|------|------|-----|-------|------------------------------------|---------|------------|
| | | | | | SIL. | SER. | PHY. | CHL | CARB. | | ROCK | ALTERATION |
| 381 | | | | 16 4 4 16 22 | | | | | | | | |
| 382 | | | | / | | | | | | | | |
| 383 | | | | / | | | | | | | | |
| 384 | | | / S ₁ | / | | | | | | S ₁ to CA 35° | | LRQ |
| 385 | | | | / | | | | | | | | |
| 386 | | | | / | | | | | | | | |
| 387 | | | ~ | / | | | | | | irregular contact 387-2 - 432-5 | | |
| 388 | | | | ^ | | | | | | massive foliated andesite | | |
| 389 | | | | ^ | | | | | | | | |
| 390 | | | / S ₁ | ^ | | | | | | | | |
| 391 | | | | ^ | | | | | | | | |
| 392 | | | VEIN | ^ | | | | | | | | |
| 393 | | | | ^ | | | | | | | | |
| 394 | | | | ^ | | | | | | carbonate veins | | IAF |
| 395 | | | | ^ | | | | | | | | |
| 396 | | | | ^ | | | | | | | | |
| 397 | | | | ^ | | | | | | | | |
| 398 | | | | ^ | | | | | | | | |
| 399 | | | | ^ | | | | | | | | |
| REMARKS | | | | | | | | | | | 723066 | |

RGC EXPLORATION PTY LTD

DRILL HOLE No 6AR012

SHEET 21 OF 25

- Bedding
- └ Cleavage
- ▲ Foliation
- ~ Fault, Shear
- ⚡ Breccia
- ▨ Broken core
- ▤ Disseminated
- Massive
- ▩ Pervasive
- ⚡ Narrow vein
- * Visible gold

| | |
|-------------|-----------------|
| PROJECT : | TAS BASE METALS |
| PROSPECT : | GARFIELD |
| DATE : | 4/11/95 |
| LOGGED BY : | S.W.H |

| HOLE DEPTH | SAMPLE NO | ASSAY RESULTS | STRUCT. | GRAPHIC LOG | ALTERATION | | | | | GEOLOGY NOTES | SUMMARY | |
|------------|-----------|---------------|-----------------|-------------|------------|------|-----|-----|-------|----------------------------------|---------|------------|
| | | | | | SIL | SER. | PY. | CHL | CARB. | | ROCK | ALTERATION |
| 401 | | | | ^ ^ ^ | | | | | | | | |
| 402 | | | | ^ ^ ^ | | | | | | | | |
| 403 | | | | ^ ^ ^ | | | | | | | | |
| 404 | | | | ^ ^ ^ | | | | | | | | |
| 405 | | | /S ₁ | ^ ^ ^ | | | | | | S ₁ to CA 45° | | |
| 406 | | | | ^ ^ ^ | | | | | | abundant ferroan carbonate veins | | |
| 407 | | | | ^ ^ ^ | | | | | | | | |
| 408 | | | | ^ ^ ^ | | | | | | | | |
| 409 | | | | ^ ^ ^ | | | | | | | | |
| 410 | | | /S ₁ | ^ ^ ^ | | | | | | | | |
| 411 | | | | ^ ^ ^ | | | | | | | | |
| 412 | | | | ^ ^ ^ | | | | | | | | |
| 413 | | | | ^ ^ ^ | | | | | | | | |
| 414 | | | | ^ ^ ^ | | | | | | | | |
| 415 | | | /S ₁ | ^ ^ ^ | | | | | | | | |
| 416 | | | | ^ ^ ^ | | | | | | | | |
| 417 | | | | ^ ^ ^ | | | | | | | | |
| 418 | | | | ^ ^ ^ | | | | | | | | |
| 419 | | | | ^ ^ ^ | | | | | | | | |
| REMARKS | | | | | | | | | | | 723067 | |

RGC EXPLORATION PTY LTD

DRILL HOLE No 6AL2012

SHEET 22 OF 25

- Bedding
- └ Cleavage
- ▲ Foliation
- ~ Fault, Shear
- ▽▽▽ Breccia
- ▨ Broken core
- ▤ Disseminated
- Massive
- ▨ Pervasive
- ↘ Narrow vein
- * Visible gold

| | |
|-------------|-----------------|
| PROJECT : | TAS BASE METALS |
| PROSPECT : | GARFIELD |
| DATE : | 4/11/95 |
| LOGGED BY : | S. W. H |

| HOLE DEPTH | SAMPLE No PREFIX | ASSAY RESULTS | STRUCT. | GRAPHIC LOG | ALTERATION | | | | | GEOLOGY NOTES | SUMMARY | |
|------------|---------------------|---------------|----------------|-------------|------------|------|-----|------|---------------------------|---|---------|------------|
| | | | | | SIL. | SER. | PY. | CHL. | CARB. | | ROCK | ALTERATION |
| 421 | | | | ^ ^ | | | | | | Zone of pyrite veining with minor chalcopyrite | IAF | |
| 422 | | | | ^ ^ | | | | | | | | |
| 423 | | | | ^ ^ | | | | | | | | |
| 424 | | | | ^ ^ | | | | | | | | |
| 425 | | | S ₁ | ^ ^ | | | | | S ₁ to CA 45° | | | |
| 426 | | | | ^ ^ | | | | | | | | |
| 427 | | | | ^ ^ | | | | | | | | |
| 428 | | | | ^ ^ | | | | | | | | |
| 429 | | | | ^ ^ | | | | | | | | |
| 430 | | | S ₁ | ^ ^ | | | | | | | | |
| 431 | | | | ^ ^ | | | | | | | | |
| 432 | | | | ^ | | | | | | | | |
| 433 | | | | ▨ | | | | | 432.5 - 433.5 rhyolite | LRB | | |
| 434 | | | | ^ ^ | | | | | 433.5 - 451.2 | | | |
| 435 | | | | ^ ^ | | | | | | | | |
| 436 | | | | ^ ^ | | | | | | | | |
| 437 | | | | ^ ^ | | | | | | | | |
| 438 | | | | ^ ^ | | | | | | | | |
| 439 | | | | ^ ^ | | | | | | | | |

REMARKS

723008

RGC EXPLORATION PTY LTD

DRILL HOLE No 6AR012

SHEET 23 OF 25

- Bedding
- └ Cleavage
- ▲ Foliation
- ~ Fault, Shear
- ⊠ Breccia
- ▨ Broken core
- ▤ Disseminated
- Massive
- ▨ Pervasive
- ↘ Narrow vein
- * Visible gold

| | |
|-------------|-----------------|
| PROJECT : | TAS BASE METALS |
| PROSPECT : | GARFIELD |
| DATE : | 4/11/95 |
| LOGGED BY : | S.W.H |

| HOLE DEPTH | SAMPLE No PREFIX | ASSAY RESULTS | STRUCT. | GRAPHIC LOG | | | | | | | ALTERATION | GEOLOGY NOTES | SUMMARY | | | |
|------------|---------------------|---------------|----------------|-------------|-----|---|---|----|----|------|------------|---------------|--------------------------|-----|------|------|
| | | | | 1/16 | 1/4 | 1 | 4 | 16 | 32 | SIL. | | | SER. | PT. | CHL. | ROCK |
| 441 | | | | ^ | | | | | | | | | | | | |
| 442 | | | VEIN | ^ | | | | | | | | | * | | | |
| 443 | | | | ^ | | | | | | | | | | | | |
| 444 | | | | ^ | | | | | | | | | | | | |
| 445 | | | S ₁ | ^ | | | | | | | | | S ₁ to CA 40° | | | |
| 446 | | | | ^ | | | | | | | | | | | | I AF |
| 447 | | | | ^ | | | | | | | | | | | | |
| 448 | | | | ^ | | | | | | | | | | | | |
| 449 | | | | ^ | | | | | | | | | | | | |
| 450 | | | VEIN | ^ | | | | | | | | | | | | |
| 451 | | | | ^ | | | | | | | | | | | | |
| 452 | | | | - | | | | | | | | | 451.2 - 482.0 | | | |
| 453 | | | | - | | | | | | | | | | | | |
| 454 | | | | - | | | | | | | | | | | | |
| 455 | | | S ₁ | - | | | | | | | | | | | | |
| 456 | | | | - | | | | | | | | | | | | |
| 457 | | | | - | | | | | | | | | | | | |
| 458 | | | | - | | | | | | | | | | | | |
| 459 | | | | - | | | | | | | | | | | | |












REMARKS

723069

RGC EXPLORATION PTY LTD

DRILL HOLE No 6AR012

SHEET 24 OF 25

-  Bedding
-  Cleavage
-  Foliation
-  Fault, Shear
-  Breccia
-  Broken core
-  Disseminated
-  Massive
-  Pervasive
-  Narrow vein
-  * Visible gold

| | |
|-------------|-----------------|
| PROJECT : | TAS BASE METALS |
| PROSPECT : | GARFIELD |
| DATE : | 4/11/95 |
| LOGGED BY : | S.W.H |

| HOLE DEPTH | SAMPLE No PREFIX | ASSAY RESULTS | STRUCT. | GRAPHIC LOG | | | | | | ALTERATION | GEOLOGY NOTES | SUMMARY | | | |
|------------|---------------------|---------------|---------|-----------------|---|---|---|----|----|------------|---------------|---------|------|-----|------|
| | | | | 16 | 7 | 1 | 4 | 16 | 32 | | | SIL. | SER. | PY. | ROCK |
| 461 | | | | | | | | | | | | | | | |
| 462 | | | | | | | | | | | | | | | |
| 463 | | | | | | | | | | | | | | | |
| 464 | | | | | | | | | | | | | | | |
| 465 | | | | /S ₁ | | | | | | | | | | | |
| 466 | | | | | | | | | | | | | | | |
| 467 | | | | | | | | | | | | | | | |
| 468 | | | | | | | | | | | | | | | |
| 469 | | | | | | | | | | | | | | | |
| 470 | | | | /S ₁ | | | | | | | | | | | |
| 471 | | | | | | | | | | | | | | | |
| 472 | | | | | | | | | | | | | | | |
| 473 | | | | | | | | | | | | | | | |
| 474 | | | | | | | | | | | | | | | |
| 475 | | | | /S ₁ | | | | | | | | | | | |
| 476 | | | | | | | | | | | | | | | |
| 477 | | | | | | | | | | | | | | | |
| 478 | | | | | | | | | | | | | | | |
| 479 | | | | | | | | | | | | | | | |

LRQ

REMARKS

723070

RGC EXPLORATION PTY LTD

DRILL HOLE No 642012

SHEET 25 OF 25

- Bedding
- └ Cleavage
- ▲ Foliation
- ~ Fault, Shear
- ⚡ Breccia
- ▨ Broken core
- ▤ Disseminated
- Massive
- ▩ Pervasive
- ↘ Narrow vein
- * Visible gold

PROJECT : TAS BASE METALS

PROSPECT : GARFIELD

DATE : 4/11/95

LOGGED BY : S. U. H

| HOLE DEPTH | SAMPLE No PREFIX | ASSAY RESULTS | STRUCT. | GRAPHIC LOG | ALTERATION | | | GEOLOGY NOTES | SUMMARY | |
|----------------|---------------------|---------------|---------|-------------|------------|------|-----|---------------|---------|------------|
| | | | | | SIL. | SER. | PY. | | ROCK | ALTERATION |
| 451 482 | | | | | | | | 482.0 E.O.H. | | |
| REMARKS | | | | | | | | | | |
| 723071 | | | | | | | | | | |