

DEPARTMENT OF MINES, TASMANIA—DRILLING RECORD.

7825

Locality: Remison Bend Drill: Goldfield No 10 DD 791  
 Bore No.: 1 Commenced: 2<sup>nd</sup> June 1947 Completed: 7<sup>th</sup> July 1947  
 Location of Bore: See Plans 10378 1038/50  
 Co-ordinates of Collar: AMG Co-ords: 370400E 5370300N R.L. of Collar: Ref No: 1891  
 Bearing: ..... Inclination: 45° Final Depth: .....

BORE LOG

Date	Footage	Total Depth	From	To	Core	Thickness	Particulars of Core	Details of Ore Intersection
June 2	4	4	0'0"	4'0"	-	4'0"	Soft Brown Sandstone.	
3	4	8	4'0"	8'9"	3'3"	4'9"	Brown Sandstone	
4	4	12	8'9"	10'6"	1'8"	1'9"	Pyrite + quartzite.	
5	1	13	10'6"	13'0"	2'5"	2'6"	Pyrite + quartzite (Iron stained)	
16	2	15	13'0"	18'0"	4'2"	5'0"	Pyrite + Quartzite (Iron stained)	
17	2	17	18'0"	18'8"	7"	8"	Pyrites	
18	1	18	18'8"	22'0"	3'4"	3'4"	Compressed slate (Iron stained)	
20	2	20	22'0"	22'6"	6"	6"	Compressed slate Iron stained.	
21	2	22	22'6"	24'0"	1'6"	1'6"	Quartzite.	
23	2	24	24'0"	26'4"	2'0"	2'4"	Compressed slate.	
24	2	26	26'4"	28'10"	2'4"	2'6"	Pyrites + Quartzite.	
25	5	31	28'10"	29'0"	2"	2"	Dolomite.	
26	5	36	29'0"	33'8"	4'8"	4'8"	Quartzite + Dolomite.	
27	6	42	33'8"	42'0"	8'4"	8'4"	Quartzite	
30	5	47	42'0"	46'6"	4'5"	4'6"	Quartzite.	
July 1	5	52	46'6"	46'8"	2"	2"	Pyrite.	
4	14	66	46'8"	52'0"	5'4"	5'4"	Compressed slate + Quartzite mineralized	
7	10	76	52'0"	66'0"	14'0"	14'0"	Compressed slate + Quartzite	
			66'0"	72'0"	6'0"	6'0"	Compressed slate + Quartzite	
			72'0"	76'0"	4'0"	4'0"	Quartzite	

34 110

0000