

351069

**BEACONSFIELD MINE JOINT VENTURE  
TASMANIA REEF  
B31**

<b>Collar coordinates</b>	wedged off B30 at 422.8m	<b>Final hole depth</b>	1119.0m
<b>Collar bearing</b>	-	<b>Hole length</b>	696.2m
<b>Collar dip</b>	-	<b>Hole details</b>	422.8m to 1119.0m NQ
<b>Coordinate system</b>	AMG		

Drilled as part of a programme to test the Tasmania Reef between 900 mRL and 1200 mRL.

<b>Commenced</b>	21 September 1996	<b>Drilled by</b>	Diamond Drilling Tasmania
<b>Completed</b>	14 October 1996	<b>Logged by</b>	Mick McKeown (McKeown Mining)
		<b>Assays by</b>	Analabs, Burnie

**SUMMARY OF RESULTS**

<b>from m</b>	<b>to m</b>	<b>description</b>	<b>length m</b>	<b>Au g/t</b>	<b>As %</b>	<b>S %</b>
603.5	628.5	Southern Reef	25.0	0.53	0.60	
1055.04	1062.40	Tasmania Reef	not assayed			

## B31 SURVEY CALCULATIONS

## BEARINGS IN AMG

AT	DIP	BRG	FROM	TO	TO RL	TO N	TO E	REF
collar					2036.5	38,542.6	485,013.4	1818
0	-88.0	75	0	35	2001.5	38,542.9	485,014.6	1819
70	-90.0	203	35	85	1951.5	38,542.9	485,014.6	1819
100	-89.5	170	85	115	1921.5	38,542.7	485,014.6	1819
130	-89.3	191	115	145	1891.5	38,542.3	485,014.6	1819
160	-89.2	178	145	175	1861.5	38,541.9	485,014.6	1819
190	-88.8	199	175	205	1831.5	38,541.3	485,014.4	1818
220	-88.2	194	205	235	1801.5	38,540.4	485,014.1	1817
250	-87.8	207	235	320	1716.6	38,537.5	485,012.7	1814
390	-87.0	221	320	405	1631.7	38,534.1	485,009.7	1810
420	-86.4	249	405	429	1608.3	38,533.6	485,008.4	1809
437	-83.5	259	429	442	1595.4	38,533.3	485,006.9	1807
446	-81.0	265	442	457	1580.5	38,533.1	485,004.6	1805
467	-78.5	265	457	482	1555.6	38,532.6	484,999.5	1801
497	-74.5	267	482	505	1533.4	38,532.3	484,993.4	1796
513	-71.0	269	505	528	1511.6	38,532.2	484,985.9	1789
543	-69.0	269	528	558	1483.6	38,532.0	484,975.1	1781
573	-68.0	269	558	588	1455.8	38,531.8	484,963.9	1771
603	-67.75	269	588	618	1428.1	38,531.6	484,952.5	1762
633	-68.0	269	618	648	1400.2	38,531.4	484,941.3	1753
663	-67.5	268	648	678	1372.5	38,531.0	484,929.8	1743
693	-67.0	267	678	710	1343.5	38,530.4	484,917.5	1732
726	-66.0	267	710	740	1316.1	38,529.7	484,905.4	1722
753	-65.5	267	740	768	1290.2	38,529.1	484,893.6	1712





COMPANY Beaconsfield Mine Joint Venture  
 PROJECT Tasmania Mine  
 HOLE NUMBER B31

381073

From	To	Description	Recovery				RQD		From	To	1	2	3	4	5	6		
			From	To	m	%	m	%										
422.8	577.2	This hole was wedged off B30 at 422.8m.	422.8	424.4	1.6	100	1.56	98										
		<b>FLECKED LIMESTONE</b>	424.4	427.5	3.1	100	3.10	100										
			427.5	430.9	3.4	100	3.18	94										
			430.9	433.9	3.0	100	2.85	95										
			433.9	436.9	3.0	100	3.00	100										
			navi to 442.9															
			442.9	444.4	1.5	100	1.42	95										
			444.4	445.9	1.5	100	1.35	90										
			445.9	448.9	3.0	100	3.00	100										
			448.9	451.9	3.0	100	2.96	99										
			451.9	454.9	3.0	100	2.86	95										
		BCA ranges from 0 degrees to 50 degrees and is typically 45 degrees.			454.9	457.9	3.0	100	2.39	80								
		The interval has a microfolded fabric in part.			457.9	460.9	3.0	100	2.75	92								
		The interval is generally not very broken; breaks are generally along bedding and, rarely, along quartz-calcite veinlets parallel to the core axis.			460.9	463.9	3.0	100	3.00	100								
		The contact with the next interval is sharp at 40 degrees to the core axis.			463.9	466.9	3.0	100	3.00	100								
		navi to 472.9																
					472.9	475.9	3.0	100	2.92	97								
					475.9	478.9	3.0	100	2.81	94								
					478.9	481.9	3.0	100	2.65	88								
					481.9	484.9	3.0	100	2.98	99								
					484.9	487.9	3.0	100	2.86	95								
					487.9	490.9	3.0	100	2.85	95								
					490.9	493.9	3.0	100	3.00	100								
					493.9	496.9	3.0	100	2.88	96								
					496.9	498.4	1.5	100	1.50	100								
		navi to 504.4																
					504.4	505.9	1.5	100	1.12	75								
					505.9	508.9	3.0	100	2.76	92								
					508.9	511.9	3.0	100	2.10	70								
					511.9	514.9	3.0	100	2.92	97								
			514.9	516.7	1.8	100	1.80	100										
			516.7	521.4	4.7	100	4.4	94										

351074

## B31 SURVEY CALCULATIONS

AT	DIP	BRG	FROM	TO	TO RL	TO N	TO E	REF
783	-65.0	267	768	798	1263.0	38,528.4	484,880.9	1701
813	-64.0	267	798	828	1236.0	38,527.8	484,867.8	1690
843	-63.0	267	828	858	1209.3	38,527.0	484,854.2	1679
873	-61.5	267	858	888	1182.9	38,526.3	484,839.9	1666
903	-60.5	268	888	918	1156.8	38,525.8	484,825.1	1654
933	-60.0	268	918	948	1130.8	38,525.3	484,810.1	1642
963	-59.5	269	948	978	1105.0	38,525.0	484,794.9	1629
993	-59.0	269	978	1008	1079.3	38,524.7	484,779.4	1616
1023	-58.0	269	1008	1038	1053.8	38,524.4	484,763.5	1603
1053	-57.0	270	1038	1078	1020.3	38,524.4	484,741.8	1585
1103	-56.0	272	1078	1119	986.3	38,525.2	484,718.8	1567

















