

DEPARTMENT OF MINES, TASMANIA—DRILLING RECORD.

7825

Locality: ZEEHAN Drill: GOLDFIELDS No. 10. DIAMOND DRILL
 Bore No.: NUMBER FOUR Commenced: 10th April 1957 Completed: _____
 Location of Bore: NORTH TASMANIAN LEASE - RB HILL SEE PLAN 1322-50 1410 1903
 Co-ordinates of Collar: AMC 6. grids 359700E 5359200N R.L. of Collar: _____
 Bearing: _____ Inclination: 55 Degrees Depressed Angle Final Depth: _____

0690

BORE LOG

Date	Footage	Total Depth	From	To	Core	Thickness	Particulars of Core	Details of Ore Intersection
1957								
April 10	20' 0"	20' 0"	0	51'	14"	51'	Green chloritic greywacké with bands of quartz + pyrite	
" 11	20' 0"	40' 0"	51	65'	6"	15'	" (and calcite veins)	
" 12	18' 0"	58' 0"	65	70'	9"	5'	"	
" 15	12' 0"	70' 0"					Joints at 70°, slickensides at 20°, to axis of core.	
" 16	12' 0"	82' 0"	75	80'	6"	5'	Greywacké, overlying black slate, overlying massive	
" 17	8' 0"	90' 0"	80'	85'	3"	5'	sphalerite in quartz gangue.	
" 18	13' 0"	103' 0"					Greywacké	
			85'	90'	2"	5'	Greywacké and black slate	
			90'	95'	4"	5'	Greywacké.	
			95'	100'	2' 8"	5'	Dark coherent fine grained greywacké with sphalerite veins displaced by post ore faults. Thick bands (upto 2") of pyrite and galena	
							The bottom 6" is heavily mineralized (pyrite) brecciated argillite. The pyrite veins at 20° to axis of core.	
			100'	103'	9"		Brecciated argillite with pyrite veins	