

**ALLEGIANCE MINING NL ZEEHAN JOINT VENTURE
 AVEBURY GRID
 A001**

Collar coordinates	see plan attached	Final hole depth	316.3m
Collar bearing	000 ⁰	Hole length	316.3m
Collar dip	-50 ⁰	Hole details	0.0m to 3.0m tricone
Coordinate system	AMG		3.0m to 53.8m HQ
			53.8m to 316.3m NQ

Drilled to test western end of a magnetic anomaly on the Avebury grid

Commenced	15 January 1998	Drilled by	Diamond Drilling Tasmania
Completed	22 January 1998	Logged by	Mick McKeown (McKeown Mining)
		Assays by	AMDEL, Adelaide

SUMMARY OF RESULTS

from m	to m	description	length m	Ni	S %	Pb	Zn
61.2	62.5	semi-massive pyrrhotite	1.3	0.14%	11.3	75ppm	250ppm
148.2	150.6	skarn	2.4	220ppm	0.33	315ppm	0.40%
164.2	165.8	skarn	1.6	105ppm	0.26	145ppm	0.40%
243.9	316.3	serpentinite	72.4	0.36%	0.52		
243.9	254.6	serpentinite	10.7	1.15%	1.61		
243.9	244.3	massive pentlandite	0.4	15%	20.4		

A001

DEPTH	DIP	BRG AMG	FROM	TO	DISTANCE	VERTICAL	CUM VD	HD	CUM HD	HDCOSBRG
0	-50.0	0	0	25	25.0	-19.2	-19.2	16.1	16.1	16.1
50	-49.0	0	25	75	50.0	-37.7	-56.9	32.8	48.9	32.8
100	-48.5	359	75	126	50.5	-37.8	-94.7	33.5	82.3	33.5
151	-51.0	6	126	177	51.0	-39.6	-134.3	32.1	114.4	31.9
202	-51.0	14	177	226	49.5	-38.5	-172.8	31.2	145.6	30.2
250	-50.5	14	226	275	49.0	-37.8	-210.6	31.2	176.8	30.2
300	-50.5	15	275	316.3	41.3	-31.9	-242.5	26.3	203.0	25.4

442075

COMPANY Allegiance Mining NL
 PROJECT Zeehan Joint Venture
 HOLE NUMBER A001

from m	to m	DESCRIPTION	from m	to m	rec m	rec %	from m	to m	Ni %	S %
0.0	7.9	CLAYSTONE	0.0	3.0	0.0	0				
			3.0	4.8	1.3	72				
		Extremely broken, brown to red brown claystone (after rock) with minor brown to black brown ironstaining on fractures.	4.8	6.0	0.5	42				
			6.0	9.0	0.8	27				
		The rock fabric is generally obscure but where preserved the rock appears somewhat brecciated.								
		The contact with next interval is gradational.								
7.9	16.6	WEATHERED HORNFELS	9.0	10.5	1.3	87	14.6	15.6	0.01	<0.05
			10.5	12.0	1.0	67				
		Extremely broken to broken, white to dark grey hornfels with sparse to minor brown to black ironstaining on joints.	12.0	12.7	0.7	100				
			12.7	14.1	1.4	100				
			14.1	15.7	1.6	100				
		BCA is generally obscure but is typically 45 degrees towards the end of the interval.	15.7	16.7	0.9	90				
		The interval is very weathered at the start becoming fresh towards 16.6m.								
		15.1m: a 10cm zone of rock with sand size, white to green fragments: tuff?								
		The contact with the next interval is gradational.								
16.6	26.9	CHERTY HORNFELS	16.7	18.0	1.3	100	19.6	20.6	0.01	<0.05
			18.0	19.6	1.6	100				
		Broken mottled white, cream, light green, grey and brown cherty hornfels, slightly weathered in part with sparse brown to black brown ironstaining on fractures, and trace quartz, serpentine and iron oxides as stringers.	19.6	21.0	1.3	93				
			21.0	22.6	1.6	100				
			22.6	24.0	1.4	100				
			24.0	25.5	1.5	100				
		The original rock appears fragmental (sand size) in part.	25.5	27.0	1.5	100				

COMPANY Allegiance Mining NL
 PROJECT Zeehan Joint Venture
 HOLE NUMBER A001

from m	to m	DESCRIPTION	from m	to m	rec m	rec %	from m	to m	Ni %	S %
		The interval has an hydraulically? brecciated texture in part.								
		BCA is irregular/obscure.								
		The contact with the next interval is sharp but irregular.								
26.9	32.0	CHERT BRECCIA	27.0	28.1	1.1	100				
			28.1	29.4	1.3	100				
		Grey green, grey and white chert breccia with trace to sparse dark brown iron oxides on fractures and joints (after sulphides?).	29.4	31.0	1.6	100				
			31.0	32.5	1.5	100				
		Fragments are up to 10cm across, some being rounded; narrow bands of chert appear to be ruptured beds.								
		BCA is irregular/obscure.								
		The interval is broken.								
		The contact with the next interval is sharp but irregular.								
32.0	41.4	LIMESTONE AND CHERT	32.5	34.0	1.5	100				
			34.0	35.6	1.6	100				
		Light to dark grey limestone and minor grey to brown and lesser red chert with common calcite as stringers and veinlets, trace to sparse pyrite on fractures and as stringers,	35.6	37.2	1.6	100				
		trace to sparse pyrrhotite as stringers, blebs and small patches, sparse graphite as	37.2	38.8	1.6	100				
		stringers parallel to bedding in the limestone, and sparse quartz as stringers.	38.8	40.4	1.6	100				
			40.4	42.0	1.6	100				
		The interval is banded with BCA typically in the range 50 to 60 degrees.								

COMPANY Allegiance Mining NL
 PROJECT Zeehan Joint Venture
 HOLE NUMBER A001

from m	to m	DESCRIPTION	from m	to m	rec m	rec %	from m	to m	Ni %	S %
		The interval is not broken.								
		The contact with the next interval is sharp at 80 degrees to the core axis.								
41.4	48.3	CHERTY SERPENTINITIC ROCK	42.0	43.6	1.6	100	47.4	48.3	0.03	<0.05
		Dark green hard serpentinitic rock with brown cherty patches, sparse quartz as stringers, and rare traces of chalcopyrite visible under a hand lens.	43.6	45.0	1.4	100				
			45.0	46.6	1.6	100				
			46.6	48.0	1.4	100				
		CA is obscure.								
		The interval is broken.								
		The contact with the next interval is sharp but irregular.								
48.3	54.3	HARD SERPENTINITE	48.0	49.6	1.6	100	48.3	49.3	0.12	0.10
		Intermixed light green and dark green serpentinitic rock (as in the previous interval) with with minor schorl? as black masses of acicular crystals, sparse light green serpentine	49.6	51.0	1.4	100	49.3	50.3	0.06	<0.05
		as stringers and blebs, and trace chalcopyrite flecks visible under a hand lens.	51.0	52.6	1.6	100	50.3	51.3	0.06	<0.05
			52.6	53.8	1.2	100	51.3	52.3	0.09	0.06
			53.8	55.3	1.5	100	52.3	53.3	0.13	<0.05
							53.3	54.3	0.15	<0.05
		The interval is hydraulically? brecciated in part with a suggestion of light green fragments in a dark green matrix.								
		CA is obscure.								
		The contact with the next interval is sharp at 45 degrees to the core axis.								

COMPANY Allegiance Mining NL
 PROJECT Zeehan Joint Venture
 HOLE NUMBER A001

from m	to m	DESCRIPTION	from m	to m	rec m	rec %	from m	to m	Ni %	S %
54.3	59.2	SERPENTINITE	55.3	58.3	3.0	100	54.3	55.3	0.21	0.31
		Mottled light to dark green serpentinite with black stringers carrying sparse pyrrhotite, minor calcite as stringers, veinlets, veins and patches, sparse apple green serpentine, trace green serpentine as stringers carrying trace pyrrhotite, trace to sparse pyrrhotite and chalcopyrite throughout, trace black sphalerite throughout, and sparse black mineral throughout.					55.3	56.3	0.16	0.24
							56.3	57.3	0.09	0.15
							57.3	58.3	0.09	0.16
							58.3	59.2	0.10	0.21
		The interval is not broken.								
		CA is obscure.								
		The contact with the next interval is sharp but irregular.								
59.2	61.2	SERPENTINITE AND MINOR PYRRHOTITE	58.3	61.3	3.0	100	59.2	60.2	0.12	1.75
		As between 54.3m and 59.2m but with minor pyrrhotite as stringers, veinlets and patches, sparse black stylolites or fine stringers carrying sparse pyrite, trace green serpentine as stringers carrying trace pyrrhotite, and trace brown garnet? patches.					60.2	61.2	0.15	3.97
		CA is obscure.								
		The interval is not broken.								
		The contact with the next interval is gradational.								
61.2	62.5	SEMI-MASSIVE PYRRHOTITE	61.3	64.3	3.0	100	61.2	62.5	0.14	11.3
		Pyrrhotite with common black serpentine and sparse vuggy pyrite (marcasite?) after pyrrhotite; the pyrrhotite occurs as a crystalline mass and as veinlets through the								

COMPANY Allegiance Mining NL
 PROJECT Zeehan Joint Venture
 HOLE NUMBER A001

from m	to m	DESCRIPTION	from m	to m	rec m	rec %	from m	to m	Ni %	S %
		serpentine. CA is obscure. The interval is not broken. The contact with the next interval is sharp but irregular.								
62.5	62.9	SERPENTINITE Light to mid-green, hard serpentinite with trace green serpentine as stringers, trace calcite as stringers, trace disseminated pyrrhotite visible under a hand lens, and sparse black mineral as flecks. CA is generally unclear but may be about 45 degrees. The interval is not broken. The contact with the next interval is sharp but broken but may be at 45 degrees to the core axis.					62.5	63.3	0.06	0.55
62.9	63.3	SERPENTINITE RUBBLE Puggy green serpentinite rubble. CA is obscure. The interval is extremely broken. The contact with the next interval is gradational and broken.								

COMPANY Allegiance Mining NL
 PROJECT Zeehan Joint Venture
 HOLE NUMBER A001

from m	to m	DESCRIPTION	from m	to m	rec m	rec %	from m	to m	Ni %	S %
63.3	64.9	SERPENTINITE Mottled dark green and lesser light green serpentinite with sparse calcite as stringers and veinlets, and trace disseminated pyrrhotite visible under a hand lens. CA is obscure. The interval is extremely broken. The contact with the next interval is gradational.	64.3	67.3	3.0	100	63.3	64.9	0.02	0.49
64.9	66.2	SERPENTINITE WITH MINOR SULPHIDES As between 63.3m and 64.9m but with minor pyrrhotite and pyrite as disseminations and stringers, and trace calcite as stringers. CA is obscure. The interval is broken. The contact with the next interval is gradational.					64.9	66.2	0.01	0.42
66.2	70.0	SERPENTINITE Dark green serpentinite with minor light green serpentine as ruptured bands less than 1cm thick, minor epidote as occasional bands and patches less than 5cm across, and minor black silicate? mineral. CA is obscure.	67.3	69.8	2.5	100	66.2	67.2	0.02	<0.05
							67.2	68.2	0.03	<0.05
							68.2	69.2	0.04	0.06
							69.2	70.0	0.04	0.09

COMPANY Allegiance Mining NL
 PROJECT Zeehan Joint Venture
 HOLE NUMBER A001

from m	to m	DESCRIPTION	from m	to m	rec m	rec %	from m	to m	Ni %	S %
		The interval is broken.								
		<i>The contact with the next interval is gradational.</i>								
70.0	92.3	INTERMIXED HORNFELS, CHERT AND SERPENTINITE	69.8	72.9	3.1	100				
			72.9	73.9	1.0	100				
		Intermixed grey fine grained hornfels, white chert and dark green serpentinite with sparse epidote as blebs near 70.0m, trace to sparse calcite and quartz as stringers, and trace disseminated pyrite on some fractures.	73.9	74.8	0.9	100				
			74.8	76.2	1.2	86				
			76.2	78.2						
			78.2	79.0	0.5	63				
		The interval has a hydraulically? brecciated texture.	79.0	80.6	1.4	88				
			80.6	81.5	0.9	100				
		CA is obscure.	81.5	83.2	0.8	47				
			83.2	83.6	0.3	75				
		The interval is extremely broken.	83.6	84.2	0.5	83				
			84.2	84.5	0.2	67				
		The contact with the next interval is gradational.	84.5	84.8	0.3	100				
			84.8	85.2	0.4	100				
			85.2	86.6	1.4	100				
			86.6	88.3	1.7	100				
			88.3	88.5	0.1	50				
			88.5	91.3	2.7	96				
			91.3	92.4	1.1	100				
92.3	103.0	INTERMIXED CHERT AND SERPENTINITIC ROCK	92.4	94.3	1.9	100				
			94.3	95.9	1.6	100				
		Intermixed brown chert, dark green serpentinitic rock and minor white chert with trace quartz as stringers and veinlets, and trace disseminated pyrrhotite.	95.9	98.9	3.0	100				
			98.9	100.3	1.4	100				
			100.3	103.3	3.0	100				

COMPANY Allegiance Mining NL
 PROJECT Zeehan Joint Venture
 HOLE NUMBER A001

from m	to m	DESCRIPTION	from m	to m	rec m	rec %	from m	to m	Ni %	S %
		The interval has a mottled, hydraulically? brecciated texture.								
		BCA is irregular.								
		The interval is extremely broken.								
		The contact with the next interval is gradational.								
103.0	109.7	INTERMIXED CHERT AND SERPENTINITIC ROCK	103.3	106.3	3.0	100				
		Intermixed brown chert and hard, green serpentinitic rock with trace to sparse pyrite and pyrrhotite as stringers and flecks, trace chalcopyrite as flecks, and rare vuggy quartz stringers.	106.3	109.3	3.0	100				
		The interval has a mottled appearance and bedding has been ruptured.								
		BCA is obscure.								
		The interval is broken.								
		The contact with the next interval is sharp but broken.								
109.7	113.6	INTERMIXED CHERT AND MINOR SERPENTINITIC ROCK	109.3	110.7	1.4	100				
		As between 109.7m and 113.6m but with a more brecciated texture.	110.7	112.3	1.6	100				
			112.3	113.4	1.1	100				
		The interval is very broken.								
		The contact with the next interval is sharp but broken.								

COMPANY Allegiance Mining NL
 PROJECT Zeehan Joint Venture
 HOLE NUMBER A001

from m	to m	DESCRIPTION	from m	to m	rec m	rec %	from m	to m	Ni %	S %
113.6	117.5	BRECCIATED CHERT: FAULT?	113.4	115.3	2.1	111				
		As between 109.7m and 113.6m but more brecciated: fault?	115.3	118.3	2.5	83				
		The interval is extremely broken.								
		The contact with the next interval is sharp but broken.								
117.5	126.0	CHERT	118.3	119.2	0.9	100				
		Brown and minor grey white chert and minor green serpentinitic rock with sparse to minor pyrite and pyrrhotite as stringers and flecks, and minor chlorite? as patches.	119.2	121.3	2.1	100				
			121.3	124.3	3.0	100				
		The interval has a brecciated texture.								
		BCA is typically 30 degrees.								
		The interval is broken.								
126.0	136.5	CHERT	124.3	127.3	3.0	100				
		Grey white, green and minor brown chert and lesser intermixed hard serpentinitic rock with sparse quartz and schorl as irregular stringers, trace calcite as stringers, and trace pyrrhotite and chalcopyrite as rare disseminations, e.g. at 131.2m.	127.3	130.3	3.0	100				
			130.3	133.3	3.0	100				
			133.3	136.3	3.0	100				
		The interval has a brecciated texture.								
		BCA is typically 45 degrees.								
		The interval is not broken.								

COMPANY Allegiance Mining NL
 PROJECT Zeehan Joint Venture
 HOLE NUMBER A001

from m	to m	DESCRIPTION	from m	to m	rec m	rec %	from m	to m	Ni %	S %
-----------	---------	-------------	-----------	---------	----------	----------	-----------	---------	---------	--------

The contact with the next interval is gradational.

136.5	145.0	BRECCIATED CHERT	136.3	139.3	3.0	100				
			139.3	142.3	3.0	100				
			142.3	145.3	3.0	100				

Grey to brown, brecciated chert, slightly vuggy in part, with sparse chlorite as patches, sparse serpentine as veinlets and on fractures, and sparse calcite as stringers and as matrix to bands of breccia.

BCA is obscure.

The interval is broken.

145.0	146.6	BRECCIA	145.3	148.3	3.0	100				
-------	-------	----------------	-------	-------	-----	-----	--	--	--	--

White chert fragments in a chloritised matrix.

The interval is broken.

The contact with the next interval is sharp but broken.

146.6	148.2	BRECCIATED CHERT								
-------	-------	-------------------------	--	--	--	--	--	--	--	--

Brecciated grey, cream and white chert with trace to sparse axinite as veinlets and patches, trace calcite as veinlets, sparse chlorite as patches, sparse ragged garnet? crystals up to 4mm across, and trace pyrrhotite?

146.8m to 147.3m: calcite vein with rock fragments and pug; CA is 20 degrees.

BCA is obscure.

COMPANY Allegiance Mining NL
 PROJECT Zeehan Joint Venture
 HOLE NUMBER A001

from m	to m	DESCRIPTION	from m	to m	rec m	rec %	from m	to m	Ni %	S %
		The interval is extremely broken.								
		The contact with the next interval is sharp at 40 degrees to the core axis.								
148.2	150.6	LIMESTONE BRECCIA WITH SKARN	148.3	151.3	3.0	100	148.2	149.4	0.02	0.46
		Serpentinised limestone fragments in an axinite/schorl matrix with sparse vuggy quartz as stringers.					149.4	150.6	0.02	0.21
		BCA is obscure.								
		The interval is extremely broken.								
		The contact with the next interval is sharp but broken.								
150.6	160.2	BRECCIATED CHERT	151.3	154.3	3.0	100	159.2	160.2	0.01	<0.05
		Brecciated cream to green chert with minor serpentinitic veins and bands and sparse slightly vuggy quartz as stringers and veinlets.	154.3	157.3	3.0	100				
			157.3	160.3	3.0	100				
		BCA is obscure.								
		The interval is extremely broken especially in the serpentinitic bands.								
		The contact with the next interval is sharp but broken.								
160.2	165.8	AXINITE SKARN	160.3	163.3	3.0	100	160.2	161.2	0.02	0.06
		Cream to green (chloritised?) brecciated chert with common axinite as veins and	163.3	166.3	3.0	100	161.2	162.2	0.01	0.13
							162.2	163.2	0.02	<0.05

COMPANY Allegiance Mining NL
 PROJECT Zeehan Joint Venture
 HOLE NUMBER A001

from m	to m	DESCRIPTION	from m	to m	rec m	rec %	from m	to m	Ni %	S %
		patches with sparse brown sphalerite as flecks, trace galena as spots, and sparse schorl as small crystals up to 4mm across.					163.2	164.2	0.02	0.16
							164.2	165.8	0.01	0.26
		BCA is obscure.								
		The interval is broken.								
		The contact with the next interval is gradational.								
165.8	169.6	BRECCIATED CHERT	166.3	167.8	1.5	100	165.8	166.8	0.02	<0.05
			167.8	169.3	1.5	100	166.8	167.8	0.02	<0.05
		As between 150.6m and 160.2m					167.8	169.6	0.01	<0.05
		The interval is broken.								
		The contact with the next interval is gradational.								
169.6	179.8	AXINITE SKARN	169.3	172.3	3.0	100	169.6	170.6	0.02	<0.05
			172.3	175.3	3.0	100	170.6	171.6	0.01	<0.05
		As between 160.2m and 165.8m but with minor schorl crystals as patches up to 5cm across.	175.3	178.3	3.0	100	171.6	172.6	0.01	<0.05
							172.6	173.6	0.02	<0.05
							173.6	174.6	0.01	<0.05
		The interval is broken.					174.6	175.6	0.01	<0.05
							175.6	176.6	0.01	<0.05
		The contact with the next interval is gradational.					176.6	177.6	0.02	<0.05
							177.6	178.6	0.02	<0.05
179.8	197.6	CHERT AND HORNFELS WITH MINOR SKARN	178.3	181.3	3.0	100	178.6	179.8	0.01	<0.05
			181.3	184.3	3.0	100	179.8	180.8	0.02	<0.05
		Cream to green chert with green serpentinitic hornfels and minor skarn veining becoming less intense towards 197.6m; the skarn consists of axinite and quartz with	184.3	187.3	3.0	100				
			187.3	190.3	3.0	100				

442087

COMPANY Allegiance Mining NL
 PROJECT Zeehan Joint Venture
 HOLE NUMBER A001

from m	to m	DESCRIPTION	from m	to m	rec m	rec %	from m	to m	Ni %	S %
		trace schorl and minor serpentine.	190.3	193.3	3.0	100				
		The chert has a mottled brecciated texture.	193.3	196.3	3.0	100				
		BCA is obscure.								
		The interval is broken.								
197.6	198.2	AXINITE SKARN	196.3	199.3	3.0	100				
		Quartz, chloritised? in part, with common axinite, and minor schorl crystals as patches up to 5cm across.								
		CA is obscure.								
		The interval is broken.								
		The contact with the next interval is sharp but irregular.								
198.2	208.4	CHERT AND HORNFELS	199.3	202.3	3.0	100				
			202.3	205.3	3.0	100				
		As between 179.8m and 197.6m with no skarn veining but with sparse calcite and quartz as stringers and veinlets.	205.3	208.3	3.0	100				
		BCA is irregular but averages 45 degrees.								
		The interval is broken.								
		The contact with the next interval is sharp at 70 degrees to the core axis.								

COMPANY Allegiance Mining NL
 PROJECT Zeehan Joint Venture
 HOLE NUMBER A001

from m	to m	DESCRIPTION	from m	to m	rec m	rec %	from m	to m	Ni %	S %
208.4	213.0	HORNFELSED ROCK	208.3	211.3	3.0	100				
		White spotted, green hornfels with occasional large fragments up to 5cm across, rare axinite/serpentine stringers, and trace schorl as fine crystals.	211.3	214.3	3.0	100				
		BCA is obscure.								
		The interval is not broken.								
		The contact with the next interval is gradational.								
213.0	223.9	CHERT WITH SPARSE SKARN	214.3	217.3	3.0	100				
		Cream, grey and green chert with sparse axinite and lesser serpentine as veining and patches.	217.3	220.3	3.0	100				
			220.3	223.3	3.0	100				
		The interval has a brecciated texture.								
		BCA is obscure.								
		The interval is not broken.								
		The contact with the next interval is gradational.								
223.9	225.8	HORNFELS	223.3	226.3	3.0	100				
		Green brown chloritic? cherty hornfels with trace to sparse disseminated pyrrhotite.								
		BCA is obscure.								

COMPANY Allegiance Mining NL
 PROJECT Zeehan Joint Venture
 HOLE NUMBER A001

from m	to m	DESCRIPTION	from m	to m	rec m	rec %	from m	to m	Ni %	S %
		The interval is not broken.								
		The contact with the next interval is sharp but irregular.								
225.8	234.8	ALTERED CRYSTALLINE ROCK: GABBRO?	226.3	229.3	3.0	100				
		Very altered, dark green brown crystalline rock with common quartz as stringers, veinlets and patches, and sparse green serpentine on joints; this could be an altered gabbro.	229.3	232.3	3.0	100				
			232.3	235.3	3.0	100				
		The interval has a brecciated texture in part.								
		CA is obscure.								
		The interval is not broken.								
		The contact with the next interval is sharp but irregular.								
234.8	243.9	HORNFELS	235.3	238.3	3.0	100	242.9	243.9	0.13	0.06
		As between 223.9m and 225.8m plus common quartz as stringers and veinlets, sparse green serpentine on fractures, and sparse to minor flaky chlorite as patches up to 5cm across.	238.3	241.3	3.0	100				
			241.3	244.3	3.0	100				
		BCA is obscure.								
		The interval is not broken.								
		The contact with the next interval is sharp but irregular.								

COMPANY Allegiance Mining NL
 PROJECT Zeehan Joint Venture
 HOLE NUMBER A001

from m	to m	DESCRIPTION	from m	to m	rec m	rec %	from m	to m	Ni %	S %
243.9	244.3	MASSIVE PENTLANDITE Massive slightly magnetic pentlandite. CA is obscure. The interval is not broken. The contact with the next interval is sharp but irregular.					243.9	244.3	15.0	20.4
244.3	247.6	SERPENTINITE Massive light green serpentinite with sparse to minor pentlandite as disseminations and stringers. CA is obscure. The interval is not broken. The contact with the next interval is sharp at 70 degrees to the core axis and is marked by 5cm of serpentinite breccia.	244.3	247.3	3.0	100	244.3	245.3	0.33	0.67
							245.3	246.3	0.22	0.32
							246.3	247.6	0.32	0.53
247.6	316.3	SERPENTINITE Black serpentinite and a zone with light green serpentinite, with sparse to minor pentlandite as disseminations, blebs and patches, sparse calcite and quartz as stingers and veinlets. 271.6m to 275.6m: intermixed black and harder white serpentinite; a brecciated texture suggests black serpentinite fragments in a white serpentinite matrix, with minor	247.3	249.4	2.1	100	247.6	248.6	0.41	0.59
			249.4	250.3	0.9	100	248.6	249.6	0.23	0.30
			250.3	253.3	3.0	100	249.6	250.6	1.23	1.80
			253.3	256.3	3.0	100	250.6	251.6	1.11	1.56
			256.3	259.3	3.0	100	251.6	252.6	0.86	1.17
			259.3	262.3	3.0	100	252.6	253.6	0.84	1.11
			262.3	265.3	3.0	100	253.6	254.6	0.66	0.85
			265.3	268.3	3.0	100	254.6	255.6	0.24	0.28

COMPANY Allegiance Mining NL
 PROJECT Zeehan Joint Venture
 HOLE NUMBER A001

from m	to m	DESCRIPTION	from m	to m	rec m	rec %	from m	to m	Ni %	S %
		magnetite crystals throughout, and sparse to minor pyrrhotite as disseminations, stringers and patches.	268.3	271.3	3.0	100	255.6	256.6	0.23	0.27
			271.3	274.3	3.0	100	256.6	257.6	0.47	0.56
			274.3	277.3	3.0	100	257.6	258.6	0.29	0.34
		CA is obscure.	277.3	280.3	3.0	100	258.6	259.6	0.29	0.34
			280.3	283.3	3.0	100	259.6	260.6	0.16	0.16
		The interval is not broken.	283.3	286.3	3.0	100	260.6	261.6	0.15	0.15
			286.3	289.3	3.0	100	261.6	262.6	0.17	0.18
		END OF HOLE AT 316.3m.	289.3	292.3	3.0	100	262.6	263.6	0.19	0.18
			292.3	295.3	3.0	100	263.6	264.6	0.16	0.17
			295.3	298.3	3.0	100	264.6	265.6	0.17	0.21
			298.3	301.3	3.0	100	265.6	266.6	0.35	0.54
			301.3	304.3	3.0	100	266.6	267.6	1.17	1.76
			304.3	307.3	3.0	100	267.6	268.6	0.26	0.36
			307.3	310.3	3.0	100	268.6	269.6	0.18	0.25
			310.3	313.3	3.0	100	269.6	270.6	0.34	0.53
			313.3	316.3	3.0	100	270.6	271.6	0.91	1.38
							271.6	272.6	0.27	0.38
							272.6	273.6	0.80	1.22
							273.6	274.6	0.15	0.30
							274.6	275.6	0.22	0.64
							275.6	277.3	0.12	0.22
							277.3	278.3	0.12	0.18
							278.3	279.3	0.12	0.18
							279.3	280.3	0.18	0.22
							280.3	281.3	0.07	0.07
							281.3	282.3	0.07	0.07
							282.3	283.3	0.05	<0.05
							283.3	284.3	0.10	0.11
							284.3	285.3	0.11	0.17
							285.3	286.3	0.27	0.44

442099

A001L

COMPANY Allegiance Mining NL
PROJECT Zeehan Joint Venture
HOLE NUMBER A001

from m	to m	DESCRIPTION	from m	to m	rec m	rec %	from m	to m	Ni %	S %
							286.3	287.3	0.09	0.12
							287.3	288.3	0.38	0.63
							288.3	289.3	0.09	0.08
							289.3	290.3	0.12	0.15
							290.3	291.3	0.09	0.12
							291.3	292.3	0.12	0.18
							292.3	293.3	0.22	0.31
							293.3	294.3	0.13	0.21
							294.3	295.3	0.13	0.17
							295.3	296.3	0.12	0.15
							296.3	297.3	0.16	0.28
							297.3	298.3	0.17	0.39
							298.3	299.3	0.24	0.64
							299.3	300.3	0.20	0.49
							300.3	301.3	0.39	0.85
							301.3	302.3	0.27	0.62
							302.3	303.3	0.25	0.54
							303.3	304.3	0.22	0.41
							304.3	305.3	0.17	0.23
							305.3	306.3	0.16	0.33
							306.3	307.3	0.28	0.52
							307.3	308.3	0.18	0.23
							308.3	309.3	0.13	0.14
							309.3	310.3	0.12	0.13
							310.3	311.3	0.14	0.13
							311.3	312.3	0.13	0.15
							312.3	313.3	0.14	0.13
							313.3	314.3	0.12	0.13
							314.3	315.3	0.13	0.10
							315.3	316.3	0.12	0.10

442093