

FROM		TO		RECOVERY		DESCRIPTION	SECTION	
ft	ins	ft	ins	ft	ins		Core	Sample
						0.5mm across both in the skarn and in thin near-horizontal veins. The vein at 4.50m contains about 1-2% scheelite.		
5.25		8.80		3.55	100	Magnetite-chlorite skarn with irregular concentrations of magnetite and some finely disseminated sulphides. Very fine disseminated specks of scheelite occur within the skarn and in near-horizontal veins. A magnetite-quartz-calcite-pyrite vein (1-2cm thick) at 5.70m and dipping at 60° contains approximately 1-2% scheelite.		
8.80		9.30		0.50	100	Magnetite-pyrrhotite-chlorite skarn with near horizontal pyrite and quartz-pyrite veins 2-4mm thick and very minor scattered specks of scheelite.		
9.70		12.50		3.20	100	Predominantly calc-silicate skarn with patches of magnetite-chlorite skarn. Strongly veined by magnetite-pyrite-calcite-quartz veins 1-5mm thick. Up to about 1% scheelite occurs in near vertical veins at 9.7m - 10.00m and 12.20m-12.50m, although the scheelite generally occurs as minor fine scattered specks.		
12.50		14.80		2.30	100	Poorly developed calc-silicate skarn with veins of pyrite-magnetite, pyrite filled fractures, thin albite veins, and minor scattered specks of scheelite.		
14.80		28.00		13.20	100	Massive fine to medium grained quartzite with chlorite patches. Pyrite occurs in veins and filling fractures.		
28.00		30.00		10.00	100	Interbedded siltstones and sandstones dipping at 25°-30°, and containing bands of lithic fragments.		
30.00		38.55		8.55	100	Massive medium grained quartzite with minor		

Continued over

ASSAY DATA

SAMPLE No.	FROM		TO		RECOVERY		ASSAY RESULTS							
	ft.	ins.	ft.	ins.	ft.	ins.	%	%	%	%	%	%	%	
2-01	0.00		0.40		0.20		50	0.04	0.09	0.04	0.09	<0.01	32.6	Trace
2-02	0.40		1.06		0.20		30	<0.01	0.09	0.01	0.06	<0.01	27.3	Trace
2-03	1.06		1.30		0.12		50	0.01	0.11	0.02	0.06	<0.01	17.7	Trace
2-04	1.30		2.66		0.48		35	0.02	0.07	0.04	0.16	<0.01	25.7	Trace
2-05	2.66		3.66		1.00		100	<0.01	0.06	0.01	0.02	<0.01	10.6	Trace
2-06	3.66		4.40		0.74		100	<0.01	0.05	<0.01	0.01	<0.01	6.0	Trace
2-07	4.40		4.60		0.20		100	<0.12	0.04	0.05	0.07	<0.01	15.7	Trace
2-08	4.60		5.45		0.85		100	<0.01	0.12	0.01	0.04	<0.01	11.2	Trace
2-09	5.45		5.85		0.45		100	0.01	0.20	0.07	0.02	<0.01	29.8	Trace
2-10	5.85		6.85		1.00		100	<0.01	0.15	0.01	0.05	<0.01	31.1	Nil

FROM		TO		RECOVERY		DESCRIPTION	SECTION	
ft.	ins.	ft.	ins.	ft.	ins.		Core	Sample
						pyrite in fractures and as veins (2mm thick) at 32.55m and 37.00m. A thin siltstone horizon dipping at 20° occurs at 32.05m. From 37.00 to 37.70 metres the quartzite contains strong concentrations of disseminated pyrite euhedra and avoid patches of pyrite.		
38.55		51.60		12.05	100	Chloritic quartzite and impure sandstones with quartz and quartz-pyrite veins, fine disseminated pyrite and pyrite filled fractures. Chlorite often occurs as rounded and elongate patches. Strongly pyritic quartzite from 43.75 to 44.10 metres.		
51.60		75.00		23.40	100	Fine to medium grained quartzite with pyritic and chloritic patches, and fine disseminated pyrite crystals. Quartz-chlorite-pyrite-tourmaline, and quartz-albite veins.		
75.00		81.80		6.80	100	Fine grained pure quartzite with pyrite filled fractures.		
81.80		82.70		0.90	100	Chloritic, conglomeratic quartzite.		
82.70		84.40		1.70	100	Fine to medium grained quartzite with disseminated pyrite and quartz-pyrite veins (2-3mm thick) dipping at 20° at 83.00, 83.45 and 84.20 metres.		
84.40		86.50		2.10	100	Fine grained quartzite, and siliceous conglomerate consisting of rounded oblate sandstone pebbles in a quartz matrix. The pebbles dip at about 30°.		
86.50		101.10		14.60	100	Fine and medium grained quartzites with occasional pebble conglomerate horizons, and numerous pyrite veins.		
END OF HOLE.								
							Continued over	

ASSAY DATA

SAMPLE No.	FROM		TO		RECOVERY		% WO ₃	% Sn	% Cu	% Bi	ASSAY RESULTS			
	ft.	ins.	ft.	ins.	ft.	ins.					%	Mo	Fe	Au
2-11	6.85		7.88		1.03		100	<0.01	0.05	0.02	0.24	<0.01	38.0	Trace
2-12	7.88		8.93		1.05		100	<0.01	0.12	0.08	0.16	<0.01	31.4	Trace
2-13	8.93		10.07		1.14		100	<0.01	0.09	0.10	0.16	<0.01	24.8	Trace
2-14	10.07		11.10		1.03		100	<0.01	0.10	0.08	0.08	<0.01	23.8	Trace
2-15	11.10		12.15		1.05		100	0.02	0.07	0.04	0.04	<0.01	16.9	Nil
2-16	12.15		12.70		1.55		100	0.02	0.05	0.07	0.06	<0.01	15.8	Nil
2-17	12.70		13.82		1.12		100	<0.01	0.04	0.03	0.03	<0.01	8.2	Trace