

SURVEY DATA			ASSAY DATA										
DEPTH feet	Bearing mag.	Inclin. degs.	SAMPLE No.	FROM		TO		RECOVERY		ASSAY RESULTS			
				m	ft	m	ft	m	%	Ash	Vol	Moist	FC
			1	82.48	83.43	0.71	74	17.5	27.7	5.6	49.7		

GEOLOGICAL LOG Logged by:—

FROM m	TO m	RECOVERY		DESCRIPTION	SECTION	
		m	%		Core	Sample
0	0.53	0.52	98	Weathered lithic sandstone		
0.53	0.92	0.38	98	Carbonaceous mudstone		
0.92	22.90	21.97	98	Weathered lithic sandstone		
				clay pellet conglomerate	1.37 - 1.45	
					6.55 - 6.70	
					6.90 - 7.12	
					9.20 - 9.80	
				thinly bedded section	6.00 - 6.65	
					12.90 - 13.50	
				mudstone bands	6.85 - 6.90 (carbonaceous)	
					11.50 - 11.70	
					13.60 - 13.70	
					14.00 - 14.80 (lenses)	
					21.60 - 21.70	
22.90	24.80	1.87	98	Mudstone, in part interbedded with siltstone		
24.80	25.00	0.20	100	Coal		
25.00	28.33	3.08	93	Mudstone		
28.33	28.62	0.29	100	Medium grained lithic sandstone		
28.62	29.52	0.90	100	Siltstone		
29.52	29.82	0.30	100	Coal		
29.82	32.20	2.22	93	Mudstone		

Continued over:—

DEPARTMENT OF MINES — TASMANIA
DIAMOND DRILL CORE RECORD

HOLE No.:— 5	MAP SHEET No.	DISTRICT KAootA	LOCATION OF SITE:—
R.L. OF SITE:—		SITE SURVEY ON MAP No.:—	CORE SIZE:— NX
BEARING OF HOLE:—		AIR PHOTO No.:—	COMMENCED:— 15/3/72
INCLINATION OF HOLE:— Vertical		DRILL:— F 20C No. 2	COMPLETED:— 20/4/72
CO-ORDS. OF SITE:— 5124 E 52363 N		DRILLER:— R. Duncan	FINAL DEPTH:— 118.28 m

