

SURVEY DATA			ASSAY DATA											
DEPTH feet	Bearing mag.	Inclin. degs.	SAMPLE No.	FROM		TO		RECOVERY		ASSAY RESULTS				
				ft.	ins.	ft.	ins.	ft.	ins.	%		%Sn.		
				56	0	60	0	2	6	64				
				359	0	362	6	3	6	100	0.10			
				362	6	367	6	4	6	90	Tr.			
				367	6	371	6	4	0	100	"			
				371	6	375	6	4	0	100	"			
				375	6	380	3	4	3	94	"			
				380	3	384	6	4	3	100	"			
				384	6	388	6	3	9	94	0.18			
				388	6	392	6	4	0	100	"			
				392	6	396	3	3	9	100	"			
				396	3	399	0	2	9	100	"			

GEOLOGICAL LOG								Logged by:— A. J. Noldart			
FR ft.	TO ins.	RECOVERY ft.	TO ins.	%	DESCRIPTION	SECTION					
						Core	Sample				
0	0	56	0	45	81	Coarse grained biotite granite - minor tourmaline.					
56	0	61	0	2	50	Partly greisenised coarse grained granite.					
61	0	166	0	56	53	Coarse grained granite, oxidised in places.					
166	0	206	0	38	95	" " "					
206	0	211	0	1	35	" " "					
211	0	332	6	120	99	" " "					
332	6	334	0	1	100	Fine grained gray granite.					
334	0	347	9	8	58	Coarse grained granite generally oxidised and broken.					
347	9	350	3	2	100	Fresh Coarse grained granite.					
350	3	353	0	2	91	Oxidised and broken coarse grained granite.					
353	0	359	0	6	100	Fresh coarse grained granite.					
359	0	362	6	3	100	Mixed dark gray granite with coarse grained zones.					
362	6	365	6	2	83	Coarse grained granite oxidised and broken					
365	6	367	6	2	100	Dark gray coarse grained granite.					
367	6	380	3	12	96	Coarse grained granite.					
380	3	384	9	4	100	Fine grained gray granite.					
384	9	387	6	2	91	Medium grained granite.					
387	6	389	0	1	100	Mixture medium and fine grained granite with sulphides.					

Continued over:—

DEPARTMENT OF MINES — TASMANIA
DIAMOND DRILL CORE RECORD *Core held M19*

HOLE No.:— 000 12	MAP SHEET No. 55	DISTRICT Royal George	LOCATION OF SITE:— Royal George Mine
340' bearing 228° mag. from Main Shaft.			
R.L. OF SITE:— ^{991'} 989' Rel Shaft 1000'	SITE SURVEY ON MAP No.:— 2951/55		CORE SIZE:— EX
BEARING OF HOLE:— N45° E Mag.	AIR PHOTO No.:—		COMMENCED:— 19-6-67
INCLINATION OF HOLE:— 60°	DRILL:— Mines Dept. Goldfields		COMPLETED:— 26-7-67
CO-ORDS. OF SITE:— 250W - 235S Royal George Grid.	DRILLER:—		FINAL DEPTH:— 510'

AMG 537500E 5368300N

