

2 0076

# No. 3 Line of Bores


## ALLUVIAL BORING, MT. CAMERON.

Ref No 2642  
Section 1351  
37.

Boring commenced 9 Novemb. 1901  
*AME 589600E 5464300N*

No. of Bore 19 { 50 chus from }  
 { No. 1 Bore }  
 No Core held.

Locality North of Watt  
Central Musselroe



Nature of Strata.	Size of Bore.	Depth bored.		Below Datum.	Running Time.	Prospects obtained.		Description of Strata and Remarks.
		Since last Report.	Total Depth.			lbs.	cu. yd.	
		feet. in.	feet. in.	feet. in.				
<i>Fixed Datum 500 feet</i>								
<i>Previously reported</i>								
	<i>Collar of Bore at surface</i>			<i>66.67</i>				
	<i>3 3/8"</i>	<i>2-6</i>	<i>2-6</i>	<i>69.17</i>				<i>Turf</i>
		<i>6-3</i>	<i>8-9</i>	<i>75.42</i>				<i>Brown cement</i>
		<i>1-9</i>	<i>10-6</i>	<i>77.17</i>				<i>Fine drift</i>
		<i>0-9</i>	<i>11-3</i>	<i>77.92</i>				<i>Grey pug</i>
		<i>2-3</i>	<i>13-6</i>	<i>80.17</i>				<i>Pebbly wash (little tin)</i>
		<i>1-6</i>	<i>15-0</i>	<i>81.67</i>				<i>Grey pug</i>
		<i>12-6</i>	<i>27-6</i>	<i>94.17</i>				<i>Drift</i>
		<i>1-0</i>	<i>28-6</i>	<i>95.17</i>				<i>Lignite</i>
		<i>27-6</i>	<i>56-0</i>	<i>122.67</i>				<i>Coarb Silt</i>
		<i>1-6</i>	<i>57-6</i>	<i>124.17</i>				<i>Lignite &amp; Pyrites</i>
		<i>2-9</i>	<i>60-3</i>	<i>126.92</i>				<i>Fine drift</i>
		<i>1-6</i>	<i>61-9</i>	<i>128.42</i>				<i>Soft granite bored into 18 inches</i>

16 hours.



*Good progress is being made results otherwise not satisfactory*

*M. J. Griffin*  
 Inspector of Mines  
 16 Novemb. 1901

*Total depth of bore to bed rock 60ft. 3 in*

Forwarded to the Government Geologist

L. Fou

Paul Reynaud  
for Sec Minis  
(abst)  
20.11.07

2 0077