


2 0135

No 5 Line of Bores

Section 1808
87 M.

6A

ALLUVIAL BORING, MT. CAMERON.



Ref No 72070

Boring commenced 10 Feb. 1902
AMG 5814000 E 5468200 N

No. of Bore 13 { 37 chas from
No 1 Bore }

Locality North of Scotia
No core held.

Nature of Strata.	Size of Bore.	Depth bored.		Below Datum.	Running Time.	Prospects obtained.		Description of Strata and Remarks.
		Since last Report.	Total Depth.			lbs.	c. yd.	
		feet.	in.	feet.	in.			
<u>Fixed Datum 500 feet.</u>				<u>89.37</u>				
<u>Previously reported.....</u>	<u>4 1/4"</u>	<u>0-6</u>	<u>0-6</u>	<u>89.87</u>				<u>Turf</u>
		<u>1-6</u>	<u>2-0</u>	<u>91.37</u>				<u>Fine sand</u>
		<u>5-0</u>	<u>7-0</u>	<u>96.37</u>				<u>Yellow clay</u>
		<u>23-0</u>	<u>30-0</u>	<u>119.37</u>				<u>coarse drift</u>
		<u>3-0</u>	<u>33-0</u>	<u>122.37</u>				<u>Sandy pug</u>
		<u>0-9</u>	<u>33-9</u>	<u>123.12</u>				<u>Black sand</u>
		<u>47-9</u>	<u>81-6</u>	<u>170.87</u>				<u>alternate layers of pug & drift with 9" Carl's Slat</u>
		<u>1-3</u>	<u>82-9</u>	<u>172.12</u>				<u>Soft slate bored into 15 inches</u>
								<u>Total depth of bore to bed rock 81' 6"</u>

30 hours.

W. J. Griffin
Inspector of Mines
per G. J. F.
19 Feb. 1902

