























































EFFECTIVE END OF TRANSMISSION FOR DRAWING/PANEL/APLOT: 0.000000















































OK 277

Array Induction Resistivity — Compact
Spherically Focused Resistivity

EAGLE PRODUCTION COMPANY

COMPANY
WELL
FIELD
COUNTY
STATE
Other Services:
Sec. 27 Twp. 1 Rge. 1 E
Permanent Datum: GROUND LEVEL
Elev.: K.B. 1,000 ft
D.F. 1,000 ft
G.L. 1,000 ft
Date: 10-Jan-97
Run No.: ONE
Depth-Driller: 2,000 ft
Depth-Logger: 2,000 ft
Bottom Logged Interval: 2,000 ft
Top Logged Interval: 1,000 ft
Type Fluid in Hole: WATER BASED MUD
Salinity: 10,000 ppm
Density: 9.0 lb/gal
Level: FULL
Max. Rec. Temp.: 120 °F
Equipment No.: 1
Location: 1

3137 FSL
1 E

EAGLE PRODUCTION COMPANY

3137 FSL & 1 E
SECTION 27, T1S, R1E, Ute Ute Ute MERIDIAN
1 mile LOCATION FROM NW, Mark, Ry Ute Ute MERIDIAN

Induction
Spherically Focused Resistivity
Gamma Ray
Caliper
Bit Size
Neutron
Density
Photoelectric Factor
Delta Rho
Porosity
Sonic
Delta T
Cement Bond
Variable Density
Gamma Ray
Casing Collar Locator

SECTION 1

EAGLE PRODUCTION COMPANY

3137 FSL & 1 E
SECTION 27, T1S, R1E, Ute Ute Ute MERIDIAN

SECTION 1