

THYLACINE-1

Cuttings Gas Summary SOURCED FROM DAILY GEOLOGICAL REPORTS

Gas Readings (%)								
Depth mMDRT	TG	CO2	C1	C2	C3	iC4	nC4	C5
777 - 790	0.01- 0.03 (0.02)		0.0-0.01 (0.1)					
790 - 1116	0.01- 0.08 (0.04)		0.0-0.08 (0.04)					
1116 - 1172	0.02- 0.11 (0.04)		0.02- 0.09 (0.04)					
1172 - 1180	0.07- 0.29 (0.19)		0.04- 0.22 (0.11)					
1180 - 1250	0.01- 0.96 (0.13)		0.0-0.40 (0.08)					
1250 - 1334	0.01- 0.05 (0.02)		0.0-0.04 (0.02)					
1334 - 1426	0.01- 0.02 (0.02)		0.01- 0.02 (0.01)					
1426 - 1470	0.01- 0.02 (0.01)		0.0-0.1 (0.01)					
1470 - 1483	0.02		0.0-0.1 (0.0)					
1483 - 1550	0.01- 0.03 (0.02)		0.0-0.02 (0.01)					
1550 - 1622	0.02- 0.08 (0.04)		0.01- 0.05 (0.04)					
1622 - 1710	0.03- 0.15 (0.06)		0.01-0.2 (0.07)					
1710 - 1855	0.06- 0.19 (0.11)		0.03- 0.19 (0.1)					
1855 - 1930	0.02-0.1 (0.05)	Tr	0.01- 0.082 (0.034)	0-0.01 (0)				
1930 - 2003	0.07- 0.23 (0.13)	Tr	0.01- 0.15 (0.08)	0-0.01 (0.01)	Tr			
2003 - 2046.5	0.03- 0.39 (0.23)	Tr	0.0-0.27 (0.14)	0-0.02 (0.01)	Tr			
2046.5 - 2050	0.64- 12.2 (5.58)	Tr	0.289- 10.18 (2.82)	0.015- 0.103 (0.37)	0.005- 0.123 (0.036)	0-0.017 (0.004)	0 - 0.018 (0.005)	0 - 0.002 (0.001)
2050 - 2129	0.4 - 13.6 (4.0)	Tr	0.26 - 10.2 (2.44)	0.019 - 0.26 (0.073)	0.01 - 0.088 (0.029)	0-0.013 (0.01)	0-0.1 (0.01)	Tr
2129 - 2158	2.3 - 18.1 (9.5)	Tr	1.54 - 12.48 (7.13)	0.037 - 0.317 (0.172)	0.0017 - 0.012 (0.069)	0-0.01 (0.01)	0 -0.01 (0.01)	Tr

Gas Readings (%)								
Depth mMDRT	TG	CO2	C1	C2	C3	iC4	nC4	C5
2158 - 2165	2.9 – 9.6 (6.7)	Tr	1.44 – 12.42 (6.6)	0.037 – 0.317 (0.158)	0.03- 0.06 (0.04)	0-0.01 (0.01)	0.01	Tr
2165 - 2179	0.26-6.12 (4.34)	Tr	0.18- 5.74 (4.0)	0-0.12 (0.09)	0-0.05 (0.04)	0-0.01 (0)	0-0.01 (0.01)	Tr
2179 - 2197	1.6-5.3 (4.9)	Tr	1.7-5.82 (4.24)	0.04- 0.1 (0.08)	0.02- 0.04 (0.03)	0-0.01 (0.01)	0-0.01 (0.01)	Tr
2197 - 2198	0.9-1.8 (1.2)	Tr	0.93-1.7 (1.22)	0.03- 0.04 (0.03)	0.01- 0.02 (0.017)	Tr	Tr	Tr
2186 – 2193	2.85-5.81 (4.41)		2.85- 5.81 (4.41)	2.76- 5.37 (4.43)	0.06-0.1 (0.04)	Tr	Tr	Tr
2193 – 2198	1.02-2.34 (1.76)		1.02- 2.34 (1.76)	0.46- 1.87 (1.25)	0.01- 0.02 (0.02)	Tr	Tr	0
2198 – 2201	0.14-0.18 (0.16)		0.14- 0.18 (0.16)	0.01- 0.026 (0.1164)	0.01- 0.02 (0.01)	Tr	Tr	0
2201 – 2300	0.2 – 4	Tr	0.1 – 4	0.08 – 0.1	0.002 – 0.03	Tr- - 0.005	Tr – 0.004	Tr – 0.003
2300 - 2307	5.0	Tr	5.0	0.1	0.04	0.005	0.002	0.001
2307 - 2421	5 dec to 0.4	Tr	5 dec 0.3	0.01	0.01	0.002	0.002	Nil
2421 - 2503	0.08-4.45 (0.59)	Tr	0.04-3.7 (0.45)	0-0.1 (0.02)	0-0.4 (0.1)	Tr	Tr	Tr
2421 - 2503	0.1-0.33 (0.14)	Tr	0.05- 0.13 (0.1)	0.06- 0.18 (0.01)	Tr	Tr	Tr	Tr
2503 - 2513	0.07-0.12 (0.09)	Tr	0.05- 0.09 (0.06)	0-0.01 (0.01)	Tr	Tr	Tr	Tr
2513 - 2667	0.04-0.2	Tr	0.02-0.1	Tr- 0.008	Tr- 0.004	Tr- 0.002	Tr-0.002	Tr
2667 - 2710	0.07-0.1	Tr	0.02- 0.06	Tr- 0.007	Tr- 0.003	Tr- 0.002	Tr- 0.002	Tr

END