



GEOGRAM+

Well Seismic Report

DATE 5/25/01

Client and Well Information

Country AUSTRALIA
State TASMANIA
Logging Date 20-May-2001
Company
Field EXPLORATION
Well THYLACINE-1

Check Shot Data

LEVEL NUMBER	VERTICAL DEPTH FROM SRD m	MEASURED DEPTH FROM KB m	OBSERVED TRAVEL TIME (owt) s	Vertical Transit Time-SRD (owt) s	DELTA DEPTH m	DELTA TIME s	SEISMIC INTERVAL VELOCITY m/s	SEISMIC AVERAGE VELOCITY m/s
1	0.0			0.0000				
							1470	
2	105.4	130.4	0.0717	0.0717				1470
					15.5	0.0084	1837	
3	120.9	145.9	0.0792	0.0802				1508
					88.9	0.0416	2135	
4	209.8	234.8	0.1181	0.1218				1723
					15.5	0.0071	2194	
5	225.3	250.3	0.1249	0.1289				1748
					234.2	0.0997	2348	
6	459.5	484.5	0.2231	0.2286				2010
					15.5	0.0058	2662	
7	475.0	500.0	0.2289	0.2344				2026
					114.5	0.0428	2675	
8	589.5	614.5	0.2715	0.2772				2127
					15.5	0.0053	2936	

GEOGRAM+

Well Seismic Report

Check Shot Data (Continued)

LEVEL NUMBER	VERTICAL DEPTH FROM SRD m	MEASURED DEPTH FROM KB m	OBSERVED TRAVEL TIME (owt) s	Vertical Transit Time-SRD (owt) s	DELTA DEPTH m	DELTA TIME s	SEISMIC INTERVAL VELOCITY m/s	SEISMIC AVERAGE VELOCITY m/s
9	605.0	630.0	0.2767	0.2825				2142
					124.5	0.0476	2614	
10	729.5	754.5	0.3242	0.3301				2210
					15.5	0.0066	2353	
11	745.0	770.0	0.3307	0.3367				2213
					181.6	0.0762	2384	
12	926.6	951.6	0.4068	0.4129				2244
					15.4	0.0061	2529	
13	942.0	967.0	0.4129	0.4190				2248
					14.5	0.0056	2573	
14	956.5	981.5	0.4185	0.4246				2253
					15.5	0.0058	2655	
15	972.0	997.0	0.4243	0.4304				2258
					14.5	0.0051	2840	
16	986.5	1011.5	0.4294	0.4355				2265
					15.5	0.0058	2654	
17	1002.0	1027.0	0.4353	0.4414				2270
					14.5	0.0056	2571	
18	1016.5	1041.5	0.4409	0.4470				2274
					15.5	0.0062	2500	
19	1032.0	1057.0	0.4471	0.4532				2277
					14.6	0.0055	2667	
20	1046.6	1071.6	0.4526	0.4587				2282
					15.4	0.0058	2677	
21	1062.0	1087.0	0.4583	0.4644				2287

GEOGRAM+

Well Seismic Report

Check Shot Data (Continued)

LEVEL NUMBER	VERTICAL DEPTH FROM SRD m	MEASURED DEPTH FROM KB m	OBSERVED TRAVEL TIME (owt) s	Vertical Transit Time-SRD (owt) s	DELTA DEPTH m	DELTA TIME s	SEISMIC INTERVAL VELOCITY m/s	SEISMIC AVERAGE VELOCITY m/s
					14.6	0.0056	2608	
22	1076.6	1101.6	0.4639	0.4700				2290
					15.4	0.0057	2711	
23	1092.0	1117.0	0.4696	0.4757				2295
					14.5	0.0046	3151	
24	1106.5	1131.5	0.4742	0.4803				2304
					15.5	0.0045	3478	
25	1122.0	1147.0	0.4786	0.4848				2314
					14.5	0.0044	3270	
26	1136.5	1161.5	0.4830	0.4892				2323
					15.5	0.0055	2801	
27	1152.0	1177.0	0.4886	0.4948				2328
					14.6	0.0055	2644	
28	1166.6	1191.6	0.4941	0.5003				2332
					15.4	0.0049	3175	
29	1182.0	1207.0	0.4989	0.5051				2340
					14.5	0.0044	3295	
30	1196.5	1221.5	0.5033	0.5095				2348
					15.5	0.0046	3356	
31	1212.0	1237.0	0.5079	0.5141				2357
					14.5	0.0050	2887	
32	1226.5	1251.5	0.5130	0.5192				2362
					15.4	0.0051	3039	
33	1241.9	1266.9	0.5180	0.5242				2369
					14.6	0.0051	2877	

GEOGRAM+

Well Seismic Report

Check Shot Data (Continued)

LEVEL NUMBER	VERTICAL DEPTH FROM SRD m	MEASURED DEPTH FROM KB m	OBSERVED TRAVEL TIME (owt) s	Vertical Transit Time-SRD (owt) s	DELTA DEPTH m	DELTA TIME s	SEISMIC INTERVAL VELOCITY m/s	SEISMIC AVERAGE VELOCITY m/s
34	1256.5	1281.5	0.5231	0.5293				2374
					15.5	0.0049	3175	
35	1272.0	1297.0	0.5280	0.5342				2381
					14.6	0.0043	3399	
36	1286.6	1311.6	0.5323	0.5385				2389
					15.4	0.0051	3014	
37	1302.0	1327.0	0.5374	0.5436				2395
					14.5	0.0045	3193	
38	1316.5	1341.5	0.5419	0.5481				2402
					15.4	0.0049	3122	
39	1331.9	1356.9	0.5468	0.5531				2408
					14.7	0.0047	3141	
40	1346.6	1371.6	0.5515	0.5578				2414
					15.4	0.0045	3448	
41	1362.0	1387.0	0.5560	0.5622				2423
					14.6	0.0044	3299	
42	1376.6	1401.6	0.5604	0.5666				2429
					15.4	0.0046	3328	
43	1392.0	1417.0	0.5650	0.5713				2437
					14.6	0.0048	3062	
44	1406.6	1431.6	0.5698	0.5760				2442
					15.4	0.0047	3242	
45	1422.0	1447.0	0.5745	0.5808				2448
					14.6	0.0045	3226	
46	1436.6	1461.6	0.5790	0.5853				2454

GEOGRAM+

Well Seismic Report

Check Shot Data (Continued)

LEVEL NUMBER	VERTICAL DEPTH FROM SRD m	MEASURED DEPTH FROM KB m	OBSERVED TRAVEL TIME (owt) s	Vertical Transit Time-SRD (owt) s	DELTA DEPTH m	DELTA TIME s	SEISMIC INTERVAL VELOCITY m/s	SEISMIC AVERAGE VELOCITY m/s
					15.4	0.0043	3585	
47	1452.0	1477.0	0.5833	0.5896				2463
					14.5	0.0054	2702	
48	1466.5	1491.5	0.5887	0.5950				2465
					15.5	0.0052	3008	
49	1482.0	1507.0	0.5938	0.6001				2469
					14.5	0.0044	3293	
50	1496.5	1521.5	0.5982	0.6045				2475
					15.5	0.0052	2955	
51	1512.0	1537.0	0.6035	0.6098				2480
					14.6	0.0043	3392	
52	1526.6	1551.6	0.6078	0.6141				2486
					15.4	0.0045	3409	
53	1542.0	1567.0	0.6123	0.6186				2493
					14.5	0.0046	3150	
54	1556.5	1581.5	0.6169	0.6232				2498
					15.5	0.0049	3187	
55	1572.0	1597.0	0.6218	0.6281				2503
					14.5	0.0043	3393	
56	1586.5	1611.5	0.6260	0.6323				2509
					15.5	0.0044	3499	
57	1602.0	1627.0	0.6305	0.6368				2516
					14.5	0.0046	3172	
58	1616.5	1641.5	0.6350	0.6413				2521
					15.5	0.0044	3534	

GEOGRAM+

Well Seismic Report

Check Shot Data (Continued)

LEVEL NUMBER	VERTICAL DEPTH FROM SRD m	MEASURED DEPTH FROM KB m	OBSERVED TRAVEL TIME (owt) s	Vertical Transit Time-SRD (owt) s	DELTA DEPTH m	DELTA TIME s	SEISMIC INTERVAL VELOCITY m/s	SEISMIC AVERAGE VELOCITY m/s
59	1632.0	1657.0	0.6394	0.6457				2527
					14.5	0.0043	3366	
60	1646.5	1671.5	0.6437	0.6500				2533
					15.5	0.0045	3440	
61	1662.0	1687.0	0.6482	0.6545				2539
					14.6	0.0043	3363	
62	1676.6	1701.6	0.6526	0.6589				2545
					15.4	0.0043	3599	
63	1692.0	1717.0	0.6568	0.6632				2551
					14.5	0.0043	3408	
64	1706.5	1731.5	0.6611	0.6674				2557
					15.5	0.0043	3584	
65	1722.0	1747.0	0.6654	0.6717				2563
					14.5	0.0049	2975	
66	1736.5	1761.5	0.6703	0.6766				2566
					15.5	0.0047	3286	
67	1752.0	1777.0	0.6750	0.6813				2571
					14.5	0.0047	3055	
68	1766.5	1791.5	0.6797	0.6861				2575
					15.5	0.0049	3137	
69	1782.0	1807.0	0.6847	0.6910				2579
					14.6	0.0044	3290	
70	1796.6	1821.6	0.6891	0.6955				2583
					15.4	0.0053	2922	
71	1812.0	1837.0	0.6944	0.7007				2586

GEOGRAM+

Well Seismic Report

Check Shot Data (Continued)

LEVEL NUMBER	VERTICAL DEPTH FROM SRD m	MEASURED DEPTH FROM KB m	OBSERVED TRAVEL TIME (owt) s	Vertical Transit Time-SRD (owt) s	DELTA DEPTH m	DELTA TIME s	SEISMIC INTERVAL VELOCITY m/s	SEISMIC AVERAGE VELOCITY m/s
					14.5	0.0051	2866	
72	1826.5	1851.5	0.6994	0.7058				2588
					15.5	0.0045	3445	
73	1842.0	1867.0	0.7039	0.7103				2593
					14.5	0.0047	3091	
74	1856.5	1881.5	0.7086	0.7150				2597
					15.4	0.0050	3108	
75	1871.9	1896.9	0.7136	0.7199				2600
					14.6	0.0039	3706	
76	1886.5	1911.5	0.7175	0.7239				2606
					15.4	0.0047	3243	
77	1901.9	1926.9	0.7223	0.7286				2610
					14.6	0.0046	3172	
78	1916.5	1941.5	0.7269	0.7332				2614
					15.5	0.0046	3396	
79	1932.0	1957.0	0.7314	0.7378				2619
					14.5	0.0043	3384	
80	1946.5	1971.5	0.7357	0.7421				2623
					15.4	0.0044	3515	
81	1961.9	1986.9	0.7401	0.7465				2628
					14.6	0.0044	3341	
82	1976.5	2001.5	0.7445	0.7508				2632
					15.5	0.0041	3742	
83	1992.0	2017.0	0.7486	0.7550				2639
					14.5	0.0039	3702	

GEOGRAM+

Well Seismic Report

Check Shot Data (Continued)

LEVEL NUMBER	VERTICAL DEPTH FROM SRD m	MEASURED DEPTH FROM KB m	OBSERVED TRAVEL TIME (owt) s	Vertical Transit Time-SRD (owt) s	DELTA DEPTH m	DELTA TIME s	SEISMIC INTERVAL VELOCITY m/s	SEISMIC AVERAGE VELOCITY m/s
84	2006.5	2031.5	0.7525	0.7589				2644
					15.4	0.0043	3617	
85	2021.9	2046.9	0.7568	0.7631				2649
					14.7	0.0042	3459	
86	2036.6	2061.6	0.7610	0.7674				2654
					15.4	0.0040	3808	
87	2052.0	2077.0	0.7651	0.7714				2660
					14.5	0.0038	3826	
88	2066.5	2091.5	0.7688	0.7752				2666
					15.5	0.0041	3757	
89	2082.0	2107.0	0.7730	0.7793				2671
					14.5	0.0039	3746	
90	2096.5	2121.5	0.7768	0.7832				2677
					15.5	0.0039	3941	
91	2112.0	2137.0	0.7808	0.7872				2683
					14.5	0.0042	3440	
92	2126.5	2151.5	0.7850	0.7914				2687
					15.5	0.0042	3657	
93	2142.0	2167.0	0.7892	0.7956				2692
					14.5	0.0036	4032	
94	2156.5	2181.5	0.7928	0.7992				2698
					15.4	0.0042	3690	
95	2171.9	2196.9	0.7970	0.8034				2703
					14.6	0.0040	3670	
96	2186.5	2211.5	0.8010	0.8074				2708

GEOGRAM+

Well Seismic Report

Check Shot Data (Continued)

LEVEL NUMBER	VERTICAL DEPTH FROM SRD m	MEASURED DEPTH FROM KB m	OBSERVED TRAVEL TIME (owt) s	Vertical Transit Time-SRD (owt) s	DELTA DEPTH m	DELTA TIME s	SEISMIC INTERVAL VELOCITY m/s	SEISMIC AVERAGE VELOCITY m/s
					15.4	0.0037	4112	
97	2201.9	2226.9	0.8047	0.8111				2715
					14.6	0.0046	3152	
98	2216.5	2241.5	0.8093	0.8157				2717
					15.4	0.0037	4147	
99	2231.9	2256.9	0.8131	0.8194				2724
					14.6	0.0037	3975	
100	2246.5	2271.5	0.8167	0.8231				2729
					15.5	0.0043	3639	
101	2262.0	2287.0	0.8210	0.8274				2734
					14.5	0.0039	3706	
102	2276.5	2301.5	0.8249	0.8313				2739
					15.5	0.0045	3477	
103	2292.0	2317.0	0.8293	0.8357				2742
					14.5	0.0040	3652	
104	2306.5	2331.5	0.8333	0.8397				2747
					15.5	0.0038	4077	
105	2322.0	2347.0	0.8371	0.8435				2753
					14.5	0.0039	3733	
106	2336.5	2361.5	0.8410	0.8474				2757
					15.5	0.0035	4368	
107	2352.0	2377.0	0.8445	0.8510				2764
					14.5	0.0044	3324	
108	2366.5	2391.5	0.8489	0.8553				2767
					15.5	0.0038	4096	

GEOGRAM+

Well Seismic Report

Check Shot Data (Continued)

LEVEL NUMBER	VERTICAL DEPTH FROM SRD m	MEASURED DEPTH FROM KB m	OBSERVED TRAVEL TIME (owt) s	Vertical Transit Time-SRD (owt) s	DELTA DEPTH m	DELTA TIME s	SEISMIC INTERVAL VELOCITY m/s	SEISMIC AVERAGE VELOCITY m/s
109	2382.0	2407.0	0.8527	0.8591				2773
					14.6	0.0033	4486	
110	2396.6	2421.6	0.8559	0.8624				2779
					15.4	0.0044	3514	
111	2412.0	2437.0	0.8603	0.8667				2783
					14.6	0.0038	3799	
112	2426.6	2451.6	0.8642	0.8706				2787
					15.4	0.0038	4103	
113	2442.0	2467.0	0.8679	0.8743				2793
					14.5	0.0038	3767	
114	2456.5	2481.5	0.8718	0.8782				2797
					15.5	0.0035	4459	
115	2472.0	2497.0	0.8752	0.8817				2804
					14.5	0.0043	3353	
116	2486.5	2511.5	0.8796	0.8860				2806
					15.5	0.0033	4712	
117	2502.0	2527.0	0.8829	0.8893				2814
					14.5	0.0038	3785	
118	2516.5	2541.5	0.8867	0.8931				2818
					15.4	0.0034	4483	
119	2531.9	2556.9	0.8901	0.8965				2824
					14.6	0.0042	3465	
120	2546.5	2571.5	0.8943	0.9008				2827
					15.5	0.0037	4192	
121	2562.0	2587.0	0.8980	0.9044				2833

GEOGRAM+

Well Seismic Report

Check Shot Data (Continued)

LEVEL NUMBER	VERTICAL DEPTH FROM SRD m	MEASURED DEPTH FROM KB m	OBSERVED TRAVEL TIME (owt) s	Vertical Transit Time-SRD (owt) s	DELTA DEPTH m	DELTA TIME s	SEISMIC INTERVAL VELOCITY m/s	SEISMIC AVERAGE VELOCITY m/s
					14.5	0.0044	3332	
122	2576.5	2601.5	0.9024	0.9088				2835
					15.4	0.0034	4574	
123	2591.9	2616.9	0.9057	0.9122				2841
					14.6	0.0039	3763	
124	2606.5	2631.5	0.9096	0.9160				2845
					15.4	0.0035	4444	
125	2621.9	2646.9	0.9131	0.9195				2851
					14.6	0.0042	3441	
126	2636.5	2661.5	0.9173	0.9238				2854
					15.4	0.0038	4074	
127	2651.9	2676.9	0.9211	0.9275				2859
					14.6	0.0045	3265	
128	2666.5	2691.5	0.9256	0.9320				2861
					15.5	0.0029	5262	
129	2682.0	2707.0	0.9285	0.9350				2869