

Project PJ3D & PJ2D SURVEY

Project ID 2005103



Client BENARIS PETROLEUM N.V.







Line Name PJ051132P1032 (32)




File Number 000







First Shot 1807 Date 01:16:11 29 Oct 2005







Last Shot 888 Date 03:19:34 29 Oct 2005







[illegible]























Raw: DG\_V\_XPCON\_V1G1 Unit Variance




(Nobs 7403 Min: 0.00 Max: 2.00 Mean: 0.13 Sd: 0.18 NRej: 0 NMiss: 0)

Raw: DG\_V\_XPCON\_V1G1 Latency (s)




(Nobs 7403 Min: 6.00 Max: 73.00 Mean: 13.09 Sd: 4.17 NRej: 0 NMiss: 0)


Output Trigger: ori-rtnu Shot\_predict - Input Trigger: ori-rtnu TB (Continuous)







Raw: TL\_TRUETIME EVENT TIME - Input Trigger: ori-rtnu TB (Continuous)







Input Trigger: ori-rtnu SR - Input Trigger: ori-rtnu TB (Continuous)




































main DOF

















main Unit Variance





































Raw: AC\_SIPS\_SV S3V1




(Nobs 0 Min: 0.00000 Max: 0.00000 Mean: 0.00000 Sd: 0.00000 NRej: 0 NMiss: 0)


Raw: GN\_SYNTRON\_V2 Pressure 6 Data




Raw: GN\_SYNTRON\_V2 Pressure 5 Data




Raw: GN\_SYNTRON\_V2 Pressure 4 Data



Raw: GN\_SYNTRON\_V2 Pressure 3 Data



Raw: GN\_SYNTRON\_V2 Pressure 2 Data



Raw: GN\_SYNTRON\_V2 Pressure 1 Data

