

Project PJ3D & PJ2D SURVEY

Project ID 2005103



Client BENARIS PETROLEUM N.V.

Line Name PJ051140P1030 (30)







File Number 000




First Shot 1808 Date 16:52:00 28 Oct 2005

Last Shot 884 Date 18:57:27 28 Oct 2005




<i>Id</i>	<i>Rejection Threshold Description</i>	<i>Upper</i>	<i>Lower</i>







Raw: DG_V_XPCON_V1G1 NSats Tracked




Raw: DG_V_XPCON_V1G1 HDOP




Raw: DG_V_MRDGPS_V1G2 NSats Tracked




Raw: DG_V_MRDGPS_V1G2 HDOP















Raw: DG_V_MRDGPS_V1G3 NSats Tracked









Raw: DG_V_MRDGPS_V1G3 HDOP











Raw: DG_V_XPCON_V1G1 Unit Variance




(Nobs 7527 Min: -0.00 Max: 2.74 Mean: 0.07 Sd: 0.14 NRej: 0 NMiss: 0)

Raw: DG_V_XPCON_V1G1 Latency (s)





(Nobs 7527 Min: 7.00 Max: 20.00 Mean: 12.54 Sd: 2.76 NRej: 0 NMiss: 0)


Output Trigger: ori-rtnu Shot_predict - Input Trigger: ori-rtnu TB (Continuous)







Raw: TL_TRUETIME EVENT TIME - Input Trigger: ori-rtnu TB (Continuous)






































main DOF

















main Unit Variance



































Raw: AC_SIPS_SV S3V1




(Nobs 0 Min: 0.00000 Max: 0.00000 Mean: 0.00000 Sd: 0.00000 NRej: 0 NMiss: 0)


Raw: GN_SYNTRON_V2 Pressure 6 Data




Raw: GN_SYNTRON_V2 Pressure 5 Data




Raw: GN_SYNTRON_V2 Pressure 4 Data



Raw: GN_SYNTRON_V2 Pressure 3 Data



Raw: GN_SYNTRON_V2 Pressure 2 Data



Raw: GN_SYNTRON_V2 Pressure 1 Data

