

Input Source: D:\OP_Folder\Clients\Woodside_Energy_Ltd\Dont_Know\PGGC\COMP_PGGT_C_COMP_026.DLIS
Format: DLIS
Storage Set ID: Default Storage Set

Max Record Length: 8192
Storage Unit Sequence: 1

File Header

File: **PERFO_015LUP** Sequence: **1**

Defining Origin: 4

File ID: PERFO_015LUP File Type: DEPTH LOG
Producer Name: Schlumberger Product/Version: OP 14C0-302 File Set: 41 File Number: 14 19-MAY-2006 11:24:14
Company Name: WoodSide Energy PTY LTD.
Well Name: THA01
Field Name: Otway Gas Development
Tool String: PGGT-C, SHM_GUN
Computations: U-ADAPT, WELLCAD

Error Summary

File: **PERFO_015LUP** Sequence: **1**

No errors detected in file.

Well Site Data

File: **PERFO_015LUP** Sequence: **1**

Origin: 4

Well Data

Company Name	WoodSide Energy PTY LTD.	CN
Well Name	THA01	WN
Field Name	Otway Gas Development	FN
Rig:	Maersk Guardian	CLAB, COUN
State:	Victoria	SLAB, STAT
Nation	Australia	NATI
Maximum Hole Deviation	30.0 (deg)	MHD
Elevation of Derrick Floor	50.5 (m)	EDF
Permanent Datum	Mean Sea Level	PDAT, EPD
Log Measured From	Drill Floor	LMF, APD
Drilling Measured From	Drill Floor	DMF

Absent Valued Parameters: CN1, CONT, FL, FL1, FL2, SECT, TOWN, RANG, APIN, SON, LONG, LATI, EKB, EGL

Job Data

Run Number	1	RUN
Current Casing Size	0.0 (in)	CSIZ
Casing Weight	0.0 (lbm/ft)	CWEI
Bit Size	8.00 (in)	BS

Absent Valued Parameters: DATE, TDD, TDL, BLI, TLI, CDF, CADT, CASG, BSDF, BSDT, DLAB, TLAB, LUN, LUL, ENGI, WITN, SON

Mud Data

Absent Valued Parameters: DFT, DFD, DFV, DFL, DFPH, BSAL, MSS, RMS, MST, RMFS, MFST, RMCS, MCST, RMB, RMFB, MRT, MRT1, MRT2, MRT3, DCS, TCS, DLAB, TLAB

PVT Data

Absent Valued Parameters: ODEN, BSAL, GGRA, BO, BW, IBG, BPP, BPT, SGOR

Cement Data

Cement Job Type	Primary	CJT
-----------------	---------	-----

Absent Valued Parameters: CTOP, CASN, LCMT, LCVO, CDEN, CWLO, CADD, TCTY, TCV, TCDE, TCWL, TCA

Frame Summary

File: **PERFO_015LUP** Sequence: **1**

Origin: 4

Index Type	Start	Stop	Spacing	Channels	Index Channel	Frame Name
BOREHOLE-DEPTH	2595.68	1995.53 m	-60.0 (0.1 in) up	9	TDEP	60B
	8516.00	6547.00 ft				
BOREHOLE-DEPTH	2595.68	1995.55 m	-10.0 (0.1 in) up	8	TDEP,1	10B
	8516.00	6547.08 ft				

File Header	File: PERFO_017LUP	Sequence: 2
Defining Origin: 4		
File ID: PERFO_017LUP File Type: DEPTH LOG		
Producer Name: Schlumberger Product/Version: OP 14C0-302 File Set: 41 File Number: 16 19-MAY-2006 12:33:26		
Company Name: WoodSide Energy PTY LTD.		
Well Name: THA01		
Field Name: Otway Gas Development		
Tool String: PGGT-C, SHM_GUN		
Computations: U-ADAPT, WELLCAD		

Error Summary	File: PERFO_017LUP	Sequence: 2
No errors detected in file.		

Well Site Data	File: PERFO_017LUP	Sequence: 2
Origin: 4		
Well Data		
Company Name	WoodSide Energy PTY LTD.	CN
Well Name	THA01	WN
Field Name	Otway Gas Development	FN
Rig:	Maersk Guardian	CLAB, COUN
State:	Victoria	SLAB, STAT
Nation	Australia	NATI
Maximum Hole Deviation	30.0 (deg)	MHD
Elevation of Derrick Floor	50.5 (m)	EDF
Permanent Datum	Mean Sea Level	PDAT, EPD
Log Measured From	Drill Floor	LMF, APD
Drilling Measured From	Drill Floor	DMF
Absent Valued Parameters: CN1, CONT, FL, FL1, FL2, SECT, TOWN, RANG, APIN, SON, LONG, LATI, EKB, EGL		
Job Data		
Run Number	1	RUN
Current Casing Size	0.0 (in)	CSIZ
Casing Weight	0.0 (lbm/ft)	CWEI
Bit Size	8.00 (in)	BS
Absent Valued Parameters: DATE, TDD, TDL, BLI, TLI, CDF, CADT, CASG, BSDF, BSDT, DLAB, TLAB, LUN, LUL, ENGI, WITN, SON		
Mud Data		
Absent Valued Parameters: DFT, DFD, DFV, DFL, DFPH, BSAL, MSS, RMS, MST, RMFS, MFST, RMCS, MCST, RMB, RMFB, MRT, MRT1, MRT2, MRT3, DCS, TCS, DLAB, TLAB		
PVT Data		
Absent Valued Parameters: ODEN, BSAL, GGRA, BO, BW, IBG, BPP, BPT, SGOR		
Cement Data		
Cement Job Type	Primary	CJT
Absent Valued Parameters: CTOP, CASN, LCMT, LCVO, CDEN, CWLO, CADD, TCTY, TCV, TCDE, TCWL, TCA		

Frame Summary						
File: PERFO_017LUP						
Sequence: 2						
Origin: 4						
<u>Index Type</u>	<u>Start</u>	<u>Stop</u>	<u>Spacing</u>	<u>Channels</u>	<u>Index Channel</u>	<u>Frame Name</u>
BOREHOLE-DEPTH	1647.60	-1.98 m	-60.0 (0.1 in) up	9	TDEP	60B
	5405.50	-6.50 ft				
BOREHOLE-DEPTH	1647.60	-1.96 m	-10.0 (0.1 in) up	8	TDEP;1	10B
	5405.50	-6.42 ft				

