

## Line Log

Line Name: TDOB08-012-038  
Start time: 26/04/2008 10:40:03

Client: 3D Oil (2D Project SEBOA)  
Contract: 6374

Shotpoint	Log Time	Message
1001	26/04/2008 10:40:01	: Start of line TDOB08-012-038 shot 1001
	26/04/2008 10:40:03	: Volume source 1 3040 cu in (ideal volume 3040) 100.0%
	26/04/2008 10:40:03	: SOL String pressures 1:2051.0 PSI 2:2005.0 PSI 3:1971.0 PSI
	26/04/2008 10:40:04	: First good shot 1001. Line 'TDOB08-012-038' time 4-26-2008 10:40:3.193819
	26/04/2008 10:40:04	: Atmospheric pressure transducer - 1009 mB
1010	26/04/2008 10:41:33	: String_3 Cluster_3 Gun 5 (100 cu in) Solenoid Volts OK (desired 190V preShot 189V postShot 125V) Current error (over current) expected 12.0A achieved peak 13.4A
1011	26/04/2008 10:41:43	: String_3 Cluster_3 Gun 5 (100 cu in) Solenoid Volts OK (desired 190V preShot 191V postShot 125V) Current error (over current) expected 12.0A achieved peak 13.4A
1023	26/04/2008 10:43:43	: String_3 Cluster_3 Gun 5 (100 cu in) Solenoid Volts OK (desired 190V preShot 189V postShot 126V) Current error (over current) expected 12.0A achieved peak 13.4A
1067	26/04/2008 10:50:56	: String_3 Cluster_3 Gun 5 (100 cu in) Solenoid Volts OK (desired 190V preShot 189V postShot 126V) Current error (over current) expected 12.0A achieved peak 13.4A
1087	26/04/2008 10:54:12	: String_3 Cluster_3 Gun 5 (100 cu in) Solenoid Volts OK (desired 190V preShot 190V postShot 126V) Current error (over current) expected 12.0A achieved peak 13.4A
1109	26/04/2008 10:57:46	: String_3 Cluster_3 Gun 5 (100 cu in) Solenoid Volts OK (desired 190V preShot 190V postShot 126V) Current error (over current) expected 12.0A achieved peak 13.4A
1125	26/04/2008 11:00:21	: String_3 Cluster_3 Gun 5 (100 cu in) Solenoid Volts OK (desired 190V preShot 190V postShot 127V) Current error (over current) expected 12.0A achieved peak 13.4A
1262	26/04/2008 11:23:09	: String_3 Cluster_3 Gun 5 (100 cu in) Solenoid Volts OK (desired 190V preShot 190V postShot 127V) Current error (over current) expected 12.0A achieved peak 13.4A
1278	26/04/2008 11:25:49	: String_3 Cluster_3 Gun 5 (100 cu in) Solenoid Volts OK (desired 190V preShot 191V postShot 126V) Current error (over current) expected 12.0A achieved peak 13.4A
1298	26/04/2008 11:29:11	: String_3 Cluster_3 Gun 5 (100 cu in) Solenoid Volts OK (desired 190V preShot 190V postShot 126V) Current error (over current) expected 12.0A achieved peak 13.4A
1321	26/04/2008 11:33:04	: String_3 Cluster_3 Gun 5 (100 cu in) Solenoid Volts OK (desired 190V preShot 190V postShot 127V) Current error (over current) expected 12.0A achieved peak 13.4A
1328	26/04/2008 11:34:16	: String_3 Cluster_3 Gun 5 (100 cu in) Solenoid Volts OK (desired 190V preShot 188V postShot 126V) Current error (over current) expected 12.0A achieved peak 13.4A

## Line Log: TDOB08-012-038 (continued)

Shotpoint	Log Time	Message
1333	26/04/2008 11:35:07	: String_3 Cluster_3 Gun 5 (100 cu in) Solenoid Volts OK (desired 190V preShot 191V postShot 126V) Current error (over current) expected 12.0A achieved peak 13.4A
1348	26/04/2008 11:37:41	: String_3 Cluster_3 Gun 5 (100 cu in) Solenoid Volts OK (desired 190V preShot 190V postShot 125V) Current error (over current) expected 12.0A achieved peak 13.4A
1350	26/04/2008 11:38:01	: Gun Depth Errors: String_1 Cluster_5 4.9M, String_1 Cluster_6 4.9M
1363	26/04/2008 11:40:13	: Gun Depth Errors: String_1 Cluster_5 4.9M, String_1 Cluster_6 4.9M
1450	26/04/2008 11:54:50	Node 2 ad - DataPCI.Thread: SAMPLE NUMBER went BACK 1 scans!! shot time = 9.9229
	26/04/2008 11:54:50	Node 1 ad - DataPCI.Thread: SAMPLE NUMBER went BACK 1 scans!! shot time = 9.9229
	26/04/2008 11:54:50	: Gun String_1:Cluster_1:Gun 1 (250 cu in) suspect autofire (sensor) 9.97s into shot
	26/04/2008 11:54:50	: Gun String_1:Cluster_1:Gun 2 (250 cu in) suspect autofire (sensor) 9.97s into shot
	26/04/2008 11:54:50	: Gun String_1:Cluster_2:Gun 3 (150 cu in) suspect autofire (sensor) 9.97s into shot
	26/04/2008 11:54:50	: Gun String_1:Cluster_3:Gun 5 (100 cu in) suspect autofire (sensor) 9.97s into shot
	26/04/2008 11:54:50	: Gun String_1:Cluster_3:Gun 6 (100 cu in) suspect autofire (sensor) 9.97s into shot
	26/04/2008 11:54:50	: Gun String_1:Cluster_4:Gun 7 (150 cu in) suspect autofire (sensor) 9.97s into shot
	26/04/2008 11:54:50	: Gun String_1:Cluster_5:Gun 8 (70 cu in) suspect autofire (sensor) 9.97s into shot
	26/04/2008 11:54:50	: Gun String_1:Cluster_6:Gun 9 (40 cu in) suspect autofire (sensor) 9.97s into shot
	26/04/2008 11:54:50	: Gun String_3:Cluster_6:Gun 9 (40 cu in) suspect autofire (sensor) 9.97s into shot
	26/04/2008 11:54:50	: Gun String_2:Cluster_2:Gun 3 (300 cu in) suspect autofire (sensor) 9.97s into shot
	26/04/2008 11:54:50	: Gun String_2:Cluster_2:Gun 4 (300 cu in) suspect autofire (sensor) 9.97s into shot
	26/04/2008 11:54:50	: Gun String_2:Cluster_3:Gun 5 (100 cu in) suspect autofire (sensor) 9.97s into shot
	26/04/2008 11:54:50	: Gun String_2:Cluster_4:Gun 6 (150 cu in) suspect autofire (sensor) 9.97s into shot
	26/04/2008 11:54:50	: Gun String_2:Cluster_5:Gun 7 (100 cu in) suspect autofire (sensor) 9.97s into shot
	26/04/2008 11:54:50	: Gun String_2:Cluster_6:Gun 8 (70 cu in) suspect autofire (sensor) 9.97s into shot
	26/04/2008 11:54:50	: Gun String_3:Cluster_1:Gun 1 (250 cu in) suspect autofire (sensor) 9.97s into shot
	26/04/2008 11:54:50	: Gun String_3:Cluster_2:Gun 3 (150 cu in) suspect autofire (sensor) 9.97s into shot
	26/04/2008 11:54:50	: Gun String_3:Cluster_2:Gun 4 (150 cu in) suspect autofire (sensor) 9.97s into shot
	26/04/2008 11:54:50	: Gun String_3:Cluster_3:Gun 5 (100 cu in) suspect autofire (sensor) 9.97s into shot
	26/04/2008 11:54:50	: Gun String_3:Cluster_4:Gun 7 (150 cu in) suspect autofire (sensor) 9.97s into shot
	26/04/2008 11:54:50	: Gun String_3:Cluster_5:Gun 8 (70 cu in) suspect autofire (sensor) 9.97s into shot
	26/04/2008 11:54:50	Node 1 ad - DataPCI.Thread: 9 further scan sequence errors in last second
	26/04/2008 11:54:50	Node 1 ad - DataPCI.Thread: LOST (but substituted) 1 scans in 1 second !!!
	26/04/2008 11:54:50	Node 2 ad - DataPCI.Thread: 9 further scan sequence errors in last second
	26/04/2008 11:54:50	Node 2 ad - DataPCI.Thread: LOST (but substituted) 1 scans in 1 second !!!
	26/04/2008 11:54:50	Node 1 ad - DemuxPCI.Thread: 8 further scan sequence errors in last second
	26/04/2008 11:54:50	Node 1 ad - DemuxPCI.Thread: LOST or GAINED 99229 scans of data in one second !!
	26/04/2008 11:54:51	Node 2 ad - DemuxPCI.Thread: 8 further scan sequence errors in last second
	26/04/2008 11:54:51	Node 2 ad - DemuxPCI.Thread: LOST or GAINED 99229 scans of data in one second !!
	26/04/2008 11:54:51	: Phone String_2:Cluster_1:Phone 1 suspect autofire 10.0s into shot
	26/04/2008 11:54:51	: Phone String_2:Cluster_2:Phone 2 suspect autofire 10.0s into shot

## Line Log: TDOB08-012-038 (continued)

Shotpoint	Log Time	Message
	26/04/2008 11:54:51	: Phone String_2:Cluster_3:Phone 3 suspect autofire 10.0s into shot
	26/04/2008 11:54:51	: Phone String_2:Cluster_4:Phone 4 suspect autofire 10.0s into shot
	26/04/2008 11:54:51	: Phone String_1:Cluster_1:Phone 1 suspect autofire 10.0s into shot
	26/04/2008 11:54:51	: LOST SHOT - Failed to detect T0 from Nodes
	26/04/2008 11:54:51	: Node(s) 1,2 FAILED to report fired status
	26/04/2008 11:54:51	: Phone String_2:Cluster_5:Phone 5 suspect autofire 10.0s into shot
	26/04/2008 11:54:51	: Phone String_1:Cluster_2:Phone 2 suspect autofire 10.0s into shot
	26/04/2008 11:54:51	: Phone String_2:Cluster_6:Phone 6 suspect autofire 10.0s into shot
	26/04/2008 11:54:51	: Phone String_1:Cluster_3:Phone 3 suspect autofire 10.0s into shot
	26/04/2008 11:54:51	: Phone String_3:Cluster_1:Phone 1 suspect autofire 10.0s into shot
	26/04/2008 11:54:51	: Phone String_1:Cluster_4:Phone 4 suspect autofire 10.0s into shot
	26/04/2008 11:54:51	: Phone String_3:Cluster_2:Phone 2 suspect autofire 10.0s into shot
	26/04/2008 11:54:51	: Phone String_1:Cluster_5:Phone 5 suspect autofire 10.0s into shot
	26/04/2008 11:54:51	: Phone String_3:Cluster_3:Phone 3 suspect autofire 10.0s into shot
	26/04/2008 11:54:51	: Phone String_3:Cluster_4:Phone 4 suspect autofire 10.0s into shot
	26/04/2008 11:54:51	: Phone String_3:Cluster_5:Phone 5 suspect autofire 10.0s into shot
	26/04/2008 11:54:51	: Phone String_3:Cluster_6:Phone 6 suspect autofire 10.0s into shot
1466	26/04/2008 11:57:31	: String_3 Cluster_3 Gun 5 (100 cu in) Solenoid Volts OK (desired 190V preShot 188V postShot 126V) Current error (over current) expected 12.0A achieved peak 13.4A
1489	26/04/2008 12:01:24	: String_3 Cluster_3 Gun 5 (100 cu in) Solenoid Volts OK (desired 190V preShot 189V postShot 127V) Current error (over current) expected 12.0A achieved peak 13.4A
1492	26/04/2008 12:01:55	: String_3 Cluster_3 Gun 5 (100 cu in) Solenoid Volts OK (desired 190V preShot 190V postShot 126V) Current error (over current) expected 12.0A achieved peak 13.4A
1553	26/04/2008 12:12:15	: String_3 Cluster_3 Gun 5 (100 cu in) Solenoid Volts OK (desired 190V preShot 190V postShot 126V) Current error (over current) expected 12.0A achieved peak 13.4A
1556	26/04/2008 12:12:46	: String_3 Cluster_3 Gun 5 (100 cu in) Solenoid Volts OK (desired 190V preShot 188V postShot 125V) Current error (over current) expected 12.0A achieved peak 13.4A
1562	26/04/2008 12:13:49	: String_3 Cluster_3 Gun 5 (100 cu in) Solenoid Volts OK (desired 190V preShot 191V postShot 126V) Current error (over current) expected 12.0A achieved peak 13.4A
1624	26/04/2008 12:24:24	Node 2 ad - DataPCI.Thread: SAMPLE NUMBER went BACK 1 scans!! shot time = 10.2919
	26/04/2008 12:24:24	Node 1 ad - DataPCI.Thread: SAMPLE NUMBER went BACK 1 scans!! shot time = 10.2919
	26/04/2008 12:24:24	Node 1 ad - DataPCI.Thread: 10 further scan sequence errors in last second
	26/04/2008 12:24:24	Node 1 ad - DataPCI.Thread: LOST (but substituted) 1 scans in 1 second !!!
	26/04/2008 12:24:24	Node 2 ad - DataPCI.Thread: 10 further scan sequence errors in last second
	26/04/2008 12:24:24	Node 2 ad - DataPCI.Thread: LOST (but substituted) 1 scans in 1 second !!!
	26/04/2008 12:24:24	Node 1 ad - DemuxPCI.Thread: 9 further scan sequence errors in last second

## Line Log: TDOB08-012-038 (continued)

Shotpoint	Log Time	Message
	26/04/2008 12:24:24	Node 1 ad - DemuxPCI.Thread: LOST or GAINED 102920 scans of data in one second !!
	26/04/2008 12:24:25	Node 2 ad - DemuxPCI.Thread: 9 further scan sequence errors in last second
	26/04/2008 12:24:25	Node 2 ad - DemuxPCI.Thread: LOST or GAINED 102920 scans of data in one second !!
	26/04/2008 12:24:25	: LOST SHOT - Failed to detect T0 from Nodes
	26/04/2008 12:24:25	: Node(s) 1,2 FAILED to report fired status
1734	26/04/2008 12:43:08	Node 1 ad - DataPCI.Thread: SAMPLE NUMBER went BACK 1 scans!! shot time = 10.0959
	26/04/2008 12:43:08	Node 2 ad - DataPCI.Thread: SAMPLE NUMBER went BACK 1 scans!! shot time = 10.0959
	26/04/2008 12:43:08	Node 1 ad - DataPCI.Thread: 10 further scan sequence errors in last second
	26/04/2008 12:43:08	Node 1 ad - DataPCI.Thread: LOST (but substituted) 1 scans in 1 second !!!
	26/04/2008 12:43:08	Node 2 ad - DataPCI.Thread: 10 further scan sequence errors in last second
	26/04/2008 12:43:08	Node 2 ad - DataPCI.Thread: LOST (but substituted) 1 scans in 1 second !!!
	26/04/2008 12:43:08	Node 1 ad - DemuxPCI.Thread: 9 further scan sequence errors in last second
	26/04/2008 12:43:08	Node 1 ad - DemuxPCI.Thread: LOST or GAINED 100960 scans of data in one second !!
	26/04/2008 12:43:09	Node 2 ad - DemuxPCI.Thread: 9 further scan sequence errors in last second
	26/04/2008 12:43:09	Node 2 ad - DemuxPCI.Thread: LOST or GAINED 100960 scans of data in one second !!
	26/04/2008 12:43:09	: LOST SHOT - Failed to detect T0 from Nodes
	26/04/2008 12:43:09	: Node(s) 1,2 FAILED to report fired status
1749	26/04/2008 12:45:40	: Gun Depth Errors: String_1 Cluster_4 4.9M, String_1 Cluster_5 4.9M, String_1 Cluster_6 4.9M
1751	26/04/2008 12:46:00	: String_3 Cluster_3 Gun 5 (100 cu in) Solenoid Volts OK (desired 190V preShot 191V postShot 125V) Current error (over current) expected 12.0A achieved peak 13.4A
1822	26/04/2008 12:57:55	: String_3 Cluster_3 Gun 5 (100 cu in) Solenoid Volts OK (desired 190V preShot 189V postShot 126V) Current error (over current) expected 12.0A achieved peak 13.4A
1841	26/04/2008 13:01:08	: String_3 Cluster_3 Gun 5 (100 cu in) Solenoid Volts OK (desired 190V preShot 191V postShot 125V) Current error (over current) expected 12.0A achieved peak 13.4A
1847	26/04/2008 13:02:10	: String_3 Cluster_3 Gun 5 (100 cu in) Solenoid Volts OK (desired 190V preShot 187V postShot 126V) Current error (over current) expected 12.0A achieved peak 13.4A
1910	26/04/2008 13:13:00	: String_3 Cluster_3 Gun 5 (100 cu in) Solenoid Volts OK (desired 190V preShot 192V postShot 126V) Current error (over current) expected 12.0A achieved peak 13.4A
1974	26/04/2008 13:24:05	Node 2 ad - DataPCI.Thread: SAMPLE NUMBER went BACK 1 scans!! shot time = 10.4169
	26/04/2008 13:24:05	Node 1 ad - DataPCI.Thread: SAMPLE NUMBER went BACK 1 scans!! shot time = 10.4169
	26/04/2008 13:24:05	Node 1 ad - DataPCI.Thread: 10 further scan sequence errors in last second
	26/04/2008 13:24:05	Node 1 ad - DataPCI.Thread: LOST (but substituted) 1 scans in 1 second !!!

## Line Log: TDOB08-012-038 (continued)

Shotpoint	Log Time	Message
	26/04/2008 13:24:05	Node 2 ad - DataPCI_Thread: 10 further scan sequence errors in last second
	26/04/2008 13:24:05	Node 2 ad - DataPCI_Thread: LOST (but substituted) 1 scans in 1 second !!!
	26/04/2008 13:24:05	Node 1 ad - DemuxPCI_Thread: 9 further scan sequence errors in last second
	26/04/2008 13:24:05	Node 1 ad - DemuxPCI_Thread: LOST or GAINED 104170 scans of data in one second !!
	26/04/2008 13:24:06	Node 2 ad - DemuxPCI_Thread: 9 further scan sequence errors in last second
	26/04/2008 13:24:06	Node 2 ad - DemuxPCI_Thread: LOST or GAINED 104170 scans of data in one second !!
	26/04/2008 13:24:06	: LOST SHOT - Failed to detect T0 from Nodes
	26/04/2008 13:24:06	: Node(s) 1,2 FAILED to report fired status
1981	26/04/2008 13:25:19	: String_3 Cluster_3 Gun 5 (100 cu in) Solenoid Volts OK (desired 190V preShot 192V postShot 125V) Current error (over current) expected 12.0A achieved peak 13.4A
1984	26/04/2008 13:25:51	: String_3 Cluster_3 Gun 5 (100 cu in) Solenoid Volts OK (desired 190V preShot 191V postShot 126V) Current error (over current) expected 12.0A achieved peak 13.4A
2029	26/04/2008 13:33:39	: String_3 Cluster_3 Gun 5 (100 cu in) Solenoid Volts OK (desired 190V preShot 188V postShot 126V) Current error (over current) expected 12.0A achieved peak 13.4A
2038	26/04/2008 13:35:11	: String_3 Cluster_3 Gun 5 (100 cu in) Solenoid Volts OK (desired 190V preShot 189V postShot 125V) Current error (over current) expected 12.0A achieved peak 13.4A
2088	26/04/2008 13:43:49	Node 2 ad - DataPCI_Thread: SAMPLE NUMBER went BACK 1 scans!! shot time = 10.5549
	26/04/2008 13:43:49	Node 1 ad - DataPCI_Thread: SAMPLE NUMBER went BACK 1 scans!! shot time = 10.5549
	26/04/2008 13:43:50	Node 2 ad - DemuxPCI_Thread: 8 further scan sequence errors in last second
	26/04/2008 13:43:50	Node 2 ad - DemuxPCI_Thread: LOST or GAINED 105549 scans of data in one second !!
	26/04/2008 13:43:50	: Gun String_2:Cluster_2:Gun 3 (300 cu in) suspect autofire (sensor) 10.61s into shot
	26/04/2008 13:43:50	: Gun String_2:Cluster_2:Gun 4 (300 cu in) suspect autofire (sensor) 10.61s into shot
	26/04/2008 13:43:50	: Gun String_2:Cluster_3:Gun 5 (100 cu in) suspect autofire (sensor) 10.61s into shot
	26/04/2008 13:43:50	: Gun String_2:Cluster_4:Gun 6 (150 cu in) suspect autofire (sensor) 10.61s into shot
	26/04/2008 13:43:50	: Gun String_2:Cluster_5:Gun 7 (100 cu in) suspect autofire (sensor) 10.61s into shot
	26/04/2008 13:43:50	: Gun String_2:Cluster_6:Gun 8 (70 cu in) suspect autofire (sensor) 10.61s into shot
	26/04/2008 13:43:50	: Gun String_3:Cluster_1:Gun 1 (250 cu in) suspect autofire (sensor) 10.61s into shot
	26/04/2008 13:43:50	: Gun String_3:Cluster_2:Gun 3 (150 cu in) suspect autofire (sensor) 10.61s into shot
	26/04/2008 13:43:50	: Gun String_3:Cluster_2:Gun 4 (150 cu in) suspect autofire (sensor) 10.61s into shot

## Line Log: TDOB08-012-038 (continued)

Shotpoint	Log Time	Message
	26/04/2008 13:43:50	: Gun String_3:Cluster_3:Gun 5 (100 cu in) suspect autofire (sensor) 10.61s into shot
	26/04/2008 13:43:50	: Gun String_3:Cluster_4:Gun 7 (150 cu in) suspect autofire (sensor) 10.61s into shot
	26/04/2008 13:43:50	: Gun String_3:Cluster_5:Gun 8 (70 cu in) suspect autofire (sensor) 10.61s into shot
	26/04/2008 13:43:50	: Gun String_1:Cluster_1:Gun 1 (250 cu in) suspect autofire (sensor) 0.05s into shot
	26/04/2008 13:43:50	: Gun String_1:Cluster_1:Gun 2 (250 cu in) suspect autofire (sensor) 0.05s into shot
	26/04/2008 13:43:50	: Gun String_1:Cluster_2:Gun 3 (150 cu in) suspect autofire (sensor) 0.05s into shot
	26/04/2008 13:43:50	: Gun String_1:Cluster_3:Gun 5 (100 cu in) suspect autofire (sensor) 0.05s into shot
	26/04/2008 13:43:50	: Gun String_1:Cluster_3:Gun 6 (100 cu in) suspect autofire (sensor) 0.05s into shot
	26/04/2008 13:43:50	: Gun String_1:Cluster_4:Gun 7 (150 cu in) suspect autofire (sensor) 0.05s into shot
	26/04/2008 13:43:50	: Gun String_1:Cluster_5:Gun 8 (70 cu in) suspect autofire (sensor) 0.05s into shot
	26/04/2008 13:43:50	: Gun String_1:Cluster_6:Gun 9 (40 cu in) suspect autofire (sensor) 0.05s into shot
	26/04/2008 13:43:50	: Gun String_3:Cluster_6:Gun 9 (40 cu in) suspect autofire (sensor) 0.05s into shot
	26/04/2008 13:43:50	Node 1 ad - DataPCI.Thread: 9 further scan sequence errors in last second
	26/04/2008 13:43:50	Node 1 ad - DataPCI.Thread: LOST (but substituted) 1 scans in 1 second !!!
	26/04/2008 13:43:50	Node 2 ad - DataPCI.Thread: 9 further scan sequence errors in last second
	26/04/2008 13:43:50	Node 2 ad - DataPCI.Thread: LOST (but substituted) 1 scans in 1 second !!!
	26/04/2008 13:43:50	Node 1 ad - DemuxPCI.Thread: 8 further scan sequence errors in last second
	26/04/2008 13:43:50	Node 1 ad - DemuxPCI.Thread: LOST or GAINED 105549 scans of data in one second !!
	26/04/2008 13:43:50	: Phone String_1:Cluster_1:Phone 1 suspect autofire 10.6s into shot
	26/04/2008 13:43:50	: Phone String_1:Cluster_2:Phone 2 suspect autofire 10.6s into shot
	26/04/2008 13:43:50	: Phone String_1:Cluster_3:Phone 3 suspect autofire 10.6s into shot
	26/04/2008 13:43:50	: LOST SHOT - Failed to detect T0 from Nodes
	26/04/2008 13:43:50	: Node(s) 1,2 FAILED to report fired status
	26/04/2008 13:43:50	: Phone String_1:Cluster_4:Phone 4 suspect autofire 10.6s into shot
	26/04/2008 13:43:51	: Phone String_1:Cluster_5:Phone 5 suspect autofire 10.6s into shot
	26/04/2008 13:43:51	: Phone String_2:Cluster_1:Phone 1 suspect autofire 10.6s into shot
	26/04/2008 13:43:51	: Phone String_2:Cluster_2:Phone 2 suspect autofire 10.6s into shot
	26/04/2008 13:43:51	: Phone String_2:Cluster_3:Phone 3 suspect autofire 10.6s into shot
	26/04/2008 13:43:51	: Phone String_2:Cluster_4:Phone 4 suspect autofire 10.6s into shot
	26/04/2008 13:43:51	: Phone String_2:Cluster_5:Phone 5 suspect autofire 10.6s into shot
	26/04/2008 13:43:51	: Phone String_2:Cluster_6:Phone 6 suspect autofire 10.6s into shot
	26/04/2008 13:43:51	: Phone String_3:Cluster_1:Phone 1 suspect autofire 10.6s into shot
	26/04/2008 13:43:51	: Phone String_3:Cluster_2:Phone 2 suspect autofire 10.6s into shot
	26/04/2008 13:43:51	: Phone String_3:Cluster_3:Phone 3 suspect autofire 10.6s into shot
	26/04/2008 13:43:51	: Phone String_3:Cluster_4:Phone 4 suspect autofire 10.6s into shot
	26/04/2008 13:43:51	: Phone String_3:Cluster_5:Phone 5 suspect autofire 10.6s into shot
	26/04/2008 13:43:51	: Phone String_3:Cluster_6:Phone 6 suspect autofire 10.6s into shot
2188	26/04/2008 14:01:09	: String_3 Cluster_3 Gun 5 (100 cu in) Solenoid Volts OK (desired 190V preShot 191V postShot 126V) Current error (over current) expected 12.0A achieved peak 13.4A

## Line Log: TDOB08-012-038 (continued)

Shotpoint	Log Time	Message
2203	26/04/2008 14:03:49	: String_3 Cluster_3 Gun 5 (100 cu in) Solenoid Volts OK (desired 190V preShot 191V postShot 126V) Current error (over current) expected 12.0A achieved peak 13.4A
2219	26/04/2008 14:06:38	: Gun Depth Errors: String_2 Cluster_3 7.1M
2343	26/04/2008 14:28:37	: Timeout on message read from Navigation system
	26/04/2008 14:28:41	: END OF LINE shot 2343 time 4-26-2008 14:28:16.235806
	26/04/2008 14:28:41	: Atmospheric pressure transducer - 1004 mB
	26/04/2008 14:28:41	: EOL Volume source 1 3040 cu in.
	26/04/2008 14:28:41	: EOL String pressures 1:2077.0 PSI 2:2031.0 PSI 3:1996.0 PSI
		Total shotpoints on line = 1343. Shotpoints with errors of any type 6 (0.4%)
		Shotpoints with gun errors (not depth, pressure or autofire errors) 2 (0.1%)
		Shotpoints with possible autofires detected 2 (0.1%)
		Shotpoints with gun depth errors 4 (0.3%)