



03-4927



CORINNA D1/3	CORINNA D1/4
CORINNA D3/1	CORINNA D3/2


RENISON LIMITED  
CORINNA D3/1

GEOLOGIST :	SCALE 1:5000 METRES
DRAUGHTSMAN :	0 50 100 200
DATE :	
REVISIONS :	DRAWING No.

1:5000

CORINNA  
D3/1

Corinna & Dalry  
Address  
1:5000





1:5000

CORINNA  
D3/1

CORINNA D3/1  
1:5000  
CORINNA D3/1

03-4927




RENISON LIMITED	
CORINNA D3/1	
GEOLOGIST	SCALE 1:5000 METRES
DRAUGHTSMAN	100 00 100 200
DATE	
REVISIONS	DRAWING No.



355000 E 356000 E 357000 E 358000 E 359000 E

03-4927



STATE 1:3840 PLAN	H.E.C SHEETS
CORINNA D3/1	

CORINNA D1/3	CORINNA D1/4
CORINNA D3/1	CORINNA D3/2

RENISON LIMITED  
**CORINNA D3/1**

GEOLOGIST	SCALE 1:5000 METRES
DRAUGHTSMAN	100 00 100 200
DATE	
REVISIONS	DRAWING No.

1:5000  
ORIGINAL

CORINNA  
D3/1

CORINNA D3/1  
1:5000  
CONTOUR AND ACCESS  
LINES


D3/1 S<sup>n</sup>  
(CORINNA)

ORIGINAL  
GEOCHEM.

CORINNA D3/1  
SOIL GEOCHEM. S<sup>n</sup>  
1:5000



03-4927




- Strong Anomaly (>100 p.p.m.)
- Weak Anomaly (>50 p.p.m.)

**KEY**  
--- Road & Walking Track.  
--- Grid Line & Sample Locality.  
Original Sample Value with Resampling Values at 0.3, 0.6, 0.9m. Depth respectively.  
Original Sample Value with Duplicate Sample.

CORINNA D1/3	CORINNA D1/4
CORINNA D2/3	CORINNA D2/4
CORINNA D3/3	CORINNA D3/4

RENISON LIMITED  
**CORINNA D3/1**  
GEOCHEMICAL SAMPLING / S<sup>n</sup>  
SCALE: 1:5000 METRES



DRAWN	
TRACED	
DATE	
SCALE	1:5000
DRAWING No.	


D3/1 AS  
(CORINNA)

ORIGINAL  
GEOCHEM

CORINNA D3/1  
SOIL GEOCHEM - AS  
1:5000



03-4927




- Strong Anomaly (>100 p.p.m.)
- Weak Anomaly (>50 p.p.m.)

KEY

- Road & Walking Track
- Grid Line & Sample Locality
- Original Sample Value with Resampling Values at 0.3, 0.6, 0.9m Depth respectively
- Original Sample Value with Duplicate Sample

CORINNA D1/3	CORINNA D1/4
CORINNA D3/1	CORINNA D3/2
CORINNA D3/3	CORINNA D3/4

RENISON LIMITED  
CORINNA D3/1  
GEOCHEMICAL SAMPLING / As.



DRAWN	
TRACED	
DATE	
SCALE	1:5000
DRAWING No.	


D3/1-Cu  
(CORINNA)

ORIGINAL  
GEOCHEM.

CORINNA D3/1  
SOIL CHEM - Cu  
1:5000



03-4927



- Strong Anomaly (> 200 p.p.m)
- Weak Anomaly (< 100 p.p.m)

KEY

- Road & Walking Track
- Grid Line & Sample Locality
- Original Sample Value with Resampling Values at 0.3, 0.6, 0.9m. Depth respectively.
- Original Sample Value with Duplicate Sample.

CORINNA D1/3	CORINNA D1/4
CORINNA D3/1	CORINNA D3/2
CORINNA D3/3	CORINNA D3/4

RENISON LIMITED  
**CORINNA D3/1**  
GEOCHEMICAL SAMPLING / Cu.

SCALE: 1:5000 METRES


DRAWN	
TRACED	
DATE	
SCALE	1:5000
DRAWING No.	

D3/1  
 (CORINNA)  
 ORIGINAL  
 GEOCHEM.

CORINNA D3/1  
 Soil Geochem - Pb  
 1:5000



03-4927



- KEY**
- Road & Walking Track
  - Grid Line & Sample Locality
  - Original Sample Value with Resampling Values at 0, 3, 0, 6, 0, 9m. Depth respectively.
  - Original Sample Value with Duplicate Sample.
  - Strong Anomaly (>200 p.p.m.)
  - Weak Anomaly (<100 p.p.m.)

CORINNA D1/3	CORINNA D1/4
CORINNA D2/2	CORINNA D2/2
CORINNA D3/3	CORINNA D3/4

RENISON LIMITED  
**CORINNA D3/1**  
 GEOCHEMICAL SAMPLING / Pb

SCALE: 1:5000 METRES


DRAWN	
TRACED	
DATE	
SCALE	1:5000
DRAWING No.	

**ORIGINAL**  
**D3/1**  
**(CORINNA) Zn**  
**GEOCHEM.**

CORINNA D3/1  
 Site Geochem. Zn  
**1:5000**



03-4927



**KEY**

- Road & Walking Track
- Grid Line & Sample Locality
- Original Sample Value with Resampling Values at 0.3, 0.6, 0.9m. Depth respectively
- Original Sample Value with Duplicate Sample
- Strong Anomaly (>200 pp.m.)
- Weak Anomaly (<100 pp.m.)


CORINNA D1/3	CORINNA D1/4
CORINNA D3/1	CORINNA D3/2
CORINNA D3/3	CORINNA D3/4

RENISON LIMITED		DRAWN
<b>CORINNA D3/1</b>		TRACED
GEOCHEMICAL SAMPLING / Zn.		DATE
SCALE 1:5000		SCALE
DRAWING No.		DRAWING No.

SCALE 1:5000 METRES



03-4127



- KEY**
- Road & Walking Track
  - Grid Line & Sample Locality
  - Original Sample Value with Resampling Values at 0.3, 0.6, 0.9m Depth respectively.
  - Original Sample Value with Duplicate Sample.
  - Strong Anomaly (>50 ppm)
  - Weak Anomaly (>30 ppm)

CORINNA D1/3	CORINNA D1/4
CORINNA D2/1	CORINNA D2/2
CORINNA D3/3	CORINNA D3/4

RENISON LIMITED  
**CORINNA D3/1**  
 GEOCHEMICAL SAMPLING / WO<sub>3</sub>

SCALE: 1:5000 METRES

DRAWN	
TRACED	
DATE	
SCALE	1:5000
DRAWING No.	

CORINNA D3/1 WO3

ORIGINAL GEOCHEM


CORINNA D3/1  
 Scale Geochem WO3  
 1:5000

**ANOMALY PLAN**  
**ORIGINAL**  
**1:5000**

CORINNA D3/1 1:5000  
Geophysical and Geochemical  
ANOMALIES




03-4927



**KEY**  
 --- Road & Walking Track  
 --- Grid Line & Sample Locality

CORINNA D1/3	CORINNA D1/4
CORINNA D2/1	CORINNA D2/2
CORINNA D3/3	CORINNA D3/4

RENISON LIMITED  
**CORINNA D3/1**  
 GENERALISED ANOMALY PLAN



DRAWN	
TRACED	
DATE	
SCALE	1:5000
DRAWING No.	

Strong  
 Moderate


Significant IP Responses  
 Generally with coincident Magnetic Responses.

Strong Geochemical Responses.

Moderate Geochemical Responses.



02-4927



**KEY**


- Road & Walking Track.
- Grid Line & Magnetometer Stations.
- Magnetometer Station Reading (Gauss).
- Duplicate Reading.

CORINNA D1/3	CORINNA D1/4
CORINNA D2/1	CORINNA D2/2
CORINNA D3/3	CORINNA D3/4

RENISON LIMITED	
<b>CORINNA D3/1</b>	
GROUND MAGNETICS	
SCALE: 1:5000 METRES	
DRAWN	
TRACED	
DATE	
SCALE 1:5000	
DRAWING No.	


CORINNA D3/1.

CORINNA D3/1  
A ROUND MAGNETICS 1:5000



2450-2230

03-4927



STATE 1:7680 PLAN  
HEC SHEETS  
CORINNA D3/1

CORINNA D1/3 CORINNA D1/4  
CORINNA D3/1 CORINNA D3/2

RENISON LIMITED  
CORINNA D3/1

GEOLOGIST	SCALE 1:5000METRES
DRAUGHTSMAN	100 200 300
DATE	
REVISIONS	DRAWING NO.

CORINNA D3/1  
1:5,800  
DRILL HOLE LOCIVITY PLAN