

BHID	Spl_Id	From	To	Au_ppm	Au_R	Ag_ppm	As_ppm
E010	561864	0	1	0.12		-1	150
E010	561865	1	2	0.11		-1	170
E010	561866	2	3	0.12		-1	130
E010	561867	3	4	0.08		-1	62
E010	561868	4	8	0.03		-1	130
E010	561869	8	10	0.00		-1	41
E010	561870	11	12	0.02		-1	55
E010	561871	13	14	0.04		-1	81
E010	561872	14	15	0.08		-1	100
E010	561873	18	22	0.02		-1	24
E010	561874	27	32	0.02		-1	58
E010	561875	32	36	0.04		-1	2
E010	561876	36	40	0.02		-1	4
E010	561877	40	41	0.01	0.02	-1	4
E010	561878	41	42	0.03		-1	5
E010	561879	42	43	0.02		-1	2
E010	561880	43	44	0.01		-1	1
E010	561881	44	45	0.00		-1	5
E010	561882	45	46	0.01		-1	1
E010	561883	46	47	0.02		-1	3
E010	561884	47	48	0.01		-1	1
E010	561885	48	49	-0.01		-1	2
E010	561886	49	50	0.02		-1	4
E010	561887	50	51	0.03		-1	1
E010	561888	51	52	0.00		-1	1
E010	561889	52	53	0.03		-1	48
E010	561890	53	54	0.01		-1	24
E010	561891	54	55	0.02	0.03	-1	17
E010	561892	55	56	0.03		-1	63
E010	561893	56	57	0.02		-1	35
E010	561894	57	58	0.02		-1	12
E010	561895	58	59	0.01		-1	6
E010	561896	59	60	0.05		-1	2
E010	561897	60	61	0.03		-1	3
E010	561898	61	62	3.89		2	1500
E010	561899	62	63	10.86		9	1300
E010	561900	63	64	0.54		-1	650
E010	561255	64	65	0.12		14	-1
E010	561256	65	66	0.06		10	-1
E010	561257	66	67	0.17	0.24	9	-1
E010	561258	67	68	0.10		3	-1
E010	561259	68	69	0.05		1	-1
E010	561260	69	70	0.02		-1	-1
E010	561261	70	71	0.01		3	-1
E010	561262	71	72	-0.01		5	-1

**Stratigraphic Codes**

Q	Quaternary Deposits
Tb	Tertiary Basalt
Ts	Tertiary sediments
Jdl	Jurassic Dolerite
Dg	Devonian granitoid
Se	Silurian Eldon Gp.
Sm	Silurian Mathinna beds, Sandstone/greywacke
Ss	Silurian Mathinna beds, Siltstone/shale
Ogl	Gordon Gp Lst
COu	Denison Gp. Upper Sandstone sequence inc. Pioneer Beds
COo	Undifferentiated Denison Gp. Conglomerate and Sandstone
Ct	Tyndall Gp. and correlates
Ctc	Tyndall Gp. Volcaniclastics and sandstone (Zig Zag Hill Fm, )
Ctt	Tyndall Gp. Comstock Fm
Ctl	Tyndall Gp. Lynchford Member
Ctb	Tyndall Gp. Basalt (Howards basalt)
Cwc	Waterloo Ck Gp Volcaniclastics
Cwcs	Waterloo Ck Gp Shale
Ca	Cambrian Andesite
Cav	Cambrian Andesitic Volcaniclastic
Cvc	Undifferentiated Central Volcanic Complex (CVC)
Ccv	CVC, Dominantly feldspar phyric Volcaniclastics
Ccl	CVC, Dominantly feldspar phyric coherent volcanics
Ccs	CVC siltstone/shale
Cb	Cambrian Basaltic Lava
Cbv	Cambrian Basaltic Volcaniclastic
Cp	Cambrian, Porphyritic Intrusive.
Clv	Cambrian Lewis River Volcanics
Cwe	Cambrian Western Epiclastics
Cg	Cambrian granite

**Rocktype**

**(Four letter Code, eg. VDLB = volcaniclastic dacitic lithic breccia)**

*Primary Rocktype Codes*

V	Volcaniclastic
I	Intrusive
L	Lava
E	Epiclastic
S	sediment

*Secondary Code*

R	Rhyolitic
D	Dacitic
A	Andesitic
B	Basaltic
U	Ultramafic
S	Siliciclastic

#### *Composition Code*

Q	Quartz phyric
F	Feldspar phyric
>	Quartz > feldspar phyric
<	Feldspar > quartz phyric
H	Hornblende phyric
P	Pyroxene phyric
L	Lithic rich
S	Siliciclastic rich

#### *Texture Code*

A	Aphyric
F	Fine Grained (0.06 - 0.5mm)
M	Medium grained (0.5 - 2mm)
C	Coarse Grained (2mm - 64mm)
B	Breccia (>64mm)
P	Pumiceous

#### *Other Codes*

VEIN	Vein
QZVN	Quartz vein
GWAC	Greywacke
SILT	Siltstone
SHAL	Black Shale
GRAN	Granite
GRAD	Granodiorite
MSSX	Massive sulphide
LOSS	Core loss
CAVE	Cavity/Stope
SOIL	Soil
FALT	Fault
CLAY	Clay

#### **Colours**

##### *Primary Colour Codes*

Br	Brown
A	Grey
N	Black
Y	Yellow
R	Red
Gr	Green
W	White
O	Orange
Br	Blue
P	Purple
C	Cream

##### *Shade*

1	Pale
2	
3	
4	
5	Dark

<b>Weathering;</b>		Guide
T	Trace	Weathering only visible in a couple of hand lens area
O	Occasional	Weathering visible over a number of hand lens areas
W	Weak	Fresh rock only visible in couple of hand lens areas
M	Moderate	No fresh rock visible, but rock still intact
S	Strong	No fresh rock visible, parts of rock broken down to soft material
I	Intense	Nearly all rock broken down to soft material or clay

### **Mineralisation/alteration Codes**

#### *Mineral Type*

Py	Pyrite
As	Arsenopyrite
Cl	Chlorite
Se	Sericite
Cb	Carbonate
Ga	Galena
Sp	Sphalerite
Cp	Chalcopyrite
Ep	Epidote
Cd	Cordierite
Gt	Garnet
Mu	Muscovite
Bi	Biotite
Ma	Magnetite
He	Hematite
Si	Silicification
Qz	Quartz
Po	Pyrrhotite
W	Tungsten
Au	Visible Au
Sn	Cassiterite
Mn	Pyrolusite

#### *Mineral style*

Tr	Trace
P	Pervasive
D	Disseminated
Vn	Vein
Sp	Spots and clots
Eu	Euhedral crystals
Sv	Selvedge

#### *Amount %*

Tr	Trace
<	< 1%
	0.1            1%
	0.2            2%
etc.	
	1            10%
	2            20%
etc.	

### Structure Code

Ft	Fault
Sh	shear
Vn	vein
Fo	Foliation
Fr	fracture
Jt	Joint
Bd	Bedding

### Texture Code

Bk	Broken
Sh	Sheared
Fo	Foliated
Sp	Spotty
Hf	Hornfelsed
FB	Flow Banded
Br	Brecciated
Am	Amygdaloidal
Po	Porphyritic
A	Aphanitic
Fi	Fiamme
Sl	Spherulitic
Pe	Peperitic
Pi	Pillowed
Ph	Phaneritic

**TasGold Ltd**

Drill Core Recovery & RQD Log

DrillHole	From	To	Interval	Measured	Recovery%	Lengths>10cm	RQD %
-----------	------	----	----------	----------	-----------	--------------	-------

Project	Prospect	BHID	Depth	Azm	Dip
---------	----------	------	-------	-----	-----

# Drill Log

TasGold Ltd.

PAGE NO. 1

PROJECT: Lisle  
PROSPECT: Enterprise  
EASTING 526000  
NORTHING 5441100  
COLLAR RL: 128

HOLE NO: E010  
DATE COMMENCED: 24/06/2003  
TOTAL DEPTH (M): 72  
AZIMUTH: 360  
DIP: -90

DRILL TYPE: RC  
DRILLER: Spauldings  
LOGGED BY: T.Callaghan  
DATE: 24/6/2003  
OXIDATION BOCO: 28  
BOPO: 28

FROM	TO	ROCK CODES					Mineralisation / Veins										Structure					Additional Comments		
		Strat Code	Rock type	Colour	Weathering	Mineral 1	Style 1	Amount 1 %	Mineral 2	Style 2	Amount 2 %	Mineral 3	Style 3	Amount 3 %	Mineral 4	Style 4	Amount 4 %	Structure 1	CA Struct 1	Structure 2	CA Struct 2	Texture 1	Texture 2	
(m)	(m)																							
0	1	Q	CLAY	O	I																			Qtz and Clay (mullock?)
1	2	Dg	GRAD	O	I	Qz	V	20																Qtz and Clay with weathered granodiorite.
2	3		VEIN	O	I	Qz	V	50																Qtz and Clay
3	6	Dg	GRAD	O	I	Qz	V	20																Strongly weathered Grenodiorite, clay and quartz.
6	10	Dg	GRAD	B5	I	Qz	V	10																Strongly weathered Grenodiorite, clay and quartz.
10	11		LOSS																					No sample
11	12	Dg	GRAD	B5	S	Qz	V	1																Strongly weathered Grenodiorite, minor quartz.
12	13		LOSS																					No sample
13	14		VEIN	O	S	Qz	V	50																Massive qtz vein and weathered granodiorite.
14	15	Dg	GRAD	B5	S	Qz	V	1																Strongly weathered Grenodiorite, minor quartz.
15	17		LOSS																					No sample
17	18	Dg	GRAD	B5	M	Qz	V	10																Mod weathered granodiorite. Poor sample.
18	22	Dg	GRAD	B5	M																			Mod weathered granodiorite.
22	27		LOSS																					No sample
27	28	Dg	GRAD	B5	M																			Mod weathered granodiorite.
28	35	Dg	GRAD	A																				Unaltered granodiorite.
35	36	Dg	GRAD	A	Qz	V	5	Se	V	Tr														Weakly altered granodiorite.
36	42	Dg	GRAD	A																				Unaltered granodiorite.
42	43	Dg	GRAD	A	Qz	V	30																	Unaltered granodiorite 30% qtz veins.
43	44		VEIN	W	Qz	V	50	Se	P	5														silic granodiorite, qtz vein



## Drill Log

**TasGold Ltd.**

PAGE NO. 2

PROJECT:	Lisle
PROSPECT:	Enterprise
EASTING	526000
NORTHING	5441100
COLLAR RL:	128

HOLE NO:	E010
DATE COMMENCED:	24/06/2003
TOTAL DEPTH (M):	72
AZIMUTH: 360	
DIP: -90	

DRILL TYPE:	RC
DRILLER:	Spauldings
LOGGED BY:	T.Callaghan
DATE:	24/6/2003
OXIDATION BOCO:	28
BOPO:	28

[illegible]