

BHID	Spl_Id	From	To	Au_ppm	Au_R	Ag_ppm	As_ppm
E011	561263	0	1	0.05		-1	9
E011	561264	1	2	0.35		-1	14
E011	561265	2	6	0.10		-1	28
E011	561266	6	7	1.65	1.8	-1	16
E011	561267	7	8	0.25		-1	11
E011	561268	8	9	0.12		-1	9
E011	561269	9	10	0.07		-1	9
E011	561270	10	14	-0.01		-1	13
E011	561271	14	15	-0.01		-1	18
E011	561272	15	16	0.04		-1	21
E011	561273	16	17	0.15		-1	22
E011	561274	17	22	0.02		-1	68
E011	561275	22	26	0.04	0.05	-1	40
E011	561276	26	27	0.05		-1	56
E011	561277	27	28	0.05		-1	32
E011	561278	28	29	0.06		-1	41
E011	561279	29	30	0.83	1.1	-1	22
E011	561280	30	31	0.22		-1	12
E011	561281	31	35	0.03		-1	6
E011	561282	35	39	0.00		-1	5
E011	561283	39	40	0.02		-1	3
E011	561284	40	41	-0.01		-1	1
E011	561285	41	42	-0.01		-1	1
E011	561286	42	43	-0.01		-1	-1
E011	561287	43	44	-0.01		-1	8
E011	561288	44	45	-0.01		-1	6
E011	561289	45	46	-0.01		-1	3
E011	561290	46	47	-0.01		-1	2
E011	561291	47	48	-0.01		-1	1
E011	561292	48	52	-0.01		-1	5
E011	561293	52	55	-0.01		-1	18
E011	561294	55	56	-0.01	-0.01	-1	6
E011	561295	56	57	-0.01		-1	5
E011	561296	57	58	-0.01		-1	6
E011	561297	58	62	-0.01		-1	5
E011	561298	62	66	-0.01		-1	5
E011	561299	66	67	0.61		-1	2
E011	561300	67	68	0.03		-1	5
E011	561301	68	72	-0.01		-1	7
E011	561302	72	73	-0.01		-1	5
E011	561303	74	75	0.06		-1	82
E011	561304	75	76	-0.01		-1	7
E011	561305	76	77	-0.01		-1	12
E011	561306	77	78	0.59	0.5	-1	4

**Stratigraphic Codes**

Q	Quaternary Deposits
Tb	Tertiary Basalt
Ts	Tertiary sediments
Jdl	Jurassic Dolerite
Dg	Devonian granitoid
Se	Silurian Eldon Gp.
Sm	Silurian Mathinna beds, Sandstone/greywacke
Ss	Silurian Mathinna beds, Siltstone/shale
Ogl	Gordon Gp Lst
COu	Denison Gp. Upper Sandstone sequence inc. Pioneer Beds
COo	Undifferentiated Denison Gp. Conglomerate and Sandstone
Ct	Tyndall Gp. and correlates
Ctc	Tyndall Gp. Volcaniclastics and sandstone (Zig Zag Hill Fm, )
Ctt	Tyndall Gp. Comstock Fm
Ctl	Tyndall Gp. Lynchford Member
Ctb	Tyndall Gp. Basalt (Howards basalt)
Cwc	Waterloo Ck Gp Volcaniclastics
Cwcs	Waterloo Ck Gp Shale
Ca	Cambrian Andesite
Cav	Cambrian Andesitic Volcaniclastic
Cvc	Undifferentiated Central Volcanic Complex (CVC)
Ccv	CVC, Dominantly feldspar phyric Volcaniclastics
Ccl	CVC, Dominantly feldspar phyric coherent volcanics
Ccs	CVC siltstone/shale
Cb	Cambrian Basaltic Lava
Cbv	Cambrian Basaltic Volcaniclastic
Cp	Cambrian, Porphyritic Intrusive.
Clv	Cambrian Lewis River Volcanics
Cwe	Cambrian Western Epiclastics
Cg	Cambrian granite

**Rocktype**

**(Four letter Code, eg. VDLB = volcaniclastic dacitic lithic breccia)**

*Primary Rocktype Codes*

V	Volcaniclastic
I	Intrusive
L	Lava
E	Epiclastic
S	sediment

*Secondary Code*

R	Rhyolitic
D	Dacitic
A	Andesitic
B	Basaltic
U	Ultramafic
S	Siliciclastic

#### *Composition Code*

Q	Quartz phyric
F	Feldspar phyric
>	Quartz > feldspar phyric
<	Feldspar > quartz phyric
H	Hornblende phyric
P	Pyroxene phyric
L	Lithic rich
S	Siliciclastic rich

#### *Texture Code*

A	Aphyric
F	Fine Grained (0.06 - 0.5mm)
M	Medium grained (0.5 - 2mm)
C	Coarse Grained (2mm - 64mm)
B	Breccia (>64mm)
P	Pumiceous

#### *Other Codes*

VEIN	Vein
QZVN	Quartz vein
GWAC	Greywacke
SILT	Siltstone
SHAL	Black Shale
GRAN	Granite
GRAD	Granodiorite
MSSX	Massive sulphide
LOSS	Core loss
CAVE	Cavity/Stope
SOIL	Soil
FALT	Fault
CLAY	Clay

#### **Colours**

##### *Primary Colour Codes*

Br	Brown
A	Grey
N	Black
Y	Yellow
R	Red
Gr	Green
W	White
O	Orange
Br	Blue
P	Purple
C	Cream

##### *Shade*

1	Pale
2	
3	
4	
5	Dark

<b>Weathering;</b>		Guide
T	Trace	Weathering only visible in a couple of hand lens area
O	Occasional	Weathering visible over a number of hand lens areas
W	Weak	Fresh rock only visible in couple of hand lens areas
M	Moderate	No fresh rock visible, but rock still intact
S	Strong	No fresh rock visible, parts of rock broken down to soft material
I	Intense	Nearly all rock broken down to soft material or clay

### **Mineralisation/alteration Codes**

#### *Mineral Type*

Py	Pyrite
As	Arsenopyrite
Cl	Chlorite
Se	Sericite
Cb	Carbonate
Ga	Galena
Sp	Sphalerite
Cp	Chalcopyrite
Ep	Epidote
Cd	Cordierite
Gt	Garnet
Mu	Muscovite
Bi	Biotite
Ma	Magnetite
He	Hematite
Si	Silicification
Qz	Quartz
Po	Pyrrhotite
W	Tungsten
Au	Visible Au
Sn	Cassiterite
Mn	Pyrolusite

#### *Mineral style*

Tr	Trace
P	Pervasive
D	Disseminated
Vn	Vein
Sp	Spots and clots
Eu	Euhedral crystals
Sv	Selvedge

#### *Amount %*

Tr	Trace
<	< 1%
	0.1            1%
	0.2            2%
etc.	
	1            10%
	2            20%
etc.	

### Structure Code

Ft	Fault
Sh	shear
Vn	vein
Fo	Foliation
Fr	fracture
Jt	Joint
Bd	Bedding

### Texture Code

Bk	Broken
Sh	Sheared
Fo	Foliated
Sp	Spotty
Hf	Hornfelsed
FB	Flow Banded
Br	Brecciated
Am	Amygdaloidal
Po	Porphyritic
A	Aphanitic
Fi	Fiamme
Sl	Spherulitic
Pe	Peperitic
Pi	Pillowed
Ph	Phaneritic

**TasGold Ltd**

Drill Core Recovery & RQD Log

DrillHole	From	To	Interval	Measured	Recovery%	Lengths>10cm	RQD %
-----------	------	----	----------	----------	-----------	--------------	-------

Project	Prospect	BHID	Depth	Azm	Dip
---------	----------	------	-------	-----	-----

## Drill Log

**TasGold Ltd.**

PAGE NO. 1

PROJECT: Lisle  
 PROSPECT: Enterprise  
 EASTING 525955  
 NORTHING 5441055  
 COLLAR RL: 130

HOLE NO:	E011
DATE COMMENCED:	25/06/2003
TOTAL DEPTH (M):	78
AZIMUTH:	75
DIP:	-70

DRILL TYPE:	RC
DRILLER:	Spauldings
LOGGED BY:	T.Callaghan
DATE:	25/6/2003
OXIDATION BOCO:	28
BOPO:	28

[illegible]



# Drill Log

TasGold Ltd.

PAGE NO. 2

PROJECT: Lisle  
PROSPECT: Enterprise  
EASTING 525955  
NORTHING 5441055  
COLLAR RL: 130

HOLE NO: E011  
DATE COMMENCED: 25/06/2003  
TOTAL DEPTH (M): 78  
AZIMUTH: 75  
DIP: -70

DRILL TYPE: RC  
DRILLER: Spauldings  
LOGGED BY: T.Callaghan  
DATE: 25/6/2003  
OXIDATION BOCO: 28  
BOPO: 28

FROM	TO	ROCK CODES				Mineralisation / Veins										Structure					Additional Comments			
		Strat Code	Rock type	Colour	Weathering	Mineral 1	Style 1	Amount 1 %	Mineral 2	Style 2	Amount 2 %	Mineral 3	Style 3	Amount 3 %	Mineral 4	Style 4	Amount 4 %	Structure 1	CA Struct 1	Structure 2	CA Struct 2	Texture 1	Texture 2	
(m)	(m)																							
39	40	Dg	GRAD	G		Se	P	5	Py	D	Tr													Mod ser alt granodiorite
40	41	Dg	GRAD	A																				Unaltereed Granodiorite,
41	42		VEIN	W		Qz	V	50	Se	P	5	Li	V	Tr										Ser alt granodiorite, 50% limonitic Qtz
42	44	Dg	GRAD	A		Qz	V	30	As	D	Tr													Ser alt granodiorite, 30% Qtz+ Aspy
44	45		VEIN	W		Qz	V	90	As	D	Tr													
45	47	Dg	GRAD	G		Se	P	5																Mod ser alt granodiorite
47	52	Dg	GRAD	A																				Unaltereed Granodiorite,
52	53	Dg	GRAD	G		Se	P	5	Li	V	Tr	Se	P	5										Mod ser alt granodiorite,qtz vns.
53	56	Dg	GRAD	A																				Unaltereed Granodiorite,
56	57	Dg	GRAD	G		Se	P	20	As	D	5													Intense ser alt granodiorite + Aspy.
57	60	Dg	GRAD	A																				Unaltereed Micro-Granodiorite,
60	61	Dg	GRAD	G		Se	P	5																Mod ser alt granodiorite
61	64	Dg	GRAD	A																				Unaltereed Granodiorite,
64	65	Dg	GRAD	G		Se	P	10																Mod ser alt granodiorite
65	67	Dg	GRAD	A		Qz	v	2																Unaltereed Granodiorite,
67	72	Dg	GRAD	A		Se	P	2																Weak ser alt granodiorite
72	76		FALT	A		Qz	V	20	Se	P	10													Fault, qtz veining
76	78	Sm	GWAC	A		Se	P	5	Py	D	Tr													Sil-ser-py alt Mathinna Beds.