

BHID	Spl_Id	From	To	Comments	Au_ppm	Ag_ppm	As_ppm
E012	561453	0	4		0.04	-1	3
E012	561454	4	8		0.02	-1	9
E012	561455	8	12		-0.01	-1	5
E012	561456	12	13		-0.01	-1	5
E012	561457	13	17		0.04	-1	3
E012	561458	17	21		-0.01	-1	5
E012	561459	21	22		-0.01	-1	7
E012	561460	22	25		0.04	-1	8
E012	561461	25	26		0.02	-1	12
E012	561462	26	29		-0.01	-1	9
E012	561463	29	30		0.04	-1	23
E012	561464	30	34		0.03	-1	9
E012	561465	34	35		0.03	-1	4
E012	561466	35	36		0.02	-1	6
E012	561467	36	37		0.01	-1	5
E012	561468	37	38		0.03	-1	8
E012	561469	38	42		-0.01	-1	5
E012	561470	42	46		-0.01	-1	5
E012	561472	46	50		0.02	-1	9
E012	561473	50	54		0.02	-1	4
E012	561474	54	58		0.03	-1	5
E012	561475	58	62		0.04	-1	7
E012	561476	62	66		0.04	-1	5
E012	561477	66	70		0.04	-1	5
E012	561478	70	74		0.03	-1	13
E012	561479	74	78		0.06	-1	6
E012	561480	78	81		0.03	-1	32
E012	561481	81	82		0.06	-1	48
E012	561482	82	83		0.06	-1	14
E012	561483	83	84		0.05	-1	3
E012	561484	84	87		0.03	-1	17
E012	561485	87	88		0.05	-1	26
E012	561486	88	89		0.04	-1	6
E012	561487	89	90		0.04	-1	5

**Stratigraphic Codes**

Q	Quaternary Deposits
Tb	Tertiary Basalt
Ts	Tertiary sediments
Jdl	Jurassic Dolerite
Dg	Devonian granitoid
Se	Silurian Eldon Gp.
Sm	Silurian Mathinna beds, Sandstone/greywacke
Ss	Silurian Mathinna beds, Siltstone/shale
Ogl	Gordon Gp Lst
COu	Denison Gp. Upper Sandstone sequence inc. Pioneer Beds
COo	Undifferentiated Denison Gp. Conglomerate and Sandstone
Ct	Tyndall Gp. and correlates
Ctc	Tyndall Gp. Volcaniclastics and sandstone (Zig Zag Hill Fm, )
Ctt	Tyndall Gp. Comstock Fm
Ctl	Tyndall Gp. Lynchford Member
Ctb	Tyndall Gp. Basalt (Howards basalt)
Cwc	Waterloo Ck Gp Volcaniclastics
Cwcs	Waterloo Ck Gp Shale
Ca	Cambrian Andesite
Cav	Cambrian Andesitic Volcaniclastic
Cvc	Undifferentiated Central Volcanic Complex (CVC)
Ccv	CVC, Dominantly feldspar phyric Volcaniclastics
Ccl	CVC, Dominantly feldspar phyric coherent volcanics
Ccs	CVC siltstone/shale
Cb	Cambrian Basaltic Lava
Cbv	Cambrian Basaltic Volcaniclastic
Cp	Cambrian, Porphyritic Intrusive.
Clv	Cambrian Lewis River Volcanics
Cwe	Cambrian Western Epiclastics
Cg	Cambrian granite

**Rocktype**

**(Four letter Code, eg. VDLB = volcaniclastic dacitic lithic breccia)**

*Primary Rocktype Codes*

V	Volcaniclastic
I	Intrusive
L	Lava
E	Epiclastic
S	sediment

*Secondary Code*

R	Rhyolitic
D	Dacitic
A	Andesitic
B	Basaltic
U	Ultramafic
S	Siliciclastic

#### *Composition Code*

Q	Quartz phyric
F	Feldspar phyric
>	Quartz > feldspar phyric
<	Feldspar > quartz phyric
H	Hornblende phyric
P	Pyroxene phyric
L	Lithic rich
S	Siliciclastic rich

#### *Texture Code*

A	Aphyric
F	Fine Grained (0.06 - 0.5mm)
M	Medium grained (0.5 - 2mm)
C	Coarse Grained (2mm - 64mm)
B	Breccia (>64mm)
P	Pumiceous

#### *Other Codes*

VEIN	Vein
QZVN	Quartz vein
GWAC	Greywacke
SILT	Siltstone
SHAL	Black Shale
GRAN	Granite
GRAD	Granodiorite
MSSX	Massive sulphide
LOSS	Core loss
CAVE	Cavity/Stope
SOIL	Soil
FALT	Fault
CLAY	Clay

#### **Colours**

##### *Primary Colour Codes*

Br	Brown
A	Grey
N	Black
Y	Yellow
R	Red
Gr	Green
W	White
O	Orange
Br	Blue
P	Purple
C	Cream

##### *Shade*

1	Pale
2	
3	
4	
5	Dark

<b>Weathering;</b>		Guide
T	Trace	Weathering only visible in a couple of hand lens area
O	Occasional	Weathering visible over a number of hand lens areas
W	Weak	Fresh rock only visible in couple of hand lens areas
M	Moderate	No fresh rock visible, but rock still intact
S	Strong	No fresh rock visible, parts of rock broken down to soft material
I	Intense	Nearly all rock broken down to soft material or clay

### **Mineralisation/alteration Codes**

#### *Mineral Type*

Py	Pyrite
As	Arsenopyrite
Cl	Chlorite
Se	Sericite
Cb	Carbonate
Ga	Galena
Sp	Sphalerite
Cp	Chalcopyrite
Ep	Epidote
Cd	Cordierite
Gt	Garnet
Mu	Muscovite
Bi	Biotite
Ma	Magnetite
He	Hematite
Si	Silicification
Qz	Quartz
Po	Pyrrhotite
W	Tungsten
Au	Visible Au
Sn	Cassiterite
Mn	Pyrolusite

#### *Mineral style*

Tr	Trace
P	Pervasive
D	Disseminated
Vn	Vein
Sp	Spots and clots
Eu	Euhedral crystals
Sv	Selvedge

#### *Amount %*

Tr	Trace
<	< 1%
	0.1            1%
	0.2            2%
etc.	
	1            10%
	2            20%
etc.	

### Structure Code

Ft	Fault
Sh	shear
Vn	vein
Fo	Foliation
Fr	fracture
Jt	Joint
Bd	Bedding

### Texture Code

Bk	Broken
Sh	Sheared
Fo	Foliated
Sp	Spotty
Hf	Hornfelsed
FB	Flow Banded
Br	Brecciated
Am	Amygdaloidal
Po	Porphyritic
A	Aphanitic
Fi	Fiamme
Sl	Spherulitic
Pe	Peperitic
Pi	Pillowed
Ph	Phaneritic

**TasGold Ltd**

Drill Core Recovery & RQD Log

DrillHole	From	To	Interval	Measured	Recovery%	Lengths>10cm	RQD %
-----------	------	----	----------	----------	-----------	--------------	-------

Project	Prospect	BHID	Depth	Azm	Dip
---------	----------	------	-------	-----	-----

## Drill Log

TasGold Ltd.

PAGE NO. 1

PROJECT: Lisle  
 PROSPECT: Enterprise  
 EASTING 525950  
 NORTHING 5440958  
 COLLAR RL: 140

HOLE NO: E012  
 DATE COMMENCED: 26/06/2003  
 TOTAL DEPTH (M): 90  
 AZIMUTH: 88  
 DIP: -60

DRILL TYPE: RC  
 DRILLER: Spauldings  
 LOGGED BY: T.Callaghan  
 DATE: 26/6/2003  
 OXIDATION BOCO: 39  
 BOPO: 39

FROM	TO	ROCK CODES				Mineralisation / Veins										Structure					Additional Comments			
		Strat Code	Rock type	Colour	Weathering	Mineral 1	Style 1	Amount 1 %	Mineral 2	Style 2	Amount 2 %	Mineral 3	Style 3	Amount 3 %	Mineral 4	Style 4	Amount 4 %	Structure 1	CA Struct 1	Structure 2	CA Struct 2	Texture 1	Texture 2	
(m)	(m)																							
0	1	Q	SOIL	B	I																			Brown clay and Soil
1	6	Sm	CLAY	O	I																			Deeply weathered greywacke.
6	7	Sm	CLAY	O	I	Qz	V	2																Deeply weathered greywacke,minor qtz veins..
7	12	Sm	CLAY	O	I																			Deeply weathered greywacke.
12	13	Sm	CLAY	Br	I	Qz	V	10	Li	V	Tr													Deeply weathered greywacke, 10% Qtz veins.
13	14	Sm	CLAY	Br	I	Qz	V	10																Deeply weathered greywacke.
14	19	Sm	CLAY	O	I																			Deeply weathered greywacke.
19	21	Sm	CLAY	O	S																			Strongly weathered greywacke.
21	22	Sm	CLAY	O	S	Qz	V	20																Deeply weathered greywacke, 20% Qtz veins.
22	23	Sm	CLAY	O	S																			Strongly weathered greywacke.
23	24	Sm	CLAY	O	S	Qz	V	Tr																Strongly weathered greywacke.
24	25	Sm	CLAY	O	S																			Strongly weathered greywacke.
25	27	Sm	CLAY	Br	I	Qz	V	10																Strongly weathered greywacke, 10% Qtz.
27	29	Sm	CLAY	O	S																			Strongly weathered greywacke.
29	30	Sm	CLAY	Br	I	Qz	V	15																Strongly weathered greywacke, 15% Qtz.
30	31	Sm	CLAY	O	S																			Strongly weathered greywacke.
31	32	Sm	CLAY	O	S	Qz	V	20																Strongly weathered greywacke, 20% Qtz.
32	34	Sm	CLAY	O	S																			Strongly weathered greywacke.
34	35	Dg	GRAD	Y	S	Qz	V	5																Strongly weathered granodiorite, minor qtz.
35	36	Dg	GRAD	Y	S	Qz	V	25																Strongly weathered granodiorite, 25% qtz.



## Drill Log

**TasGold Ltd.**

PAGE NO. 2

PROJECT:	Lisle
PROSPECT:	Enterprise
EASTING	525950
NORTHING	5440958
COLLAR RL:	140

HOLE NO:	E012
DATE COMMENCED:	25/06/2003
TOTAL DEPTH (M):	90
AZIMUTH: 88	
DIP: -60	

DRILL TYPE:	RC
DRILLER:	Spauldings
LOGGED BY:	T.Callaghan
DATE:	25/6/2003
OXIDATION	BOCO: 39
	BOPO: 39

[illegible]

## Drill Log

**TasGold Ltd.**

PAGE NO. 3

PROJECT: Lisle  
PROSPECT: Enterprise  
EASTING 525950  
NORTHING 5440958  
COLLAR RL: 140

<b>HOLE NO:</b>	<b>E012</b>
<b>DATE COMMENCED:</b>	<b>25/06/2003</b>
<b>TOTAL DEPTH (M):</b>	<b>90</b>
<b>AZIMUTH:</b>	<b>88</b>
<b>DIP:</b>	<b>-60</b>

DRILL TYPE:	RC
DRILLER:	Spauldings
LOGGED BY:	T.Callaghan
DATE:	25/6/2003
OXIDATION	BOCO: 39
	BOPO: 39

[illegible]