

BHID	Spl_Id	From	To	Au_ppm	Ag_ppm	As_ppm
E013	561401	0	2	0.03	0	14
E013	561402	2	3	0.07	0	7
E013	561403	3	4	0.07	0	9
E013	561404	4	5	0.22	0	33
E013	561405	5	6	0.07	0	19
E013	561406	6	7	0.02	0	18
E013	561407	7	8	0.11	0	25
E013	561408	8	9	0.11	0	20
E013	561409	9	10	0.12	0	8
E013	561410	10	11	0.12	0	1
E013	561411	11	12	0.04	0	7
E013	561412	12	13	0.03	0	7
E013	561413	13	14	0.04	0	11
E013	561414	14	15	0.04	0	9
E013	561415	15	16	0.15	0	0
E013	561416	16	17	0.07	0	7
E013	561417	17	18	0.03	0	<1
E013	561418	18	19	0.02	0	3
E013	561419	19	20	0.20	0	2
E013	561420	20	24	0.13	0	1
E013	561421	24	28	0.09	0	2
E013	561422	28	32	0.36	0	12
E013	561423	32	36	0.34	0	3
E013	561424	36	38	0.47	0	6
E013	561425	38	39	0.47	0	46
E013	561426	39	40	0.07	0	38
E013	561427	40	41	0.14	0	17
E013	561428	41	42	0.02	0	11
E013	561429	42	43	0.07	0	1
E013	561430	43	44	<0.01	0	14
E013	561431	44	45	0.04	0	1
E013	561432	45	46	0.00	0	3
E013	561433	46	50	0.23	0	5
E013	561434	50	54	0.08	0	7
E013	561435	54	58	0.02	0	10
E013	561436	58	62	0.13	0	12
E013	561437	62	66	0.11	0	3
E013	561438	66	70	<0.01	0	1
E013	561439	70	71	0.14	0	4
E013	561440	71	72	<0.01	0	1
E013	561441	72	73	0.06	0	5
E013	561442	73	74	0.10	0	3
E013	561443	74	75	0.21	0	12
E013	561444	75	76	0.24	0	<1
E013	561445	76	77	0.03	0	2
E013	561446	77	78	0.09	0	4
E013	561447	78	79	<0.01	0	1
E013	561448	79	80	0.05	0	3
E013	561449	80	81	0.27	0	7
E013	561450	81	82	0.03	0	7
E013	561451	82	83	<0.01	0	6
E013	561452	83	84	0.48	0	31

**Stratigraphic Codes**

Q	Quaternary Deposits
Tb	Tertiary Basalt
Ts	Tertiary sediments
Jdl	Jurassic Dolerite
Dg	Devonian granitoid
Se	Silurian Eldon Gp.
Sm	Silurian Mathinna beds, Sandstone/greywacke
Ss	Silurian Mathinna beds, Siltstone/shale
Ogl	Gordon Gp Lst
COu	Denison Gp. Upper Sandstone sequence inc. Pioneer Beds
COo	Undifferentiated Denison Gp. Conglomerate and Sandstone
Ct	Tyndall Gp. and correlates
Ctc	Tyndall Gp. Volcaniclastics and sandstone (Zig Zag Hill Fm, )
Ctt	Tyndall Gp. Comstock Fm
Ctl	Tyndall Gp. Lynchford Member
Ctb	Tyndall Gp. Basalt (Howards basalt)
Cwc	Waterloo Ck Gp Volcaniclastics
Cwcs	Waterloo Ck Gp Shale
Ca	Cambrian Andesite
Cav	Cambrian Andesitic Volcaniclastic
Cvc	Undifferentiated Central Volcanic Complex (CVC)
Ccv	CVC, Dominantly feldspar phyric Volcaniclastics
Ccl	CVC, Dominantly feldspar phyric coherent volcanics
Ccs	CVC siltstone/shale
Cb	Cambrian Basaltic Lava
Cbv	Cambrian Basaltic Volcaniclastic
Cp	Cambrian, Porphyritic Intrusive.
Clv	Cambrian Lewis River Volcanics
Cwe	Cambrian Western Epiclastics
Cg	Cambrian granite

**Rocktype**

**(Four letter Code, eg. VDLB = volcaniclastic dacitic lithic breccia)**

*Primary Rocktype Codes*

V	Volcaniclastic
I	Intrusive
L	Lava
E	Epiclastic
S	sediment

*Secondary Code*

R	Rhyolitic
D	Dacitic
A	Andesitic
B	Basaltic
U	Ultramafic
S	Siliciclastic

#### *Composition Code*

Q	Quartz phyric
F	Feldspar phyric
>	Quartz > feldspar phyric
<	Feldspar > quartz phyric
H	Hornblende phyric
P	Pyroxene phyric
L	Lithic rich
S	Siliciclastic rich

#### *Texture Code*

A	Aphyric
F	Fine Grained (0.06 - 0.5mm)
M	Medium grained (0.5 - 2mm)
C	Coarse Grained (2mm - 64mm)
B	Breccia (>64mm)
P	Pumiceous

#### *Other Codes*

VEIN	Vein
QZVN	Quartz vein
GWAC	Greywacke
SILT	Siltstone
SHAL	Black Shale
GRAN	Granite
GRAD	Granodiorite
MSSX	Massive sulphide
LOSS	Core loss
CAVE	Cavity/Stope
SOIL	Soil
FALT	Fault
CLAY	Clay

#### **Colours**

##### *Primary Colour Codes*

Br	Brown
A	Grey
N	Black
Y	Yellow
R	Red
Gr	Green
W	White
O	Orange
Br	Blue
P	Purple
C	Cream

##### *Shade*

1	Pale
2	
3	
4	
5	Dark

<b>Weathering;</b>		Guide
T	Trace	Weathering only visible in a couple of hand lens area
O	Occasional	Weathering visible over a number of hand lens areas
W	Weak	Fresh rock only visible in couple of hand lens areas
M	Moderate	No fresh rock visible, but rock still intact
S	Strong	No fresh rock visible, parts of rock broken down to soft material
I	Intense	Nearly all rock broken down to soft material or clay

### **Mineralisation/alteration Codes**

#### *Mineral Type*

Py	Pyrite
As	Arsenopyrite
Cl	Chlorite
Se	Sericite
Cb	Carbonate
Ga	Galena
Sp	Sphalerite
Cp	Chalcopyrite
Ep	Epidote
Cd	Cordierite
Gt	Garnet
Mu	Muscovite
Bi	Biotite
Ma	Magnetite
He	Hematite
Si	Silicification
Qz	Quartz
Po	Pyrrhotite
W	Tungsten
Au	Visible Au
Sn	Cassiterite
Mn	Pyrolusite

#### *Mineral style*

Tr	Trace
P	Pervasive
D	Disseminated
Vn	Vein
Sp	Spots and clots
Eu	Euhedral crystals
Sv	Selvedge

#### *Amount %*

Tr	Trace
<	< 1%
	0.1            1%
	0.2            2%
etc.	
	1            10%
	2            20%
etc.	

### Structure Code

Ft	Fault
Sh	shear
Vn	vein
Fo	Foliation
Fr	fracture
Jt	Joint
Bd	Bedding

### Texture Code

Bk	Broken
Sh	Sheared
Fo	Foliated
Sp	Spotty
Hf	Hornfelsed
FB	Flow Banded
Br	Brecciated
Am	Amygdaloidal
Po	Porphyritic
A	Aphanitic
Fi	Fiamme
Sl	Spherulitic
Pe	Peperitic
Pi	Pillowed
Ph	Phaneritic

**TasGold Ltd**

Drill Core Recovery & RQD Log

DrillHole	From	To	Interval	Measured	Recovery%	Lengths>10cm	RQD %
-----------	------	----	----------	----------	-----------	--------------	-------

Project	Prospect	BHID	Depth	Azm	Dip
---------	----------	------	-------	-----	-----

# Drill Log

TasGold Ltd.

PAGE NO. 1

PROJECT: Lisle  
PROSPECT: Enterprise  
EASTING 526007  
NORTHING 5440950  
COLLAR RL: 140

HOLE NO: E013  
DATE COMMENCED: 27/06/2003  
TOTAL DEPTH (M): 84  
AZIMUTH: 90  
DIP: -60

DRILL TYPE: RC  
DRILLER: Spauldings  
LOGGED BY: T.Callaghan  
DATE: 27/6/2003  
OXIDATION BOCO: 51  
BOPO: 51

FROM	TO	ROCK CODES					Mineralisation / Veins										Structure					Additional Comments		
		Strat Code	Rock type	Colour	Weathering	Mineral 1	Style 1	Amount 1 %	Mineral 2	Style 2	Amount 2 %	Mineral 3	Style 3	Amount 3 %	Mineral 4	Style 4	Amount 4 %	Structure 1	CA Struct 1	Structure 2	CA Struct 2	Texture 1	Texture 2	
(m)	(m)																							
0	2	Sm	GWAC	O	I																			Strongly weathered greywacke.
2	3	Dg	GRAD	Y	I	Qz	V	5																Strongly weathered granodiorite, minor qtz.
3	4	Dg	GRAD	Y	I																			Strongly weathered granodiorite.
4	7	Dg	GRAD	Y	I	Qz	V	10																Strongly weathered granodiorite, minor qtz.
7	8	Dg	GRAD	Y	I																			Strongly weathered granodiorite.
8	9	Dg	GRAD	Y	I	Qz	V	20																Strongly weathered granodiorite, minor qtz.
9	10	Dg	GRAD	Y	I	Qz	V	10																Strongly weathered granodiorite, minor qtz.
10	14	Dg	GRAD	Y	I	Qz	V	5																Strongly weathered granodiorite, minor qtz.
14	15		VEIN	W	I	Qz	V	70	Li	V	5													Limonitic qtz vein
15	17	Sm	GWAC	O	I																			Strongly weathered greywacke.
17	18	Sm	GWAC	O	I	Qz	V	10																Strongly weathered greywacke, minor qtz.
18	23	Sm	GWAC	O	I																			Strongly weathered greywacke.
23	25	Dg	GRAD	Y	I	Qz	V	5																Strongly weathered granodiorite, minor qtz.
25	28	Dg	GRAD	Br	I	Qz	V	5																Strongly weathered granodiorite, minor qtz.
28	33	Sm	GWAC	Br																				Strongly weathered greywacke.
33	37	Dg	GRAD	Y	I	Qz	V	5																Strongly weathered granodiorite, minor qtz.
37	38		LOSS																					Very Poor Sample return
38	39	Dg	GRAD	Y	I	Qz	V	50																Strongly weathered granodiorite/qtz vein.
39	40	Dg	GRAD	Br	I																			Strongly weathered granodiorite.
40	43	Dg	GRAD	Br	I	Qz	V	5	Li	V	1													Strongly weathered granodiorite, minor qtz.



## Drill Log

**TasGold Ltd.**

PAGE NO. 2

PROJECT:	Lisle
PROSPECT:	Enterprise
EASTING	526007
NORTHING	5440950
COLLAR RL:	140

HOLE NO:	E013
DATE COMMENCED:	27/06/2003
TOTAL DEPTH (M):	84
AZIMUTH: 90	
DIP: -60	

DRILL TYPE:	RC
DRILLER:	Spauldings
LOGGED BY:	T.Callaghan
DATE:	27/6/2003
OXIDATION	BOCO: 51
	BOPO: 51

[illegible]