

BHID	Spl_Id	From	To	Au_ppm	Au_R	Ag_ppm	As_ppm
E015	498501	0	2	0.09			102
E015	498502	2	3	0.08			39
E015	498503	3	4	0.02			100
E015	498504	4	5	0.02			87
E015	498505	5	9	0.04			83
E015	498506	9	10	0.01			67
E015	498507	11	12	0.02	0.02		204
E015	498508	12	13	0.61			547
E015	498509	13	14	0.07			108
E015	498510	14	18	0.01			64
E015	498511	18	22	0.01			7
E015	498512	22	26	0.01			8
E015	498513	26	28	0.01			6
E015	498514	28	32	0.04			4
E015	498515	32	36	0.02			1
E015	498516	36	40	0.02			5
E015	498517	40	41	0.02	0.01		5
E015	498518	41	42	0.02			12
E015	498519	42	43	3.31			419
E015	498520	43	44	1.1			128
E015	498521	44	48	0.13			18
E015	498522	48	51	0.01			13
E015	498523	51	52	0.01			16
E015	498524	52	53	0.18			27

**Stratigraphic Codes**

Q	Quaternary Deposits
Tb	Tertiary Basalt
Ts	Tertiary sediments
Tg	Tertiary Gravels
Jdl	Jurassic Dolerite
Dg	Devonian granitoid
Se	Silurian Eldon Gp.
Sm	Silurian Mathinna beds, Sandstone/greywacke
Ss	Silurian Mathinna beds, Siltstone/shale
Ogl	Gordon Gp Lst
COu	Denison Gp. Upper Sandstone sequence inc. Pioneer Beds
Osh	Ordovician black shalesand siltstones. (pyritic)
Ocs	Denison Group, Ordovician Owen Conglomerate
Osi	Ordoviciansiliclastic sandstone. Denison group
Ovs	Cambro-Ordovician rhyolitic volcanoclastic sandstone (Waterloo Creek Group).
Ovc	Cambro-Ordovician rhyolitic volcanoclastic sandstone/breccia.
Ct	Tyndall Gp. and correlates
Ctc	Tyndall Gp. Volcaniclastics and sandstone (Zig Zag Hill Fm, )
Ctt	Tyndall Gp. Comstock Fm
Ctl	Tyndall Gp. Lynchford Member
Ctb	Tyndall Gp. Basalt (Howards basalt)
Caa	Feldspar-pyroxene phyric andesite
Cas	Cambrian Andesitic Volcaniclastic
Cfl	Quartz-feldspar-(biotite) porphyritic lava
Cqfbl	Quartz-feldspar-biotite porphyritic lava
Cve	Quartz crystal volcanoclastic sandstone, sericitic
Crlb	Cambrian rhyolitic lava breccia
Cveb	Polymict volcanoclastic mass flow breccia. (V19 horizon)
Cvsh	Black, pyritic shale.
Cvc	Undifferentiated Central Volcanic Complex (CVC)
Ccv	Cambrian, rhyolitic pumice-qtz-crystal-lithic breccia
Ccl	CVC, Dominantly feldspar phyric coherent volcanics
Ccs	Cambrian, siliclastic, micaceous sandstone.
Cc	Cambrian volcanoclastic/siliclastic conglomerate
Cb	Cambrian Basaltic Lava
Cbv	Cambrian Basaltic Volcaniclastic
Cp	Cambrian, Porphyritic Intrusive.
Clv	Cambrian Lewis River Volcanics
Cwe	Cambrian Western Epiclastics
Cg	Cambrian granite
Cgma	Cambrian microgranite

**Rocktype**

**(Four letter Code, eg. VDLB = volcanoclastic dacitic lithic breccia)**

*Primary Rocktype Codes*

V	Volcanoclastic
I	Intrusive
L	Lava

E	Epiclastic
S	sediment

*Secondary Code*

R	Rhyolitic
D	Dacitic
A	Andesitic
B	Basaltic
U	Ultramafic
S	Siliciclastic

*Composition Code*

Q	Quartz phyric
F	Feldspar phyric
>	Quartz > feldspar phyric
<	Feldspar > quartz phyric
H	Hornblende phyric
P	Pyroxene phyric
L	Lithic rich
S	Siliciclastic rich

*Texture Code*

A	Aphyric
F	Fine Grained (0.06 - 0.5mm)
M	Medium grained (0.5 - 2mm)
C	Coarse Grained (2mm - 64mm)
B	Breccia (>64mm)
P	Pumiceous

*Other Codes*

VEIN	Vein
QZVN	Quartz vein
GWAC	Greywacke
SILT	Siltstone
SHAL	Black Shale
GRAN	Granite
GRAD	Granodiorite
MSSX	Massive sulphide
LOSS	Core loss
CAVE	Cavity/Stope
SOIL	Soil
FALT	Fault

**Colours**

*Primary Colour Codes*

Br	Brown
A	Grey
N	Black
Y	Yellow
R	Red
Gr	Green
W	White
O	Orange

Br	Blue
P	Purple
C	Cream

#### *Shade*

1	Pale
2	
3	
4	
5	Dark

#### **Weathering;**

		Guide
T	Trace	Weathering only visible in a couple of hand lens area
O	Occasional	Weathering visible over a number of hand lens areas
W	Weak	Fresh rock only visible in couple of hand lens areas
M	Moderate	No fresh rock visible, but rock still intact
S	Strong	No fresh rock visible, parts of rock broken down to soft material
I	Intense	Nearly all rock broken down to soft material or clay

#### **Mineralisation/alteration Codes**

##### *Mineral Type*

Py	Pyrite
As	Arsenopyrite
Cl	Chlorite
Se	Sericite
Cb	Carbonate
Ga	Galena
Sp	Sphalerite
Cp	Chalcopyrite
Ep	Epidote
Cd	Cordierite
Gt	Garnet
Mu	Muscovite
Bi	Biotite
Ma	Magnetite
He	Hematite
Si	Silicification
Qz	Quartz
Po	Pyrrhotite
W	Tungsten
Au	Visible Au
Sn	Cassiterite
Mn	Pyrolusite

##### *Mineral style*

Tr	Trace
P	Pervasive
D	Disseminated
Vn	Vein
Sp	Spots and clots
Eu	Euhedral crystals
Sv	Selvedge

### *Amount %*

Tr	Trace
<	< 1%
	0.1
	1%
	0.2
	2%
etc.	
	1
	10%
	2
	20%
etc.	

### **Structure Code**

Ft	Fault
Sh	shear
Vn	vein
Fo	Foliation
Fr	fracture
Jt	Joint
Bd	Bedding

### **Texture Code**

Bk	Broken
Sh	Sheared
Fo	Foliated
Sp	Spotty
Hf	Hornfelsed
FB	Flow Banded
Br	Brecciated
Am	Amygdaloidal
Po	Porphyritic
A	Aphanitic
Fi	Fiamme
Sl	Spherulitic
Pe	Peperitic
Pi	Pillowed
Ph	Phaneritic

**TasGold Ltd**

Drill Core Recovery & RQD Log

DrillHole	From	To	Interval	Measured	Recovery%	Lengths>10cm	RQD %
-----------	------	----	----------	----------	-----------	--------------	-------

Project	Prospect	BHID	Depth	Azm	Dip
---------	----------	------	-------	-----	-----

## Drill Log

TasGold Ltd.

PAGE NO. 1

PROJECT: Lisle  
 PROSPECT: Enterprise  
 EASTING 526000  
 NORTHING 5441340  
 COLLAR RL: 121

HOLE NO: E015  
 DATE COMMENCED: 28.10.03  
 TOTAL DEPTH (M): 64  
 AZIMUTH: \_\_\_\_\_  
 DIP: -90

DRILL TYPE: \_\_\_\_\_  
 DRILLER: TasGold  
 LOGGED BY: T. Callaghan  
 DATE: 28.10.03  
 OXIDATION BOCO: \_\_\_\_\_  
 BOPO: \_\_\_\_\_

FROM	TO	ROCK CODES				Mineralisation / Veins										Structure					Additional Comments			
		Strat Code	Rock type	Colour	Weathering	Mineral 1	Style 1	Amount 1 %	Mineral 2	Style 2	Amount 2 %	Mineral 3	Style 3	Amount 3 %	Mineral 4	Style 4	Amount 4 %	Structure 1	CA Struct 1	Structure 2	CA Struct 2	Texture 1	Texture 2	
(m)	(m)																							
0	2	Dg	GRAD	O	I	Mu	P	2																Intensely weathered granodiorite, muscovite altered.
2	4	Dg	GRAD	O	I	Qz	Vn	20	Li	Vn	1													Weathered granodiorite, Qtz-Li veins.
4	5	Dg	GRAD	R	S	Qz	Vn	20																Weathered granodiorite, red chalcedony veins.
5	10	Dg	GRAD	Y	S																			Weathered granodiorite.
10	11		LOSS																					No Sample
11	13	Dg	GRAD	Y	S	Qz	Vn	10	Li	Vn	1													Weathered granodiorite, Qtz-Li veins.
13	14	Dg	GRAD	Y	S																			Weathered granodiorite.
14	16	Dg	GRAD	Y	M																			Moderately weathered granodiorite.
16	22	Dg	GRAD	A																				Unaltered granodiorite.
22	23	Dg	GRAD	A		Se	P	1																Unaltered granodiorite, minor sericite patches..
23	24	Dg	GRAD	G		Se	P	5																Mod ser alt granodiorite.
24	25	Dg	GRAD	A		Py	D	Tr																Unaltered granodiorite, trace py.
25	34	Dg	GRAD	A																				Unaltered granodiorite.
34	35	Dg	GRAD	A		Py	D	Tr																Unaltered granodiorite, trace py.
35	39	Dg	GRAD	A																				Unaltered granodiorite.
39	40	Dg	GRAD	A		Se	B	1																Unaltered granodiorite, minor sericite veins.
40	41	Dg	GRAD	A																				Unaltered granodiorite.
41	42	Dg	GRAD	A		Se	B	1																Unaltered granodiorite, minor sericite veins.
42	43		VEIN	G		Qz	Vn	25	Se	P	5													Granodiorite and quartz vein
43	44	Dg	GRAD	A		Se	B	1																Unaltered granodiorite, minor sericite veins.



## Drill Log

**TasGold Ltd.**

PAGE NO. 2

PROJECT:	Lisle
PROSPECT:	Enterprise
EASTING	526000
NORTHING	5441340
COLLAR RL:	121

HOLE NO:	E015
DATE COMMENCED:	28.10.03
TOTAL DEPTH (M):	64
AZIMUTH:	
DIP:	-90

DRILL TYPE: \_\_\_\_\_  
 DRILLER: TasGold  
 LOGGED BY: T. Callaghan  
 DATE: 28.10.03  
 OXIDATION BOCO: \_\_\_\_\_  
 BOPO: \_\_\_\_\_

[illegible]