

BHID	Spl_Id	From	To	Au_ppm	Au_R	Au_RFA	Ag_ppm	As_ppm
ED002	495961	1.5	2.5	0.13				100
ED002	495962	2.5	4	0.03				53
ED002	495963	4	5.5	0.04	0.04			44
ED002	495964	5.5	7	0.03				11
ED002	495965	8.5	10	0.2				39
ED002	495966	14.5	16	0.03				28
ED002	495967	16	17	<				57
ED002	495968	17	17.5	0.13	0.15			78
ED002	495969	17.5	18.3	11.2	10.8			>200
ED002	495970	19	20.5	0.1				47
ED002	495971	26.5	29.5	0.03				49
ED002	495972	34.5	35.5	0.07				15
ED002	495976	35.5	36.5	0.01				2
ED002	495977	36.5	37.5	0.01				<
ED002	495978	37.5	38.7	<				<
ED002	495979	38.7	39.7	0.07				3
ED002	495980	39.7	40.3	0.02				1
ED002	495981	40.3	42.3	0.02				<
ED002	495982	42.3	44.3	0.04				<
ED002	495983	44.3	45.9	0.02				<
ED002	495984	45.9	47	0.13				1
ED002	495985	50	51.1	0.02	0.02			2
ED002	495986	51.1	51.7	<	<			3
ED002	495987	51.7	52.3	<				<

Stratigraphic Codes

Q	Quaternary Deposits
Tb	Tertiary Basalt
Ts	Tertiary sediments
Jdl	Jurassic Dolerite
Dg	Devonian granitoid
Se	Silurian Eldon Gp.
Sm	Silurian Mathinna beds, Sandstone/greywacke
Ss	Silurian Mathinna beds, Siltstone/shale
Ogl	Gordon Gp Lst
COu	Denison Gp. Upper Sandstone sequence inc. Pioneer Beds
COo	Undifferentiated Denison Gp. Conglomerate and Sandstone
Ct	Tyndall Gp. and correlates
Ctc	Tyndall Gp. Volcaniclastics and sandstone (Zig Zag Hill Fm,)
Ctt	Tyndall Gp. Comstock Fm
Ctl	Tyndall Gp. Lynchford Member
Ctb	Tyndall Gp. Basalt (Howards basalt)
Cwc	Waterloo Ck Gp Volcaniclastics
Cwcs	Waterloo Ck Gp Shale
Ca	Cambrian Andesite
Cav	Cambrian Andesitic Volcaniclastic
Cvc	Undifferentiated Central Volcanic Complex (CVC)
Ccv	CVC, Dominantly feldspar phyric Volcaniclastics
Ccl	CVC, Dominantly feldspar phyric coherent volcanics
Ccs	CVC siltstone/shale
Cb	Cambrian Basaltic Lava
Cbv	Cambrian Basaltic Volcaniclastic
Cp	Cambrian, Porphyritic Intrusive.
Clv	Cambrian Lewis River Volcanics
Cwe	Cambrian Western Epiclastics
Cg	Cambrian granite

Rocktype

(Four letter Code, eg. VDLB = volcaniclastic dacitic lithic breccia)

Primary Rocktype Codes

V	Volcaniclastic
I	Intrusive
L	Lava
E	Epiclastic
S	sediment

Secondary Code

R	Rhyolitic
D	Dacitic
A	Andesitic
B	Basaltic
U	Ultramafic
S	Siliciclastic

Composition Code

Q	Quartz phyric
F	Feldspar phyric
>	Quartz > feldspar phyric
<	Feldspar > quartz phyric
H	Hornblende phyric
P	Pyroxene phyric
L	Lithic rich
S	Siliciclastic rich

Texture Code

A	Aphyric
F	Fine Grained (0.06 - 0.5mm)
M	Medium grained (0.5 - 2mm)
C	Coarse Grained (2mm - 64mm)
B	Breccia (>64mm)
P	Pumiceous

Other Codes

VEIN	Vein
QZVN	Quartz vein
GWAC	Greywacke
SILT	Siltstone
SHAL	Black Shale
GRAN	Granite
GRAD	Granodiorite
MSSX	Massive sulphide
LOSS	Core loss
CAVE	Cavity/Stope
SOIL	Soil
FALT	Fault

Colours

Primary Colour Codes

Br	Brown
A	Grey
N	Black
Y	Yellow
R	Red
Gr	Green
W	White
O	Orange
Br	Blue
P	Purple
C	Cream

Shade

1	Pale
2	
3	
4	
5	Dark

Weathering;		Guide
T	Trace	Weathering only visible in a couple of hand lens area
O	Occasional	Weathering visible over a number of hand lens areas
W	Weak	Fresh rock only visible in couple of hand lens areas
M	Moderate	No fresh rock visible, but rock still intact
S	Strong	No fresh rock visible, parts of rock broken down to soft material
I	Intense	Nearly all rock broken down to soft material or clay

Mineralisation/alteration Codes

Mineral Type

Py	Pyrite
As	Arsenopyrite
Cl	Chlorite
Se	Sericite
Cb	Carbonate
Ga	Galena
Sp	Sphalerite
Cp	Chalcopyrite
Ep	Epidote
Cd	Cordierite
Gt	Garnet
Mu	Muscovite
Bi	Biotite
Ma	Magnetite
He	Hematite
Si	Silicification
Qz	Quartz
Po	Pyrrhotite
W	Tungsten
Au	Visible Au
Sn	Cassiterite
Mn	Pyrolusite

Mineral style

Tr	Trace
P	Pervasive
D	Disseminated
Vn	Vein
Sp	Spots and clots
Eu	Euhedral crystals
Sv	Selvedge

Amount %

Tr	Trace
<	< 1%
	0.1 1%
	0.2 2%
etc.	
	1 10%
	2 20%
etc.	

Structure Code

Ft	Fault
Sh	shear
Vn	vein
Fo	Foliation
Fr	fracture
Jt	Joint
Bd	Bedding

Texture Code

Bk	Broken
Sh	Sheared
Fo	Foliated
Sp	Spotty
Hf	Hornfelsed
FB	Flow Banded
Br	Brecciated
Am	Amygdaloidal
Po	Porphyritic
A	Aphanitic
Fi	Fiamme
Sl	Spherulitic
Pe	Peperitic
Pi	Pillowed
Ph	Phaneritic

TasGold Ltd

Drill Core Recovery & RQD Log

[illegible]

Project	Prospect	BHID	Depth	Azm	Dip
---------	----------	------	-------	-----	-----

Drill Log
TasGold Ltd.

PAGE NO. 1

 PROJECT: _____
 PROSPECT: _____
 EASTING 525977
 NORTHING 5441153
 COLLAR RL: 121

 HOLE NO: **ED002**
 DATE COMMENCED: 2.10.2003
 TOTAL DEPTH (M): ##
 AZIMUTH: 90
 DIP: -50

 DRILL TYPE: DDH
 DRILLER: TasGold
 LOGGED BY: T. Callaghan
 DATE: 9.10.2003
 OXIDATION BOCO: _____
 BOPO: _____

FROM	TO	ROCK CODES					Mineralisation / Veins										Structure					Additional Comments		
		Strat Code	Rock type	Colour	Weathering	Mineral 1	Style 1	Amount 1 %	Mineral 2	Style 2	Amount 2 %	Mineral 3	Style 3	Amount 3 %	Mineral 4	Style 4	Amount 4 %	Structure 1	CA Struct 1	Structure 2	CA Struct 2	Texture 1	Texture 2	
(m)	(m)																							
0	1.5	Q	SOIL																					
1.5	2.5	Q	CONG	R	I	Qz	Cl	2																Deeply weathered colluvial scree with Qtz clasts.
2.5	4	Q	CONG	Y	I	Qz	Cl	10																Clay and qtz clasts, colluvial scree.
4	5.5		FALT	Y	I	Qz	Cl	10																Clay and qtz. Scree or cataclasite?
5.5	7		FALT	Y	I	Qz	Cl	10																Clay and qtz. Scree or cataclasite?
7	8.5		LOSS																					Core Loss
8.5	10	Dg	GRAD	Y	I	Mu	P	10																Musc-ser alt granodiorite. Weathered, Core loss.
10	14.5		LOSS																					Core Loss
14.5	17	Dg	GRAD	Y	I	Mu	P	10	Qz	Vn	2													Musc-ser alt granodiorite. Weathered, Core loss.
17	17.2		VEIN	Y	I	Mu	P	10	Qz	Vn	60													Qtz Vein with ser alt granodiorite.
17.2	17.5	Dg	GRAD	Y	I	Mu	P	10																Musc-ser alt granodiorite. Weathered.
17.5	18.3		VEIN	W		Qz	Vn	90	As	Vn	2													Quartz vein with 2% Aspy veinlets.
18.3	19		LOSS																					Core Loss
19	20.5	Dg	GRAD	O	W	Mu	P	2																Weathered granodiorite, core loss.
20.5	26.5		LOSS																					Core Loss
26.5	29.5	Dg	GRAD	W	I	Mu	P	2																Weathered granodiorite, pervasive musc alt.
29.5	32.5		LOSS																					Core Loss
32.5	34.5	Dg	GRAD	O	S																			Feld-Hbl-bio granodiorite, moderately weathered, core loss
34.5	35.5	Dg	GRAD	A		Qz	Vn	2	Py	Vn	Tr													Silic-granodiorite with minor Qtz veins and Py dissem.
35.5	38.7	Dg	GRAD	A	S	Qz	Vn	2	Li	Vn	1													Granodiorite with minor Qtz-Li veins.

Drill Log

TasGold Ltd.

PAGE NO. 2

PROJECT: _____
 PROSPECT: _____
 EASTING 525977
 NORTHING 5441153
 COLLAR RL: 121

HOLE NO: ED002
 DATE COMMENCED: 2.10.2003
 TOTAL DEPTH (M): 140
 AZIMUTH: 90
 DIP: -50

DRILL TYPE: DDH
 DRILLER: TasGold
 LOGGED BY: T. Callaghan
 DATE: 9.10.2003
 OXIDATION BOCO: _____
 BOPO: _____

FROM	TO	ROCK CODES				Mineralisation / Veins												Structure					Additional Comments	
		Strat Code	Rock type	Colour	Weatherin	Mineral 1	Style 1	Amount 1	Mineral 2	Style 2	Amount 2	Mineral 3	Style 3	Amount 3	Mineral 4	Style 4	Amount 4	Structure	CA Struct	Structure 2	CA Struct	Texture 1		Texture 2
(m)	(m)																							
38.7	40.3	Dg	GRAD	G		Qz	Vn	2	Ch	P	5	Se	P	5										Sil-Ser-Chl alt granodiorite,Qtzveins.
40.3	45.9	Dg	GRAD	A		Qz	Vn	2	Po	D	1	As	D	1										Granodiorite with minor Qtz veins (Minor Po Aspy), Stockwork.
45.9	47	Dg	GRAD	A		Qz	Vn	10	Se	P	2							Vn	45					Weak ser alt Granodiorite with Qtz-Mo Vns.
47	48.3	Dg	GRAD	A		Qz	Vn	2										Vn	25					Unaltered granodiorite, minor Qtz veins.
48.3	49.2	Dg	GRAD	A		Qz	Vn	10	Mo	B	2							Vn	25					Unaltered granodiorite, minor Qtz-Mo veins.
49.2	51.1	Dg	GRAD	A																				Unaltered granodiorite, minor Qtz veins.
51.1	51.7	Dg	GRAD	G		Se	P	5	Ch	P	5													Sil-Ser-Chl alt granodiorite,Qtzveins.
51.7	54.8	Dg	GRAD	A		Qz	Vn	2																Unaltered granodiorite, minor Qtz veins.
54.8	55		VEIN	W		Qz	Vn	60	Cb	Vn	25	Se	Sv	15										Qtz-Carb Vein with ser selvedge.
55	57.9	Dg	GRAD	A		Qz	Vn	5	Mo	B	2							Vn	20					Unaltered granodiorite, minor Qtz-Mo veins.
57.9	58.8		LOSS																					Core loss, mismatch.
58.8	62	Dg	GRAD	G		Se	P	10	Qz	Vn	5	Py	D	2	Gn	D	2							Sil-ser-py alt granodiorite, carb patches.
62	66.5	Dg	GRAD	A		Qz	Vn	2	Po	D	Tr							Vn	20					Unaltered, dark grey, Hbl-Bio-Feld Granodiorite.
66.5	67.2	Dg	GRAD	G		Qz	Vn	5	Se	P	10	Py	D	2										Sil-ser-py alt granodiorite.
67.2	67.4		VEIN			Qz	Vn	90	As	Vn	5													Laminated Qtz-Aspy vein.
67.4	67.7	Dg	GRAD	G		Qz	Vn	5	Se	P	10	Py	D	2										Sil-ser-py alt granodiorite.
67.7	69.5	Dg	GRAD	A		Qz	Vn	2																Unaltered granodiorite, minor Qtz veins.
69.5	69.7		FALT	G		Se	P	10	Qz	Vn	5	As	Vn	5				FT	40					Annealed fault, Qtz-Aspy veins
69.7	73.2	Dg	GRAD	A		Qz	Vn	10										Vn	25					Hbl-Bio-Feld Granodiorite, minor Qtz Veins.
73.2	74.3	Dg	GRAD	G		Se	P	10	Ch	P	10													Sil-Ser-Chl alt granodiorite,Qtzveins.

Drill Log

TasGold Ltd.

PAGE NO. 3

PROJECT:	Lisle	HOLE NO:	ED002	DRILL TYPE:	DDH
PROSPECT:	Enterprise	DATE COMMENCED:	2.10.2003	DRILLER:	TasGold
EASTING	525977	TOTAL DEPTH (M):	##	LOGGED BY:	T. Callaghan
NORTHING	5441153	AZIMUTH:	90	DATE:	9.10.2003
COLLAR RL:	121	DIP:	-50	OXIDATION BOCO:	
				BOPO:	

FROM	TO	ROCK CODES				Mineralisation / Veins										Structure					Additional Comments			
		Strat Code	Rock type	Colour	Weatherin	Mineral 1	Style 1	Amount 1	Mineral 2	Style 2	Amount 2	Mineral 3	Style 3	Amount 3	Mineral 4	Style 4	Amount 4	Structure	CA Struct	Structure 1		CA Struct	Texture 1	Texture 2
(m)	(m)																							
74.3	77.9	Dg	GRAD	A		Qz	Vn	5	Cl	Sv	2													Hbl-Bio-Feld Granodiorite, minor Qtz Veins.
77.9	87.6	Dg	GRAD	A																				Feld-Qtz-Bio Granodiorite.
87.6	89.2	Dg	GRAD	G		Qz	Vn	15	Se	Sv	2													Granodiorite with Qtz-ser veinlets/Qtz zones.
89.2	90.7	Dg	GRAD	A																				Feld-Qtz-Bio Granodiorite.
90.7	92	Dg	GRAD	A		Si	P	10	Se	P	5													Intense silica-sericite altered granodiorite.
92	97.1	Dg	GRAD	A		Qz	Vn	1	Po	Sp	tr													Unaltered granodiorite, minor Qtz veins with Po.
97.1	97.7	Dg	DIOR	N														Bd	25			Po		Dark grey, feld porphyritic Diorite dyke.
97.7	101.1	Dg	GRAD	A		Qz	Vn	1																Feld-Qtz-Bio Granodiorite.
101.1	101.6		FALT			Se	P	5	Si	P	10	Py	Vn	2				Ft	45					Silicified Fault, sil-ser alt, Py vns.
101.6	102.1	Dg	GRAD	A		Se	P	2	Si	P	5													Silica-sericite altered granodiorite.
102.1	102.6		FALT			Cl	P	5										Ft	45					Brittle Fault, chl-sil alt.
102.6	103.6	Dg	GRAD	A		Se	P	2	Si	P	5													Silica-sericite altered granodiorite.
103.6	104		FALT			Cl	P	15	Qz	Vn	5													Brittle Fault, chl-sil alt.
104	104.7	Dg	GRAD	A		Qz	Vn	5										Vn	25					Granodiorite, minor Qtz Vns.
104.7	107.5	Dg	GRAD	G		Qz	Vn	5	Se	P	10	Po	D	Tr										Patchy ser-sil-po altered granodiorite.
107.5	111.5	Dg	GRAD	A		Qz	Vn	10	Se	Sv	5													Granodiorite with Qtz-ser veinlets/Qtz zones.
111.5	112.4		VEIN	W		Qz	Vn	70										Vn	5					White Qtz vein or aplite?
112.4	113.2	Dg	GRAD	A																				Feld-Qtz-Bio Granodiorite.
113.2	113.8	Dg	GRAD	G		Qz	Vn	15	Se	Sv	2	Mu	P	5				Fo	45					Flow banded Granodiorite, Qyz-Musc veins.
113.8	117	Dg	GRAD	A2		Se	P	2																Weakly altered Granodiorite.

Drill Log

TasGold Ltd.

PAGE NO. 4

PROJECT:	Lisle
PROSPECT:	Enterprise
EASTING	525977
NORTHING	5441153
COLLAR RL:	121

HOLE NO:	ED002
DATE COMMENCED:	2.10.2003
TOTAL DEPTH (M):	##
AZIMUTH: -----	90
DIP: -----	-50

DRILL TYPE: DDH
DRILLER: TasGold
LOGGED BY: T. Callaghan
DATE: 9.10.2003
OXIDATION BOCO:
BOPO:

[illegible]