

BHID	Spl_Id	From	To	Au_ppm	Au_R	Au_RFA	Ag_ppm	As_ppm
ED006	498560	44.9	45.9	<	-			5
ED006	498561	45.9	46.4	6.65	6.6			23500
ED006	498562	46.4	48.1	0.01	-			13
ED006	498563	48.1	49.1	0.01	-			24
ED006	498564	55.7	57	<	-			7
ED006	498565	57	58.2	0.23	-			1
ED006	498566	58.2	59.2	<	-			7
ED006	498567	59.2	60.6	0.03	-			7
ED006	498568	60.6	61.6	0.02	0.01			3
ED006	498569	69.4	70.4	0.01	0.01			3
ED006	498570	70.4	71.1	<	-			3
ED006	498571	71.1	72.1	<	-			1
ED006	498572	74.1	75.1	<	-			1
ED006	498573	75.1	76.1	0.01	-			29
ED006	498574	76.1	77.5	<	-			1
ED006	498575	77.5	78.5	<	-			4
ED006	498576	78.5	79.5	<	-			3
ED006	498577	79.5	80.6	0.1	-			285
ED006	498578	80.6	81.6	<	-			1
ED006	498579	81.6	82.6	<	-			6
ED006	498580	82.6	83.6	<	<			4
ED006	498581	83.6	84.6	0.02	-			10
ED006	498582	84.6	85.6	<	-			1
ED006	498583	85.6	86.6	0.04	-			285

**Stratigraphic Codes**

Q	Quaternary Deposits
Tb	Tertiary Basalt
Ts	Tertiary sediments
Jdl	Jurassic Dolerite
Dg	Devonian granitoid
Se	Silurian Eldon Gp.
Sm	Silurian Mathinna beds, Sandstone/greywacke
Ss	Silurian Mathinna beds, Siltstone/shale
Ogl	Gordon Gp Lst
COu	Denison Gp. Upper Sandstone sequence inc. Pioneer Beds
COo	Undifferentiated Denison Gp. Conglomerate and Sandstone
Ct	Tyndall Gp. and correlates
Ctc	Tyndall Gp. Volcaniclastics and sandstone (Zig Zag Hill Fm, )
Ctt	Tyndall Gp. Comstock Fm
Ctl	Tyndall Gp. Lynchford Member
Ctb	Tyndall Gp. Basalt (Howards basalt)
Cwc	Waterloo Ck Gp Volcaniclastics
Cwcs	Waterloo Ck Gp Shale
Ca	Cambrian Andesite
Cav	Cambrian Andesitic Volcaniclastic
Cvc	Undifferentiated Central Volcanic Complex (CVC)
Ccv	CVC, Dominantly feldspar phyric Volcaniclastics
Ccl	CVC, Dominantly feldspar phyric coherent volcanics
Ccs	CVC siltstone/shale
Cb	Cambrian Basaltic Lava
Cbv	Cambrian Basaltic Volcaniclastic
Cp	Cambrian, Porphyritic Intrusive.
Clv	Cambrian Lewis River Volcanics
Cwe	Cambrian Western Epiclastics
Cg	Cambrian granite

**Rocktype**

**(Four letter Code, eg. VDLB = volcaniclastic dacitic lithic breccia)**

*Primary Rocktype Codes*

V	Volcaniclastic
I	Intrusive
L	Lava
E	Epiclastic
S	sediment

*Secondary Code*

R	Rhyolitic
D	Dacitic
A	Andesitic
B	Basaltic
U	Ultramafic
S	Siliciclastic

#### *Composition Code*

Q	Quartz phyric
F	Feldspar phyric
>	Quartz > feldspar phyric
<	Feldspar > quartz phyric
H	Hornblende phyric
P	Pyroxene phyric
L	Lithic rich
S	Siliciclastic rich

#### *Texture Code*

A	Aphyric
F	Fine Grained (0.06 - 0.5mm)
M	Medium grained (0.5 - 2mm)
C	Coarse Grained (2mm - 64mm)
B	Breccia (>64mm)
P	Pumiceous

#### *Other Codes*

VEIN	Vein
QZVN	Quartz vein
GWAC	Greywacke
SILT	Siltstone
SHAL	Black Shale
GRAN	Granite
GRAD	Granodiorite
MSSX	Massive sulphide
LOSS	Core loss
CAVE	Cavity/Stope
SOIL	Soil
FALT	Fault
CONG	Conglomerate

#### **Colours**

##### *Primary Colour Codes*

Br	Brown
A	Grey
N	Black
Y	Yellow
R	Red
Gr	Green
W	White
O	Orange
Br	Blue
P	Purple
C	Cream

##### *Shade*

1	Pale
2	
3	
4	
5	Dark

<b>Weathering;</b>		Guide
T	Trace	Weathering only visible in a couple of hand lens area
O	Occasional	Weathering visible over a number of hand lens areas
W	Weak	Fresh rock only visible in couple of hand lens areas
M	Moderate	No fresh rock visible, but rock still intact
S	Strong	No fresh rock visible, parts of rock broken down to soft material
I	Intense	Nearly all rock broken down to soft material or clay

### **Mineralisation/alteration Codes**

#### *Mineral Type*

Py	Pyrite
As	Arsenopyrite
Cl	Chlorite
Se	Sericite
Cb	Carbonate
Ga	Galena
Sp	Sphalerite
Cp	Chalcopyrite
Ep	Epidote
Cd	Cordierite
Gt	Garnet
Mu	Muscovite
Bi	Biotite
Ma	Magnetite
He	Hematite
Si	Silicification
Qz	Quartz
Po	Pyrrhotite
W	Tungsten
Au	Visible Au
Sn	Cassiterite
Mn	Pyrolusite

#### *Mineral style*

Tr	Trace
P	Pervasive
D	Disseminated
Vn	Vein
Sp	Spots and clots
Eu	Euhedral crystals
Sv	Selvedge

#### *Amount %*

Tr	Trace
<	< 1%
	0.1            1%
	0.2            2%
etc.	
	1            10%
	2            20%
etc.	

### Structure Code

Ft	Fault
Sh	shear
Vn	vein
Fo	Foliation
Fr	fracture
Jt	Joint
Bd	Bedding

### Texture Code

Bk	Broken
Sh	Sheared
Fo	Foliated
Sp	Spotty
Hf	Hornfelsed
FB	Flow Banded
Br	Brecciated
Am	Amygdaloidal
Po	Porphyritic
A	Aphanitic
Fi	Fiamme
Sl	Spherulitic
Pe	Peperitic
Pi	Pillowed
Ph	Phaneritic

**TasGold Ltd**

Drill Core Recovery & RQD Log

DrillHole	From	To	Interval	Measured	Recovery%	Lengths>10cm	RQD %
-----------	------	----	----------	----------	-----------	--------------	-------

Project	Prospect	BHID	Depth	Azm	Dip
---------	----------	------	-------	-----	-----

## Drill Log

TasGold Ltd.

PAGE NO. 1

PROJECT: Lisle  
 PROSPECT: Enterprise  
 EASTING 525937  
 NORTHING 5441153  
 COLLAR RL: 126

HOLE NO: ED006  
 DATE COMMENCED: 29.10.2003  
 TOTAL DEPTH (M): 138.8  
 AZIMUTH: 90  
 DIP: -50

DRILL TYPE: DDH  
 DRILLER: TasGold  
 LOGGED BY: T. Callaghan  
 DATE: 6.11.03  
 OXIDATION BOCO:   
 BOPO:

FROM	TO	ROCK CODES					Mineralisation / Veins										Structure					Additional Comments		
		Strat Code	Rock type	Colour	Weathering	Mineral 1	Style 1	Amount 1 %	Mineral 2	Style 2	Amount 2 %	Mineral 3	Style 3	Amount 3 %	Mineral 4	Style 4	Amount 4 %	Structure 1	CA Struct 1	Structure 2	CA Struct 2	Texture 1	Texture 2	
(m)	(m)																							
0	2.5	Q	SOIL	B	I																			Brown Soil and colluvium
2.5	4	Dg	GRAD	B	I																			Intensely weathered granodiorite, very poor recovery.
4	7	Dg	GRAD	Y	I	Qz	Vn	5																Deeply weathered granodiorite, core loss
7	31		LOSS																					No core recovery
31	34.5	Dg	GRAD	A	M																			Feld-biotite granodiorite.
34.5	38.7	Dg	GRAD	Y	I																			Deeply weathered granodiorite.
38.7	45.9	Dg	GRAD	A		Qz	Vn	1																Feld-biotite-qtz granodiorite.
45.9	46.4		VEIN			Qz	Vn	80	Se	Vn	10	As	Vn	5				Vn	85					Laminated Qtz-Aspy vein, fractured and brxx.
46.4	47.9	Dg	GRAD	A		Qz	Vn	5										Vn	35					Feld-biotite-qtz granodiorite.
47.9	48.1		FALT			Se	P	20	Ch	P	2	Qz	Vn	5				Ft	40					Brittle-ductile fault,altered
48.1	55.7	Dg	GRAD	A																				Feld-biotite-qtz granodiorite.
55.7	57	Dg	GRAD	G		Ch	P	20																Broken faulted chl alt granodiorite.
57	58.2	Dg	GRAD	A																				Feld-biotite-qtz granodiorite.
58.2	60.6	Dg	GRAD	G		Ch	P	20	Qz	Vn	5	Mo	Fr	Tr				Ft	10					Broken and faulted chl alt granodiorite.
60.6	70.4	Dg	GRAD	A		Qz	Vn	5										Vn	5					Feld-biotite-qtz granodiorite, minor Qtz veins.
70.4	71.1	Dg	GRAD	G		Se	P	5	Ch	Vn	5													Ser-chl alt Dg, Qtz-CB microveins.
71.1	75.1	Dg	GRAD	A		Qz	Vn	5																Feld-biotite-qtz granodiorite, minor Qtz veins.
75.1	75.5	Dg	GRAD	G		Se	P	10	Qz	Vn	15	Py	D	5				Ft	30					Strong sil-ser-py alt granodiorite. Minor Fault.
75.5	77.5	Dg	GRAD	A		Qz	Vn	10	Mo	B	2													unaltered granodiorite,qtz-Mo veins to 3cm.
77.5	80.6	Dg	GRAD	G		Se	P	20	Qz	Vn	10	Py	Vn	2				Ft	70					Strong sil-ser-py alt granodiorite. Faulted.



PROJECT:	Lisle
PROSPECT:	Enterprise
EASTING	525937
NORTHING	5441153
COLLAR RL:	126

HOLE NO:	ED006
DATE COMMENCED:	29.10.2003
TOTAL DEPTH (M):	138.8
AZIMUTH: -----	90
DIP: -----	-50

DRILL TYPE:	DDH
DRILLER:	TasGold
LOGGED BY:	T. Callaghan
DATE:	6.11.03
OXIDATION	BOCO:
	BOPO:

[illegible]