



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty Ltd

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 1
Finalized Date: 18-DEC-2006
Account: COPSTR

QC CERTIFICATE BR06124513

Project:

P.O. No.: SSF 169214

This report is for 2 Drill Core samples submitted to our lab in Brisbane, QLD, Australia on 11-DEC-2006.

The following have access to data associated with this certificate:

TOM EADIE

TERRY LEES

MIKE RAETZ

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LEV-01	Waste Disposal Levy
CRU-21	Crush entire sample >70% -6 mm
LOG-22	Sample login - Rcd w/o BarCode
PUL-23	Pulv Sample - Split/Retain

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
ME-ICP61s	Up to 27 Element 4 Acid ICPAES	ICP-AES

To: **COPPER STRIKE LIMITED**
ATTN: MIKE RAETZ
2 OAKBANK STREET
NEWPORT VIC 3015

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Shaun Kenny, Brisbane Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty Ltd

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 2 - A


Total # Pages: 3 (A)

Finalized Date: 18-DEC-2006

Account: COPSTR

QC CERTIFICATE OF ANALYSIS BR06124513

Sample Description	Method Analyte Units LOR	Au-AA25 Au ppm 0.01	ME-ICP61s Ag ppm 0.5	ME-ICP61s As ppm 5	ME-ICP61s Ba ppm 10	ME-ICP61s Bi ppm 2	ME-ICP61s Co ppm 1	ME-ICP61s Cu ppm 1	ME-ICP61s Fe % 0.01	ME-ICP61s Mn ppm 5	ME-ICP61s Mo ppm 1	ME-ICP61s Ni ppm 1	ME-ICP61s Pb ppm 2	ME-ICP61s Zn ppm 2
STANDARDS														
GBM999-5		61.5	8	190	<2	4	494	3.29	77	5	5	575	115	
Target Range - Lower Bound		53.0	<5	150	<2	2	428	2.67	54	3	3	486	102	
Upper Bound		65.8	10	210	4	4	526	3.29	78	6	6	598	129	
GEOMS-03		1.1	657	2580	<2	12	138	4.43	551	4	53	6	50	
Target Range - Lower Bound		<0.5	565	2180	<2	10	120	3.64	483	2	47	4	40	
Upper Bound		1.0	701	2690	4	14	148	4.48	601	5	60	9	54	
ST-289		1.25												
Target Range - Lower Bound		1.16												
Upper Bound		1.36												
ST-294		14.15												
Target Range - Lower Bound		12.90												
Upper Bound		14.90												
BLANKS														
BLANK		<0.5	<5	<10	<2	<1	<1	0.01	<5	<1	<1	<2	<2	
BLANK		<0.01												
Target Range - Lower Bound		<0.01	<0.5	<5	<10	<2	<1	<1	<0.01	<5	<1	<1	<2	<2
Upper Bound		0.02	1.0	10	20	4	2	2	0.02	10	2	2	4	4
DUPLICATES														
ORIGINAL		23.9	270	40	151	3	552	1.15	233	1475	8	601	1420	
DUP		24.4	284	40	156	4	559	1.19	236	1470	5	647	1480	
Target Range - Lower Bound		21.9	253	20	142	<1	526	1.09	213	1395	4	589	1375	
Upper Bound		26.4	301	60	165	6	585	1.25	256	1550	9	659	1525	
LMD 1		1.1	7	50	<2	20	1420	8.69	16250	1	9	46	176	
DUP		0.9	8	50	<2	19	1470	9.37	17650	3	8	40	183	
Target Range - Lower Bound		<0.5	<5	30	<2	17	1370	8.56	16100	<1	6	37	167	
Upper Bound		2.1	10	70	4	22	1520	9.50	17800	4	11	49	192	

[illegible]