

Hole_ID	BOC4	Project	Boco Siding
Hole_Type	DDH	Tenement_No.	EL4/2000
Year	2005	Prospect	Hollway
Geologist	Mick Skirka	Date	20 / 6 / 2005

Depth	Lithology		Comments	Alteration Up to 3 codes w. intensities (1-3)	Mineralisation Up to 3 codes with %	Structure	Veining	Faults	Graphic Log	
25	Code	Colour								
			17.0 - 41.3 m. Medium greenish grey to olive grey, massive to brecciated, f-med grained, weakly fsp phytic, andesite to andesite breccia. Minor amygdaloidal / vesiculated intervals.	cy (1)	-	-	-	27.9, 0.05, 1.0, 5.0 to 1.0 a.		
30			Weak clay alteration.							
			Rare db veining.							
	VIA	gn gy.	Breccia intervals comprise angular, VIAN fragments (to 4cm), matrix suggested in a clay/sericite matrix.	cy (1) ser (1)	-	-	-			
35										
				cy (1) ser (1)	-	-	cb (1)			
40										
			41.3 - 46.4 m. Greenish grey, matrix supported andesite breccia. Comprises angular f-med grained andesite breccia (up to 10cm, typically 0.5-2cm) set in a clay/sericite matrix.	cy (1) ser (1)	-	-	cb (1)			
45	VIA	gn gy.	Minor db veining.							
			46.4 - 62.6 m. Greenish grey, massive, fsp phytic andesite. fsp phenocrysts to 1mm. Fe-oxide staining on fractures.	ser (1)	-	-	qtz-ser (1)			Broken core.
50	VIA	gn gy.								