



INTEQ



Company Overseas Energy Holdings Ltd

Well Westwood-1

Permit SEL5-05

Region Tasmania (Australia)

Designation Exploration

Coordinates 41° 31' 9.3" S
147° 2' 2.5" E

Drill floor elevation 4.0 m

Total Depth 1326.0 mMDRT

Contractor Hunt Energy

Rig Rig 3

Type Land Rig

LOG INTERVAL
Depth 122.0 – 1326.0 mMDRT

Date 28 November 09 – 19 December 09
Scale 1 : 200

Data Engineers John Lawrance, Aurelius Rayan,
Dedi Permana, Shaharizad
Shahadan

Loggers Amit Saxena, Rahul Gadhe

INTEQ LOG SUITE


Formation Evaluation 1:200 Scale
Drilling Data Plot 1:500 Scale

ABBREVIATIONS


NB	New Bit	MD	Measured Depth
RR	Rerun Bit	GPM	Gallons per Min
CB	Core Bit	PP	Pump Pressure
WOB	Weight on Bit	MW	Mud Weight sg
RPM	Revs per Minute	FV	Funnel Viscosity
FLC	Flow Check	F	Filtrate - API
FCG	Flow Check Gas	FC	Filter Cake
PR	Poor Returns	PV	Plastic Viscosity
NR	No Returns	YP	Yield Point
BG	Background Gas	Sol	Solids %
WTG	Wiper Trip Gas	Sd	Sand %
TG	Trip Gas	Cl	Chlorides
POG	Pumps Off Gas	RM	Mud Resistivity
CG	Connection Gas	EMW	Eq. Mud weight
SWG	Swab Gas	TVD	True Vertical Depth

LITHOLOGY SYMBOLS

Limestone Ls	Dolomite Dol	Marl Mrl	Argillaceous Limestone Arg Lst
Claystone Clyst	Siltstone Siltst	Sandstone Sst	Conglomerate Cgl
Coal C	Fossil Fragments FF	No Returns NR	Cement Cmt
Volcanics Volc	Glaucanite Glauc	Pyrite Pyr	Chert Cht



Ground Elevation: 200.0 m
MDKB(AMSL)
Rig Floor Elevation(AMSL) :
204.0 m



Set 340mm (13-3/8") Casing at
104.8 mMDKB

Set 244mm (9-5/8") Casing at
338.0 mMDKB

Drilled 216mm (8-1/2") hole to
1326.0 mMDKB

	Casing Seat		Wireline Logs
	Liner Hanger		Tripping Symbol
	Cored Interval		Sidewall Core
	Unrecovered		No Recovery
	Fluorescence		No Recovery
	Test Interval		No Recovery
	Mechanical Sidewall Core		No Recovery