

Laurie Veska

Creat Resources Holdings Ltd

GPO Box 2288
Hobart
TAS 7001

Lab Ref WM127709

Client Ref **46103**

Project *

Cost Code

Status Final

Received 11/10/10

Reported 15/11/10

Samples 175

First Sample 200045

Last Sample 200219

Pages 47

Copy

Notes



Authorised by

On behalf of:

Graeme Farrant
Laboratory Manager

The results in this analytical report pertain to the samples provided to this laboratory for preparation and/or analysis as requested by the client. This document is issued by the company subject to its General Conditions of Services (www.sgs.com/generalconditions). Attention is drawn to the limitations of liability, indemnification and justifications issues established therein.



Lab Ref WM127709
 Client Ref **46103**
 Project *
 Reported 15/11/10
 Status Final
 Page Page 2 of 47

ANALYTICAL REPORT

Scheme	WGH79	ICP90Q	ICP90Q	ICP90Q	ICP90Q	ICP90Q
Units	KG	%	%	%	%	PPM
Detection Limit	0.01	0.40	0.01	0.01	0.01	10.00
Upper Limit	0.00	0.00	25.00	25.00	70.00	100,000.00
	Wt(Dry)	SiO2	Ti	Al	Fe	Mn
200045		90.0	0.10	0.08	0.06	10
200046	3.89	50.5	0.02	0.55	10.1	1810
200047	4.64	54.2	<0.01	0.16	6.24	2351
200048	4.35	54.7	<0.01	0.10	2.15	2061
200049	5.09	18.9	0.01	0.26	39.5	4091
200050	5.02	43.9	<0.01	0.18	10.8	2379
200051	3.63	50.7	0.01	0.17	1.99	2598
200052	2.08	48.6	<0.01	0.16	2.63	3363
200053	2.25	49.8	<0.01	0.14	3.93	4279
200054	2.65	47.9	<0.01	0.18	7.24	5905
200055	2.55	48.8	<0.01	0.09	2.96	2892
200056	2.39	49.2	<0.01	0.19	2.71	2563
200057	1.41	42.7	<0.01	0.07	2.13	3619
200058	2.66	44.4	<0.01	0.06	1.63	1975
200059	2.27	45.3	<0.01	0.23	4.82	3572
200060	3.36	15.1	<0.01	0.14	41.6	3348
200061	3.05	12.9	0.02	0.15	47.9	3924
200062	3.47	6.1	<0.01	0.17	56.4	4601
200063	2.75	17.0	<0.01	0.25	42.1	4086
200064	2.47	31.4	<0.01	0.23	13.7	3493
200065	2.74	46.2	<0.01	0.20	8.36	2122
200066		53.4	0.06	2.41	12.3	778
200067	2.71	38.9	0.14	3.54	12.7	3697
200068	2.18	45.7	0.31	8.25	3.31	3150
200069	2.23	55.6	0.31	7.65	1.81	1096
200070	2.82	49.2	0.06	1.54	3.88	4140
200071	2.16	42.4	0.30	7.03	4.59	4042
200072	2.39	45.8	0.09	1.46	2.43	2388
200073	2.46	46.0	<0.01	0.12	2.84	2354
200074	2.72	29.9	0.09	2.17	22.9	4529
200075	2.60	34.6	0.15	3.51	15.0	4200
200076	2.67	12.9	0.04	0.70	28.4	3074
200077	2.94	7.9	0.01	0.17	44.6	3570
200078	2.46	1.5	<0.01	0.12	9.47	2693
200079	2.70	4.4	<0.01	0.08	22.0	3538
200080	2.83	6.5	0.01	0.13	28.6	3909
200081	2.44	18.5	0.11	2.84	13.8	5642
200082	2.04	53.2	0.29	7.64	3.41	9303

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709
 Client Ref **46103**
 Project *
 Reported 15/11/10
 Status Final
 Page Page 3 of 47

ANALYTICAL REPORT

	WGH79 KG 0.01 0.00 Wt(Dry)	ICP90Q % 0.40 0.00 SiO2	ICP90Q % 0.01 25.00 Ti	ICP90Q % 0.01 25.00 Al	ICP90Q % 0.01 70.00 Fe	ICP90Q PPM 10.00 100,000.00 Mn
200083	2.06	62.5	0.31	8.34	1.64	1222
200084	2.40	48.1	0.36	9.36	3.39	3787
200085	3.00	35.5	0.05	1.00	16.7	4553
200086	3.30	19.6	0.03	0.66	38.2	5156
200087	2.52	45.4	0.15	3.63	4.89	4341
200088	2.43	50.1	0.20	4.65	6.07	5875
200089	2.50	40.1	0.20	4.53	11.6	3581
200090	2.54	44.8	0.01	0.18	9.56	3088
200091	2.64	42.1	0.04	0.97	10.2	4590
200092	2.79	46.2	0.23	5.67	2.79	2705
200093	2.62	44.8	0.09	2.66	2.31	2497
200094	2.44	48.4	0.28	6.92	2.70	2399
200095	2.26	66.5	0.34	8.69	1.63	616
200096	1.92	59.1	0.31	8.29	2.33	554
200097	2.40	59.1	0.31	8.95	3.73	298
200098	2.23	58.1	0.34	7.95	4.27	203
200099	2.25	59.1	0.30	7.12	1.53	467
200100	1.77	58.6	0.33	8.25	1.43	750
200101	2.53	60.3	0.33	8.30	2.24	434
200102	1.95	49.1	0.29	8.11	2.57	2362
200103	2.57	28.6	0.03	0.68	26.9	2243
200104	2.91	36.4	0.11	2.46	14.8	3947
200105	3.13	14.6	0.05	1.27	45.4	3227
200106	1.61	25.0	0.04	1.15	28.8	3481
200107	0.66	42.1	0.36	6.31	4.62	3656
200108	1.69	40.8	0.30	5.34	2.78	4247
200109	2.01	31.1	0.05	1.10	16.8	3329
200110	2.69	18.1	0.04	0.37	31.0	4482
200111	2.35	23.5	0.03	0.28	24.7	3557
200112	2.58	42.3	0.03	0.73	12.4	3319
200113	2.51	44.6	<0.01	0.19	2.36	4051
200114	2.82	42.0	0.04	1.16	7.23	3058
200115	2.26	46.2	0.14	2.76	2.14	2949
200116	2.35	45.8	0.16	3.75	1.64	2399
200117	1.37	47.7	0.29	6.33	2.25	2294
200118	2.41	50.2	0.04	1.21	1.46	1812
200119	2.57	40.8	0.12	3.26	2.60	2099
200120	2.75	41.6	0.15	3.70	2.30	2316
200121	2.54	46.1	0.22	5.20	2.55	2495

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709
 Client Ref **46103**
 Project *
 Reported 15/11/10
 Status Final
 Page Page 4 of 47

ANALYTICAL REPORT

	WGH79 KG 0.01 0.00 Wt(Dry)	ICP90Q % 0.40 0.00 SiO2	ICP90Q % 0.01 25.00 Ti	ICP90Q % 0.01 25.00 Al	ICP90Q % 0.01 70.00 Fe	ICP90Q PPM 10.00 100,000.00 Mn
200122	2.19	43.1	0.23	5.12	2.52	2915
200123	2.34	49.0	0.27	6.02	1.89	2659
200124	2.24	47.5	0.24	4.99	3.20	4750
200125	2.50	28.8	0.10	2.13	17.2	3839
200126	2.63	18.4	0.02	0.40	29.4	3513
200127		26.3	0.02	0.26	38.7	2016
200128	2.53	27.1	0.04	0.82	20.3	2405
200129	2.45	41.1	0.23	3.70	4.23	2985
200130	2.43	53.1	0.19	2.85	2.99	1412
200131	2.20	46.6	0.25	3.93	4.29	1386
200132	2.49	42.9	0.26	4.29	4.45	1305
200133	2.44	43.9	0.26	3.80	3.86	1682
200134	2.42	45.4	0.27	4.03	4.70	1548
200135	2.55	43.4	0.25	4.09	4.41	1729
200136	2.36	47.9	0.27	4.08	3.40	1289
200137	2.22	46.8	0.22	3.69	5.57	1229
200138	2.10	73.3	0.29	6.37	1.68	427
200139	2.05	70.5	0.36	7.92	2.69	421
200140	2.66	73.9	0.33	7.74	2.41	286
200141	2.26	76.1	0.30	6.65	1.79	194
200142	2.17	78.1	0.29	5.96	1.37	209
200143	2.27	73.5	0.31	5.39	1.39	347
200144	2.30	69.5	0.32	6.69	1.53	343
200145	2.69	56.6	0.27	4.56	2.08	1381
200146	2.63	57.7	0.33	6.03	2.68	1518
200147	2.18	60.2	0.37	6.69	1.80	1076
200148	2.35	63.0	0.54	9.19	1.33	589
200149	2.27	60.1	0.27	5.17	1.95	1200
200150	2.48	53.6	0.21	4.45	1.77	1913
200151	2.12	77.3	0.32	6.56	1.21	890
200152	2.20	79.0	0.25	4.77	0.87	404
200153	0.30	59.6	0.28	5.94	1.47	1492
200154	2.51	54.5	0.25	5.38	2.57	2341
200155	2.45	62.5	0.20	3.67	1.44	1148
200156	2.67	57.3	0.29	5.88	1.51	1076
200157		58.0	0.06	2.43	12.4	759
200158	2.54	48.3	0.24	3.91	6.87	1385
200159	2.32	51.8	0.37	6.00	5.17	775
200160	2.25	56.1	0.42	7.32	3.33	572

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709
 Client Ref **46103**
 Project *
 Reported 15/11/10
 Status Final
 Page Page 5 of 47

ANALYTICAL REPORT

	WGH79 KG 0.01 0.00 Wt(Dry)	ICP90Q % 0.40 0.00 SiO2	ICP90Q % 0.01 25.00 Ti	ICP90Q % 0.01 25.00 Al	ICP90Q % 0.01 70.00 Fe	ICP90Q PPM 10.00 100,000.00 Mn
200161	2.31	57.2	0.41	7.16	3.20	386
200162	2.33	64.1	0.45	7.44	3.61	407
200163	2.27	64.4	0.40	6.24	3.17	663
200164	2.25	59.5	0.42	7.55	3.71	376
200165	2.37	64.7	0.43	7.61	3.69	504
200166	2.35	64.9	0.43	6.89	3.54	567
200167	2.47	56.3	0.38	6.42	8.08	709
200168	2.37	63.8	0.46	8.13	4.15	492
200169	2.27	58.5	0.35	6.29	5.05	893
200170	2.41	64.2	0.43	6.96	4.59	589
200171	2.37	68.3	0.50	7.75	3.88	360
200172	2.37	68.7	0.46	7.57	4.60	327
200173	2.32	63.6	0.46	8.25	4.85	248
200174	2.36	70.6	0.56	8.67	4.70	212
200175	2.30	53.0	0.34	6.12	4.25	1677
200176	2.49	53.1	0.35	6.40	3.06	1240
200177	2.54	56.2	0.27	4.96	2.41	1258
200178		60.2	0.06	2.39	12.5	766
200179	2.45	57.8	0.27	4.40	2.21	1622
200180	2.54	55.7	0.31	5.81	2.09	1740
200181	2.62	61.5	0.33	6.17	2.13	1443
200182	2.19	66.9	0.35	6.41	1.94	1039
200183	2.27	57.3	0.28	5.24	1.63	1273
200184	2.16	55.4	0.28	4.97	1.66	1318
200185	2.20	60.5	0.35	6.00	1.86	908
200186	2.32	58.7	0.35	6.21	1.83	1179
200187	2.62	50.9	0.32	6.39	2.39	2268
200188	2.34	52.4	0.32	6.00	2.27	1482
200189	2.24	60.1	0.37	6.29	1.71	792
200190	2.24	51.5	0.27	4.55	2.41	1589
200191	2.65	45.3	0.26	4.60	7.53	1356
200192	1.75	34.3	0.10	1.84	11.6	1633
200193	2.49	42.6	0.28	4.72	9.11	1229
200194	2.49	50.4	0.33	5.50	4.99	1744
200195	2.45	48.0	0.27	4.67	5.04	1634
200196	2.46	40.7	0.23	4.63	8.05	1567
200197	2.58	43.4	0.25	4.64	4.86	1384
200198	2.24	45.9	0.31	5.34	6.23	1541
200199		54.7	0.06	2.30	12.6	757

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709
 Client Ref **46103**
 Project *
 Reported 15/11/10
 Status Final
 Page Page 6 of 47

ANALYTICAL REPORT

	WGH79 KG 0.01 0.00 Wt(Dry)	ICP90Q % 0.40 0.00 SiO2	ICP90Q % 0.01 25.00 Ti	ICP90Q % 0.01 25.00 Al	ICP90Q % 0.01 70.00 Fe	ICP90Q PPM 10.00 100,000.00 Mn
200200	2.79	45.5	0.28	5.00	6.94	1684
200201	2.86	16.1	0.05	1.08	39.3	1657
200202	2.67	20.8	0.11	1.95	27.8	1826
200203	2.53	40.7	0.16	3.38	8.38	2700
200204	2.51	45.0	0.23	4.01	8.10	1264
200205	2.46	44.8	0.34	5.80	6.21	906
200206	2.46	46.6	0.28	5.59	6.41	1109
200207	2.55	50.3	0.37	7.07	5.43	631
200208	2.01	54.1	0.48	8.56	4.17	275
200209	2.23	58.3	0.42	7.51	3.78	462
200210	2.42	56.8	0.33	6.73	4.05	554
200211	2.30	51.7	0.35	7.47	4.69	578
200212	2.42	41.1	0.31	4.72	13.9	945
200213	2.02	47.0	0.31	5.53	6.77	829
200214	1.35	46.5	0.31	5.61	3.78	1201
200215	0.56	30.3	0.18	3.44	3.42	2260
200216	1.15	43.9	0.30	4.89	4.14	1733
200217	1.06	51.9	0.43	7.41	2.80	558
200218	0.83	43.5	0.29	5.54	4.56	1249
200219		86.9	0.09	0.11	0.04	<10
D - 200053		53.6	<0.01	0.15	3.96	4197
D - 200100		60.8	0.30	7.58	1.36	722
D - 200147		54.7	0.37	6.22	1.88	1107
D - 200194		45.5	0.28	5.49	4.87	1760

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709
 Client Ref **46103**
 Project *
 Reported 15/11/10
 Status Final
 Page Page 7 of 47

ANALYTICAL REPORT

Scheme	ICP90Q	ICP90Q	ICP90Q	ICP90Q	ICP90Q	ICP90Q
Units	%	%	PPM	PPM	PPM	PPM
Detection Limit	0.02	0.20	20.00	20.00	10.00	30.00
Upper Limit	30.00	40.00	100,000.00	100,000.00	100,000.00	50,000.00
	Mg	Ca	B	Cr	Ni	As
200045	<0.02	<0.2	21	45	23	<30
200046	12.8	8.1	146	<20	12	750
200047	11.9	13.0	35	<20	<10	534
200048	11.8	17.8	27	<20	12	<30
200049	11.0	0.5	282	<20	14	76
200050	11.0	11.6	92	21	16	31
200051	9.99	15.7	<20	<20	<10	<30
200052	10.3	16.8	<20	<20	<10	<30
200053	10.5	16.8	<20	<20	<10	<30
200054	8.21	15.6	22	<20	<10	<30
200055	9.15	14.8	27	<20	<10	80
200056	10.3	15.7	42	<20	<10	83
200057	7.97	19.1	<20	<20	<10	111
200058	10.9	16.4	<20	<20	<10	<30
200059	13.5	11.5	154	<20	17	43
200060	7.03	2.2	143	<20	<10	<30
200061	7.68	0.4	194	<20	<10	<30
200062	4.14	<0.2	74	<20	<10	<30
200063	9.23	1.7	207	<20	<10	<30
200064	15.5	4.2	318	<20	<10	59
200065	11.0	13.6	56	30	13	<30
200066	1.41	0.3	55	39	24	61
200067	7.46	11.3	67	43	18	165
200068	3.19	9.3	157	73	26	<30
200069	1.46	4.1	42	85	64	60
200070	8.76	16.4	24	20	14	<30
200071	4.71	11.2	83	97	26	<30
200072	8.88	14.4	34	23	13	<30
200073	13.8	12.4	167	<20	10	<30
200074	10.5	4.5	250	34	22	60
200075	8.69	8.0	188	42	20	61
200076	8.99	5.9	309	<20	<10	93
200077	6.21	0.4	216	<20	<10	<30
200078	11.1	18.2	973	<20	<10	<30
200079	9.78	12.2	1570	<20	<10	<30
200080	9.28	9.7	748	<20	13	<30
200081	10.1	11.1	94	56	14	408
200082	4.71	1.6	1532	81	30	55

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709
 Client Ref **46103**
 Project *
 Reported 15/11/10
 Status Final
 Page Page 8 of 47

ANALYTICAL REPORT

	ICP90Q % 0.02 30.00 Mg	ICP90Q % 0.20 40.00 Ca	ICP90Q PPM 20.00 100,000.00 B	ICP90Q PPM 20.00 100,000.00 Cr	ICP90Q PPM 10.00 100,000.00 Ni	ICP90Q PPM 30.00 50,000.00 As
200083	1.47	1.7	105	128	178	90
200084	3.30	8.7	151	133	53	<30
200085	13.7	4.2	354	<20	<10	<30
200086	10.5	1.4	266	<20	<10	<30
200087	10.2	11.2	160	34	34	<30
200088	5.38	14.9	37	46	27	<30
200089	10.1	7.3	281	52	47	46
200090	13.0	10.1	152	<20	<10	<30
200091	16.6	7.3	274	<20	16	96
200092	8.70	13.6	110	56	27	<30
200093	9.72	17.2	40	43	60	<30
200094	4.68	13.0	65	86	45	54
200095	1.87	4.5	94	91	58	54
200096	1.51	1.7	197	75	36	37
200097	1.30	0.4	276	79	33	43
200098	1.13	0.4	283	109	69	67
200099	1.50	2.7	51	76	53	39
200100	2.42	4.0	87	107	59	79
200101	1.26	1.8	274	107	54	80
200102	2.61	5.4	95	90	42	38
200103	12.0	4.2	187	20	36	92
200104	11.9	8.7	99	27	17	258
200105	7.17	1.6	169	<20	<10	<30
200106	13.2	2.4	425	<20	<10	38
200107	8.13	12.7	2618	69	22	<30
200108	7.65	14.4	461	68	76	<30
200109	19.8	2.2	930	<20	<10	36
200110	15.0	0.2	6959	<20	<10	<30
200111	17.0	<0.2	5918	<20	<10	<30
200112	14.8	9.3	412	31	62	118
200113	14.3	12.4	229	<20	14	<30
200114	15.6	8.5	247	<20	86	36
200115	11.1	15.6	260	38	45	<30
200116	8.29	11.4	68	32	46	<30
200117	6.25	7.6	138	59	73	<30
200118	13.4	17.1	28	<20	65	<30
200119	10.8	11.8	39	42	111	38
200120	8.92	13.2	62	42	45	<30
200121	8.28	16.6	362	52	67	<30

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709
 Client Ref **46103**
 Project *
 Reported 15/11/10
 Status Final
 Page Page 9 of 47

ANALYTICAL REPORT

	ICP90Q % 0.02 30.00 Mg	ICP90Q % 0.20 40.00 Ca	ICP90Q PPM 20.00 100,000.00 B	ICP90Q PPM 20.00 100,000.00 Cr	ICP90Q PPM 10.00 100,000.00 Ni	ICP90Q PPM 30.00 50,000.00 As
200122	5.53	11.4	67	44	89	<30
200123	4.65	8.7	44	68	68	<30
200124	5.34	11.0	64	44	33	107
200125	13.5	4.3	234	<20	62	72
200126	13.5	0.2	364	<20	84	46
200127	6.73	0.5	<20	30	74	<30
200128	16.2	0.9	488	<20	22	<30
200129	12.7	7.9	109	41	53	<30
200130	7.70	7.5	68	45	59	<30
200131	12.9	6.3	73	27	29	<30
200132	12.8	5.3	173	45	197	<30
200133	12.2	7.6	52	38	89	<30
200134	12.0	6.6	70	34	39	<30
200135	11.9	6.4	210	32	50	160
200136	11.1	6.0	344	27	43	<30
200137	14.0	5.2	161	27	19	<30
200138	3.00	2.4	208	52	24	49
200139	2.26	0.9	185	55	26	<30
200140	1.80	0.6	172	55	24	<30
200141	1.57	0.7	216	53	39	<30
200142	1.59	1.4	215	43	17	<30
200143	2.15	1.4	191	47	19	38
200144	2.55	2.0	463	77	45	48
200145	7.38	10.1	133	47	39	<30
200146	7.75	11.8	439	58	39	<30
200147	6.92	7.4	279	71	36	<30
200148	3.00	3.4	983	111	28	<30
200149	6.33	9.7	191	61	33	<30
200150	7.96	14.7	1177	46	42	<30
200151	2.40	3.3	448	54	47	<30
200152	1.72	2.1	194	38	17	<30
200153	4.94	8.5	65	70	29	<30
200154	6.47	15.3	298	44	46	<30
200155	7.72	12.9	958	35	27	<30
200156	6.47	11.4	100	54	38	<30
200157	1.52	0.3	<20	28	25	53
200158	11.1	10.4	859	40	172	<30
200159	6.29	5.2	278	57	136	<30
200160	4.49	3.7	252	73	126	<30

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709
 Client Ref **46103**
 Project *
 Reported 15/11/10
 Status Final
 Page Page 10 of 47

ANALYTICAL REPORT

	ICP90Q % 0.02 30.00 Mg	ICP90Q % 0.20 40.00 Ca	ICP90Q PPM 20.00 100,000.00 B	ICP90Q PPM 20.00 100,000.00 Cr	ICP90Q PPM 10.00 100,000.00 Ni	ICP90Q PPM 30.00 50,000.00 As
200161	4.31	3.1	343	69	49	<30
200162	4.13	3.3	350	85	57	<30
200163	3.96	4.1	255	66	37	<30
200164	4.30	3.2	319	68	39	<30
200165	4.30	3.6	255	78	41	<30
200166	4.39	4.0	182	72	49	<30
200167	4.44	3.7	792	84	58	<30
200168	3.13	2.1	1168	99	67	<30
200169	4.78	4.8	315	73	63	37
200170	3.82	3.8	479	77	50	<30
200171	3.20	1.8	458	89	62	<30
200172	3.39	1.2	1204	77	40	<30
200173	3.03	0.9	1295	85	52	<30
200174	3.01	0.7	1146	99	54	<30
200175	6.51	5.6	770	67	201	111
200176	7.03	7.8	136	64	137	<30
200177	6.43	10.0	124	42	159	<30
200178	1.45	0.3	<20	26	24	63
200179	6.36	13.1	42	45	272	<30
200180	6.28	14.0	141	54	246	<30
200181	5.51	8.7	63	60	283	<30
200182	5.40	5.1	55	66	167	<30
200183	5.26	7.9	<20	47	156	<30
200184	4.87	8.2	22	46	139	<30
200185	5.09	5.9	109	64	115	<30
200186	4.83	6.5	66	61	108	<30
200187	7.06	11.9	83	54	173	<30
200188	7.39	8.6	130	65	206	<30
200189	5.54	5.1	68	67	82	<30
200190	8.73	13.9	114	39	77	<30
200191	9.05	13.4	283	37	140	<30
200192	16.8	5.0	205	<20	83	118
200193	9.50	9.0	802	48	150	<30
200194	5.36	13.2	126	53	328	115
200195	6.60	11.6	109	44	78	<30
200196	6.77	12.8	241	37	65	52
200197	7.52	14.0	889	51	35	<30
200198	7.13	13.9	398	53	39	<30
200199	1.53	0.3	22	23	22	68

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.

Lab Ref WM127709
 Client Ref **46103**
 Project *
 Reported 15/11/10
 Status Final
 Page Page 11 of 47

ANALYTICAL REPORT

	ICP90Q % 0.02 30.00 Mg	ICP90Q % 0.20 40.00 Ca	ICP90Q PPM 20.00 100,000.00 B	ICP90Q PPM 20.00 100,000.00 Cr	ICP90Q PPM 10.00 100,000.00 Ni	ICP90Q PPM 30.00 50,000.00 As
200200	8.55	12.4	1631	49	40	<30
200201	11.0	0.6	296	<20	83	47
200202	12.1	2.6	308	<20	90	69
200203	15.1	7.4	651	30	40	70
200204	11.4	10.3	3408	44	66	53
200205	7.35	7.0	2551	62	54	<30
200206	7.99	9.3	4419	59	50	34
200207	5.24	4.9	1634	78	69	<30
200208	3.31	1.5	1180	88	44	<30
200209	5.21	3.3	788	82	45	<30
200210	4.95	4.3	1137	62	35	90
200211	4.91	4.5	1526	71	39	<30
200212	8.61	6.7	5407	64	74	95
200213	7.56	5.3	1551	62	62	<30
200214	10.6	7.3	2483	48	43	<30
200215	14.1	14.6	277	29	25	99
200216	13.3	7.0	535	57	53	<30
200217	6.03	1.8	1101	80	37	<30
200218	12.9	3.8	438	49	34	<30
200219	0.05	<0.2	<20	<20	<10	<30
D - 200053	10.9	17.4	<20	<20	<10	<30
D - 200100	2.47	4.0	82	96	56	49
D - 200147	6.56	7.6	289	65	30	<30
D - 200194	5.58	12.7	127	52	328	115

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.

Lab Ref WM127709
 Client Ref **46103**
 Project *
 Reported 15/11/10
 Status Final
 Page Page 12 of 47

ANALYTICAL REPORT

Scheme	ICP90Q PPM 10.00 10,000.00 Ba	ICP90Q PPM 5.00 2,500.00 Be	ICP90Q PPM 10.00 50,000.00 Cd	ICP90Q PPM 10.00 20,000.00 Ce	ICP90Q PPM 10.00 100,000.00 Co	ICP90Q PPM 10.00 100,000.00 Cu
Units	Detection Limit	Detection Limit	Detection Limit	Detection Limit	Detection Limit	Detection Limit
Upper Limit	Upper Limit	Upper Limit	Upper Limit	Upper Limit	Upper Limit	Upper Limit
200045	25	<5	<10	<10	<10	<10
200046	18	<5	<10	34	39	31
200047	14	<5	<10	<10	<10	45
200048	14	<5	<10	<10	<10	<10
200049	13	<5	<10	<10	17	<10
200050	18	<5	<10	<10	<10	<10
200051	23	<5	<10	<10	<10	<10
200052	13	<5	<10	<10	<10	70
200053	37	<5	<10	87	<10	16
200054	19	<5	<10	54	13	<10
200055	24	<5	<10	18	<10	<10
200056	13	<5	<10	27	<10	11
200057	15	<5	<10	16	<10	<10
200058	16	<5	<10	<10	<10	<10
200059	29	<5	<10	<10	<10	<10
200060	23	<5	<10	<10	<10	<10
200061	16	<5	<10	<10	15	<10
200062	10	<5	<10	<10	12	<10
200063	<10	<5	<10	<10	12	<10
200064	<10	<5	<10	<10	<10	<10
200065	<10	<5	<10	82	<10	<10
200066	69	<5	57	323	76	2.33%
200067	83	6	<10	42	<10	10
200068	207	<5	<10	182	13	<10
200069	178	<5	<10	65	19	23
200070	72	<5	<10	18	<10	<10
200071	309	7	<10	776	<10	<10
200072	81	<5	<10	60	15	25
200073	13	<5	<10	<10	<10	<10
200074	92	<5	<10	84	12	<10
200075	100	<5	<10	68	<10	<10
200076	<10	<5	<10	<10	12	<10
200077	<10	<5	<10	<10	12	<10
200078	<10	<5	<10	<10	<10	<10
200079	<10	<5	<10	<10	<10	<10
200080	<10	<5	<10	<10	12	<10
200081	<10	<5	<10	20	<10	17
200082	520	<5	<10	81	18	39

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received

Results are not intended for commercial settlement purposes.

Lab Ref WM127709
 Client Ref **46103**
 Project *
 Reported 15/11/10
 Status Final
 Page Page 13 of 47

ANALYTICAL REPORT

	ICP90Q PPM 10.00 10,000.00 Ba	ICP90Q PPM 5.00 2,500.00 Be	ICP90Q PPM 10.00 50,000.00 Cd	ICP90Q PPM 10.00 20,000.00 Ce	ICP90Q PPM 10.00 100,000.00 Co	ICP90Q PPM 10.00 100,000.00 Cu
200083	2333	<5	<10	98	29	27
200084	245	<5	<10	88	<10	<10
200085	64	<5	<10	10	15	22
200086	22	<5	<10	<10	14	<10
200087	81	<5	<10	58	12	<10
200088	249	<5	<10	40	<10	<10
200089	1029	<5	<10	105	<10	<10
200090	24	<5	<10	<10	<10	<10
200091	21	<5	<10	<10	11	17
200092	277	<5	<10	28	<10	<10
200093	15	<5	<10	24	<10	<10
200094	204	<5	<10	43	11	<10
200095	1635	<5	<10	74	18	31
200096	1541	<5	<10	78	12	30
200097	510	<5	<10	86	19	40
200098	984	<5	<10	131	34	74
200099	3706	<5	<10	75	20	38
200100	6401	<5	<10	52	16	27
200101	2992	<5	<10	65	22	68
200102	1452	<5	<10	132	11	18
200103	61	<5	<10	<10	46	417
200104	20	<5	<10	27	<10	14
200105	21	<5	<10	<10	<10	21
200106	11	<5	<10	<10	<10	22
200107	559	<5	<10	30	<10	<10
200108	187	<5	<10	44	<10	<10
200109	31	<5	<10	13	<10	<10
200110	<10	<5	<10	<10	<10	<10
200111	<10	<5	<10	<10	<10	<10
200112	14	<5	<10	<10	<10	<10
200113	<10	<5	<10	<10	<10	17
200114	39	<5	<10	<10	16	112
200115	174	<5	<10	<10	<10	<10
200116	131	<5	<10	18	<10	<10
200117	237	<5	<10	41	<10	<10
200118	24	<5	<10	<10	<10	<10
200119	188	<5	<10	50	13	48
200120	196	<5	<10	40	<10	<10
200121	202	<5	<10	26	<10	<10

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.

Lab Ref WM127709
 Client Ref **46103**
 Project *
 Reported 15/11/10
 Status Final
 Page Page 14 of 47

ANALYTICAL REPORT

	ICP90Q PPM 10.00 10,000.00 Ba	ICP90Q PPM 5.00 2,500.00 Be	ICP90Q PPM 10.00 50,000.00 Cd	ICP90Q PPM 10.00 20,000.00 Ce	ICP90Q PPM 10.00 100,000.00 Co	ICP90Q PPM 10.00 100,000.00 Cu
200122	522	<5	<10	25	<10	<10
200123	312	<5	<10	20	<10	<10
200124	204	<5	<10	61	<10	16
200125	146	<5	11	38	13	62
200126	<10	<5	15	<10	29	214
200127	20	<5	<10	<10	<10	<10
200128	22	<5	<10	<10	20	111
200129	381	<5	<10	18	<10	34
200130	509	<5	<10	22	<10	<10
200131	701	<5	<10	47	<10	<10
200132	754	<5	<10	57	<10	<10
200133	888	<5	<10	35	<10	<10
200134	599	<5	<10	37	10	<10
200135	449	<5	<10	35	<10	<10
200136	336	<5	<10	35	<10	<10
200137	386	<5	<10	55	11	26
200138	1233	<5	<10	77	<10	11
200139	662	<5	<10	82	<10	<10
200140	778	<5	<10	83	<10	17
200141	922	<5	<10	81	<10	29
200142	826	<5	<10	73	<10	12
200143	1319	<5	<10	62	<10	<10
200144	3810	<5	<10	87	10	25
200145	3097	<5	<10	53	<10	<10
200146	586	<5	<10	66	<10	<10
200147	766	<5	<10	64	<10	<10
200148	978	<5	<10	85	<10	<10
200149	1123	<5	<10	46	<10	<10
200150	572	<5	<10	15	<10	<10
200151	1289	<5	<10	61	<10	<10
200152	1403	<5	<10	53	<10	<10
200153	1422	<5	<10	27	<10	<10
200154	372	<5	<10	11	<10	<10
200155	738	<5	<10	35	<10	<10
200156	618	<5	<10	34	<10	<10
200157	71	<5	60	26	71	2.31%
200158	384	<5	<10	34	41	594
200159	4297	<5	<10	67	28	438
200160	9309	<5	<10	69	19	120

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709
 Client Ref **46103**
 Project *
 Reported 15/11/10
 Status Final
 Page Page 15 of 47

ANALYTICAL REPORT

	ICP90Q PPM 10.00 10,000.00 Ba	ICP90Q PPM 5.00 2,500.00 Be	ICP90Q PPM 10.00 50,000.00 Cd	ICP90Q PPM 10.00 20,000.00 Ce	ICP90Q PPM 10.00 100,000.00 Co	ICP90Q PPM 10.00 100,000.00 Cu
200161	4716	<5	<10	82	23	176
200162	7018	<5	<10	84	23	157
200163	9027	<5	<10	90	13	109
200164	3542	<5	<10	79	21	89
200165	4483	<5	<10	86	14	33
200166	4829	<5	<10	82	14	97
200167	3828	<5	<10	75	21	211
200168	3986	<5	<10	82	26	297
200169	5278	<5	<10	93	15	550
200170	3888	<5	<10	73	13	181
200171	2354	<5	<10	80	12	95
200172	1659	<5	<10	87	19	74
200173	1316	<5	<10	96	21	118
200174	1211	<5	<10	101	21	102
200175	1035	<5	<10	65	31	1286
200176	1901	<5	<10	77	10	28
200177	3657	<5	<10	39	<10	57
200178	75	<5	57	27	72	2.38%
200179	358	<5	<10	43	<10	<10
200180	382	<5	<10	37	<10	<10
200181	937	<5	<10	43	<10	<10
200182	7046	<5	<10	26	<10	20
200183	860	<5	<10	15	<10	<10
200184	2811	<5	<10	15	<10	<10
200185	5514	<5	<10	39	12	<10
200186	4582	<5	<10	44	11	<10
200187	279	<5	<10	<10	10	<10
200188	1382	<5	<10	20	<10	<10
200189	6845	<5	<10	30	12	<10
200190	857	<5	<10	13	<10	<10
200191	204	<5	<10	<10	17	25
200192	1106	<5	<10	<10	36	140
200193	681	<5	<10	56	98	146
200194	849	<5	<10	55	49	97
200195	1821	<5	<10	100	42	<10
200196	531	<5	<10	86	77	77
200197	244	<5	<10	35	37	24
200198	890	<5	<10	65	41	24
200199	78	<5	60	20	77	2.26%

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.

Lab Ref WM127709
 Client Ref **46103**
 Project *
 Reported 15/11/10
 Status Final
 Page Page 16 of 47

ANALYTICAL REPORT

	ICP90Q PPM 10.00 10,000.00 Ba	ICP90Q PPM 5.00 2,500.00 Be	ICP90Q PPM 10.00 50,000.00 Cd	ICP90Q PPM 10.00 20,000.00 Ce	ICP90Q PPM 10.00 100,000.00 Co	ICP90Q PPM 10.00 100,000.00 Cu
200200	364	<5	<10	133	40	87
200201	82	<5	<10	<10	41	210
200202	115	<5	<10	20	31	177
200203	411	<5	<10	39	16	114
200204	148	<5	<10	45	36	78
200205	1993	<5	<10	171	39	23
200206	2083	<5	<10	77	23	12
200207	3065	<5	<10	74	35	12
200208	2151	<5	<10	80	32	11
200209	4177	<5	<10	159	27	<10
200210	5039	<5	<10	54	28	<10
200211	6862	<5	<10	164	26	<10
200212	642	<5	<10	37	91	<10
200213	3943	<5	<10	114	43	<10
200214	1943	<5	<10	29	16	<10
200215	553	<5	<10	32	14	<10
200216	3116	<5	<10	195	20	13
200217	>10000	<5	<10	74	24	<10
200218	3911	<5	<10	55	21	<10
200219	24	<5	<10	<10	<10	<10
D - 200053	30	<5	<10	76	<10	<10
D - 200100	6269	<5	<10	54	16	21
D - 200147	767	<5	<10	57	<10	<10
D - 200194	848	<5	<10	45	47	91

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709
 Client Ref **46103**
 Project *
 Reported 15/11/10
 Status Final
 Page Page 17 of 47

ANALYTICAL REPORT

Scheme	ICP90Q	ICP90Q	ICP90Q	ICP90Q	ICP90Q	ICP90Q
Units	%	PPM	PPM	PPM	PPM	%
Detection Limit	0.10	10.00	10.00	10.00	20.00	0.01
Upper Limit	25.00	20,000.00	100,000.00	100,000.00	20,000.00	10.00
	K	La	Li	Mo	Pb	S
200045	<0.1	<10	<10	<10	<20	<0.01
200046	0.1	12	12	<10	<20	0.05
200047	<0.1	<10	<10	<10	<20	0.05
200048	<0.1	<10	<10	<10	<20	0.02
200049	0.1	<10	13	<10	<20	0.02
200050	<0.1	<10	11	<10	<20	<0.01
200051	<0.1	<10	10	<10	80	0.02
200052	<0.1	<10	<10	<10	27	0.02
200053	<0.1	45	<10	<10	33	0.44
200054	<0.1	21	13	<10	<20	0.29
200055	<0.1	<10	<10	<10	<20	0.02
200056	<0.1	11	<10	<10	<20	0.05
200057	<0.1	<10	11	<10	<20	0.11
200058	<0.1	<10	10	12	<20	<0.01
200059	0.2	<10	<10	<10	<20	0.03
200060	<0.1	<10	<10	<10	24	<0.01
200061	<0.1	<10	<10	<10	<20	<0.01
200062	<0.1	<10	<10	<10	<20	<0.01
200063	<0.1	<10	<10	<10	<20	0.01
200064	0.1	<10	<10	<10	26	0.04
200065	0.1	28	<10	<10	<20	<0.01
200066	0.6	133	15	<10	>20000	8.33
200067	0.6	21	33	29	30	0.07
200068	0.9	86	32	<10	<20	0.02
200069	0.6	27	16	22	22	0.10
200070	0.3	<10	25	<10	<20	<0.01
200071	1.5	414	49	<10	<20	<0.01
200072	0.4	30	22	<10	64	0.22
200073	<0.1	<10	14	<10	223	0.01
200074	0.4	42	61	<10	24	0.06
200075	0.6	35	68	<10	<20	0.01
200076	<0.1	<10	<10	<10	<20	0.11
200077	<0.1	<10	<10	<10	<20	<0.01
200078	<0.1	<10	<10	<10	<20	0.10
200079	<0.1	<10	<10	<10	<20	0.02
200080	<0.1	<10	<10	<10	<20	0.08
200081	<0.1	<10	111	<10	104	0.51
200082	3.3	34	120	13	62	0.32

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.

Lab Ref WM127709
 Client Ref **46103**
 Project *
 Reported 15/11/10
 Status Final
 Page Page 18 of 47

ANALYTICAL REPORT

	ICP90Q % 0.10 25.00 K	ICP90Q PPM 10.00 20,000.00 La	ICP90Q PPM 10.00 100,000.00 Li	ICP90Q PPM 10.00 100,000.00 Mo	ICP90Q PPM 20.00 20,000.00 Pb	ICP90Q % 0.01 10.00 S
200083	5.3	40	47	20	332	0.05
200084	1.3	40	83	<10	61	<0.01
200085	0.3	<10	<10	<10	<20	0.30
200086	0.1	<10	14	<10	<20	0.11
200087	0.4	24	20	<10	<20	0.02
200088	0.9	19	27	<10	56	<0.01
200089	0.9	50	27	15	26	0.04
200090	<0.1	<10	<10	<10	<20	0.01
200091	0.1	<10	29	<10	26	0.19
200092	1.1	18	79	<10	26	0.02
200093	<0.1	10	32	12	20	0.03
200094	1.0	21	24	<10	<20	0.02
200095	2.0	39	29	17	47	0.11
200096	4.3	42	47	11	57	0.66
200097	4.6	46	50	<10	<20	1.44
200098	4.7	63	42	19	<20	1.80
200099	3.2	40	22	16	46	0.17
200100	5.5	27	25	14	64	0.05
200101	4.7	34	33	13	43	0.61
200102	3.0	78	48	25	22	0.03
200103	0.2	<10	27	<10	<20	3.86
200104	<0.1	15	49	<10	24	0.21
200105	0.1	<10	21	<10	<20	0.06
200106	<0.1	<10	39	<10	<20	0.11
200107	1.2	16	66	<10	<20	0.09
200108	0.7	25	57	<10	<20	0.01
200109	0.2	<10	11	<10	<20	0.03
200110	<0.1	<10	<10	<10	<20	0.05
200111	<0.1	<10	<10	<10	<20	0.03
200112	0.1	<10	10	<10	38	0.11
200113	0.1	<10	<10	<10	<20	0.16
200114	0.5	<10	32	<10	<20	0.88
200115	0.6	<10	55	<10	22	0.02
200116	0.7	11	37	<10	<20	0.02
200117	1.1	20	61	<10	29	0.01
200118	0.1	<10	38	<10	<20	0.01
200119	0.6	32	67	<10	<20	0.13
200120	0.7	24	45	<10	<20	0.01
200121	0.7	15	40	<10	28	0.01

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709
 Client Ref **46103**
 Project *
 Reported 15/11/10
 Status Final
 Page Page 19 of 47

ANALYTICAL REPORT

	ICP90Q % 0.10 25.00 K	ICP90Q PPM 10.00 20,000.00 La	ICP90Q PPM 10.00 100,000.00 Li	ICP90Q PPM 10.00 100,000.00 Mo	ICP90Q PPM 20.00 20,000.00 Pb	ICP90Q % 0.01 10.00 S
200122	1.8	11	23	<10	<20	<0.01
200123	1.5	<10	21	<10	<20	0.02
200124	0.9	30	28	<10	25	0.02
200125	0.4	16	19	<10	<20	0.57
200126	<0.1	<10	<10	15	<20	2.33
200127	<0.1	<10	<10	<10	<20	0.04
200128	0.1	<10	<10	<10	<20	1.04
200129	0.9	<10	42	<10	<20	0.14
200130	0.9	10	19	14	<20	0.02
200131	2.0	24	47	<10	<20	0.02
200132	1.9	31	38	<10	22	0.02
200133	2.0	18	30	<10	<20	0.02
200134	1.3	20	55	<10	<20	0.06
200135	1.2	17	69	<10	23	0.03
200136	1.1	17	69	<10	<20	0.01
200137	1.3	25	33	<10	<20	0.42
200138	2.6	36	30	12	<20	0.09
200139	3.2	37	55	<10	<20	0.04
200140	3.3	38	43	<10	<20	0.10
200141	3.1	37	31	<10	<20	0.24
200142	2.7	32	29	<10	30	0.13
200143	2.3	29	20	19	<20	0.04
200144	2.9	41	18	<10	<20	0.20
200145	1.8	22	<10	10	88	0.02
200146	1.1	29	<10	<10	40	0.02
200147	1.2	27	34	<10	44	0.05
200148	1.3	41	<10	<10	33	0.04
200149	1.5	21	<10	<10	23	0.01
200150	1.2	<10	13	<10	<20	0.01
200151	2.6	29	18	<10	30	0.02
200152	2.1	23	<10	<10	24	0.02
200153	2.5	<10	<10	<10	37	0.03
200154	1.0	<10	<10	<10	24	0.05
200155	1.4	15	<10	<10	<20	0.03
200156	1.3	15	13	<10	51	<0.01
200157	0.6	14	<10	<10	>20000	8.17
200158	1.4	16	48	<10	68	2.82
200159	3.5	30	22	<10	<20	1.82
200160	3.6	33	22	<10	21	0.21

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709
 Client Ref **46103**
 Project *
 Reported 15/11/10
 Status Final
 Page Page 20 of 47

ANALYTICAL REPORT

	ICP90Q % 0.10 25.00 K	ICP90Q PPM 10.00 20,000.00 La	ICP90Q PPM 10.00 100,000.00 Li	ICP90Q PPM 10.00 100,000.00 Mo	ICP90Q PPM 20.00 20,000.00 Pb	ICP90Q % 0.01 10.00 S
200161	2.9	38	26	<10	<20	0.38
200162	3.5	41	31	<10	<20	0.45
200163	3.4	43	14	<10	<20	0.13
200164	3.2	36	26	<10	<20	0.65
200165	3.7	40	24	<10	<20	0.14
200166	3.6	38	23	<10	<20	0.15
200167	3.1	38	24	<10	<20	0.75
200168	4.5	41	31	<10	21	0.93
200169	3.6	43	<10	10	34	0.38
200170	3.5	32	21	<10	23	0.46
200171	3.8	38	38	<10	<20	0.34
200172	4.1	42	46	<10	<20	0.54
200173	4.7	47	45	<10	<20	1.33
200174	5.1	50	56	<10	<20	1.20
200175	2.7	31	35	21	1446	0.87
200176	1.6	32	19	<10	60	0.06
200177	2.0	16	14	<10	36	0.13
200178	0.7	15	<10	<10	>20000	8.55
200179	0.6	19	<10	<10	<20	0.03
200180	0.9	12	14	<10	<20	0.03
200181	1.5	12	<10	<10	28	0.06
200182	4.6	11	<10	<10	46	0.03
200183	1.1	<10	15	<10	37	0.02
200184	3.5	<10	19	<10	21	0.05
200185	4.6	18	<10	<10	<20	0.10
200186	3.5	19	<10	<10	25	0.07
200187	0.5	<10	19	<10	55	0.03
200188	1.5	<10	14	<10	<20	0.04
200189	4.1	15	<10	<10	<20	0.05
200190	1.3	<10	42	<10	<20	0.04
200191	0.7	<10	39	<10	<20	0.41
200192	0.6	<10	<10	<10	<20	5.12
200193	2.1	32	29	<10	65	6.00
200194	2.3	25	20	<10	194	2.22
200195	2.2	52	23	<10	58	2.67
200196	0.9	41	29	<10	<20	5.75
200197	0.7	15	25	<10	<20	2.66
200198	1.0	34	26	<10	<20	3.48
200199	0.5	14	14	<10	>20000	8.85

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.

Lab Ref WM127709
 Client Ref **46103**
 Project *
 Reported 15/11/10
 Status Final
 Page Page 21 of 47

ANALYTICAL REPORT

	ICP90Q % 0.10 25.00 K	ICP90Q PPM 10.00 20,000.00 La	ICP90Q PPM 10.00 100,000.00 Li	ICP90Q PPM 10.00 100,000.00 Mo	ICP90Q PPM 20.00 20,000.00 Pb	ICP90Q % 0.01 10.00 S
200200	0.8	73	38	<10	54	3.53
200201	0.1	<10	<10	<10	24	8.74
200202	0.1	13	<10	<10	<20	9.36
200203	0.8	24	29	<10	<20	4.09
200204	1.0	28	41	<10	<20	4.12
200205	2.8	91	36	<10	<20	3.57
200206	2.0	30	24	<10	<20	3.67
200207	3.5	41	35	<10	<20	3.37
200208	4.5	42	43	<10	<20	2.28
200209	4.4	78	39	<10	<20	1.67
200210	4.1	27	16	<10	<20	2.45
200211	5.2	91	<10	<10	<20	3.27
200212	0.5	19	13	<10	<20	>10
200213	2.5	62	18	<10	<20	4.42
200214	1.7	16	18	<10	<20	1.18
200215	0.6	20	16	<10	<20	1.50
200216	1.3	129	35	<10	<20	1.74
200217	3.5	39	43	<10	<20	1.13
200218	1.5	34	68	<10	<20	1.79
200219	<0.1	<10	<10	<10	<20	0.03
D - 200053	<0.1	43	<10	<10	22	0.49
D - 200100	4.9	26	21	13	59	0.05
D - 200147	1.2	29	40	<10	33	0.05
D - 200194	2.1	23	18	<10	196	2.09

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709
 Client Ref **46103**
 Project *
 Reported 15/11/10
 Status Final
 Page Page 22 of 47

ANALYTICAL REPORT

Scheme	ICP90Q PPM 50.00 10,000.00 Sb	ICP90Q PPM 10.00 20,000.00 Sr	ICP90Q PPM 10.00 50,000.00 V	ICP90Q PPM 5.00 50,000.00 Y	ICP90Q PPM 25.00 100,000.00 Zn	XRF78S % 0.01 100.00 SiO2
Units	Detection Limit	Upper Limit				
200045	<50	<10	<10	13	<25	99.1
200046	<50	<10	10	13	113	48.2
200047	<50	14	<10	7	89	52.1
200048	<50	18	<10	6	74	54.2
200049	<50	<10	19	<5	358	19.1
200050	<50	16	<10	<5	118	45.7
200051	<50	27	<10	5	306	55.3
200052	<50	14	<10	<5	102	53.5
200053	<50	21	<10	7	329	52.6
200054	<50	23	<10	10	204	51.3
200055	<50	15	<10	13	106	53.4
200056	<50	11	<10	14	60	52.8
200057	<50	22	<10	11	109	46.7
200058	<50	15	<10	7	26	54.3
200059	<50	14	<10	6	78	48.7
200060	<50	<10	14	<5	185	16.0
200061	<50	<10	29	<5	207	12.1
200062	<50	<10	22	<5	258	5.93
200063	<50	<10	32	<5	292	18.0
200064	<50	<10	11	<5	146	35.4
200065	<50	<10	14	22	116	47.2
200066	<50	14	22	19	1.52%	54.0
200067	<50	55	124	17	395	40.5
200068	<50	227	187	31	85	50.3
200069	<50	343	213	34	106	62.9
200070	<50	42	85	8	104	50.7
200071	<50	184	279	43	145	46.1
200072	<50	36	287	12	76	50.7
200073	<50	<10	<10	<5	86	50.1
200074	<50	52	96	9	283	30.6
200075	<50	69	171	20	240	36.0
200076	<50	39	19	<5	796	13.4
200077	<50	<10	16	<5	316	8.50
200078	<50	92	<10	<5	748	1.28
200079	<50	37	20	<5	283	4.02
200080	<50	31	52	<5	429	5.96
200081	<50	46	97	9	1047	18.4
200082	<50	93	221	30	187	55.8

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709
 Client Ref **46103**
 Project *
 Reported 15/11/10
 Status Final
 Page Page 23 of 47

ANALYTICAL REPORT

	ICP90Q PPM 50.00 10,000.00 Sb	ICP90Q PPM 10.00 20,000.00 Sr	ICP90Q PPM 10.00 50,000.00 V	ICP90Q PPM 5.00 50,000.00 Y	ICP90Q PPM 25.00 100,000.00 Zn	XRF78S % 0.01 100.00 SiO2
200083	<50	296	242	34	333	63.3
200084	<50	420	208	37	185	47.7
200085	<50	26	67	6	217	35.5
200086	<50	<10	56	<5	328	19.4
200087	<50	179	115	17	119	46.8
200088	<50	221	156	26	134	47.7
200089	<50	163	88	17	197	39.3
200090	<50	11	21	6	111	45.1
200091	<50	<10	28	9	153	42.4
200092	<50	147	175	17	60	47.5
200093	<50	34	90	11	83	48.9
200094	<50	443	251	26	78	51.6
200095	<50	453	243	41	39	64.6
200096	<50	255	162	36	48	63.8
200097	<50	78	150	34	<25	62.4
200098	<50	88	259	39	<25	62.7
200099	<50	404	301	35	43	67.2
200100	<50	358	230	37	57	60.4
200101	<50	355	279	37	29	63.5
200102	<50	282	261	38	35	55.6
200103	<50	20	85	<5	299	30.7
200104	<50	48	74	13	699	38.5
200105	<50	28	105	<5	583	14.7
200106	<50	61	43	<5	290	27.1
200107	<50	71	92	24	1151	44.2
200108	<50	85	149	27	115	47.1
200109	<50	22	43	<5	245	32.9
200110	<50	<10	43	<5	396	20.7
200111	<50	<10	38	<5	339	25.3
200112	<50	35	26	10	141	42.1
200113	<50	11	<10	11	62	51.2
200114	<50	12	34	11	164	45.8
200115	<50	52	111	12	60	50.0
200116	<50	94	100	19	70	52.3
200117	<50	101	79	30	86	52.5
200118	<50	14	105	8	41	51.6
200119	<50	52	114	16	71	47.8
200120	<50	63	141	18	48	49.2
200121	<50	90	136	21	79	48.4

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709
 Client Ref **46103**
 Project *
 Reported 15/11/10
 Status Final
 Page Page 24 of 47

ANALYTICAL REPORT

	ICP90Q PPM 50.00 10,000.00 Sb	ICP90Q PPM 10.00 20,000.00 Sr	ICP90Q PPM 10.00 50,000.00 V	ICP90Q PPM 5.00 50,000.00 Y	ICP90Q PPM 25.00 100,000.00 Zn	XRF78S % 0.01 100.00 SiO2
200122	<50	157	94	23	90	50.7
200123	<50	307	102	27	75	55.0
200124	<50	155	84	31	95	52.4
200125	<50	36	32	13	6836	31.8
200126	<50	<10	26	<5	8523	20.5
200127	<50	13	14	13	34	27.1
200128	<50	<10	19	6	630	28.8
200129	<50	26	41	16	579	43.2
200130	<50	174	40	15	71	61.4
200131	<50	79	58	17	43	50.5
200132	<50	47	63	23	63	47.0
200133	<50	25	62	20	136	46.7
200134	<50	76	62	21	55	47.3
200135	<50	51	60	17	51	48.2
200136	<50	143	56	18	35	52.9
200137	<50	33	71	18	203	46.5
200138	<50	241	73	30	25	69.7
200139	<50	61	85	35	50	65.7
200140	<50	71	77	33	38	68.2
200141	<50	78	86	31	<25	72.5
200142	<50	121	68	31	<25	73.8
200143	<50	201	59	29	<25	73.4
200144	<50	429	87	34	<25	67.6
200145	<50	249	130	28	105	55.0
200146	<50	287	105	34	99	51.6
200147	<50	323	86	32	82	54.4
200148	<50	315	166	37	64	59.0
200149	<50	256	125	25	88	57.5
200150	<50	190	114	25	131	49.7
200151	<50	251	80	29	43	69.3
200152	<50	183	62	19	42	76.8
200153	<50	314	97	22	67	57.2
200154	<50	115	79	21	96	48.7
200155	<50	158	69	20	38	55.7
200156	<50	303	113	24	75	54.0
200157	<50	17	25	9	1.61%	54.1
200158	<50	80	81	21	143	44.2
200159	<50	256	106	31	56	50.0
200160	<50	485	142	35	32	56.2

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709
 Client Ref **46103**
 Project *
 Reported 15/11/10
 Status Final
 Page Page 25 of 47

ANALYTICAL REPORT

	ICP90Q PPM 50.00 10,000.00 Sb	ICP90Q PPM 10.00 20,000.00 Sr	ICP90Q PPM 10.00 50,000.00 V	ICP90Q PPM 5.00 50,000.00 Y	ICP90Q PPM 25.00 100,000.00 Zn	XRF78S % 0.01 100.00 SiO2
200161	<50	495	129	31	26	59.0
200162	<50	546	137	39	29	58.0
200163	<50	416	102	34	46	60.2
200164	<50	488	135	33	30	59.2
200165	<50	564	136	35	33	59.3
200166	<50	428	125	33	40	59.2
200167	<50	314	143	34	55	52.2
200168	<50	279	142	34	46	59.4
200169	<50	316	138	30	71	55.8
200170	<50	385	141	34	43	58.0
200171	<50	405	146	36	29	61.9
200172	<50	401	155	35	<25	62.2
200173	<50	332	162	36	<25	59.7
200174	<50	256	136	40	<25	59.7
200175	<50	288	106	26	2062	50.2
200176	<50	442	106	27	142	51.6
200177	<50	277	87	23	122	53.3
200178	<50	16	21	10	1.60%	54.1
200179	<50	212	73	24	39	53.3
200180	<50	143	90	30	38	50.3
200181	<50	329	102	34	71	55.9
200182	<50	294	114	33	74	59.1
200183	<50	271	98	28	65	59.2
200184	<50	164	86	28	52	57.5
200185	<50	229	110	35	46	58.4
200186	<50	266	98	33	63	57.0
200187	<50	313	120	28	131	51.2
200188	<50	332	118	28	65	54.1
200189	<50	397	102	30	42	58.4
200190	<50	202	86	27	46	50.2
200191	<50	161	86	23	36	44.8
200192	<50	58	54	12	74	33.5
200193	<50	143	107	26	146	41.5
200194	<50	281	115	34	634	48.2
200195	<50	282	104	34	100	48.7
200196	<50	235	106	31	43	43.0
200197	<50	157	109	29	32	46.2
200198	<50	211	117	31	39	45.2
200199	<50	17	21	12	1.59%	53.8

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709
 Client Ref **46103**
 Project *
 Reported 15/11/10
 Status Final
 Page Page 26 of 47

ANALYTICAL REPORT

	ICP90Q PPM 50.00 10,000.00 Sb	ICP90Q PPM 10.00 20,000.00 Sr	ICP90Q PPM 10.00 50,000.00 V	ICP90Q PPM 5.00 50,000.00 Y	ICP90Q PPM 25.00 100,000.00 Zn	XRF78S % 0.01 100.00 SiO2
200200	<50	203	109	30	73	44.3
200201	<50	14	123	<5	227	16.6
200202	<50	76	151	11	272	22.4
200203	<50	95	124	18	90	39.6
200204	<50	117	107	21	41	43.3
200205	<50	309	116	31	36	47.0
200206	<50	336	129	26	32	47.2
200207	<50	408	145	30	<25	52.3
200208	<50	311	132	34	<25	55.0
200209	<50	436	168	37	<25	55.8
200210	<50	425	150	31	26	56.7
200211	<50	565	124	35	25	52.8
200212	<50	256	99	24	38	39.1
200213	<50	464	110	29	36	48.6
200214	<50	505	127	29	29	46.9
200215	<50	99	103	20	45	30.8
200216	<50	165	126	32	45	44.5
200217	<50	614	147	36	<25	53.5
200218	<50	256	120	25	39	46.4
200219	<50	<10	11	<5	<25	99.7
D - 200053	<50	<10	13	9	357	52.8
D - 200100	<50	316	243	37	56	60.6
D - 200147	<50	286	108	33	83	54.7
D - 200194	<50	261	132	31	633	48.3

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709
 Client Ref **46103**
 Project *
 Reported 15/11/10
 Status Final
 Page Page 27 of 47

ANALYTICAL REPORT

Scheme	XRF78S	XRF78S	XRF78S	XRF78S	XRF78S	XRF78S
Units	%	%	%	%	%	%
Detection Limit	0.01	0.01	0.01	0.01	0.01	0.01
Upper Limit	100.00	100.00	100.00	100.00	100.00	100.00
	Ti	Al	Fe	Mn	Mg	Ca
200045	0.11	0.06	0.03	<0.01	0.01	0.01
200046	0.02	0.50	9.71	0.19	13.4	8.09
200047	<0.01	0.13	5.81	0.25	11.8	12.3
200048	<0.01	0.07	1.92	0.21	11.3	16.4
200049	0.02	0.26	39.7	0.44	11.3	0.42
200050	0.01	0.17	10.8	0.26	11.9	11.7
200051	0.02	0.16	1.96	0.29	11.0	15.8
200052	<0.01	0.14	2.53	0.37	10.9	16.7
200053	<0.01	0.12	3.74	0.46	10.2	16.7
200054	<0.01	0.17	7.17	0.65	8.55	16.0
200055	<0.01	0.08	3.12	0.35	10.4	17.0
200056	<0.01	0.17	2.71	0.28	10.7	15.7
200057	<0.01	0.06	2.09	0.39	8.00	18.6
200058	<0.01	0.04	1.63	0.22	11.3	16.7
200059	<0.01	0.22	4.71	0.39	14.3	11.5
200060	<0.01	0.14	46.4	0.40	7.36	2.29
200061	0.02	0.14	50.1	0.45	7.82	0.33
200062	<0.01	0.17	60.2	0.53	4.22	0.13
200063	<0.01	0.25	41.9	0.45	9.61	1.88
200064	<0.01	0.23	15.6	0.42	16.8	4.54
200065	<0.01	0.18	8.31	0.24	11.3	14.1
200066	0.07	2.40	11.9	0.08	1.37	0.29
200067	0.15	3.66	13.1	0.42	8.11	11.9
200068	0.36	9.09	3.48	0.35	3.15	10.3
200069	0.37	8.94	1.90	0.13	1.50	4.48
200070	0.07	1.50	3.79	0.45	9.31	16.5
200071	0.35	7.70	4.86	0.48	5.17	12.3
200072	0.11	1.49	2.61	0.29	9.88	16.2
200073	<0.01	0.10	2.97	0.26	14.3	12.3
200074	0.10	2.15	24.1	0.51	11.1	4.77
200075	0.17	3.82	16.0	0.50	9.39	8.71
200076	0.04	0.73	32.5	0.38	10.2	6.52
200077	0.02	0.18	53.3	0.46	6.86	0.41
200078	<0.01	0.10	9.36	0.31	11.9	18.5
200079	<0.01	0.07	21.7	0.40	11.0	12.8
200080	0.01	0.12	29.1	0.45	9.87	10.0
200081	0.12	2.81	13.9	0.63	10.9	11.9
200082	0.33	8.15	3.45	1.03	4.96	1.87

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709
 Client Ref **46103**
 Project *
 Reported 15/11/10
 Status Final
 Page Page 28 of 47

ANALYTICAL REPORT

	XRF78S % 0.01 100.00 Ti	XRF78S % 0.01 100.00 Al	XRF78S % 0.01 100.00 Fe	XRF78S % 0.01 100.00 Mn	XRF78S % 0.01 100.00 Mg	XRF78S % 0.01 100.00 Ca
200083	0.33	8.59	1.61	0.13	1.43	1.79
200084	0.39	9.75	3.39	0.43	3.58	9.86
200085	0.05	0.96	16.9	0.52	15.4	4.73
200086	0.03	0.64	38.6	0.57	11.2	1.49
200087	0.17	3.85	4.82	0.48	11.0	11.7
200088	0.21	4.67	5.75	0.63	5.37	15.5
200089	0.22	4.80	11.5	0.41	10.6	7.54
200090	0.01	0.15	9.29	0.33	14.3	10.6
200091	0.05	0.90	9.60	0.49	17.0	7.29
200092	0.25	5.66	2.66	0.29	8.31	13.3
200093	0.10	2.53	2.22	0.27	9.43	17.1
200094	0.32	7.25	2.63	0.26	4.30	11.9
200095	0.36	8.49	1.43	0.06	1.65	4.23
200096	0.35	8.81	2.26	0.06	1.46	1.87
200097	0.35	9.46	3.55	0.03	1.22	0.43
200098	0.38	8.62	4.04	0.02	1.06	0.38
200099	0.35	7.56	1.52	0.05	1.43	2.87
200100	0.36	8.16	1.26	0.08	2.17	3.86
200101	0.36	8.60	2.11	0.05	1.20	1.92
200102	0.34	8.70	2.54	0.27	2.48	5.81
200103	0.03	0.61	26.4	0.24	11.1	4.10
200104	0.12	2.37	14.2	0.43	11.5	9.11
200105	0.05	1.19	46.0	0.36	7.30	1.74
200106	0.04	1.12	27.7	0.37	12.9	2.41
200107	0.40	6.38	4.38	0.39	7.53	12.2
200108	0.36	5.60	2.77	0.47	7.44	15.0
200109	0.05	1.04	15.7	0.34	18.4	2.03
200110	0.05	0.36	31.6	0.49	15.4	0.21
200111	0.04	0.28	24.5	0.38	18.0	0.17
200112	0.03	0.68	11.4	0.35	14.1	8.87
200113	<0.01	0.18	2.37	0.44	14.3	12.6
200114	0.05	1.09	6.90	0.33	14.8	8.29
200115	0.16	2.60	1.98	0.32	10.7	14.7
200116	0.19	3.95	1.69	0.28	8.86	12.9
200117	0.34	7.00	2.22	0.27	6.71	7.95
200118	0.04	1.08	1.33	0.19	12.3	15.6
200119	0.15	3.24	2.65	0.25	11.4	13.0
200120	0.18	3.83	2.39	0.27	9.12	14.6
200121	0.24	4.99	2.40	0.26	7.67	15.4

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709
 Client Ref **46103**
 Project *
 Reported 15/11/10
 Status Final
 Page Page 29 of 47

ANALYTICAL REPORT

	XRF78S % 0.01 100.00 Ti	XRF78S % 0.01 100.00 Al	XRF78S % 0.01 100.00 Fe	XRF78S % 0.01 100.00 Mn	XRF78S % 0.01 100.00 Mg	XRF78S % 0.01 100.00 Ca
200122	0.28	5.86	2.74	0.36	6.01	13.2
200123	0.31	6.36	1.98	0.32	5.06	10.3
200124	0.28	5.38	3.24	0.55	5.56	12.3
200125	0.11	2.12	17.8	0.44	13.9	4.67
200126	0.03	0.39	31.0	0.40	14.0	0.25
200127	0.02	0.24	37.5	0.22	6.35	0.55
200128	0.04	0.79	20.0	0.27	18.0	1.04
200129	0.26	3.68	4.24	0.35	14.2	8.72
200130	0.22	2.91	3.10	0.17	8.10	8.23
200131	0.29	3.97	4.25	0.16	12.6	6.46
200132	0.30	4.42	4.55	0.16	13.6	5.96
200133	0.29	3.88	3.91	0.20	13.2	8.50
200134	0.30	4.06	4.78	0.18	12.9	7.31
200135	0.29	4.10	4.51	0.20	12.8	7.25
200136	0.30	4.12	3.45	0.15	11.4	6.60
200137	0.27	3.88	5.53	0.14	14.3	5.23
200138	0.34	6.76	1.61	0.05	2.72	2.39
200139	0.40	8.70	2.63	0.05	2.17	0.87
200140	0.36	8.28	2.36	0.03	1.71	0.56
200141	0.36	7.11	1.69	0.02	1.40	0.69
200142	0.33	6.27	1.34	0.02	1.45	1.33
200143	0.35	6.08	1.36	0.04	1.99	1.43
200144	0.38	7.23	1.50	0.04	2.46	2.12
200145	0.35	4.84	1.97	0.15	6.78	9.92
200146	0.36	6.20	2.52	0.16	7.23	11.1
200147	0.39	6.91	1.75	0.12	6.86	7.14
200148	0.61	9.76	1.36	0.06	2.81	3.29
200149	0.32	5.25	1.60	0.12	5.74	9.48
200150	0.24	4.63	1.67	0.21	7.70	14.2
200151	0.35	6.81	1.03	0.09	2.18	3.14
200152	0.30	4.96	0.84	0.04	1.53	2.06
200153	0.34	6.17	1.44	0.16	4.56	8.67
200154	0.26	5.45	2.44	0.25	5.90	14.7
200155	0.20	3.61	1.44	0.13	7.63	12.2
200156	0.35	6.23	1.48	0.12	6.23	11.0
200157	0.07	2.41	11.7	0.08	1.37	0.29
200158	0.25	3.87	6.71	0.15	10.8	10.4
200159	0.42	6.52	5.33	0.09	6.74	5.47
200160	0.50	7.96	3.40	0.07	4.42	3.84

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709
 Client Ref **46103**
 Project *
 Reported 15/11/10
 Status Final
 Page Page 30 of 47

ANALYTICAL REPORT

	XRF78S % 0.01 100.00 Ti	XRF78S % 0.01 100.00 Al	XRF78S % 0.01 100.00 Fe	XRF78S % 0.01 100.00 Mn	XRF78S % 0.01 100.00 Mg	XRF78S % 0.01 100.00 Ca
200161	0.50	7.85	3.36	0.05	4.25	3.28
200162	0.50	8.38	3.43	0.04	3.91	3.22
200163	0.44	6.98	3.15	0.07	4.00	4.15
200164	0.50	8.02	3.74	0.04	3.99	3.22
200165	0.50	7.98	3.50	0.06	4.01	3.39
200166	0.49	7.47	3.38	0.06	4.20	3.89
200167	0.43	7.30	7.90	0.08	4.36	3.75
200168	0.50	8.11	3.92	0.05	2.77	2.07
200169	0.41	6.77	4.91	0.10	4.42	4.83
200170	0.47	7.64	4.45	0.07	3.72	3.74
200171	0.51	7.97	3.77	0.04	3.05	1.72
200172	0.51	7.90	4.19	0.03	3.00	1.13
200173	0.54	8.81	4.66	0.03	2.76	0.82
200174	0.55	8.83	4.33	0.02	2.76	0.62
200175	0.38	6.59	4.23	0.19	6.63	5.68
200176	0.42	7.04	3.06	0.14	7.16	7.98
200177	0.32	5.18	2.33	0.14	6.00	9.87
200178	0.07	2.41	11.7	0.08	1.36	0.29
200179	0.30	4.74	2.14	0.18	6.68	13.2
200180	0.33	6.06	2.04	0.19	6.10	13.6
200181	0.38	6.65	2.02	0.16	5.28	8.61
200182	0.40	6.64	1.75	0.11	4.79	4.63
200183	0.37	6.01	1.55	0.14	4.99	7.95
200184	0.36	5.69	1.61	0.15	4.61	8.38
200185	0.40	6.58	1.68	0.10	4.81	5.62
200186	0.41	6.89	1.77	0.13	4.85	6.67
200187	0.39	6.82	2.23	0.24	6.25	11.0
200188	0.40	6.55	2.14	0.16	6.63	8.30
200189	0.42	6.73	1.59	0.09	5.03	4.92
200190	0.31	4.82	2.28	0.18	8.15	13.4
200191	0.30	4.81	7.09	0.15	8.38	12.7
200192	0.12	1.86	10.7	0.17	16.3	4.75
200193	0.33	5.07	8.61	0.14	9.00	8.73
200194	0.37	6.00	4.64	0.19	5.02	12.6
200195	0.34	5.22	4.83	0.18	6.01	12.0
200196	0.30	4.97	7.73	0.18	6.32	12.8
200197	0.34	5.25	4.68	0.16	7.03	14.1
200198	0.36	5.67	5.82	0.17	6.27	13.0
200199	0.07	2.40	11.7	0.08	1.36	0.29

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.

Lab Ref WM127709
 Client Ref **46103**
 Project *
 Reported 15/11/10
 Status Final
 Page Page 31 of 47

ANALYTICAL REPORT

	XRF78S % 0.01 100.00 Ti	XRF78S % 0.01 100.00 Al	XRF78S % 0.01 100.00 Fe	XRF78S % 0.01 100.00 Mn	XRF78S % 0.01 100.00 Mg	XRF78S % 0.01 100.00 Ca
200200	0.35	5.51	6.35	0.18	7.74	11.5
200201	0.06	1.11	37.6	0.18	10.2	0.66
200202	0.15	2.13	27.8	0.21	11.5	2.73
200203	0.19	3.51	7.67	0.29	14.4	6.93
200204	0.27	4.23	7.37	0.14	10.5	9.63
200205	0.42	6.36	5.98	0.10	7.08	7.14
200206	0.37	5.96	5.72	0.12	6.81	8.72
200207	0.46	7.71	4.90	0.07	4.52	4.80
200208	0.58	9.74	4.05	0.03	3.26	1.48
200209	0.51	8.42	3.38	0.05	4.63	3.07
200210	0.42	7.28	3.69	0.06	4.33	4.01
200211	0.43	7.75	4.30	0.06	3.98	4.34
200212	0.36	5.04	12.6	0.10	7.70	6.29
200213	0.38	6.07	6.45	0.09	6.96	5.24
200214	0.40	6.17	3.49	0.13	9.70	7.01
200215	0.23	3.76	3.21	0.24	12.7	13.6
200216	0.38	5.30	3.87	0.19	12.5	6.78
200217	0.57	8.60	2.66	0.06	5.66	1.82
200218	0.39	6.15	4.28	0.14	11.6	3.79
200219	0.13	0.08	0.03	<0.01	<0.01	<0.01
D - 200053	<0.01	0.12	3.71	0.46	10.1	16.7
D - 200100	0.36	8.14	1.33	0.08	2.14	3.84
D - 200147	0.39	6.81	1.76	0.12	6.83	7.15
D - 200194	0.37	5.93	4.67	0.20	5.10	12.7

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.

Lab Ref WM127709
 Client Ref **46103**
 Project *
 Reported 15/11/10
 Status Final
 Page Page 32 of 47

ANALYTICAL REPORT

Scheme	XRF78S	XRF78S	XRF78S	XRF78S	XRF78S	XRF78S
Units	%	%	%	%	%	%
Detection Limit	0.01	0.01	0.01	0.01	0.01	0.01
Upper Limit	100.00	100.00	10.00	100.00	100.00	100.00
	Cr	Ni	As	Ba	Co	Cu
200045	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200046	<0.01	<0.01	0.07	<0.01	<0.01	<0.01
200047	<0.01	<0.01	0.05	<0.01	<0.01	<0.01
200048	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200049	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200050	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200051	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200052	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200053	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200054	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200055	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200056	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200057	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200058	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200059	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200060	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200061	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200062	<0.01	0.01	<0.01	<0.01	<0.01	<0.01
200063	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200064	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200065	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200066	<0.01	<0.01	<0.01	<0.01	<0.01	2.46
200067	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200068	0.01	<0.01	<0.01	0.03	<0.01	<0.01
200069	0.01	<0.01	<0.01	0.03	<0.01	<0.01
200070	<0.01	<0.01	<0.01	0.01	<0.01	<0.01
200071	0.01	<0.01	<0.01	0.04	<0.01	<0.01
200072	<0.01	<0.01	<0.01	0.01	<0.01	<0.01
200073	<0.01	<0.01	<0.01	0.01	<0.01	<0.01
200074	<0.01	<0.01	<0.01	0.01	<0.01	<0.01
200075	<0.01	<0.01	<0.01	0.01	<0.01	<0.01
200076	<0.01	<0.01	0.01	<0.01	<0.01	<0.01
200077	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200078	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200079	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200080	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200081	<0.01	<0.01	0.05	<0.01	<0.01	<0.01
200082	<0.01	<0.01	<0.01	0.06	<0.01	<0.01

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709
 Client Ref **46103**
 Project *
 Reported 15/11/10
 Status Final
 Page Page 33 of 47

ANALYTICAL REPORT

	XRF78S % 0.01 100.00 Cr	XRF78S % 0.01 100.00 Ni	XRF78S % 0.01 10.00 As	XRF78S % 0.01 100.00 Ba	XRF78S % 0.01 100.00 Co	XRF78S % 0.01 100.00 Cu
200083	0.01	<0.01	<0.01	0.24	<0.01	<0.01
200084	0.01	<0.01	<0.01	0.03	<0.01	<0.01
200085	<0.01	<0.01	<0.01	0.01	<0.01	<0.01
200086	0.02	0.04	<0.01	<0.01	<0.01	<0.01
200087	<0.01	<0.01	<0.01	0.01	<0.01	<0.01
200088	<0.01	<0.01	<0.01	0.03	<0.01	<0.01
200089	<0.01	<0.01	<0.01	0.03	<0.01	<0.01
200090	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200091	<0.01	<0.01	<0.01	0.01	<0.01	<0.01
200092	<0.01	<0.01	<0.01	0.04	<0.01	<0.01
200093	<0.01	<0.01	<0.01	0.01	<0.01	0.02
200094	0.01	<0.01	<0.01	0.03	<0.01	<0.01
200095	0.01	<0.01	<0.01	0.16	<0.01	<0.01
200096	<0.01	<0.01	<0.01	0.16	<0.01	<0.01
200097	0.01	<0.01	<0.01	0.06	<0.01	<0.01
200098	0.01	<0.01	<0.01	0.11	<0.01	<0.01
200099	0.01	<0.01	<0.01	0.40	<0.01	<0.01
200100	0.01	<0.01	<0.01	0.65	<0.01	<0.01
200101	0.01	<0.01	<0.01	0.32	<0.01	0.01
200102	0.01	<0.01	<0.01	0.16	<0.01	<0.01
200103	<0.01	<0.01	<0.01	<0.01	<0.01	0.04
200104	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200105	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200106	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200107	<0.01	<0.01	<0.01	0.07	<0.01	<0.01
200108	<0.01	<0.01	<0.01	0.03	<0.01	<0.01
200109	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200110	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200111	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200112	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200113	<0.01	<0.01	<0.01	0.01	<0.01	<0.01
200114	<0.01	<0.01	<0.01	0.01	<0.01	0.01
200115	<0.01	<0.01	<0.01	0.03	<0.01	<0.01
200116	<0.01	<0.01	<0.01	0.02	<0.01	<0.01
200117	<0.01	<0.01	<0.01	0.03	<0.01	<0.01
200118	<0.01	<0.01	<0.01	0.01	<0.01	<0.01
200119	<0.01	<0.01	<0.01	0.03	<0.01	<0.01
200120	<0.01	<0.01	<0.01	0.03	<0.01	<0.01
200121	<0.01	<0.01	<0.01	0.03	<0.01	<0.01

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709
 Client Ref **46103**
 Project *
 Reported 15/11/10
 Status Final
 Page Page 34 of 47

ANALYTICAL REPORT

	XRF78S % 0.01 100.00 Cr	XRF78S % 0.01 100.00 Ni	XRF78S % 0.01 10.00 As	XRF78S % 0.01 100.00 Ba	XRF78S % 0.01 100.00 Co	XRF78S % 0.01 100.00 Cu
200122	<0.01	<0.01	<0.01	0.07	<0.01	<0.01
200123	<0.01	<0.01	<0.01	0.05	<0.01	<0.01
200124	<0.01	<0.01	<0.01	0.03	<0.01	<0.01
200125	<0.01	<0.01	<0.01	0.02	<0.01	<0.01
200126	<0.01	<0.01	<0.01	<0.01	<0.01	0.02
200127	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200128	<0.01	<0.01	<0.01	<0.01	<0.01	0.01
200129	<0.01	<0.01	<0.01	0.05	<0.01	<0.01
200130	<0.01	<0.01	<0.01	0.07	<0.01	<0.01
200131	<0.01	<0.01	<0.01	0.08	<0.01	<0.01
200132	<0.01	<0.01	<0.01	0.09	<0.01	<0.01
200133	<0.01	<0.01	<0.01	0.11	<0.01	<0.01
200134	<0.01	<0.01	<0.01	0.07	<0.01	<0.01
200135	<0.01	<0.01	<0.01	0.06	<0.01	<0.01
200136	<0.01	<0.01	<0.01	0.05	<0.01	<0.01
200137	<0.01	<0.01	<0.01	0.05	<0.01	<0.01
200138	<0.01	<0.01	<0.01	0.13	<0.01	<0.01
200139	<0.01	<0.01	<0.01	0.07	<0.01	<0.01
200140	<0.01	<0.01	<0.01	0.08	<0.01	<0.01
200141	<0.01	<0.01	<0.01	0.10	<0.01	<0.01
200142	<0.01	<0.01	<0.01	0.09	<0.01	<0.01
200143	<0.01	<0.01	<0.01	0.14	<0.01	<0.01
200144	0.01	<0.01	<0.01	0.39	<0.01	<0.01
200145	<0.01	<0.01	<0.01	0.32	<0.01	<0.01
200146	<0.01	<0.01	<0.01	0.07	<0.01	<0.01
200147	0.01	<0.01	<0.01	0.09	<0.01	<0.01
200148	0.02	<0.01	<0.01	0.11	<0.01	<0.01
200149	0.02	0.02	<0.01	0.12	<0.01	<0.01
200150	<0.01	<0.01	<0.01	0.07	<0.01	<0.01
200151	<0.01	<0.01	<0.01	0.13	<0.01	<0.01
200152	<0.01	<0.01	<0.01	0.14	<0.01	<0.01
200153	0.01	<0.01	<0.01	0.16	<0.01	<0.01
200154	<0.01	<0.01	<0.01	0.05	<0.01	<0.01
200155	<0.01	<0.01	<0.01	0.08	<0.01	<0.01
200156	<0.01	<0.01	<0.01	0.07	<0.01	<0.01
200157	<0.01	<0.01	<0.01	<0.01	<0.01	2.47
200158	<0.01	0.02	<0.01	0.05	<0.01	0.06
200159	<0.01	0.01	<0.01	0.83	<0.01	0.05
200160	0.01	0.01	<0.01	1.03	<0.01	0.01

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709
 Client Ref **46103**
 Project *
 Reported 15/11/10
 Status Final
 Page Page 35 of 47

ANALYTICAL REPORT

	XRF78S % 0.01 100.00 Cr	XRF78S % 0.01 100.00 Ni	XRF78S % 0.01 10.00 As	XRF78S % 0.01 100.00 Ba	XRF78S % 0.01 100.00 Co	XRF78S % 0.01 100.00 Cu
200161	0.01	<0.01	<0.01	0.53	<0.01	0.02
200162	0.01	<0.01	<0.01	0.73	<0.01	0.02
200163	<0.01	<0.01	<0.01	0.98	<0.01	0.01
200164	0.01	<0.01	<0.01	0.38	<0.01	0.01
200165	0.01	<0.01	<0.01	0.47	<0.01	<0.01
200166	0.01	<0.01	<0.01	0.50	<0.01	0.01
200167	0.01	<0.01	<0.01	0.42	<0.01	0.02
200168	0.01	<0.01	<0.01	0.40	<0.01	0.03
200169	<0.01	<0.01	<0.01	0.56	<0.01	0.06
200170	0.01	<0.01	<0.01	0.41	<0.01	0.02
200171	0.01	<0.01	<0.01	0.25	<0.01	0.01
200172	0.01	<0.01	<0.01	0.17	<0.01	0.01
200173	0.01	<0.01	<0.01	0.14	<0.01	0.01
200174	0.01	<0.01	<0.01	0.12	<0.01	0.01
200175	<0.01	0.02	<0.01	0.11	<0.01	0.13
200176	0.01	0.02	<0.01	0.21	<0.01	<0.01
200177	<0.01	0.02	<0.01	0.40	<0.01	<0.01
200178	<0.01	<0.01	<0.01	<0.01	<0.01	2.46
200179	<0.01	0.03	<0.01	0.05	<0.01	<0.01
200180	<0.01	0.03	<0.01	0.05	<0.01	<0.01
200181	<0.01	0.03	<0.01	0.11	<0.01	<0.01
200182	<0.01	0.02	<0.01	0.69	<0.01	<0.01
200183	<0.01	0.02	<0.01	0.10	<0.01	<0.01
200184	<0.01	0.02	<0.01	0.32	<0.01	<0.01
200185	<0.01	0.01	<0.01	0.58	<0.01	<0.01
200186	<0.01	0.01	<0.01	0.50	<0.01	<0.01
200187	<0.01	0.02	<0.01	0.04	<0.01	<0.01
200188	<0.01	0.02	<0.01	0.15	<0.01	<0.01
200189	<0.01	<0.01	<0.01	0.73	<0.01	<0.01
200190	<0.01	<0.01	<0.01	0.09	<0.01	<0.01
200191	<0.01	0.02	<0.01	0.03	<0.01	<0.01
200192	<0.01	0.01	<0.01	0.12	<0.01	0.02
200193	<0.01	0.02	<0.01	0.08	0.01	0.02
200194	<0.01	0.04	0.01	0.10	<0.01	0.02
200195	0.01	0.02	<0.01	0.20	<0.01	<0.01
200196	<0.01	<0.01	<0.01	0.06	<0.01	0.01
200197	<0.01	<0.01	<0.01	0.03	<0.01	<0.01
200198	<0.01	<0.01	<0.01	0.10	<0.01	<0.01
200199	<0.01	<0.01	<0.01	<0.01	<0.01	2.49

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709
 Client Ref **46103**
 Project *
 Reported 15/11/10
 Status Final
 Page Page 36 of 47

ANALYTICAL REPORT

	XRF78S % 0.01 100.00 Cr	XRF78S % 0.01 100.00 Ni	XRF78S % 0.01 10.00 As	XRF78S % 0.01 100.00 Ba	XRF78S % 0.01 100.00 Co	XRF78S % 0.01 100.00 Cu
200200	<0.01	<0.01	<0.01	0.04	<0.01	0.01
200201	<0.01	<0.01	<0.01	<0.01	<0.01	0.02
200202	<0.01	0.01	<0.01	0.01	<0.01	0.02
200203	<0.01	<0.01	<0.01	0.05	<0.01	0.02
200204	<0.01	<0.01	<0.01	0.02	<0.01	0.01
200205	<0.01	<0.01	<0.01	0.22	<0.01	<0.01
200206	<0.01	<0.01	<0.01	0.21	<0.01	<0.01
200207	<0.01	<0.01	<0.01	0.31	<0.01	<0.01
200208	0.01	<0.01	<0.01	0.24	<0.01	<0.01
200209	0.01	<0.01	<0.01	0.44	<0.01	<0.01
200210	<0.01	<0.01	<0.01	0.52	<0.01	<0.01
200211	<0.01	<0.01	<0.01	0.71	<0.01	<0.01
200212	<0.01	<0.01	<0.01	0.06	0.01	<0.01
200213	<0.01	<0.01	<0.01	0.43	<0.01	<0.01
200214	<0.01	<0.01	<0.01	0.20	<0.01	<0.01
200215	<0.01	<0.01	<0.01	0.07	<0.01	<0.01
200216	<0.01	<0.01	<0.01	0.33	<0.01	<0.01
200217	0.01	<0.01	<0.01	1.16	<0.01	<0.01
200218	<0.01	<0.01	<0.01	0.40	<0.01	<0.01
200219	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
D - 200053	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
D - 200100	0.01	<0.01	<0.01	0.66	<0.01	<0.01
D - 200147	<0.01	<0.01	<0.01	0.09	<0.01	<0.01
D - 200194	<0.01	0.04	0.01	0.09	<0.01	0.01

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709
 Client Ref **46103**
 Project *
 Reported 15/11/10
 Status Final
 Page Page 37 of 47

ANALYTICAL REPORT

Scheme	XRF78S	XRF78S	XRF78S	XRF78S	XRF78S	XRF78S
Units	%	%	%	%	%	%
Detection Limit	0.01	0.01	0.01	0.01	0.01	0.01
Upper Limit	100.00	100.00	100.00	100.00	100.00	100.00
	K	Pb	S	Sr	V	Zn
200045	0.03	<0.01	0.020	<0.01	<0.01	<0.01
200046	0.07	<0.01	0.071	<0.01	<0.01	0.02
200047	0.03	<0.01	0.078	<0.01	<0.01	0.01
200048	0.01	<0.01	0.040	<0.01	<0.01	0.01
200049	0.05	<0.01	0.033	<0.01	<0.01	0.04
200050	0.05	0.01	0.015	<0.01	<0.01	0.02
200051	0.05	0.02	0.034	<0.01	<0.01	0.04
200052	<0.01	<0.01	0.023	<0.01	<0.01	0.02
200053	<0.01	<0.01	0.462	<0.01	<0.01	0.04
200054	<0.01	<0.01	0.297	<0.01	<0.01	0.03
200055	<0.01	<0.01	0.020	<0.01	<0.01	0.01
200056	0.02	<0.01	0.063	<0.01	<0.01	0.01
200057	0.01	<0.01	0.104	<0.01	<0.01	0.02
200058	<0.01	<0.01	0.017	<0.01	<0.01	<0.01
200059	0.14	<0.01	0.055	<0.01	<0.01	0.01
200060	<0.01	<0.01	0.020	<0.01	<0.01	0.02
200061	<0.01	<0.01	0.021	<0.01	<0.01	0.03
200062	<0.01	<0.01	0.011	<0.01	<0.01	0.03
200063	0.04	<0.01	0.019	<0.01	<0.01	0.04
200064	0.11	<0.01	0.032	<0.01	<0.01	0.02
200065	0.06	<0.01	0.012	<0.01	<0.01	0.02
200066	0.59	3.17	7.43	<0.01	<0.01	1.64
200067	0.63	<0.01	0.045	<0.01	0.02	0.05
200068	0.96	0.01	0.028	0.03	0.02	0.01
200069	0.72	<0.01	0.109	0.05	0.03	0.02
200070	0.27	<0.01	0.008	<0.01	0.01	0.02
200071	1.86	<0.01	0.011	0.03	0.04	0.02
200072	0.42	0.01	0.248	0.01	0.03	0.01
200073	0.02	0.03	0.023	<0.01	<0.01	0.01
200074	0.39	<0.01	0.072	<0.01	0.01	0.04
200075	0.60	<0.01	0.020	<0.01	0.02	0.03
200076	0.01	<0.01	0.124	<0.01	<0.01	0.10
200077	<0.01	<0.01	0.017	<0.01	<0.01	0.04
200078	<0.01	<0.01	0.117	<0.01	<0.01	0.09
200079	<0.01	<0.01	0.020	<0.01	<0.01	0.04
200080	<0.01	<0.01	0.090	<0.01	<0.01	0.05
200081	0.01	0.02	0.557	<0.01	0.01	0.12
200082	3.86	<0.01	0.357	0.01	0.03	0.03

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.

Lab Ref WM127709
 Client Ref **46103**
 Project *
 Reported 15/11/10
 Status Final
 Page Page 38 of 47

ANALYTICAL REPORT

	XRF78S % 0.01 100.00 K	XRF78S % 0.01 100.00 Pb	XRF78S % 0.01 100.00 S	XRF78S % 0.01 100.00 Sr	XRF78S % 0.01 100.00 V	XRF78S % 0.01 100.00 Zn
200083	5.82	0.04	0.057	0.04	0.03	0.04
200084	1.43	0.02	0.014	0.05	0.03	0.02
200085	0.30	<0.01	0.331	<0.01	<0.01	0.03
200086	0.07	<0.01	0.111	<0.01	<0.01	0.04
200087	0.47	<0.01	0.023	0.03	0.01	0.02
200088	0.94	0.01	0.010	0.03	0.02	0.02
200089	1.01	<0.01	0.033	0.03	0.01	0.02
200090	0.05	<0.01	0.020	<0.01	<0.01	0.02
200091	0.07	0.01	0.188	<0.01	<0.01	0.02
200092	1.10	0.01	0.008	0.02	0.02	<0.01
200093	0.03	0.01	0.008	<0.01	0.01	<0.01
200094	1.06	0.01	0.009	0.05	0.03	<0.01
200095	1.94	0.01	0.101	0.05	0.03	<0.01
200096	4.72	0.02	0.709	0.03	0.02	<0.01
200097	5.08	0.01	1.27	0.01	0.02	<0.01
200098	5.16	<0.01	1.59	0.02	0.03	<0.01
200099	3.47	0.01	0.193	0.05	0.03	<0.01
200100	5.78	0.02	0.049	0.05	0.03	<0.01
200101	5.15	0.02	0.659	0.05	0.03	<0.01
200102	3.33	0.01	0.037	0.04	0.03	<0.01
200103	0.12	0.01	3.90	<0.01	0.01	0.03
200104	0.03	0.02	0.226	<0.01	0.01	0.08
200105	0.05	<0.01	0.059	<0.01	0.01	0.06
200106	0.04	0.01	0.122	<0.01	<0.01	0.03
200107	1.24	0.02	0.064	<0.01	0.01	0.12
200108	0.67	0.01	0.009	0.01	0.02	0.01
200109	0.11	0.01	0.026	<0.01	<0.01	0.03
200110	0.01	<0.01	0.052	<0.01	<0.01	0.05
200111	0.01	0.01	0.031	<0.01	<0.01	0.04
200112	0.06	0.02	0.083	<0.01	<0.01	0.01
200113	0.05	<0.01	0.163	<0.01	<0.01	<0.01
200114	0.42	0.02	0.916	<0.01	<0.01	0.02
200115	0.52	<0.01	0.016	0.01	0.01	<0.01
200116	0.70	0.02	0.008	0.02	0.01	<0.01
200117	1.24	0.01	0.011	0.02	0.01	0.01
200118	0.06	0.01	0.009	<0.01	0.01	<0.01
200119	0.62	<0.01	0.132	0.01	0.02	0.01
200120	0.75	0.01	0.015	0.01	0.02	<0.01
200121	0.65	0.01	0.011	0.02	0.02	0.01

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.

Lab Ref WM127709
 Client Ref **46103**
 Project *
 Reported 15/11/10
 Status Final
 Page Page 39 of 47

ANALYTICAL REPORT

	XRF78S % 0.01 100.00 K	XRF78S % 0.01 100.00 Pb	XRF78S % 0.01 100.00 S	XRF78S % 0.01 100.00 Sr	XRF78S % 0.01 100.00 V	XRF78S % 0.01 100.00 Zn
200122	2.14	0.01	0.008	0.03	0.02	0.01
200123	1.75	0.01	0.010	0.04	0.02	0.01
200124	0.92	0.02	0.020	0.02	0.01	0.01
200125	0.36	0.01	0.651	<0.01	<0.01	0.81
200126	<0.01	0.02	2.53	<0.01	<0.01	1.05
200127	0.02	<0.01	0.041	<0.01	<0.01	<0.01
200128	0.10	<0.01	1.14	<0.01	<0.01	0.07
200129	0.98	0.01	0.155	<0.01	<0.01	0.07
200130	0.98	0.01	0.023	0.03	<0.01	0.01
200131	2.02	0.01	0.018	0.01	<0.01	<0.01
200132	2.03	0.01	0.012	0.01	0.01	<0.01
200133	2.07	0.01	0.022	<0.01	<0.01	0.02
200134	1.39	<0.01	0.075	0.01	<0.01	<0.01
200135	1.26	0.01	0.008	0.01	<0.01	<0.01
200136	1.17	0.01	0.013	0.02	<0.01	<0.01
200137	1.38	<0.01	0.422	<0.01	<0.01	0.02
200138	2.91	0.01	0.087	0.03	<0.01	<0.01
200139	3.69	0.01	0.040	<0.01	<0.01	<0.01
200140	3.79	0.01	0.114	0.01	<0.01	<0.01
200141	3.44	0.01	0.205	<0.01	<0.01	<0.01
200142	2.94	<0.01	0.115	0.02	<0.01	<0.01
200143	2.97	0.01	0.034	0.03	<0.01	<0.01
200144	3.44	0.01	0.201	0.05	<0.01	<0.01
200145	1.92	0.02	0.016	0.03	0.01	0.01
200146	1.21	0.01	0.019	0.04	0.01	0.01
200147	1.47	0.01	0.044	0.04	<0.01	<0.01
200148	1.68	0.01	0.037	0.04	0.02	<0.01
200149	1.75	0.01	0.012	0.04	0.01	0.01
200150	1.44	<0.01	0.010	0.03	0.01	0.02
200151	3.00	0.01	0.013	0.03	<0.01	<0.01
200152	2.38	0.01	0.014	0.02	<0.01	<0.01
200153	2.69	0.01	0.012	0.04	0.01	0.01
200154	0.93	<0.01	0.015	0.02	<0.01	0.01
200155	1.48	<0.01	0.006	0.02	<0.01	<0.01
200156	1.40	0.01	0.017	0.04	0.01	0.01
200157	0.60	3.17	7.42	<0.01	<0.01	1.63
200158	1.57	0.01	2.70	0.01	0.01	0.02
200159	4.21	0.01	1.84	0.04	0.01	<0.01
200160	4.67	0.01	0.208	0.07	0.02	<0.01

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709
 Client Ref **46103**
 Project *
 Reported 15/11/10
 Status Final
 Page Page 40 of 47

ANALYTICAL REPORT

	XRF78S % 0.01 100.00 K	XRF78S % 0.01 100.00 Pb	XRF78S % 0.01 100.00 S	XRF78S % 0.01 100.00 Sr	XRF78S % 0.01 100.00 V	XRF78S % 0.01 100.00 Zn
200161	3.67	0.01	0.377	0.07	0.01	<0.01
200162	4.10	<0.01	0.429	0.07	0.02	<0.01
200163	4.15	0.01	0.095	0.06	0.01	<0.01
200164	3.78	0.01	0.648	0.06	0.01	<0.01
200165	4.25	0.01	0.130	0.07	0.02	<0.01
200166	4.21	<0.01	0.144	0.06	0.01	<0.01
200167	3.87	<0.01	0.749	0.05	0.02	<0.01
200168	5.27	0.01	0.884	0.04	0.01	<0.01
200169	4.38	0.01	0.375	0.04	0.01	<0.01
200170	4.19	<0.01	0.435	0.05	0.02	<0.01
200171	4.57	<0.01	0.317	0.05	0.02	<0.01
200172	4.53	<0.01	0.517	0.05	0.02	<0.01
200173	5.10	0.01	1.26	0.04	0.02	<0.01
200174	5.41	<0.01	1.16	0.03	0.01	<0.01
200175	3.08	0.15	0.784	0.04	0.01	0.22
200176	1.74	0.01	0.052	0.06	0.01	0.02
200177	2.02	<0.01	0.130	0.04	<0.01	0.01
200178	0.60	3.19	7.59	<0.01	<0.01	1.63
200179	0.72	<0.01	0.018	0.03	0.01	<0.01
200180	0.97	<0.01	0.021	0.02	0.01	<0.01
200181	1.67	<0.01	0.025	0.05	0.01	<0.01
200182	5.21	<0.01	0.021	0.04	0.01	<0.01
200183	1.28	0.01	0.010	0.04	0.01	<0.01
200184	4.12	0.01	0.040	0.03	0.01	<0.01
200185	5.31	<0.01	0.055	0.04	0.01	<0.01
200186	4.09	0.01	0.035	0.04	0.01	<0.01
200187	0.61	<0.01	0.018	0.05	0.01	0.01
200188	1.91	<0.01	0.031	0.05	0.01	<0.01
200189	5.27	<0.01	0.031	0.06	0.01	<0.01
200190	1.50	<0.01	0.015	0.03	0.01	<0.01
200191	0.77	<0.01	0.357	0.03	0.01	<0.01
200192	0.70	<0.01	4.54	0.01	<0.01	<0.01
200193	2.45	0.01	5.26	0.03	0.02	0.02
200194	2.73	0.03	1.96	0.04	0.02	0.07
200195	2.53	0.01	2.40	0.04	0.01	0.01
200196	0.97	<0.01	4.96	0.04	0.01	<0.01
200197	0.78	<0.01	2.40	0.03	0.01	<0.01
200198	1.26	<0.01	3.14	0.04	0.01	<0.01
200199	0.60	3.17	7.87	<0.01	<0.01	1.64

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received

Results are not intended for commercial settlement purposes.

Lab Ref WM127709
 Client Ref **46103**
 Project *
 Reported 15/11/10
 Status Final
 Page Page 41 of 47

ANALYTICAL REPORT

	XRF78S % 0.01 100.00 K	XRF78S % 0.01 100.00 Pb	XRF78S % 0.01 100.00 S	XRF78S % 0.01 100.00 Sr	XRF78S % 0.01 100.00 V	XRF78S % 0.01 100.00 Zn
200200	1.07	<0.01	3.15	0.03	0.01	<0.01
200201	0.18	<0.01	6.56	<0.01	0.01	0.02
200202	0.20	<0.01	6.43	<0.01	0.02	0.03
200203	0.91	<0.01	3.72	0.02	0.02	0.01
200204	1.18	<0.01	3.62	0.02	0.01	<0.01
200205	3.52	<0.01	3.36	0.05	0.02	<0.01
200206	2.31	<0.01	3.17	0.05	0.01	<0.01
200207	4.79	<0.01	3.06	0.06	0.02	<0.01
200208	5.95	<0.01	2.15	0.05	0.02	<0.01
200209	5.15	0.01	1.49	0.06	0.02	<0.01
200210	4.90	<0.01	2.23	0.06	0.02	<0.01
200211	6.04	<0.01	2.90	0.08	0.01	<0.01
200212	0.55	<0.01	5.17	0.04	0.01	<0.01
200213	3.14	<0.01	3.97	0.07	0.01	<0.01
200214	1.94	<0.01	1.12	0.07	0.01	<0.01
200215	0.60	<0.01	1.43	0.02	0.01	<0.01
200216	1.51	<0.01	1.59	0.03	0.02	<0.01
200217	4.28	<0.01	1.04	0.09	0.02	<0.01
200218	1.77	<0.01	1.59	0.04	0.01	<0.01
200219	0.04	<0.01	0.012	<0.01	<0.01	<0.01
D - 200053	0.01	0.01	0.459	<0.01	<0.01	0.04
D - 200100	5.77	0.01	0.048	0.04	0.03	<0.01
D - 200147	1.47	0.01	0.045	0.04	0.01	<0.01
D - 200194	2.69	0.03	1.90	0.04	0.02	0.07

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709
Client Ref **46103**
Project *
Reported 15/11/10
Status Final
Page Page 42 of 47

ANALYTICAL REPORT

Scheme	XRF78S
Units	%
Detection Limit	-10.00
Upper Limit	100.00
	LOI
200045	0.158
200046	2.79
200047	2.07
200048	1.14
200049	3.65
200050	2.19
200051	0.914
200052	0.775
200053	1.05
200054	0.684
200055	0.520
200056	2.82
200057	9.75
200058	0.825
200059	3.55
200060	0.984
200061	1.67
200062	-0.5330
200063	2.27
200064	6.96
200065	1.39
200066	10.5
200067	2.20
200068	2.79
200069	0.878
200070	1.39
200071	2.44
200072	2.54
200073	4.14
200074	4.55
200075	3.83
200076	12.1
200077	2.17
200078	39.5
200079	28.3
200080	21.4
200081	20.6
200082	4.76

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709
Client Ref **46103**
Project *
Reported 15/11/10
Status Final
Page Page 43 of 47

ANALYTICAL REPORT

	XRF78S % -10.00 100.00 LOI
200083	2.28
200084	3.86
200085	5.25
200086	2.41
200087	2.26
200088	1.86
200089	4.51
200090	2.12
200091	3.12
200092	2.96
200093	2.91
200094	2.04
200095	1.27
200096	2.99
200097	3.63
200098	4.19
200099	1.31
200100	2.04
200101	1.64
200102	3.55
200103	5.82
200104	3.95
200105	1.95
200106	5.61
200107	4.20
200108	2.88
200109	8.83
200110	6.53
200111	8.15
200112	3.96
200113	3.30
200114	4.92
200115	2.31
200116	2.07
200117	2.77
200118	1.71
200119	3.65
200120	2.67
200121	2.77

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709
Client Ref **46103**
Project *
Reported 15/11/10
Status Final
Page Page 44 of 47

ANALYTICAL REPORT

	XRF78S % -10.00 100.00 LOI
200122	2.00
200123	1.39
200124	1.92
200125	7.26
200126	9.31
200127	6.88
200128	9.15
200129	5.67
200130	1.39
200131	2.63
200132	3.32
200133	2.89
200134	3.83
200135	3.96
200136	3.71
200137	4.41
200138	1.71
200139	3.35
200140	2.81
200141	2.16
200142	2.38
200143	1.71
200144	1.58
200145	1.99
200146	2.00
200147	2.31
200148	1.43
200149	1.38
200150	3.29
200151	1.91
200152	1.17
200153	2.24
200154	4.07
200155	2.03
200156	1.64
200157	10.5
200158	2.33
200159	1.97
200160	1.17

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709
Client Ref **46103**
Project *
Reported 15/11/10
Status Final
Page Page 45 of 47

ANALYTICAL REPORT

	XRF78S % -10.00 100.00 LOI
200161	1.24
200162	1.33
200163	1.16
200164	1.36
200165	0.938
200166	1.06
200167	1.60
200168	1.63
200169	1.06
200170	1.19
200171	1.33
200172	1.62
200173	2.07
200174	2.19
200175	3.67
200176	2.58
200177	3.84
200178	10.5
200179	1.58
200180	2.59
200181	1.58
200182	0.883
200183	0.930
200184	1.56
200185	1.05
200186	1.33
200187	3.21
200188	2.14
200189	1.22
200190	2.26
200191	2.61
200192	9.16
200193	4.33
200194	1.84
200195	2.74
200196	4.74
200197	2.79
200198	3.42
200199	10.6

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709
Client Ref **46103**
Project *
Reported 15/11/10
Status Final
Page Page 46 of 47

ANALYTICAL REPORT

	XRF78S % -10.00 100.00 LOI
200200	3.84
200201	8.89
200202	10.6
200203	6.18
200204	4.21
200205	3.93
200206	3.19
200207	3.09
200208	3.28
200209	2.40
200210	2.45
200211	2.97
200212	7.62
200213	4.79
200214	5.36
200215	14.2
200216	5.94
200217	4.03
200218	6.22
200219	0.0930
D - 200053	1.08
D - 200100	2.04
D - 200147	2.27
D - 200194	1.85

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709
Client Ref **46103**
Project *
Reported 15/11/10
Status Final
Page Page 47 of 47

DESCRIPTION

WGH79 : Sample Weight

ICP90Q : ICPAES after DIG90Q

XRF78S : XRF, Fusion, Whole Rock

Kaern Lomasney

EA to CFO

Creat Resources Holdings Ltd

GPO Box 2288

Hobart

TAS 7001

Lab Ref WM127900*Client Ref* **46104***Project* **Cost Code**Status* Final*Received* 04/11/10*Reported* 19/11/10*Samples* 119*First Sample* 200214*Last Sample* 200332*Pages* 50*Copy**Notes*

Authorised by

On behalf of:

Graeme Farrant
Laboratory Manager

The results in this analytical report pertain to the samples provided to this laboratory for preparation and/or analysis as requested by the client. This document is issued by the company subject to its General Conditions of Services (www.sgs.com/generalconditions). Attention is drawn to the limitations of liability, indemnification and justifications issues established therein.



Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 2 of 50

ANALYTICAL REPORT

Scheme	WGH79	ICP90Q	ICP90Q	ICP90Q	ICP90Q	ICP90Q
Units	G	%	%	%	%	PPM
Detection Limit	0.00	0.40	0.01	0.01	0.01	10.00
Upper Limit	0.00	0.00	25.00	25.00	70.00	100,000.00
	Wt(Dry)	SiO2	Ti	Al	Fe	Mn
200214		81.4	0.10	0.10	0.04	<10
200215	1.466000	63.6	0.32	7.81	4.68	4173
200216	1.978000	63.8	0.33	7.03	7.87	9739
200217	1.828000	53.6	0.25	5.25	13.2	6710
200218	1.756000	50.4	<0.01	0.38	14.3	6017
200219	0.910000	35.3	0.01	0.51	24.4	9891
200220	1.782000	47.0	<0.01	1.61	12.9	3457
200221	2.728000	32.8	0.01	1.31	20.4	3051
200222	2.098000	15.3	0.06	1.37	52.3	2114
200223	1.704000	41.2	0.34	7.08	11.1	1.10%
200224	2.546000	38.1	0.03	0.87	12.4	2707
200225	2.212000	45.7	<0.01	0.31	8.77	2470
200226	2.414000	47.9	0.14	3.46	9.51	3922
200227	1.630000	64.9	0.30	6.99	3.50	2015
200228	2.568000	40.8	0.17	3.80	29.2	2318
200229	2.750000	17.4	0.02	0.08	52.8	2342
200230	3.090000	22.5	0.10	1.85	37.2	3155
200231	2.646000	40.9	0.22	4.20	10.6	5264
200232	1.330000	43.7	0.28	6.42	15.4	6673
200233	3.300000	14.3	0.02	0.20	56.3	2743
200234	2.586000	37.6	<0.01	0.06	14.7	2905
200235		58.0	0.06	2.06	13.4	822
200236	2.136000	51.8	<0.01	0.10	3.52	2840
200237	2.462000	44.7	<0.01	0.11	14.5	2491
200238	2.640000	50.1	<0.01	0.10	1.91	2401
200239	2.614000	50.7	<0.01	0.06	2.06	2450
200240	2.726000	51.2	<0.01	0.07	3.77	2406
200241	2.586000	49.4	<0.01	0.07	7.82	3477
200242	2.356000	38.3	<0.01	0.04	15.0	5240
200243	2.466000	39.3	<0.01	0.03	11.0	5102
200244	2.338000	36.4	<0.01	0.05	15.1	3845
200245	2.522000	43.5	<0.01	0.11	15.1	3018
200246	2.390000	35.3	<0.01	0.11	23.8	3292
200247	2.244000	39.5	<0.01	0.04	13.9	2985
200248	2.200000	26.8	<0.01	0.08	25.7	3314
200249	1.684000	19.7	<0.01	0.09	33.8	7660
200250	1.760000	39.6	<0.01	0.07	18.6	4141
200251	2.178000	21.7	<0.01	0.09	34.7	5385

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 3 of 50

ANALYTICAL REPORT

	WGH79 G 0.00 0.00 Wt(Dry)	ICP90Q % 0.40 0.00 SiO2	ICP90Q % 0.01 25.00 Ti	ICP90Q % 0.01 25.00 Al	ICP90Q % 0.01 70.00 Fe	ICP90Q PPM 10.00 100,000.00 Mn
200252	1.694000	29.2	<0.01	0.06	21.1	6747
200253	2.128000	23.4	<0.01	0.16	27.0	7004
200254	2.844000	14.5	0.03	0.50	44.4	4852
200255	2.494000	18.8	0.03	0.30	36.0	3854
200256		56.4	0.06	2.60	12.0	809
200257	2.450000	31.4	0.02	0.18	21.2	3760
200258	2.578000	27.8	0.02	0.19	22.3	4344
200259		29.3	0.02	0.27	35.3	2071
200260	2.114000	23.0	0.02	0.25	28.0	4690
200261	2.764000	17.7	0.03	0.18	36.2	5423
200262	2.744000	25.8	0.01	0.15	22.3	4565
200263	2.450000	24.7	0.01	0.10	24.6	3711
200264	2.208000	28.2	<0.01	0.07	20.0	2972
200265	2.156000	35.3	0.01	0.16	15.7	3263
200266	2.490000	38.7	0.02	0.48	13.1	5719
200267	2.618000	48.9	<0.01	0.27	4.27	3215
200268	2.614000	31.0	0.02	0.23	22.9	3312
200269	3.170000	16.1	0.04	0.33	40.2	4373
200270	2.832000	25.5	0.16	3.56	27.3	6475
200271	1.978000	33.1	0.09	3.11	12.4	4913
200272	2.678000	19.1	0.03	0.15	36.5	2989
200273	2.190000	23.3	0.02	0.30	28.0	5327
200274	2.588000	24.7	0.03	0.23	24.9	5922
200275	2.578000	22.2	0.04	0.42	29.5	6785
200276	2.790000	25.8	0.03	0.40	22.0	5968
200277	2.584000	18.9	0.05	0.46	34.4	6440
200278		51.8	0.06	2.49	12.1	836
200279	2.142000	37.7	0.03	1.58	6.88	5581
200280	2.268000	49.5	0.27	6.75	5.60	6032
200281	2.856000	43.1	0.21	5.70	6.78	5778
200282	2.662000	41.1	0.12	3.13	6.82	5839
200283	2.500000	41.8	0.26	7.13	8.00	3380
200284	2.558000	46.2	0.17	4.29	3.59	2378
200285	2.534000	47.2	0.22	5.77	6.65	3458
200286	2.380000	42.9	0.19	4.37	6.78	2302
200287	2.510000	40.7	0.26	6.39	9.10	3084
200288	1.732000	55.8	0.34	9.18	2.46	1758
200289	3.148000	48.7	0.03	0.87	3.00	2893
200290	2.478000	51.3	<0.01	0.28	3.10	1933

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 4 of 50

ANALYTICAL REPORT

	WGH79 G 0.00 0.00 Wt(Dry)	ICP90Q % 0.40 0.00 SiO2	ICP90Q % 0.01 25.00 Ti	ICP90Q % 0.01 25.00 Al	ICP90Q % 0.01 70.00 Fe	ICP90Q PPM 10.00 100,000.00 Mn
200291	2.540000	52.9	<0.01	0.13	2.01	2162
200292	2.340000	49.3	<0.01	0.15	2.09	1601
200293	2.620000	53.2	0.05	1.37	2.82	1694
200294	2.304000	53.0	0.11	2.78	3.26	2160
200295	2.364000	57.9	0.31	8.22	2.58	1147
200296	2.156000	59.6	0.28	7.67	3.95	357
200297	2.586000	48.0	0.26	7.19	4.81	2826
200298	2.508000	49.1	0.17	4.50	3.79	2991
200299		54.2	0.06	2.37	11.7	788
200300	2.654000	50.7	0.24	6.69	3.13	2515
200301	2.258000	53.7	0.32	8.33	3.04	2396
200302	2.226000	64.5	0.30	7.85	2.23	289
200303	2.320000	68.1	0.30	6.86	1.53	255
200304	2.326000	69.3	0.33	7.47	1.61	317
200305	2.046000	69.1	0.33	7.77	1.38	447
200306	2.452000	55.0	0.28	6.35	2.45	1710
200307	2.484000	50.4	0.32	7.75	4.16	3182
200308	2.332000	49.8	0.25	6.29	2.51	2299
200309	2.408000	53.4	0.25	5.63	1.45	1139
200310	2.310000	61.5	0.29	6.74	1.88	1401
200311	2.224000	55.2	0.23	5.58	2.93	2221
200312	2.510000	34.5	0.10	1.94	18.5	1942
200313	2.266000	33.3	0.02	0.54	14.8	1898
200314	2.382000	40.1	0.02	0.57	9.20	1730
200315	2.574000	47.7	0.01	0.29	9.81	1392
200316	2.352000	46.9	0.01	0.43	4.93	2526
200317	2.590000	39.6	0.27	4.64	6.91	2484
200318	2.236000	46.5	0.32	6.10	4.48	5176
200319	2.334000	69.2	0.28	6.24	1.13	578
200320		54.8	0.06	2.51	12.1	792
200321	2.104000	70.7	0.30	5.96	1.14	337
200322	2.270000	68.3	0.32	7.19	0.91	195
200323	2.168000	67.8	0.33	7.50	0.84	94
200324	2.232000	75.6	0.34	6.92	0.74	97
200325	1.990000	76.0	0.28	5.63	0.67	104
200326	2.170000	64.6	0.28	6.18	1.09	260
200327	2.430000	58.2	0.32	6.90	2.41	571
200328	2.178000	72.2	0.34	7.41	2.53	101
200329	2.290000	54.3	0.38	6.66	3.12	953

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
Client Ref **46104**
Project *
Reported 19/11/10
Status Final
Page Page 5 of 50

ANALYTICAL REPORT

	WGH79 G 0.00 0.00 Wt(Dry)	ICP90Q % 0.40 0.00 SiO2	ICP90Q % 0.01 25.00 Ti	ICP90Q % 0.01 25.00 Al	ICP90Q % 0.01 70.00 Fe	ICP90Q PPM 10.00 100,000.00 Mn
200330	2.444000	46.5	0.35	5.67	3.94	1278
200331	2.084000	41.3	0.32	5.34	6.82	1920
200332		50.6	0.06	2.40	11.9	799
D - 200222		13.4	0.06	1.37	49.6	2120
D - 200269		14.4	0.04	0.34	42.4	4475
D - 200316		45.8	0.01	0.43	4.92	2511

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.

Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 6 of 50

ANALYTICAL REPORT

Scheme	ICP90Q	ICP90Q	ICP90Q	ICP90Q	ICP90Q	ICP90Q
Units	%	%	PPM	PPM	PPM	PPM
Detection Limit	0.02	0.20	20.00	20.00	10.00	30.00
Upper Limit	30.00	40.00	100,000.00	100,000.00	100,000.00	50,000.00
	Mg	Ca	B	Cr	Ni	As
200214	<0.02	<0.2	21	29	<10	48
200215	2.06	0.4	177	58	23	<30
200216	3.28	0.6	55	62	24	<30
200217	6.70	4.8	809	51	28	<30
200218	9.60	7.8	22	<20	<10	33
200219	7.58	3.5	87	<20	20	111
200220	13.8	4.1	164	<20	13	112
200221	14.9	2.2	230	22	31	165
200222	4.30	1.6	57	22	34	93
200223	5.29	8.2	97	78	55	57
200224	9.18	6.9	39	21	37	113
200225	11.2	11.3	34	<20	20	<30
200226	7.04	8.7	21	50	38	<30
200227	3.07	2.2	<20	72	54	70
200228	4.13	2.3	66	50	60	346
200229	6.93	0.3	88	<20	20	311
200230	5.84	3.8	72	35	52	205
200231	5.82	12.8	31	52	35	37
200232	7.63	11.4	79	63	43	50
200233	6.21	1.2	154	<20	23	133
200234	10.3	10.5	116	<20	19	125
200235	1.43	0.5	<20	34	37	116
200236	10.1	15.1	26	<20	57	<30
200237	9.19	12.6	45	<20	49	<30
200238	10.7	15.5	39	<20	46	<30
200239	10.5	16.6	45	<20	45	<30
200240	11.1	13.1	60	<20	13	86
200241	15.5	8.7	260	<20	16	179
200242	19.8	1.4	425	<20	<10	173
200243	19.3	1.2	482	<20	27	161
200244	17.5	1.5	458	<20	56	177
200245	14.6	5.7	246	<20	120	120
200246	14.6	2.5	308	<20	21	71
200247	20.7	0.5	639	<20	14	150
200248	14.7	0.4	502	<20	12	67
200249	10.8	0.5	415	<20	63	123
200250	14.1	3.7	334	<20	17	70
200251	12.4	0.3	372	<20	<10	43

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 7 of 50

ANALYTICAL REPORT

	ICP90Q % 0.02 30.00 Mg	ICP90Q % 0.20 40.00 Ca	ICP90Q PPM 20.00 100,000.00 B	ICP90Q PPM 20.00 100,000.00 Cr	ICP90Q PPM 10.00 100,000.00 Ni	ICP90Q PPM 30.00 50,000.00 As
200252	15.9	0.5	529	<20	70	72
200253	12.9	0.8	435	<20	30	235
200254	8.69	0.5	205	<20	33	37
200255	11.1	0.4	269	<20	18	39
200256	1.37	0.4	58	25	62	73
200257	16.9	0.7	421	<20	44	61
200258	16.3	<0.2	416	<20	31	70
200259	6.02	0.5	<20	30	75	<30
200260	14.0	<0.2	337	22	18	62
200261	10.7	0.4	274	<20	<10	52
200262	15.3	0.3	376	<20	23	72
200263	15.8	<0.2	377	<20	13	277
200264	16.9	<0.2	423	<20	<10	163
200265	17.6	1.6	422	<20	86	56
200266	14.8	4.0	291	<20	<10	241
200267	12.1	11.0	121	<20	<10	261
200268	13.5	2.4	308	<20	<10	118
200269	9.47	0.4	256	<20	15	159
200270	9.08	4.6	275	37	47	108
200271	16.1	3.0	295	28	<10	128
200272	11.9	0.2	281	<20	<10	56
200273	14.9	0.2	505	<20	<10	40
200274	17.1	<0.2	401	<20	<10	51
200275	15.2	0.2	324	<20	11	54
200276	16.9	<0.2	383	<20	12	47
200277	12.8	<0.2	291	<20	12	124
200278	1.39	0.4	56	24	28	64
200279	18.5	3.5	390	<20	<10	86
200280	4.26	11.2	166	57	21	<30
200281	6.11	12.8	199	65	18	<30
200282	16.8	5.7	313	23	10	51
200283	4.56	11.6	80	65	74	39
200284	7.35	13.9	1467	31	28	<30
200285	5.81	15.4	469	45	68	<30
200286	11.3	9.0	162	45	49	85
200287	8.86	7.8	2404	70	42	41
200288	1.74	6.1	116	107	57	<30
200289	10.2	13.5	55	<20	27	<30
200290	16.2	7.7	171	<20	42	50

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 8 of 50

ANALYTICAL REPORT

	ICP90Q % 0.02 30.00 Mg	ICP90Q % 0.20 40.00 Ca	ICP90Q PPM 20.00 100,000.00 B	ICP90Q PPM 20.00 100,000.00 Cr	ICP90Q PPM 10.00 100,000.00 Ni	ICP90Q PPM 30.00 50,000.00 As
200291	13.2	11.0	32	<20	13	<30
200292	11.7	9.0	43	<20	14	<30
200293	14.5	7.6	89	<20	47	<30
200294	10.5	12.9	270	26	42	<30
200295	1.40	4.8	137	94	57	<30
200296	1.78	2.1	210	75	71	<30
200297	3.59	11.4	66	83	97	<30
200298	7.65	13.6	49	47	16	<30
200299	1.31	0.4	50	28	31	65
200300	5.99	11.9	67	56	91	<30
200301	2.39	9.5	212	60	58	<30
200302	1.31	1.1	286	71	90	37
200303	1.22	1.9	317	62	30	<30
200304	1.47	2.0	323	51	35	<30
200305	1.65	1.5	330	57	35	<30
200306	5.17	7.3	126	44	10	<30
200307	3.95	9.9	51	63	30	<30
200308	3.54	8.4	156	53	19	<30
200309	4.65	8.7	178	58	18	<30
200310	4.20	6.9	51	70	21	<30
200311	5.49	8.9	53	53	18	<30
200312	12.8	4.7	234	<20	24	214
200313	17.0	4.2	381	<20	<10	397
200314	17.4	3.2	362	<20	<10	441
200315	14.2	6.3	170	<20	<10	230
200316	12.0	10.0	<20	<20	<10	<30
200317	15.1	4.8	33	33	12	64
200318	8.67	4.0	49	42	22	<30
200319	2.45	0.8	330	42	41	<30
200320	1.48	0.3	60	25	45	95
200321	2.52	1.0	271	47	16	35
200322	1.87	1.7	328	49	60	<30
200323	1.57	1.1	341	52	35	<30
200324	1.36	1.0	298	51	36	<30
200325	1.37	1.0	436	50	43	32
200326	3.05	2.4	248	51	32	33
200327	4.73	3.4	253	70	39	<30
200328	1.96	1.3	251	99	54	35
200329	6.37	5.0	386	85	52	<30

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
Client Ref **46104**
Project *
Reported 19/11/10
Status Final
Page Page 9 of 50

ANALYTICAL REPORT

	ICP90Q % 0.02 30.00 Mg	ICP90Q % 0.20 40.00 Ca	ICP90Q PPM 20.00 100,000.00 B	ICP90Q PPM 20.00 100,000.00 Cr	ICP90Q PPM 10.00 100,000.00 Ni	ICP90Q PPM 30.00 50,000.00 As
200330	8.49	6.7	478	67	26	<30
200331	11.2	6.4	245	68	41	<30
200332	1.54	0.3	56	30	30	69
D - 200222	4.64	1.4	33	<20	17	31
D - 200269	10.2	0.3	265	<20	<10	202
D - 200316	12.8	10.8	<20	<20	<10	<30

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 10 of 50

ANALYTICAL REPORT

Scheme Units Detection Limit Upper Limit	ICP90Q	ICP90Q	ICP90Q	ICP90Q	ICP90Q	ICP90Q
	PPM 10.00 10,000.00 Ba	PPM 5.00 2,500.00 Be	PPM 10.00 50,000.00 Cd	PPM 10.00 20,000.00 Ce	PPM 10.00 100,000.00 Co	PPM 10.00 100,000.00 Cu
200214	10	<5	<10	<10	<10	<10
200215	470	<5	<10	65	12	25
200216	868	<5	<10	145	18	505
200217	222	6	<10	81	32	35
200218	<10	<5	<10	<10	52	393
200219	18	<5	<10	<10	82	556
200220	26	<5	<10	51	36	285
200221	230	<5	<10	<10	28	165
200222	57	<5	<10	15	20	222
200223	97	6	<10	184	14	64
200224	39	<5	<10	16	26	149
200225	34	<5	<10	<10	<10	67
200226	21	<5	<10	19	<10	29
200227	19	<5	<10	76	23	33
200228	66	<5	<10	54	61	244
200229	88	<5	<10	<10	26	102
200230	72	<5	<10	181	122	563
200231	31	7	<10	463	11	41
200232	79	6	<10	252	30	66
200233	154	<5	<10	<10	26	194
200234	116	<5	<10	<10	26	225
200235	14	<5	60	28	67	2.26%
200236	<10	<5	<10	11	13	<10
200237	<10	<5	<10	16	<10	<10
200238	10	<5	<10	<10	<10	<10
200239	<10	<5	<10	11	<10	<10
200240	<10	<5	<10	<10	<10	35
200241	<10	<5	<10	<10	16	92
200242	<10	<5	<10	<10	43	275
200243	14	<5	<10	<10	25	92
200244	<10	<5	<10	<10	16	97
200245	<10	<5	<10	<10	16	51
200246	<10	<5	<10	<10	<10	<10
200247	<10	<5	<10	<10	11	<10
200248	<10	<5	<10	<10	<10	<10
200249	10	7	<10	<10	12	<10
200250	<10	<5	<10	<10	14	<10
200251	<10	<5	<10	<10	11	<10

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received

Results are not intended for commercial settlement purposes.

Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 11 of 50

ANALYTICAL REPORT

	ICP90Q PPM 10.00 10,000.00 Ba	ICP90Q PPM 5.00 2,500.00 Be	ICP90Q PPM 10.00 50,000.00 Cd	ICP90Q PPM 10.00 20,000.00 Ce	ICP90Q PPM 10.00 100,000.00 Co	ICP90Q PPM 10.00 100,000.00 Cu
200252	<10	5	<10	<10	<10	<10
200253	<10	<5	<10	<10	16	<10
200254	<10	<5	<10	<10	12	<10
200255	<10	<5	<10	<10	13	12
200256	71	<5	60	24	74	2.39%
200257	<10	<5	<10	<10	13	108
200258	<10	<5	<10	<10	16	39
200259	19	<5	<10	<10	<10	<10
200260	<10	<5	<10	<10	<10	32
200261	<10	<5	<10	<10	14	40
200262	<10	<5	<10	<10	14	11
200263	<10	<5	<10	<10	14	<10
200264	<10	<5	<10	<10	<10	<10
200265	<10	<5	<10	<10	28	198
200266	25	<5	<10	<10	41	168
200267	<10	<5	<10	<10	<10	11
200268	<10	<5	<10	<10	36	92
200269	<10	<5	<10	<10	30	28
200270	32	<5	<10	33	31	104
200271	74	<5	<10	37	13	<10
200272	<10	<5	<10	<10	<10	<10
200273	<10	<5	<10	<10	17	22
200274	<10	<5	<10	<10	17	29
200275	<10	<5	<10	<10	19	66
200276	<10	<5	<10	<10	15	26
200277	<10	<5	<10	<10	19	54
200278	69	<5	58	26	70	2.27%
200279	39	<5	<10	<10	<10	136
200280	380	<5	<10	80	<10	<10
200281	157	<5	<10	76	<10	<10
200282	65	<5	<10	34	10	12
200283	321	<5	<10	195	19	116
200284	238	<5	<10	47	12	<10
200285	156	<5	<10	141	23	<10
200286	145	<5	<10	120	<10	<10
200287	220	<5	<10	186	12	<10
200288	603	5	<10	50	<10	<10
200289	19	<5	<10	<10	<10	<10
200290	<10	<5	<10	<10	<10	<10

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 12 of 50

ANALYTICAL REPORT

	ICP90Q PPM 10.00 10,000.00 Ba	ICP90Q PPM 5.00 2,500.00 Be	ICP90Q PPM 10.00 50,000.00 Cd	ICP90Q PPM 10.00 20,000.00 Ce	ICP90Q PPM 10.00 100,000.00 Co	ICP90Q PPM 10.00 100,000.00 Cu
200291	<10	<5	<10	<10	<10	<10
200292	<10	<5	<10	<10	<10	<10
200293	119	<5	<10	<10	<10	<10
200294	114	<5	<10	39	<10	<10
200295	1108	<5	<10	101	10	21
200296	1066	<5	<10	83	14	60
200297	730	<5	<10	101	<10	11
200298	244	<5	<10	89	<10	<10
200299	68	<5	57	23	70	2.21%
200300	265	<5	<10	129	<10	18
200301	341	<5	<10	46	<10	<10
200302	1336	<5	<10	83	15	33
200303	1252	<5	<10	68	<10	<10
200304	676	<5	<10	71	<10	<10
200305	853	<5	<10	72	<10	<10
200306	797	<5	<10	43	<10	<10
200307	783	5	<10	120	11	<10
200308	321	<5	<10	28	<10	<10
200309	313	<5	<10	29	<10	<10
200310	313	<5	<10	44	<10	<10
200311	465	<5	<10	58	<10	<10
200312	82	<5	<10	42	24	86
200313	11	<5	<10	<10	<10	<10
200314	<10	<5	<10	<10	<10	<10
200315	<10	<5	<10	<10	<10	<10
200316	<10	<5	<10	<10	<10	<10
200317	237	<5	<10	<10	23	101
200318	198	<5	<10	66	22	49
200319	840	<5	<10	64	11	<10
200320	70	<5	62	20	78	2.34%
200321	703	<5	<10	66	<10	17
200322	836	<5	<10	60	<10	<10
200323	859	<5	<10	72	<10	<10
200324	980	<5	<10	58	<10	<10
200325	1237	<5	<10	56	<10	<10
200326	5634	<5	<10	60	<10	<10
200327	2612	<5	<10	77	14	22
200328	2688	<5	<10	78	15	35
200329	>10000	<5	<10	64	12	<10

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 13 of 50

ANALYTICAL REPORT

	ICP90Q PPM 10.00 10,000.00 Ba	ICP90Q PPM 5.00 2,500.00 Be	ICP90Q PPM 10.00 50,000.00 Cd	ICP90Q PPM 10.00 20,000.00 Ce	ICP90Q PPM 10.00 100,000.00 Co	ICP90Q PPM 10.00 100,000.00 Cu
200330	4139	<5	<10	33	15	19
200331	392	<5	<10	71	20	<10
200332	72	<5	63	22	76	2.25%
D - 200222	39	<5	<10	31	24	204
D - 200269	<10	<5	<10	<10	33	24
D - 200316	<10	<5	<10	<10	<10	<10

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.

Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 14 of 50

ANALYTICAL REPORT

Scheme	ICP90Q	ICP90Q	ICP90Q	ICP90Q	ICP90Q	ICP90Q
Units	%	PPM	PPM	PPM	PPM	%
Detection Limit	0.10	10.00	10.00	10.00	20.00	0.01
Upper Limit	25.00	20,000.00	100,000.00	100,000.00	20,000.00	10.00
	K	La	Li	Mo	Pb	S
200214	<0.1	<10	<10	<10	<20	0.03
200215	2.8	35	91	<10	70	0.12
200216	2.4	87	122	<10	207	0.18
200217	0.9	51	38	<10	208	0.14
200218	<0.1	<10	<10	<10	25	0.09
200219	<0.1	<10	<10	<10	43	3.59
200220	0.2	18	<10	<10	71	2.22
200221	0.3	<10	<10	18	<20	1.47
200222	0.3	<10	21	<10	<20	1.14
200223	1.3	80	154	<10	<20	0.15
200224	0.2	<10	16	<10	<20	1.95
200225	0.1	<10	15	<10	<20	0.21
200226	1.4	<10	56	13	<20	0.14
200227	2.1	29	58	12	<20	0.05
200228	0.9	22	45	<10	<20	1.63
200229	<0.1	<10	26	<10	<20	0.49
200230	0.3	82	33	<10	<20	6.76
200231	0.6	221	51	<10	<20	0.06
200232	1.0	123	109	<10	<20	0.17
200233	0.1	<10	<10	<10	<20	1.40
200234	<0.1	<10	20	<10	<20	1.88
200235	0.6	12	15	<10	<20	7.95
200236	0.1	<10	21	<10	32	0.02
200237	<0.1	<10	22	<10	27	0.07
200238	<0.1	<10	<10	<10	32	0.03
200239	<0.1	<10	<10	<10	<20	0.02
200240	0.1	<10	<10	<10	46	0.24
200241	<0.1	<10	<10	<10	36	0.86
200242	<0.1	<10	<10	<10	<20	2.97
200243	<0.1	<10	<10	<10	27	1.18
200244	<0.1	<10	<10	<10	51	1.02
200245	<0.1	<10	<10	<10	23	0.60
200246	<0.1	<10	<10	<10	<20	0.14
200247	<0.1	<10	<10	<10	<20	0.15
200248	<0.1	<10	<10	<10	26	0.06
200249	<0.1	<10	<10	<10	22	0.39
200250	<0.1	<10	<10	<10	26	0.35
200251	<0.1	<10	<10	<10	<20	0.12

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 15 of 50

ANALYTICAL REPORT

	ICP90Q % 0.10 25.00 K	ICP90Q PPM 10.00 20,000.00 La	ICP90Q PPM 10.00 100,000.00 Li	ICP90Q PPM 10.00 100,000.00 Mo	ICP90Q PPM 20.00 20,000.00 Pb	ICP90Q % 0.01 10.00 S
200252	<0.1	<10	<10	<10	<20	0.15
200253	<0.1	<10	<10	<10	<20	1.18
200254	<0.1	<10	<10	<10	22	0.07
200255	<0.1	<10	<10	<10	<20	0.06
200256	0.6	16	13	<10	>20000	8.73
200257	<0.1	<10	<10	<10	<20	0.15
200258	<0.1	<10	<10	<10	22	0.30
200259	<0.1	<10	<10	<10	<20	0.04
200260	<0.1	<10	<10	<10	<20	0.18
200261	<0.1	<10	<10	<10	35	0.20
200262	0.1	<10	<10	<10	<20	0.12
200263	<0.1	<10	<10	<10	37	0.06
200264	<0.1	<10	<10	<10	<20	0.05
200265	0.1	<10	<10	<10	<20	1.59
200266	0.4	<10	<10	<10	<20	2.36
200267	0.1	<10	<10	<10	<20	0.08
200268	0.1	<10	<10	<10	<20	1.48
200269	0.1	<10	<10	<10	67	0.11
200270	0.2	19	63	<10	40	0.98
200271	0.8	20	20	<10	29	0.16
200272	<0.1	<10	<10	<10	46	0.02
200273	<0.1	<10	<10	<10	32	0.25
200274	<0.1	<10	<10	<10	<20	0.30
200275	0.1	<10	<10	<10	<20	0.49
200276	0.1	<10	<10	<10	30	0.32
200277	0.1	<10	<10	<10	31	0.53
200278	0.7	16	16	<10	>20000	8.05
200279	0.3	<10	<10	<10	<20	0.22
200280	2.0	37	38	<10	51	0.04
200281	1.1	40	50	<10	27	0.05
200282	0.5	20	34	<10	40	0.11
200283	1.4	112	55	<10	160	0.10
200284	1.0	25	31	<10	51	<0.01
200285	0.7	80	41	<10	42	<0.01
200286	0.7	67	70	<10	142	0.10
200287	0.8	98	74	<10	46	0.01
200288	3.0	24	27	11	114	0.02
200289	0.1	<10	15	<10	<20	<0.01
200290	<0.1	<10	<10	<10	34	0.10

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.

Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 16 of 50

ANALYTICAL REPORT

	ICP90Q % 0.10 25.00 K	ICP90Q PPM 10.00 20,000.00 La	ICP90Q PPM 10.00 100,000.00 Li	ICP90Q PPM 10.00 100,000.00 Mo	ICP90Q PPM 20.00 20,000.00 Pb	ICP90Q % 0.01 10.00 S
200291	<0.1	<10	<10	<10	<20	0.03
200292	<0.1	<10	<10	<10	<20	0.01
200293	0.5	<10	28	<10	79	0.02
200294	0.5	21	33	<10	<20	0.02
200295	2.5	49	21	<10	31	0.25
200296	3.6	42	41	<10	<20	1.80
200297	1.1	54	25	<10	33	0.21
200298	1.0	51	36	<10	22	0.01
200299	0.5	14	11	<10	>20000	8.36
200300	1.1	66	29	<10	45	0.03
200301	1.3	22	21	<10	33	0.03
200302	4.1	42	33	<10	<20	0.63
200303	2.4	33	39	<10	<20	0.03
200304	2.4	33	36	<10	<20	0.05
200305	3.0	36	44	<10	<20	<0.01
200306	3.0	22	32	<10	<20	0.02
200307	2.2	63	35	<10	21	0.02
200308	1.3	14	17	<10	84	0.05
200309	1.2	14	12	<10	35	0.01
200310	1.4	23	13	12	59	0.01
200311	1.2	28	37	12	35	0.03
200312	0.5	24	47	<10	<20	0.84
200313	<0.1	<10	41	<10	<20	0.06
200314	0.1	<10	32	<10	116	0.04
200315	<0.1	<10	13	<10	62	0.05
200316	<0.1	<10	10	<10	177	0.02
200317	1.0	<10	78	<10	85	1.25
200318	1.6	32	113	<10	66	0.34
200319	3.4	32	51	<10	21	0.04
200320	0.6	14	14	<10	>20000	8.72
200321	2.6	33	37	<10	42	0.02
200322	3.0	29	37	<10	<20	0.01
200323	3.4	37	32	<10	<20	0.03
200324	3.3	30	29	<10	<20	0.02
200325	2.7	30	27	<10	<20	0.05
200326	2.7	28	32	<10	<20	0.08
200327	2.6	40	36	<10	<20	0.43
200328	3.3	43	39	<10	<20	0.97
200329	2.5	38	29	<10	<20	0.12

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
Client Ref **46104**
Project *
Reported 19/11/10
Status Final
Page Page 17 of 50

ANALYTICAL REPORT

	ICP90Q % 0.10 25.00 K	ICP90Q PPM 10.00 20,000.00 La	ICP90Q PPM 10.00 100,000.00 Li	ICP90Q PPM 10.00 100,000.00 Mo	ICP90Q PPM 20.00 20,000.00 Pb	ICP90Q % 0.01 10.00 S
200330	1.9	18	19	<10	21	0.24
200331	2.1	36	50	<10	21	1.32
200332	0.6	15	12	<10	>20000	8.58
D - 200222	0.3	20	20	<10	22	1.14
D - 200269	<0.1	<10	<10	<10	74	0.12
D - 200316	<0.1	<10	<10	<10	194	0.03

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.

Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 18 of 50

ANALYTICAL REPORT

Scheme	ICP90Q	ICP90Q	ICP90Q	ICP90Q	ICP90Q	XRF78S
Units	PPM	PPM	PPM	PPM	PPM	%
Detection Limit	50.00	10.00	10.00	5.00	25.00	0.01
Upper Limit	10,000.00	20,000.00	50,000.00	50,000.00	100,000.00	100.00
	Sb	Sr	V	Y	Zn	Al
200214	<50	<10	<10	<5	<25	0.04
200215	<50	67	75	29	667	7.99
200216	<50	95	84	53	1302	6.72
200217	<50	112	73	56	680	4.91
200218	<50	<10	14	9	229	0.30
200219	<50	<10	17	<5	376	0.45
200220	<50	<10	<10	14	1632	1.48
200221	<50	<10	11	8	1140	1.76
200222	<50	<10	56	6	288	1.31
200223	<50	181	239	37	571	8.63
200224	<50	<10	36	11	590	1.26
200225	<50	<10	10	11	216	0.34
200226	<50	96	119	19	167	4.24
200227	<50	214	166	31	70	8.24
200228	<50	136	159	18	231	4.51
200229	<50	<10	36	<5	220	0.27
200230	<50	18	42	18	256	2.41
200231	<50	59	84	39	152	5.17
200232	<50	154	118	26	1550	6.54
200233	<50	<10	23	<5	251	0.38
200234	<50	<10	<10	6	133	0.06
200235	<50	13	20	9	1.32%	2.45
200236	<50	17	<10	10	3445	0.03
200237	<50	41	11	<5	421	0.06
200238	<50	41	<10	<5	160	0.04
200239	<50	29	<10	<5	53	<0.01
200240	<50	20	<10	6	140	0.02
200241	<50	<10	<10	<5	176	0.01
200242	<50	<10	<10	5	168	<0.01
200243	<50	<10	<10	<5	140	<0.01
200244	<50	<10	<10	5	178	<0.01
200245	<50	<10	<10	<5	152	0.04
200246	<50	<10	<10	<5	191	0.06
200247	<50	12	<10	<5	96	<0.01
200248	<50	<10	<10	<5	144	0.04
200249	<50	12	14	<5	183	0.06
200250	<50	11	10	6	121	0.03
200251	<50	<10	13	<5	233	0.06

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.

Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 19 of 50

ANALYTICAL REPORT

	ICP90Q PPM 50.00 10,000.00 Sb	ICP90Q PPM 10.00 20,000.00 Sr	ICP90Q PPM 10.00 50,000.00 V	ICP90Q PPM 5.00 50,000.00 Y	ICP90Q PPM 25.00 100,000.00 Zn	XRF78S % 0.01 100.00 Al
200252	<50	<10	<10	<5	164	0.02
200253	<50	11	11	<5	202	0.13
200254	<50	15	42	<5	367	0.46
200255	<50	19	40	<5	244	0.27
200256	<50	16	23	9	1.59%	2.44
200257	<50	<10	17	<5	244	0.12
200258	<50	<10	14	<5	231	0.15
200259	<50	15	12	13	<25	0.22
200260	<50	<10	20	<5	238	0.24
200261	<50	<10	38	<5	276	0.18
200262	<50	<10	21	6	173	0.15
200263	<50	<10	19	<5	170	0.09
200264	<50	<10	<10	<5	141	0.07
200265	<50	25	15	10	127	0.15
200266	<50	12	22	9	137	0.47
200267	<50	<10	13	13	64	0.24
200268	<50	11	39	7	184	0.23
200269	<50	<10	74	<5	584	0.32
200270	<50	75	91	10	433	3.31
200271	<50	15	61	19	1580	2.97
200272	<50	<10	47	<5	202	0.13
200273	<50	<10	35	<5	333	0.30
200274	<50	<10	37	<5	298	0.21
200275	<50	<10	56	6	325	0.40
200276	<50	<10	34	<5	271	0.39
200277	<50	<10	63	<5	373	0.45
200278	<50	17	25	7	1.44%	2.44
200279	<50	13	28	8	600	1.53
200280	<50	242	136	32	281	6.67
200281	<50	135	145	34	394	5.78
200282	<50	93	75	15	268	2.94
200283	<50	270	184	44	388	7.37
200284	<50	144	113	17	77	4.36
200285	<50	273	168	37	139	5.72
200286	<50	67	155	23	936	4.37
200287	<50	202	257	32	170	6.32
200288	<50	255	266	37	250	9.30
200289	<50	26	50	10	68	0.79
200290	<50	<10	20	7	157	0.26

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.

Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 20 of 50

ANALYTICAL REPORT

	ICP90Q PPM 50.00 10,000.00 Sb	ICP90Q PPM 10.00 20,000.00 Sr	ICP90Q PPM 10.00 50,000.00 V	ICP90Q PPM 5.00 50,000.00 Y	ICP90Q PPM 25.00 100,000.00 Zn	XRF78S % 0.01 100.00 Al
200291	<50	<10	17	<5	71	0.12
200292	<50	<10	12	5	44	0.15
200293	<50	<10	48	8	97	1.31
200294	<50	60	118	17	54	2.61
200295	<50	367	238	36	47	8.86
200296	<50	179	231	32	<25	7.90
200297	<50	359	262	37	90	7.13
200298	<50	153	185	20	194	4.41
200299	<50	<10	25	10	1.52%	2.43
200300	<50	278	120	33	80	6.62
200301	<50	448	140	37	88	8.14
200302	<50	156	141	32	<25	8.12
200303	<50	203	126	33	<25	7.18
200304	<50	210	74	34	<25	7.45
200305	<50	207	77	34	<25	7.78
200306	<50	271	109	27	97	6.36
200307	<50	396	150	35	63	7.71
200308	<50	265	116	25	162	6.93
200309	<50	286	154	24	66	5.90
200310	<50	268	135	28	96	6.47
200311	<50	272	93	30	116	5.66
200312	<50	55	44	9	261	1.79
200313	<50	35	17	<5	104	0.50
200314	<50	22	12	<5	217	0.55
200315	<50	21	11	7	148	0.26
200316	<50	47	<10	12	549	0.38
200317	<50	21	68	18	253	4.58
200318	<50	32	65	28	211	5.99
200319	<50	100	60	30	<25	6.44
200320	<50	15	25	11	1.66%	2.45
200321	<50	140	60	32	33	5.98
200322	<50	287	76	33	<25	7.20
200323	<50	204	75	32	<25	7.38
200324	<50	208	64	35	<25	6.67
200325	<50	193	63	32	<25	5.55
200326	<50	310	69	29	<25	6.32
200327	<50	266	88	31	<25	6.76
200328	<50	257	99	36	<25	7.11
200329	<50	416	106	32	35	6.60

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 21 of 50

ANALYTICAL REPORT

	ICP90Q PPM 50.00 10,000.00 Sb	ICP90Q PPM 10.00 20,000.00 Sr	ICP90Q PPM 10.00 50,000.00 V	ICP90Q PPM 5.00 50,000.00 Y	ICP90Q PPM 25.00 100,000.00 Zn	XRF78S % 0.01 100.00 Al
200330	<50	355	98	27	56	5.88
200331	<50	314	92	22	139	5.45
200332	<50	<10	23	8	1.64%	2.43
D - 200222	<50	20	70	<5	361	1.29
D - 200269	<50	<10	77	<5	634	0.32
D - 200316	<50	45	10	9	610	0.39

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.

Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 22 of 50

ANALYTICAL REPORT

Scheme	XRF78S	XRF78S	XRF78S	XRF78S	XRF78S	XRF78S
Units	%	%	%	%	%	%
Detection Limit	0.01	0.01	0.01	0.01	0.01	0.01
Upper Limit	100.00	100.00	100.00	100.00	100.00	100.00
	SiO2	Ti	Fe	Mn	Ca	K
200214	99.3	0.11	0.04	<0.01	0.01	0.03
200215	65.0	0.35	4.78	0.42	0.37	2.88
200216	59.5	0.34	7.82	0.95	0.61	2.44
200217	47.8	0.25	12.6	0.64	4.92	0.95
200218	48.1	<0.01	13.9	0.59	7.50	0.05
200219	33.4	0.01	24.4	1.03	3.46	0.10
200220	42.8	<0.01	12.7	0.34	4.30	0.14
200221	33.3	0.01	18.7	0.33	2.21	0.32
200222	13.7	0.06	51.6	0.21	1.35	0.27
200223	39.9	0.37	9.95	1.13	8.58	1.62
200224	46.0	0.04	12.1	0.33	8.36	0.16
200225	48.2	<0.01	8.01	0.26	11.6	0.06
200226	48.5	0.18	8.67	0.41	8.94	1.67
200227	61.8	0.34	3.07	0.20	1.90	2.52
200228	37.9	0.19	25.7	0.22	2.07	0.96
200229	16.1	0.02	49.1	0.24	0.16	0.02
200230	22.1	0.12	34.8	0.33	3.87	0.33
200231	43.3	0.31	9.88	0.55	13.3	0.64
200232	37.5	0.31	13.8	0.58	9.91	1.01
200233	13.5	0.03	51.2	0.27	0.98	0.04
200234	42.2	<0.01	13.8	0.34	10.5	0.01
200235	54.6	0.07	12.0	0.09	0.30	0.62
200236	52.4	<0.01	3.66	0.30	16.4	0.01
200237	42.9	<0.01	15.4	0.26	12.7	0.01
200238	53.4	<0.01	1.96	0.26	16.8	0.01
200239	53.5	<0.01	2.17	0.27	16.8	<0.01
200240	52.5	<0.01	4.01	0.25	14.1	0.02
200241	45.7	<0.01	7.94	0.36	8.78	0.02
200242	34.8	<0.01	15.5	0.54	1.32	<0.01
200243	38.5	<0.01	11.9	0.55	1.28	0.01
200244	36.0	<0.01	16.1	0.41	1.62	0.01
200245	40.7	<0.01	15.0	0.30	5.64	0.02
200246	31.7	<0.01	24.4	0.33	2.58	0.01
200247	34.8	<0.01	13.7	0.30	0.44	<0.01
200248	25.1	<0.01	27.8	0.34	0.37	<0.01
200249	19.8	<0.01	36.3	0.80	0.52	<0.01
200250	37.3	<0.01	18.8	0.42	3.86	0.02
200251	19.8	<0.01	36.1	0.54	0.21	<0.01

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 23 of 50

ANALYTICAL REPORT

	XRF78S % 0.01 100.00 SiO2	XRF78S % 0.01 100.00 Ti	XRF78S % 0.01 100.00 Fe	XRF78S % 0.01 100.00 Mn	XRF78S % 0.01 100.00 Ca	XRF78S % 0.01 100.00 K
200252	27.5	<0.01	22.4	0.71	0.53	<0.01
200253	22.2	<0.01	30.2	0.73	0.80	0.01
200254	13.6	0.04	46.4	0.49	0.45	0.05
200255	18.7	0.04	38.6	0.40	0.35	0.02
200256	54.6	0.07	12.0	0.09	0.30	0.61
200257	29.3	0.02	22.2	0.39	0.67	0.02
200258	26.4	0.02	24.2	0.46	0.04	<0.01
200259	27.3	0.02	37.4	0.21	0.55	0.02
200260	22.8	0.02	29.9	0.51	0.05	<0.01
200261	19.0	0.04	38.0	0.59	0.40	<0.01
200262	27.6	0.02	23.7	0.51	0.28	0.02
200263	25.3	0.01	26.4	0.39	0.09	<0.01
200264	28.5	<0.01	21.3	0.33	0.03	<0.01
200265	34.4	0.01	15.7	0.34	1.68	0.05
200266	38.4	0.02	13.7	0.63	4.15	0.29
200267	51.0	<0.01	4.66	0.35	11.6	0.04
200268	30.6	0.02	24.4	0.36	2.41	0.05
200269	15.4	0.05	43.3	0.47	0.27	0.02
200270	25.4	0.18	27.8	0.67	4.37	0.13
200271	34.0	0.11	12.4	0.51	2.91	0.66
200272	19.4	0.03	37.5	0.31	0.16	<0.01
200273	23.4	0.03	28.6	0.56	0.16	<0.01
200274	24.1	0.03	24.9	0.62	0.06	<0.01
200275	21.1	0.04	30.2	0.70	0.20	0.01
200276	25.5	0.03	22.8	0.64	0.15	0.03
200277	18.2	0.05	36.1	0.68	0.06	0.04
200278	54.6	0.07	11.9	0.08	0.30	0.61
200279	37.9	0.04	7.10	0.60	3.49	0.25
200280	48.2	0.30	5.90	0.62	12.0	1.82
200281	43.2	0.24	7.18	0.63	13.4	1.06
200282	40.6	0.13	6.89	0.61	5.49	0.44
200283	43.6	0.31	8.31	0.35	11.2	1.45
200284	49.1	0.20	3.73	0.26	13.7	1.01
200285	46.0	0.25	6.56	0.36	13.9	0.68
200286	43.1	0.21	6.74	0.24	8.25	0.78
200287	40.9	0.29	9.10	0.32	7.58	0.85
200288	55.0	0.38	2.41	0.18	6.04	3.37
200289	53.5	0.04	3.16	0.31	13.9	0.10
200290	52.7	0.01	3.16	0.20	7.51	0.04

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 24 of 50

ANALYTICAL REPORT

	XRF78S % 0.01 100.00 SiO2	XRF78S % 0.01 100.00 Ti	XRF78S % 0.01 100.00 Fe	XRF78S % 0.01 100.00 Mn	XRF78S % 0.01 100.00 Ca	XRF78S % 0.01 100.00 K
200291	57.3	<0.01	2.04	0.22	10.8	0.04
200292	57.6	<0.01	2.43	0.19	9.93	0.05
200293	53.7	0.06	2.82	0.18	7.38	0.55
200294	51.5	0.13	3.28	0.23	11.9	0.56
200295	59.1	0.37	2.62	0.12	4.54	2.81
200296	63.9	0.34	3.99	0.04	2.09	4.13
200297	50.8	0.30	4.97	0.30	11.9	1.34
200298	49.7	0.20	3.89	0.32	13.4	1.06
200299	54.5	0.07	12.0	0.08	0.30	0.62
200300	49.6	0.27	3.19	0.27	12.0	1.20
200301	54.8	0.36	3.07	0.24	9.24	1.40
200302	66.9	0.35	2.22	0.03	1.05	4.67
200303	72.2	0.35	1.59	0.03	1.87	2.62
200304	70.4	0.38	1.63	0.04	2.02	2.80
200305	69.4	0.37	1.40	0.05	1.53	3.41
200306	56.4	0.31	2.44	0.18	7.99	3.43
200307	50.2	0.36	4.11	0.33	10.9	2.25
200308	56.6	0.32	2.76	0.26	9.13	1.59
200309	59.2	0.29	1.50	0.12	9.55	1.32
200310	60.5	0.31	1.77	0.14	7.19	1.52
200311	56.4	0.26	2.98	0.24	9.72	1.36
200312	34.9	0.12	18.5	0.20	5.05	0.45
200313	33.6	0.02	14.1	0.19	4.11	0.06
200314	41.3	0.02	9.15	0.18	3.32	0.08
200315	45.8	0.01	9.50	0.14	6.45	0.04
200316	44.8	0.02	4.69	0.25	10.2	0.03
200317	40.2	0.30	6.87	0.25	4.78	1.01
200318	49.5	0.36	4.50	0.53	4.24	1.84
200319	72.3	0.32	1.12	0.06	0.89	3.55
200320	54.5	0.07	12.0	0.09	0.30	0.62
200321	74.1	0.33	1.13	0.04	1.03	2.80
200322	71.9	0.35	0.88	0.02	1.61	3.12
200323	72.4	0.37	0.83	0.01	1.20	3.70
200324	74.9	0.36	0.67	0.01	1.09	3.42
200325	78.3	0.31	0.65	0.01	1.02	2.77
200326	70.7	0.33	1.07	0.03	2.39	2.84
200327	63.1	0.36	2.45	0.06	3.69	2.81
200328	69.9	0.36	2.39	0.01	1.28	3.36
200329	56.5	0.43	3.23	0.10	5.62	2.73

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
Client Ref **46104**
Project *
Reported 19/11/10
Status Final
Page Page 25 of 50

ANALYTICAL REPORT

	XRF78S % 0.01 100.00 SiO2	XRF78S % 0.01 100.00 Ti	XRF78S % 0.01 100.00 Fe	XRF78S % 0.01 100.00 Mn	XRF78S % 0.01 100.00 Ca	XRF78S % 0.01 100.00 K
200330	51.4	0.42	4.26	0.14	7.53	2.03
200331	45.0	0.37	6.95	0.20	6.48	2.18
200332	54.6	0.06	12.0	0.09	0.31	0.61
D - 200222	13.6	0.06	51.2	0.21	1.35	0.26
D - 200269	15.4	0.05	43.0	0.47	0.28	0.02
D - 200316	44.8	0.01	4.71	0.25	10.2	0.03

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 26 of 50

ANALYTICAL REPORT

Scheme	XRF78S	XRF78S	XRF78S	XRF78S	XRF78S	XRF78S
Units	%	%	%	%	%	%
Detection Limit	0.01	0.01	0.01	0.01	0.01	0.01
Upper Limit	100.00	100.00	100.00	100.00	100.00	100.00
	Mg	S	Ni	Co	Cu	Zn
200214	0.01	0.006	<0.01	<0.01	<0.01	<0.01
200215	2.13	0.113	<0.01	<0.01	<0.01	0.07
200216	3.31	0.143	<0.01	<0.01	0.05	0.12
200217	6.49	0.090	<0.01	0.01	<0.01	0.06
200218	9.53	0.084	<0.01	0.01	0.04	0.02
200219	7.38	3.01	<0.01	0.02	0.06	0.04
200220	13.6	1.98	<0.01	<0.01	0.03	0.16
200221	15.2	1.71	<0.01	<0.01	0.02	0.16
200222	4.08	1.11	<0.01	<0.01	0.02	0.04
200223	5.27	0.088	<0.01	<0.01	<0.01	0.07
200224	10.8	2.31	<0.01	<0.01	0.02	0.08
200225	11.3	0.212	<0.01	<0.01	<0.01	0.03
200226	7.19	0.079	<0.01	<0.01	<0.01	0.02
200227	3.00	0.038	<0.01	<0.01	<0.01	<0.01
200228	3.96	1.61	<0.01	0.01	0.02	0.03
200229	6.63	0.470	<0.01	<0.01	<0.01	0.03
200230	5.96	6.22	<0.01	0.02	0.05	0.03
200231	5.95	0.025	<0.01	<0.01	<0.01	0.02
200232	6.46	0.132	<0.01	<0.01	<0.01	0.16
200233	5.89	1.38	<0.01	<0.01	0.02	0.03
200234	11.5	1.89	<0.01	0.01	0.02	0.01
200235	1.34	7.88	<0.01	<0.01	2.49	1.58
200236	11.0	0.018	<0.01	<0.01	0.01	<0.01
200237	9.70	0.067	<0.01	<0.01	<0.01	0.02
200238	11.4	0.010	<0.01	<0.01	<0.01	0.01
200239	11.3	0.009	<0.01	<0.01	<0.01	<0.01
200240	11.9	0.223	<0.01	<0.01	<0.01	0.02
200241	15.4	0.787	<0.01	<0.01	0.01	0.02
200242	20.2	2.74	<0.01	0.01	0.03	0.02
200243	20.5	1.11	<0.01	<0.01	0.01	0.02
200244	18.5	1.03	<0.01	<0.01	0.01	0.02
200245	14.5	0.545	<0.01	<0.01	<0.01	0.02
200246	14.4	0.110	<0.01	<0.01	<0.01	0.02
200247	20.6	0.108	<0.01	<0.01	<0.01	0.01
200248	15.5	0.053	<0.01	0.01	<0.01	0.01
200249	11.5	0.402	<0.01	<0.01	<0.01	0.02
200250	14.1	0.341	<0.01	<0.01	<0.01	0.01
200251	12.5	0.114	<0.01	<0.01	<0.01	0.02

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.

Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 27 of 50

ANALYTICAL REPORT

	XRF78S % 0.01 100.00 Mg	XRF78S % 0.01 100.00 S	XRF78S % 0.01 100.00 Ni	XRF78S % 0.01 100.00 Co	XRF78S % 0.01 100.00 Cu	XRF78S % 0.01 100.00 Zn
200252	16.8	0.130	<0.01	<0.01	<0.01	0.02
200253	13.7	1.11	<0.01	<0.01	<0.01	0.02
200254	8.71	0.042	<0.01	<0.01	<0.01	0.04
200255	11.9	0.058	<0.01	0.01	<0.01	0.03
200256	1.36	7.94	<0.01	<0.01	2.42	1.58
200257	17.6	0.111	<0.01	<0.01	<0.01	0.02
200258	17.5	0.265	<0.01	0.01	<0.01	0.03
200259	6.33	0.037	<0.01	<0.01	<0.01	<0.01
200260	15.4	0.206	<0.01	<0.01	<0.01	0.02
200261	12.1	0.232	<0.01	<0.01	<0.01	0.03
200262	17.4	0.151	<0.01	<0.01	<0.01	0.02
200263	16.8	0.076	<0.01	<0.01	<0.01	0.02
200264	18.7	0.067	<0.01	<0.01	0.01	0.02
200265	18.8	1.53	<0.01	<0.01	0.02	0.01
200266	16.3	2.25	<0.01	<0.01	0.02	0.02
200267	13.6	0.087	<0.01	<0.01	<0.01	<0.01
200268	14.6	1.34	<0.01	<0.01	0.02	0.02
200269	10.3	0.125	<0.01	<0.01	<0.01	0.07
200270	9.72	0.985	<0.01	<0.01	0.01	0.05
200271	17.2	0.178	<0.01	<0.01	<0.01	0.18
200272	12.7	0.031	<0.01	<0.01	<0.01	0.02
200273	15.9	0.253	<0.01	<0.01	<0.01	0.04
200274	18.0	0.317	<0.01	<0.01	<0.01	0.03
200275	15.8	0.457	<0.01	<0.01	<0.01	0.04
200276	18.4	0.337	<0.01	<0.01	<0.01	0.03
200277	13.3	0.530	<0.01	<0.01	<0.01	0.04
200278	1.36	7.99	<0.01	<0.01	2.47	1.57
200279	19.8	0.170	<0.01	<0.01	<0.01	0.06
200280	4.48	0.037	<0.01	<0.01	<0.01	0.03
200281	6.88	0.033	<0.01	<0.01	<0.01	0.05
200282	17.8	0.110	<0.01	<0.01	<0.01	0.03
200283	4.84	0.089	<0.01	<0.01	0.02	0.05
200284	8.09	0.011	<0.01	<0.01	<0.01	0.01
200285	5.90	0.010	<0.01	<0.01	<0.01	0.02
200286	11.8	0.060	<0.01	<0.01	<0.01	0.10
200287	9.35	0.017	<0.01	<0.01	<0.01	0.02
200288	1.79	0.026	<0.01	<0.01	<0.01	0.03
200289	11.1	<0.005	<0.01	<0.01	<0.01	0.01
200290	16.9	0.106	<0.01	<0.01	<0.01	0.02

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 28 of 50

ANALYTICAL REPORT

	XRF78S % 0.01 100.00 Mg	XRF78S % 0.01 100.00 S	XRF78S % 0.01 100.00 Ni	XRF78S % 0.01 100.00 Co	XRF78S % 0.01 100.00 Cu	XRF78S % 0.01 100.00 Zn
200291	13.8	0.012	<0.01	<0.01	<0.01	<0.01
200292	14.0	<0.005	<0.01	<0.01	<0.01	<0.01
200293	15.2	0.023	<0.01	<0.01	<0.01	0.01
200294	10.8	0.025	<0.01	<0.01	<0.01	<0.01
200295	1.38	0.247	<0.01	<0.01	<0.01	<0.01
200296	1.86	1.55	<0.01	<0.01	0.01	<0.01
200297	3.90	0.188	<0.01	<0.01	<0.01	0.01
200298	8.25	0.009	<0.01	<0.01	<0.01	0.03
200299	1.34	7.99	<0.01	<0.01	2.51	1.58
200300	6.38	0.006	<0.01	<0.01	<0.01	<0.01
200301	2.43	0.010	<0.01	<0.01	<0.01	0.01
200302	1.32	0.594	<0.01	<0.01	0.01	<0.01
200303	1.32	0.038	<0.01	<0.01	<0.01	<0.01
200304	1.55	0.058	<0.01	<0.01	<0.01	<0.01
200305	1.71	0.011	<0.01	<0.01	<0.01	<0.01
200306	5.20	0.008	<0.01	<0.01	<0.01	0.01
200307	3.86	0.006	<0.01	<0.01	<0.01	<0.01
200308	3.59	0.015	<0.01	<0.01	<0.01	0.02
200309	4.59	0.009	<0.01	<0.01	<0.01	<0.01
200310	4.04	0.014	<0.01	<0.01	0.01	0.01
200311	5.60	0.012	<0.01	<0.01	0.03	0.01
200312	13.2	0.778	<0.01	<0.01	0.01	0.03
200313	16.7	0.015	<0.01	<0.01	<0.01	0.01
200314	18.1	0.018	<0.01	<0.01	<0.01	0.02
200315	14.6	0.019	<0.01	<0.01	<0.01	0.02
200316	12.3	0.021	<0.01	<0.01	<0.01	0.06
200317	15.1	1.18	<0.01	<0.01	0.01	0.03
200318	8.42	0.311	<0.01	<0.01	<0.01	0.02
200319	2.41	0.031	<0.01	<0.01	<0.01	<0.01
200320	1.36	8.09	<0.01	<0.01	2.43	1.57
200321	2.37	0.012	<0.01	<0.01	<0.01	<0.01
200322	1.65	0.012	<0.01	<0.01	<0.01	<0.01
200323	1.43	0.021	<0.01	<0.01	<0.01	<0.01
200324	1.26	0.019	<0.01	<0.01	<0.01	<0.01
200325	1.27	0.017	<0.01	<0.01	<0.01	<0.01
200326	2.87	0.038	<0.01	<0.01	<0.01	<0.01
200327	4.44	0.402	<0.01	<0.01	<0.01	<0.01
200328	1.74	0.876	<0.01	<0.01	<0.01	<0.01
200329	6.38	0.105	<0.01	<0.01	<0.01	<0.01

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
Client Ref **46104**
Project *
Reported 19/11/10
Status Final
Page Page 29 of 50

ANALYTICAL REPORT

	XRF78S % 0.01 100.00 Mg	XRF78S % 0.01 100.00 S	XRF78S % 0.01 100.00 Ni	XRF78S % 0.01 100.00 Co	XRF78S % 0.01 100.00 Cu	XRF78S % 0.01 100.00 Zn
200330	8.86	0.234	<0.01	<0.01	<0.01	<0.01
200331	11.0	1.27	<0.01	<0.01	<0.01	0.02
200332	1.33	7.84	<0.01	<0.01	2.48	1.57
D - 200222	4.08	1.04	<0.01	<0.01	0.02	0.04
D - 200269	10.4	0.126	<0.01	<0.01	<0.01	0.07
D - 200316	12.4	0.022	<0.01	<0.01	<0.01	0.06

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.

Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 30 of 50

ANALYTICAL REPORT

Scheme	XRF78S	XRF78S	XRF78S	XRF78S	XRF78S	XRF78S
Units	%	%	%	%	%	%
Detection Limit	0.01	0.01	0.01	0.01	0.01	0.01
Upper Limit	100.00	10.00	100.00	100.00	100.00	100.00
	Pb	As	Cr	V	Ba	Sr
200214	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200215	<0.01	<0.01	<0.01	0.01	0.05	0.01
200216	0.02	<0.01	<0.01	0.01	0.08	<0.01
200217	0.02	<0.01	<0.01	0.01	0.03	0.01
200218	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200219	<0.01	<0.01	<0.01	<0.01	0.01	<0.01
200220	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200221	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200222	<0.01	<0.01	<0.01	0.01	<0.01	<0.01
200223	0.03	<0.01	0.01	0.04	0.03	0.03
200224	0.03	<0.01	<0.01	<0.01	<0.01	<0.01
200225	0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200226	<0.01	<0.01	<0.01	0.02	0.05	0.01
200227	<0.01	<0.01	<0.01	0.02	0.08	0.02
200228	<0.01	0.03	<0.01	0.02	0.04	0.02
200229	<0.01	0.01	<0.01	<0.01	<0.01	<0.01
200230	<0.01	0.02	<0.01	<0.01	0.01	<0.01
200231	<0.01	<0.01	<0.01	0.01	0.01	0.02
200232	<0.01	<0.01	<0.01	0.02	0.03	0.03
200233	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200234	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200235	3.14	0.03	<0.01	<0.01	0.01	<0.01
200236	<0.01	<0.01	<0.01	<0.01	<0.01	0.01
200237	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200238	<0.01	<0.01	<0.01	<0.01	<0.01	0.01
200239	<0.01	<0.01	<0.01	<0.01	<0.01	0.01
200240	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200241	<0.01	0.01	<0.01	<0.01	<0.01	<0.01
200242	<0.01	0.01	<0.01	<0.01	<0.01	<0.01
200243	<0.01	0.01	<0.01	<0.01	<0.01	<0.01
200244	<0.01	0.01	<0.01	<0.01	<0.01	<0.01
200245	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200246	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200247	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200248	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200249	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200250	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200251	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 31 of 50

ANALYTICAL REPORT

	XRF78S % 0.01 100.00 Pb	XRF78S % 0.01 10.00 As	XRF78S % 0.01 100.00 Cr	XRF78S % 0.01 100.00 V	XRF78S % 0.01 100.00 Ba	XRF78S % 0.01 100.00 Sr
200252	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200253	<0.01	0.02	<0.01	<0.01	<0.01	<0.01
200254	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200255	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200256	3.10	0.04	<0.01	<0.01	0.01	<0.01
200257	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200258	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200259	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200260	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200261	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200262	<0.01	0.01	<0.01	<0.01	<0.01	<0.01
200263	<0.01	0.03	<0.01	<0.01	<0.01	<0.01
200264	<0.01	0.02	<0.01	<0.01	<0.01	<0.01
200265	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200266	<0.01	0.03	<0.01	<0.01	<0.01	<0.01
200267	<0.01	0.03	<0.01	<0.01	<0.01	<0.01
200268	<0.01	0.01	<0.01	<0.01	<0.01	<0.01
200269	<0.01	0.02	<0.01	<0.01	<0.01	<0.01
200270	<0.01	0.01	<0.01	0.01	<0.01	<0.01
200271	<0.01	0.02	<0.01	<0.01	0.01	<0.01
200272	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200273	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200274	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200275	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200276	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200277	<0.01	0.01	<0.01	<0.01	<0.01	<0.01
200278	3.12	0.04	<0.01	<0.01	0.02	<0.01
200279	<0.01	<0.01	<0.01	<0.01	0.01	<0.01
200280	<0.01	<0.01	<0.01	0.02	0.05	0.04
200281	<0.01	<0.01	<0.01	0.02	0.02	0.02
200282	<0.01	<0.01	<0.01	<0.01	0.02	0.02
200283	0.02	<0.01	<0.01	0.02	0.03	0.03
200284	<0.01	<0.01	<0.01	0.02	0.03	0.02
200285	<0.01	<0.01	<0.01	0.02	0.02	0.04
200286	0.01	<0.01	<0.01	0.02	0.02	0.01
200287	<0.01	0.02	<0.01	0.03	0.03	0.03
200288	0.01	<0.01	0.01	0.03	0.07	0.04
200289	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200290	<0.01	<0.01	<0.01	<0.01	0.01	<0.01

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 32 of 50

ANALYTICAL REPORT

	XRF78S % 0.01 100.00 Pb	XRF78S % 0.01 10.00 As	XRF78S % 0.01 100.00 Cr	XRF78S % 0.01 100.00 V	XRF78S % 0.01 100.00 Ba	XRF78S % 0.01 100.00 Sr
200291	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200292	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200293	<0.01	<0.01	<0.01	<0.01	0.02	<0.01
200294	<0.01	<0.01	<0.01	0.02	0.02	<0.01
200295	<0.01	<0.01	0.01	0.03	0.11	0.06
200296	<0.01	<0.01	0.01	0.03	0.11	0.03
200297	<0.01	<0.01	0.01	0.03	0.08	0.06
200298	<0.01	<0.01	<0.01	0.02	0.03	0.03
200299	3.16	0.03	<0.01	<0.01	0.02	<0.01
200300	<0.01	<0.01	<0.01	0.02	0.03	0.04
200301	<0.01	<0.01	<0.01	0.02	0.04	0.06
200302	<0.01	<0.01	<0.01	0.02	0.13	0.02
200303	<0.01	<0.01	<0.01	0.02	0.13	0.03
200304	<0.01	<0.01	<0.01	<0.01	0.07	0.04
200305	<0.01	<0.01	<0.01	<0.01	0.09	0.03
200306	0.01	<0.01	<0.01	0.01	0.09	0.04
200307	0.01	<0.01	<0.01	0.02	0.09	0.06
200308	0.02	<0.01	<0.01	0.02	0.04	0.04
200309	0.01	<0.01	<0.01	0.02	0.04	0.04
200310	0.01	<0.01	<0.01	0.02	0.04	0.04
200311	0.01	<0.01	<0.01	0.01	0.06	0.04
200312	0.01	0.02	<0.01	<0.01	<0.01	<0.01
200313	<0.01	0.04	<0.01	<0.01	<0.01	<0.01
200314	0.02	0.04	<0.01	<0.01	<0.01	<0.01
200315	0.01	0.02	<0.01	<0.01	<0.01	<0.01
200316	0.03	<0.01	<0.01	<0.01	<0.01	<0.01
200317	0.02	<0.01	<0.01	<0.01	0.03	<0.01
200318	0.01	<0.01	<0.01	<0.01	0.02	<0.01
200319	0.01	<0.01	<0.01	<0.01	0.09	0.02
200320	3.14	0.05	<0.01	<0.01	0.01	<0.01
200321	0.01	<0.01	<0.01	<0.01	0.07	0.01
200322	<0.01	<0.01	<0.01	<0.01	0.08	0.03
200323	<0.01	<0.01	<0.01	<0.01	0.09	0.02
200324	<0.01	<0.01	<0.01	<0.01	0.10	0.03
200325	<0.01	<0.01	<0.01	<0.01	0.12	0.03
200326	0.01	<0.01	<0.01	<0.01	0.57	0.05
200327	<0.01	<0.01	<0.01	0.01	0.26	0.04
200328	0.01	<0.01	0.01	0.01	0.25	0.03
200329	<0.01	<0.01	<0.01	0.01	1.07	0.06

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
Client Ref **46104**
Project *
Reported 19/11/10
Status Final
Page Page 33 of 50

ANALYTICAL REPORT

	XRF78S % 0.01 100.00 Pb	XRF78S % 0.01 10.00 As	XRF78S % 0.01 100.00 Cr	XRF78S % 0.01 100.00 V	XRF78S % 0.01 100.00 Ba	XRF78S % 0.01 100.00 Sr
200330	0.01	<0.01	<0.01	0.01	0.45	0.05
200331	<0.01	<0.01	<0.01	0.01	0.04	0.05
200332	3.14	0.04	<0.01	<0.01	<0.01	<0.01
D - 200222	0.01	<0.01	<0.01	<0.01	<0.01	<0.01
D - 200269	0.02	0.02	<0.01	<0.01	<0.01	<0.01
D - 200316	0.03	<0.01	<0.01	<0.01	<0.01	<0.01

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 34 of 50

ANALYTICAL REPORT

Scheme	XRF78S	XRF78O	XRF78O	XRF78O	XRF78O	XRF78O
Units	%	%	%	%	%	%
Detection Limit	-10.00	0.01	0.01	0.01	0.01	0.01
Upper Limit	100.00	100.00	100.00	100.00	100.00	100.00
	LOI	Al2O3	Ba	CaO	Cr2O3	Fe2O3
200214	0.148	-	-	-	-	-
200215	3.28	-	-	-	-	-
200216	4.21	-	-	-	-	-
200217	3.72	-	-	-	-	-
200218	3.79	-	-	-	-	-
200219	11.3	-	-	-	-	-
200220	6.33	-	-	-	-	-
200221	6.54	-	-	-	-	-
200222	0.337	-	-	-	-	-
200223	3.93	-	-	-	-	-
200224	3.30	-	-	-	-	-
200225	3.84	-	-	-	-	-
200226	3.02	-	-	-	-	-
200227	1.78	-	-	-	-	-
200228	1.94	-	-	-	-	-
200229	1.35	-	-	-	-	-
200230	6.51	-	-	-	-	-
200231	1.51	-	-	-	-	-
200232	2.71	-	-	-	-	-
200233	0.993	-	-	-	-	-
200234	3.57	-	-	-	-	-
200235	10.8	-	-	-	-	-
200236	1.04	-	-	-	-	-
200237	0.800	-	-	-	-	-
200238	1.09	-	-	-	-	-
200239	1.10	-	-	-	-	-
200240	1.57	-	-	-	-	-
200241	4.04	0.02	<0.01	12.3	<0.01	11.4
200242	7.01	<0.01	<0.01	1.85	<0.01	22.2
200243	8.08	<0.01	<0.01	1.80	<0.01	17.0
200244	7.53	<0.01	<0.01	2.26	<0.01	23.0
200245	4.06	0.08	<0.01	7.89	<0.01	21.4
200246	5.60	0.12	<0.01	3.61	<0.01	34.8
200247	10.7	<0.01	<0.01	0.61	<0.01	19.5
200248	7.97	0.08	<0.01	0.52	<0.01	39.7
200249	7.38	0.11	<0.01	0.72	<0.01	52.0
200250	5.52	0.05	<0.01	5.41	<0.01	26.9
200251	6.16	0.10	<0.01	0.29	<0.01	51.6

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 35 of 50

ANALYTICAL REPORT

	XRF78S % -10.00 100.00 LOI	XRF78O % 0.01 100.00 Al2O3	XRF78O % 0.01 100.00 Ba	XRF78O % 0.01 100.00 CaO	XRF78O % 0.01 100.00 Cr2O3	XRF78O % 0.01 100.00 Fe2O3
200252	10.9	0.03	<0.01	0.75	<0.01	32.0
200253	8.55	0.25	<0.01	1.12	<0.01	43.2
200254	3.30	0.86	<0.01	0.63	<0.01	66.4
200255	4.95	0.51	<0.01	0.49	<0.01	55.1
200256	10.7	4.62	0.01	0.41	<0.01	17.1
200257	8.20	0.22	<0.01	0.94	<0.01	31.7
200258	8.91	0.28	<0.01	0.05	<0.01	34.6
200259	6.90	0.42	<0.01	0.76	<0.01	53.5
200260	7.61	0.46	<0.01	0.07	<0.01	42.8
200261	4.91	0.34	<0.01	0.56	<0.01	54.4
200262	8.37	0.28	<0.01	0.40	<0.01	33.8
200263	8.33	0.18	<0.01	0.13	<0.01	37.8
200264	9.49	0.14	<0.01	0.05	<0.01	30.5
200265	8.83	0.28	<0.01	2.34	<0.01	22.4
200266	7.09	0.88	<0.01	5.80	<0.01	19.6
200267	2.67	0.45	<0.01	16.2	<0.01	6.66
200268	5.95	0.43	<0.01	3.37	<0.01	34.8
200269	3.94	0.61	<0.01	0.38	<0.01	61.9
200270	4.82	6.24	<0.01	6.12	<0.01	39.8
200271	8.23	5.61	0.01	4.07	<0.01	17.8
200272	5.24	0.24	<0.01	0.22	<0.01	53.6
200273	7.75	0.56	<0.01	0.23	<0.01	40.9
200274	8.93	0.39	<0.01	0.08	<0.01	35.7
200275	7.51	0.75	<0.01	0.28	<0.01	43.2
200276	9.65	0.73	<0.01	0.20	<0.01	32.6
200277	6.39	0.85	<0.01	0.08	<0.01	51.6
200278	10.9	4.61	0.02	0.42	<0.01	17.1
200279	10.1	2.89	0.01	4.88	<0.01	10.1
200280	1.62	-	-	-	-	-
200281	2.77	-	-	-	-	-
200282	4.94	-	-	-	-	-
200283	2.66	-	-	-	-	-
200284	2.10	-	-	-	-	-
200285	2.26	-	-	-	-	-
200286	5.07	-	-	-	-	-
200287	4.52	-	-	-	-	-
200288	2.93	-	-	-	-	-
200289	1.93	-	-	-	-	-
200290	3.30	-	-	-	-	-

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 36 of 50

ANALYTICAL REPORT

	XRF78S % -10.00 100.00 LOI	XRF78O % 0.01 100.00 Al2O3	XRF78O % 0.01 100.00 Ba	XRF78O % 0.01 100.00 CaO	XRF78O % 0.01 100.00 Cr2O3	XRF78O % 0.01 100.00 Fe2O3
200291	1.40	-	-	-	-	-
200292	1.45	-	-	-	-	-
200293	2.88	-	-	-	-	-
200294	2.59	-	-	-	-	-
200295	1.97	-	-	-	-	-
200296	2.22	-	-	-	-	-
200297	1.30	-	-	-	-	-
200298	1.73	-	-	-	-	-
200299	10.7	-	-	-	-	-
200300	2.81	-	-	-	-	-
200301	2.29	-	-	-	-	-
200302	2.02	-	-	-	-	-
200303	1.44	-	-	-	-	-
200304	1.50	-	-	-	-	-
200305	2.00	-	-	-	-	-
200306	2.04	-	-	-	-	-
200307	2.44	-	-	-	-	-
200308	1.56	-	-	-	-	-
200309	1.16	-	-	-	-	-
200310	1.22	-	-	-	-	-
200311	2.20	-	-	-	-	-
200312	5.10	-	-	-	-	-
200313	11.8	-	-	-	-	-
200314	9.68	-	-	-	-	-
200315	6.66	-	-	-	-	-
200316	12.7	-	-	-	-	-
200317	7.28	-	-	-	-	-
200318	8.31	-	-	-	-	-
200319	2.68	-	-	-	-	-
200320	10.8	-	-	-	-	-
200321	2.29	-	-	-	-	-
200322	1.68	-	-	-	-	-
200323	1.69	-	-	-	-	-
200324	1.46	-	-	-	-	-
200325	1.50	-	-	-	-	-
200326	1.62	-	-	-	-	-
200327	1.91	-	-	-	-	-
200328	1.84	-	-	-	-	-
200329	1.34	-	-	-	-	-

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
Client Ref **46104**
Project *
Reported 19/11/10
Status Final
Page Page 37 of 50

ANALYTICAL REPORT

	XRF78S % -10.00 100.00 LOI	XRF78O % 0.01 100.00 Al2O3	XRF78O % 0.01 100.00 Ba	XRF78O % 0.01 100.00 CaO	XRF78O % 0.01 100.00 Cr2O3	XRF78O % 0.01 100.00 Fe2O3
200330	1.60	-	-	-	-	-
200331	2.22	-	-	-	-	-
200332	10.9	-	-	-	-	-
D - 200222	0.170	-	-	-	-	-
D - 200269	3.98	0.61	<0.01	0.39	<0.01	61.5
D - 200316	12.5	-	-	-	-	-

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.

Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 38 of 50

ANALYTICAL REPORT

Scheme	XRF780	XRF780	XRF780	XRF780	XRF780	XRF780
Units	%	%	%	%	%	%
Detection Limit	0.01	0.01	0.01	0.01	0.01	0.01
Upper Limit	100.00	100.00	100.00	100.00	100.00	100.00
	K2O	MgO	MnO	Na2O	Nb	P2O5
200214	-	-	-	-	-	-
200215	-	-	-	-	-	-
200216	-	-	-	-	-	-
200217	-	-	-	-	-	-
200218	-	-	-	-	-	-
200219	-	-	-	-	-	-
200220	-	-	-	-	-	-
200221	-	-	-	-	-	-
200222	-	-	-	-	-	-
200223	-	-	-	-	-	-
200224	-	-	-	-	-	-
200225	-	-	-	-	-	-
200226	-	-	-	-	-	-
200227	-	-	-	-	-	-
200228	-	-	-	-	-	-
200229	-	-	-	-	-	-
200230	-	-	-	-	-	-
200231	-	-	-	-	-	-
200232	-	-	-	-	-	-
200233	-	-	-	-	-	-
200234	-	-	-	-	-	-
200235	-	-	-	-	-	-
200236	-	-	-	-	-	-
200237	-	-	-	-	-	-
200238	-	-	-	-	-	-
200239	-	-	-	-	-	-
200240	-	-	-	-	-	-
200241	0.02	25.6	0.46	0.04	<0.01	0.03
200242	<0.01	33.4	0.70	0.02	<0.01	0.02
200243	0.01	34.0	0.71	0.03	<0.01	0.02
200244	0.01	30.7	0.52	0.03	<0.01	0.02
200245	0.02	24.0	0.39	0.05	<0.01	0.02
200246	0.02	23.9	0.42	0.04	<0.01	0.02
200247	<0.01	34.1	0.39	0.03	<0.01	0.03
200248	<0.01	25.8	0.44	0.02	<0.01	0.02
200249	0.01	19.1	1.04	0.02	<0.01	0.03
200250	0.02	23.4	0.54	0.05	<0.01	0.02
200251	<0.01	20.7	0.69	0.03	<0.01	0.01

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 39 of 50

ANALYTICAL REPORT

	XRF780 % 0.01 100.00 K2O	XRF780 % 0.01 100.00 MgO	XRF780 % 0.01 100.00 MnO	XRF780 % 0.01 100.00 Na2O	XRF780 % 0.01 100.00 Nb	XRF780 % 0.01 100.00 P2O5
200252	<0.01	27.9	0.92	0.04	<0.01	0.27
200253	0.01	22.7	0.95	0.02	<0.01	0.40
200254	0.06	14.4	0.63	0.01	<0.01	0.01
200255	0.03	19.7	0.51	0.02	<0.01	0.02
200256	0.74	2.25	0.11	0.16	<0.01	0.03
200257	0.02	29.3	0.51	0.05	<0.01	0.02
200258	0.01	29.0	0.60	0.03	<0.01	0.03
200259	0.02	10.5	0.28	0.04	<0.01	0.11
200260	0.01	25.5	0.65	<0.01	<0.01	0.03
200261	<0.01	20.0	0.77	0.02	<0.01	0.02
200262	0.02	28.8	0.66	0.02	<0.01	0.03
200263	<0.01	27.8	0.51	<0.01	<0.01	0.08
200264	<0.01	30.9	0.42	<0.01	<0.01	0.03
200265	0.06	31.1	0.44	0.03	<0.01	0.02
200266	0.35	27.0	0.81	0.04	<0.01	0.07
200267	0.04	22.5	0.45	0.05	<0.01	0.02
200268	0.06	24.3	0.46	0.02	<0.01	0.02
200269	0.03	17.0	0.61	<0.01	<0.01	0.06
200270	0.16	16.1	0.87	0.07	<0.01	0.08
200271	0.80	28.5	0.66	<0.01	<0.01	0.15
200272	<0.01	21.1	0.40	<0.01	<0.01	0.04
200273	<0.01	26.4	0.72	<0.01	<0.01	0.13
200274	<0.01	29.9	0.80	<0.01	<0.01	0.05
200275	0.02	26.2	0.90	<0.01	<0.01	0.19
200276	0.04	30.4	0.83	<0.01	<0.01	0.14
200277	0.04	22.0	0.88	<0.01	<0.01	0.04
200278	0.73	2.25	0.11	0.18	<0.01	0.03
200279	0.30	32.8	0.77	0.02	<0.01	0.05
200280	-	-	-	-	-	-
200281	-	-	-	-	-	-
200282	-	-	-	-	-	-
200283	-	-	-	-	-	-
200284	-	-	-	-	-	-
200285	-	-	-	-	-	-
200286	-	-	-	-	-	-
200287	-	-	-	-	-	-
200288	-	-	-	-	-	-
200289	-	-	-	-	-	-
200290	-	-	-	-	-	-

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
Client Ref **46104**
Project *
Reported 19/11/10
Status Final
Page Page 40 of 50

ANALYTICAL REPORT

	XRF780 % 0.01 100.00 K2O	XRF780 % 0.01 100.00 MgO	XRF780 % 0.01 100.00 MnO	XRF780 % 0.01 100.00 Na2O	XRF780 % 0.01 100.00 Nb	XRF780 % 0.01 100.00 P2O5
200291	-	-	-	-	-	-
200292	-	-	-	-	-	-
200293	-	-	-	-	-	-
200294	-	-	-	-	-	-
200295	-	-	-	-	-	-
200296	-	-	-	-	-	-
200297	-	-	-	-	-	-
200298	-	-	-	-	-	-
200299	-	-	-	-	-	-
200300	-	-	-	-	-	-
200301	-	-	-	-	-	-
200302	-	-	-	-	-	-
200303	-	-	-	-	-	-
200304	-	-	-	-	-	-
200305	-	-	-	-	-	-
200306	-	-	-	-	-	-
200307	-	-	-	-	-	-
200308	-	-	-	-	-	-
200309	-	-	-	-	-	-
200310	-	-	-	-	-	-
200311	-	-	-	-	-	-
200312	-	-	-	-	-	-
200313	-	-	-	-	-	-
200314	-	-	-	-	-	-
200315	-	-	-	-	-	-
200316	-	-	-	-	-	-
200317	-	-	-	-	-	-
200318	-	-	-	-	-	-
200319	-	-	-	-	-	-
200320	-	-	-	-	-	-
200321	-	-	-	-	-	-
200322	-	-	-	-	-	-
200323	-	-	-	-	-	-
200324	-	-	-	-	-	-
200325	-	-	-	-	-	-
200326	-	-	-	-	-	-
200327	-	-	-	-	-	-
200328	-	-	-	-	-	-
200329	-	-	-	-	-	-

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
Client Ref **46104**
Project *
Reported 19/11/10
Status Final
Page Page 41 of 50

ANALYTICAL REPORT

	XRF780 % 0.01 100.00 K2O	XRF780 % 0.01 100.00 MgO	XRF780 % 0.01 100.00 MnO	XRF780 % 0.01 100.00 Na2O	XRF780 % 0.01 100.00 Nb	XRF780 % 0.01 100.00 P2O5
200330	-	-	-	-	-	-
200331	-	-	-	-	-	-
200332	-	-	-	-	-	-
D - 200222	-	-	-	-	-	-
D - 200269	0.03	17.2	0.61	0.02	<0.01	0.06
D - 200316	-	-	-	-	-	-

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.

Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 42 of 50

ANALYTICAL REPORT

Scheme	XRF780	XRF780	XRF780	XRF780	XRF780	XRF780
Units	%	%	%	%	%	%
Detection Limit	0.01	0.01	0.01	0.01	0.01	0.01
Upper Limit	100.00	100.00	100.00	100.00	100.00	100.00
	SiO2	Sr	TiO2	Y	Zn	Zr
200214	-	-	-	-	-	-
200215	-	-	-	-	-	-
200216	-	-	-	-	-	-
200217	-	-	-	-	-	-
200218	-	-	-	-	-	-
200219	-	-	-	-	-	-
200220	-	-	-	-	-	-
200221	-	-	-	-	-	-
200222	-	-	-	-	-	-
200223	-	-	-	-	-	-
200224	-	-	-	-	-	-
200225	-	-	-	-	-	-
200226	-	-	-	-	-	-
200227	-	-	-	-	-	-
200228	-	-	-	-	-	-
200229	-	-	-	-	-	-
200230	-	-	-	-	-	-
200231	-	-	-	-	-	-
200232	-	-	-	-	-	-
200233	-	-	-	-	-	-
200234	-	-	-	-	-	-
200235	-	-	-	-	-	-
200236	-	-	-	-	-	-
200237	-	-	-	-	-	-
200238	-	-	-	-	-	-
200239	-	-	-	-	-	-
200240	-	-	-	-	-	-
200241	45.7	<0.01	<0.01	<0.01	0.02	<0.01
200242	34.8	<0.01	<0.01	<0.01	0.02	<0.01
200243	38.5	<0.01	<0.01	<0.01	0.02	<0.01
200244	36.0	<0.01	<0.01	<0.01	0.02	<0.01
200245	40.7	<0.01	<0.01	<0.01	0.02	<0.01
200246	31.7	<0.01	<0.01	<0.01	0.02	<0.01
200247	34.8	<0.01	<0.01	<0.01	0.01	<0.01
200248	25.1	<0.01	<0.01	<0.01	0.01	<0.01
200249	19.8	<0.01	<0.01	<0.01	0.02	<0.01
200250	37.3	<0.01	<0.01	<0.01	0.01	<0.01
200251	19.8	<0.01	0.01	<0.01	0.02	<0.01

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 43 of 50

ANALYTICAL REPORT

	XRF780 % 0.01 100.00 SiO2	XRF780 % 0.01 100.00 Sr	XRF780 % 0.01 100.00 TiO2	XRF780 % 0.01 100.00 Y	XRF780 % 0.01 100.00 Zn	XRF780 % 0.01 100.00 Zr
200252	27.5	<0.01	0.01	<0.01	0.02	<0.01
200253	22.2	<0.01	<0.01	<0.01	0.02	<0.01
200254	13.6	<0.01	0.07	<0.01	0.04	<0.01
200255	18.7	<0.01	0.06	<0.01	0.03	0.01
200256	54.6	<0.01	0.11	<0.01	1.58	0.01
200257	29.3	<0.01	0.02	<0.01	0.02	<0.01
200258	26.4	<0.01	0.02	<0.01	0.03	<0.01
200259	27.3	<0.01	0.04	<0.01	<0.01	<0.01
200260	22.8	<0.01	0.04	<0.01	0.02	<0.01
200261	19.0	<0.01	0.06	<0.01	0.03	<0.01
200262	27.6	<0.01	0.03	<0.01	0.02	<0.01
200263	25.3	<0.01	0.02	<0.01	0.02	<0.01
200264	28.5	<0.01	0.01	<0.01	0.02	<0.01
200265	34.4	<0.01	0.02	<0.01	0.01	<0.01
200266	38.4	<0.01	0.03	<0.01	0.02	<0.01
200267	51.0	<0.01	0.01	<0.01	<0.01	<0.01
200268	30.6	<0.01	0.04	<0.01	0.02	<0.01
200269	15.4	<0.01	0.09	<0.01	0.07	<0.01
200270	25.4	<0.01	0.30	<0.01	0.05	0.02
200271	34.0	<0.01	0.18	<0.01	0.18	<0.01
200272	19.4	<0.01	0.05	<0.01	0.02	<0.01
200273	23.4	<0.01	0.04	<0.01	0.04	<0.01
200274	24.1	<0.01	0.05	<0.01	0.03	<0.01
200275	21.1	<0.01	0.07	<0.01	0.04	<0.01
200276	25.5	<0.01	0.05	<0.01	0.03	<0.01
200277	18.2	<0.01	0.09	<0.01	0.04	<0.01
200278	54.6	<0.01	0.11	0.01	1.57	<0.01
200279	37.9	<0.01	0.06	<0.01	0.06	<0.01
200280	-	-	-	-	-	-
200281	-	-	-	-	-	-
200282	-	-	-	-	-	-
200283	-	-	-	-	-	-
200284	-	-	-	-	-	-
200285	-	-	-	-	-	-
200286	-	-	-	-	-	-
200287	-	-	-	-	-	-
200288	-	-	-	-	-	-
200289	-	-	-	-	-	-
200290	-	-	-	-	-	-

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 44 of 50

ANALYTICAL REPORT

	XRF780 % 0.01 100.00 SiO2	XRF780 % 0.01 100.00 Sr	XRF780 % 0.01 100.00 TiO2	XRF780 % 0.01 100.00 Y	XRF780 % 0.01 100.00 Zn	XRF780 % 0.01 100.00 Zr
200291	-	-	-	-	-	-
200292	-	-	-	-	-	-
200293	-	-	-	-	-	-
200294	-	-	-	-	-	-
200295	-	-	-	-	-	-
200296	-	-	-	-	-	-
200297	-	-	-	-	-	-
200298	-	-	-	-	-	-
200299	-	-	-	-	-	-
200300	-	-	-	-	-	-
200301	-	-	-	-	-	-
200302	-	-	-	-	-	-
200303	-	-	-	-	-	-
200304	-	-	-	-	-	-
200305	-	-	-	-	-	-
200306	-	-	-	-	-	-
200307	-	-	-	-	-	-
200308	-	-	-	-	-	-
200309	-	-	-	-	-	-
200310	-	-	-	-	-	-
200311	-	-	-	-	-	-
200312	-	-	-	-	-	-
200313	-	-	-	-	-	-
200314	-	-	-	-	-	-
200315	-	-	-	-	-	-
200316	-	-	-	-	-	-
200317	-	-	-	-	-	-
200318	-	-	-	-	-	-
200319	-	-	-	-	-	-
200320	-	-	-	-	-	-
200321	-	-	-	-	-	-
200322	-	-	-	-	-	-
200323	-	-	-	-	-	-
200324	-	-	-	-	-	-
200325	-	-	-	-	-	-
200326	-	-	-	-	-	-
200327	-	-	-	-	-	-
200328	-	-	-	-	-	-
200329	-	-	-	-	-	-

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
Client Ref **46104**
Project *
Reported 19/11/10
Status Final
Page Page 45 of 50

ANALYTICAL REPORT

	XRF780 % 0.01 100.00 SiO2	XRF780 % 0.01 100.00 Sr	XRF780 % 0.01 100.00 TiO2	XRF780 % 0.01 100.00 Y	XRF780 % 0.01 100.00 Zn	XRF780 % 0.01 100.00 Zr
200330	-	-	-	-	-	-
200331	-	-	-	-	-	-
200332	-	-	-	-	-	-
D - 200222	-	-	-	-	-	-
D - 200269	15.4	<0.01	0.08	<0.01	0.07	<0.01
D - 200316	-	-	-	-	-	-

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
Client Ref **46104**
Project *
Reported 19/11/10
Status Final
Page Page 46 of 50

ANALYTICAL REPORT

Scheme	XRF780
Units	%
Detection Limit	-10.00
Upper Limit	100.00
	LOI
200214	-
200215	-
200216	-
200217	-
200218	-
200219	-
200220	-
200221	-
200222	-
200223	-
200224	-
200225	-
200226	-
200227	-
200228	-
200229	-
200230	-
200231	-
200232	-
200233	-
200234	-
200235	-
200236	-
200237	-
200238	-
200239	-
200240	-
200241	4.04
200242	7.01
200243	8.08
200244	7.53
200245	4.06
200246	5.60
200247	10.7
200248	7.97
200249	7.38
200250	5.52
200251	6.16

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
Client Ref **46104**
Project *
Reported 19/11/10
Status Final
Page Page 47 of 50

ANALYTICAL REPORT

	XRF780 % -10.00 100.00 LOI
200252	10.9
200253	8.55
200254	3.30
200255	4.95
200256	10.7
200257	8.20
200258	8.91
200259	6.90
200260	7.61
200261	4.91
200262	8.37
200263	8.33
200264	9.49
200265	8.83
200266	7.09
200267	2.67
200268	5.95
200269	3.94
200270	4.82
200271	8.23
200272	5.24
200273	7.75
200274	8.93
200275	7.51
200276	9.65
200277	6.39
200278	10.9
200279	10.1
200280	-
200281	-
200282	-
200283	-
200284	-
200285	-
200286	-
200287	-
200288	-
200289	-
200290	-

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
Client Ref **46104**
Project *
Reported 19/11/10
Status Final
Page Page 48 of 50

ANALYTICAL REPORT

	XRF780 % -10.00 100.00 LOI
200291	-
200292	-
200293	-
200294	-
200295	-
200296	-
200297	-
200298	-
200299	-
200300	-
200301	-
200302	-
200303	-
200304	-
200305	-
200306	-
200307	-
200308	-
200309	-
200310	-
200311	-
200312	-
200313	-
200314	-
200315	-
200316	-
200317	-
200318	-
200319	-
200320	-
200321	-
200322	-
200323	-
200324	-
200325	-
200326	-
200327	-
200328	-
200329	-

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
Client Ref **46104**
Project *
Reported 19/11/10
Status Final
Page Page 49 of 50

ANALYTICAL REPORT

	XRF780 % -10.00 100.00 LOI
200330	-
200331	-
200332	-
D - 200222	-
D - 200269	3.98
D - 200316	-

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
Client Ref **46104**
Project *
Reported 19/11/10
Status Final
Page Page 50 of 50

DESCRIPTION

WGH79 : Sample Weight
ICP90Q : ICPAES after DIG90Q
XRF78S : XRF, Fusion, Whole Rock
XRF78O : XRF, Fusion, Ore Grade

Karen Lomasney

EA to CFO

Creat Resources Holdings Ltd

GPO Box 2288

Hobart

TAS 7001

Lab Ref WM128035*Client Ref* **46105***Project* **Cost Code**Status* Final*Received* 17/11/10*Reported* 16/12/10*Samples* 144*First Sample* 200333*Last Sample* 200476*Pages* 34*Copy**Notes*

Authorised by

On behalf of:

Graeme Farrant
Laboratory Manager

The results in this analytical report pertain to the samples provided to this laboratory for preparation and/or analysis as requested by the client. This document is issued by the company subject to its General Conditions of Services (www.sgs.com/generalconditions). Attention is drawn to the limitations of liability, indemnification and justifications issues established therein.



Lab Ref WM128035
 Client Ref **46105**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 2 of 34

ANALYTICAL REPORT

Scheme	WGH79	XRF780	XRF780	XRF780	XRF780	XRF780
Units	G	%	%	%	%	%
Detection Limit	0.00	0.01	0.01	0.01	0.01	0.01
Upper Limit	0.00	100.00	100.00	100.00	100.00	100.00
	Wt(Dry)	Al2O3	SiO2	TiO2	Fe2O3	MnO
200333		-	-	-	-	-
200334	4318.000	-	-	-	-	-
200335	3258.000	-	-	-	-	-
200336	4698.000	-	-	-	-	-
200337	4180.000	-	-	-	-	-
200338	5028.000	-	-	-	-	-
200339	4824.000	-	-	-	-	-
200340	4594.000	-	-	-	-	-
200341	4374.000	-	-	-	-	-
200342	3068.000	-	-	-	-	-
200343	3404.000	-	-	-	-	-
200344	3730.000	-	-	-	-	-
200345	3652.000	-	-	-	-	-
200346	4548.000	-	-	-	-	-
200347	4170.000	-	-	-	-	-
200348	3504.000	-	-	-	-	-
200349	3470.000	-	-	-	-	-
200350	2950.000	-	-	-	-	-
200351	2150.000	-	-	-	-	-
200352	2270.000	-	-	-	-	-
200353	2112.000	-	-	-	-	-
200354		-	-	-	-	-
200355	2056.000	-	-	-	-	-
200356	2186.000	-	-	-	-	-
200357	1826.000	-	-	-	-	-
200358	2600.000	-	-	-	-	-
200359	1908.000	-	-	-	-	-
200360	2314.000	-	-	-	-	-
200361	1850.000	-	-	-	-	-
200362	1832.000	-	-	-	-	-
200363	1868.000	-	-	-	-	-
200364	830.0000	-	-	-	-	-
200365	1600.000	-	-	-	-	-
200366	2616.000	-	-	-	-	-
200367	1598.000	-	-	-	-	-
200368	968.0000	-	-	-	-	-
200369	2566.000	-	-	-	-	-
200370	2532.000	-	-	-	-	-

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128035
 Client Ref **46105**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 3 of 34

ANALYTICAL REPORT

	WGH79 G 0.00 0.00 Wt(Dry)	XRF780 % 0.01 100.00 Al2O3	XRF780 % 0.01 100.00 SiO2	XRF780 % 0.01 100.00 TiO2	XRF780 % 0.01 100.00 Fe2O3	XRF780 % 0.01 100.00 MnO
200371	2638.000	-	-	-	-	-
200372	1662.000	-	-	-	-	-
200373	1252.000	-	-	-	-	-
200374	870.0000	-	-	-	-	-
200375		-	-	-	-	-
200376	2068.000	-	-	-	-	-
200377	2256.000	-	-	-	-	-
200378	1998.000	-	-	-	-	-
200379	2044.000	-	-	-	-	-
200380	2246.000	-	-	-	-	-
200381	2174.000	-	-	-	-	-
200382	1840.000	-	-	-	-	-
200383	1698.000	-	-	-	-	-
200384	2136.000	-	-	-	-	-
200385	2014.000	-	-	-	-	-
200386	1760.000	-	-	-	-	-
200387	2084.000	-	-	-	-	-
200388	2322.000	-	-	-	-	-
200389	2858.000	-	-	-	-	-
200390	2642.000	-	-	-	-	-
200391	2332.000	-	-	-	-	-
200392	2158.000	-	-	-	-	-
200393	2372.000	-	-	-	-	-
200394	2260.000	-	-	-	-	-
200395	2380.000	-	-	-	-	-
200396		4.58	53.8	0.10	16.4	0.10
200397	2066.000	12.7	46.7	0.50	5.14	0.29
200398	2140.000	10.6	35.8	0.42	7.51	0.25
200399	2832.000	0.19	13.5	0.01	69.6	0.15
200400	3312.000	0.07	2.77	<0.01	90.2	0.21
200401	3778.000	0.12	0.45	<0.01	92.9	0.25
200402	2294.000	0.10	0.56	<0.01	81.5	0.28
200403	3244.000	0.01	0.69	<0.01	68.7	0.29
200404	3256.000	0.02	0.43	<0.01	58.8	0.29
200405	3034.000	0.07	0.42	<0.01	67.6	0.31
200406	3398.000	0.10	1.16	<0.01	70.3	0.32
200407	3232.000	0.09	7.57	<0.01	79.6	0.15
200408	3310.000	0.05	4.32	<0.01	87.7	0.25
200409		0.43	27.3	0.04	53.8	0.28

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128035
 Client Ref **46105**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 4 of 34

ANALYTICAL REPORT

	WGH79 G 0.00 0.00 Wt(Dry)	XRF780 % 0.01 100.00 Al2O3	XRF780 % 0.01 100.00 SiO2	XRF780 % 0.01 100.00 TiO2	XRF780 % 0.01 100.00 Fe2O3	XRF780 % 0.01 100.00 MnO
200410	3252.000	0.06	4.59	<0.01	77.8	0.31
200411	3048.000	0.01	0.63	<0.01	67.6	0.28
200412	3398.000	<0.01	1.24	<0.01	70.0	0.25
200413	3552.000	0.03	2.09	<0.01	78.1	0.24
200414	3318.000	0.05	3.29	<0.01	76.4	0.23
200415	3104.000	0.10	6.58	<0.01	68.2	0.23
200416	3042.000	0.19	7.00	<0.01	59.7	0.24
200417	3346.000	0.07	3.91	<0.01	65.5	0.28
200418		4.61	54.1	0.10	16.3	0.10
200419	3056.000	0.15	3.61	<0.01	58.8	0.26
200420	2780.000	4.23	14.2	0.19	40.5	0.26
200421	2208.000	14.4	30.3	0.54	15.0	0.54
200422	978.0000	-	-	-	-	-
200423	2048.000	-	-	-	-	-
200424	2482.000	-	-	-	-	-
200425	3132.000	-	-	-	-	-
200426	2634.000	-	-	-	-	-
200427	3290.000	-	-	-	-	-
200428	2626.000	-	-	-	-	-
200429	2150.000	-	-	-	-	-
200430	2236.000	-	-	-	-	-
200431	2196.000	-	-	-	-	-
200432	2314.000	-	-	-	-	-
200433	2252.000	-	-	-	-	-
200434	2586.000	-	-	-	-	-
200435	2388.000	-	-	-	-	-
200436	2272.000	-	-	-	-	-
200437	2238.000	-	-	-	-	-
200438	2388.000	-	-	-	-	-
200439		-	-	-	-	-
200440	2372.000	-	-	-	-	-
200441	2498.000	-	-	-	-	-
200442	2546.000	-	-	-	-	-
200443	2552.000	-	-	-	-	-
200444	2424.000	-	-	-	-	-
200445	2160.000	-	-	-	-	-
200446	2066.000	-	-	-	-	-
200447	2100.000	-	-	-	-	-
200448	2238.000	-	-	-	-	-

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128035
 Client Ref **46105**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 5 of 34

ANALYTICAL REPORT

	WGH79 G 0.00 0.00 Wt(Dry)	XRF780 % 0.01 100.00 Al2O3	XRF780 % 0.01 100.00 SiO2	XRF780 % 0.01 100.00 TiO2	XRF780 % 0.01 100.00 Fe2O3	XRF780 % 0.01 100.00 MnO
200449	2672.000	-	-	-	-	-
200450	2278.000	-	-	-	-	-
200451	2544.000	-	-	-	-	-
200452	2092.000	-	-	-	-	-
200453	2044.000	-	-	-	-	-
200454	2128.000	-	-	-	-	-
200455	2412.000	-	-	-	-	-
200456	2146.000	-	-	-	-	-
200457	2216.000	-	-	-	-	-
200458	2514.000	-	-	-	-	-
200459	2264.000	-	-	-	-	-
200460		-	-	-	-	-
200461	2374.000	-	-	-	-	-
200462	2294.000	-	-	-	-	-
200463	2268.000	-	-	-	-	-
200464	3008.000	-	-	-	-	-
200465	2330.000	-	-	-	-	-
200466	2144.000	-	-	-	-	-
200467	2476.000	-	-	-	-	-
200468	2282.000	-	-	-	-	-
200469	2280.000	-	-	-	-	-
200470	2382.000	-	-	-	-	-
200471	2264.000	-	-	-	-	-
200472	2284.000	-	-	-	-	-
200473	2156.000	-	-	-	-	-
200474	2166.000	-	-	-	-	-
200475	1752.000	-	-	-	-	-
200476		-	-	-	-	-
D - 200341		-	-	-	-	-
D - 200388		-	-	-	-	-
D - 200435		-	-	-	-	-

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128035
 Client Ref **46105**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 6 of 34

ANALYTICAL REPORT

Scheme	XRF780	XRF780	XRF780	XRF780	XRF780	XRF780
Units	%	%	%	%	%	%
Detection Limit	0.01	0.01	0.01	0.01	0.01	0.01
Upper Limit	100.00	100.00	100.00	100.00	100.00	100.00
	CaO	K2O	MgO	P2O5	Na2O	Zn
200333	-	-	-	-	-	-
200334	-	-	-	-	-	-
200335	-	-	-	-	-	-
200336	-	-	-	-	-	-
200337	-	-	-	-	-	-
200338	-	-	-	-	-	-
200339	-	-	-	-	-	-
200340	-	-	-	-	-	-
200341	-	-	-	-	-	-
200342	-	-	-	-	-	-
200343	-	-	-	-	-	-
200344	-	-	-	-	-	-
200345	-	-	-	-	-	-
200346	-	-	-	-	-	-
200347	-	-	-	-	-	-
200348	-	-	-	-	-	-
200349	-	-	-	-	-	-
200350	-	-	-	-	-	-
200351	-	-	-	-	-	-
200352	-	-	-	-	-	-
200353	-	-	-	-	-	-
200354	-	-	-	-	-	-
200355	-	-	-	-	-	-
200356	-	-	-	-	-	-
200357	-	-	-	-	-	-
200358	-	-	-	-	-	-
200359	-	-	-	-	-	-
200360	-	-	-	-	-	-
200361	-	-	-	-	-	-
200362	-	-	-	-	-	-
200363	-	-	-	-	-	-
200364	-	-	-	-	-	-
200365	-	-	-	-	-	-
200366	-	-	-	-	-	-
200367	-	-	-	-	-	-
200368	-	-	-	-	-	-
200369	-	-	-	-	-	-
200370	-	-	-	-	-	-

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.

Lab Ref WM128035
 Client Ref **46105**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 7 of 34

ANALYTICAL REPORT

	XRF780 % 0.01 100.00 CaO	XRF780 % 0.01 100.00 K2O	XRF780 % 0.01 100.00 MgO	XRF780 % 0.01 100.00 P2O5	XRF780 % 0.01 100.00 Na2O	XRF780 % 0.01 100.00 Zn
200371	-	-	-	-	-	-
200372	-	-	-	-	-	-
200373	-	-	-	-	-	-
200374	-	-	-	-	-	-
200375	-	-	-	-	-	-
200376	-	-	-	-	-	-
200377	-	-	-	-	-	-
200378	-	-	-	-	-	-
200379	-	-	-	-	-	-
200380	-	-	-	-	-	-
200381	-	-	-	-	-	-
200382	-	-	-	-	-	-
200383	-	-	-	-	-	-
200384	-	-	-	-	-	-
200385	-	-	-	-	-	-
200386	-	-	-	-	-	-
200387	-	-	-	-	-	-
200388	-	-	-	-	-	-
200389	-	-	-	-	-	-
200390	-	-	-	-	-	-
200391	-	-	-	-	-	-
200392	-	-	-	-	-	-
200393	-	-	-	-	-	-
200394	-	-	-	-	-	-
200395	-	-	-	-	-	-
200396	0.39	0.71	2.19	0.03	0.25	1.48
200397	2.74	3.23	20.3	0.10	0.41	0.01
200398	1.18	0.06	31.4	0.10	0.04	0.01
200399	0.18	0.02	13.7	<0.01	0.02	<0.01
200400	0.13	0.02	6.90	<0.01	0.02	0.01
200401	1.22	0.01	5.34	<0.01	<0.01	0.02
200402	1.46	0.02	9.52	<0.01	0.02	0.01
200403	0.16	<0.01	15.3	<0.01	<0.01	0.01
200404	0.03	<0.01	20.2	<0.01	0.01	0.01
200405	0.15	0.01	15.9	<0.01	0.01	0.01
200406	0.81	<0.01	13.7	<0.01	0.01	0.02
200407	0.16	<0.01	10.4	0.02	0.02	0.01
200408	0.26	<0.01	7.19	<0.01	0.02	0.01
200409	0.77	0.02	10.3	0.10	0.04	<0.01

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128035
 Client Ref **46105**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 8 of 34

ANALYTICAL REPORT

	XRF780 % 0.01 100.00 CaO	XRF780 % 0.01 100.00 K2O	XRF780 % 0.01 100.00 MgO	XRF780 % 0.01 100.00 P2O5	XRF780 % 0.01 100.00 Na2O	XRF780 % 0.01 100.00 Zn
200410	0.21	<0.01	10.7	<0.01	0.02	0.01
200411	0.27	<0.01	15.6	<0.01	<0.01	0.01
200412	0.25	<0.01	15.0	<0.01	0.02	0.01
200413	0.07	<0.01	11.6	<0.01	0.02	<0.01
200414	0.16	<0.01	12.1	<0.01	0.01	<0.01
200415	0.80	<0.01	14.7	0.01	0.02	<0.01
200416	1.18	<0.01	18.0	0.02	0.02	<0.01
200417	1.67	<0.01	15.3	<0.01	0.01	<0.01
200418	0.40	0.71	2.22	0.03	0.25	1.50
200419	1.30	<0.01	18.7	<0.01	0.02	<0.01
200420	1.27	0.24	23.4	0.05	0.03	0.06
200421	2.33	0.42	25.7	0.09	0.09	0.09
200422	-	-	-	-	-	-
200423	-	-	-	-	-	-
200424	-	-	-	-	-	-
200425	-	-	-	-	-	-
200426	-	-	-	-	-	-
200427	-	-	-	-	-	-
200428	-	-	-	-	-	-
200429	-	-	-	-	-	-
200430	-	-	-	-	-	-
200431	-	-	-	-	-	-
200432	-	-	-	-	-	-
200433	-	-	-	-	-	-
200434	-	-	-	-	-	-
200435	-	-	-	-	-	-
200436	-	-	-	-	-	-
200437	-	-	-	-	-	-
200438	-	-	-	-	-	-
200439	-	-	-	-	-	-
200440	-	-	-	-	-	-
200441	-	-	-	-	-	-
200442	-	-	-	-	-	-
200443	-	-	-	-	-	-
200444	-	-	-	-	-	-
200445	-	-	-	-	-	-
200446	-	-	-	-	-	-
200447	-	-	-	-	-	-
200448	-	-	-	-	-	-

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128035
 Client Ref **46105**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 9 of 34

ANALYTICAL REPORT

	XRF780 % 0.01 100.00 CaO	XRF780 % 0.01 100.00 K2O	XRF780 % 0.01 100.00 MgO	XRF780 % 0.01 100.00 P2O5	XRF780 % 0.01 100.00 Na2O	XRF780 % 0.01 100.00 Zn
200449	-	-	-	-	-	-
200450	-	-	-	-	-	-
200451	-	-	-	-	-	-
200452	-	-	-	-	-	-
200453	-	-	-	-	-	-
200454	-	-	-	-	-	-
200455	-	-	-	-	-	-
200456	-	-	-	-	-	-
200457	-	-	-	-	-	-
200458	-	-	-	-	-	-
200459	-	-	-	-	-	-
200460	-	-	-	-	-	-
200461	-	-	-	-	-	-
200462	-	-	-	-	-	-
200463	-	-	-	-	-	-
200464	-	-	-	-	-	-
200465	-	-	-	-	-	-
200466	-	-	-	-	-	-
200467	-	-	-	-	-	-
200468	-	-	-	-	-	-
200469	-	-	-	-	-	-
200470	-	-	-	-	-	-
200471	-	-	-	-	-	-
200472	-	-	-	-	-	-
200473	-	-	-	-	-	-
200474	-	-	-	-	-	-
200475	-	-	-	-	-	-
200476	-	-	-	-	-	-
D - 200341	-	-	-	-	-	-
D - 200388	-	-	-	-	-	-
D - 200435	-	-	-	-	-	-

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128035
 Client Ref **46105**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 10 of 34

ANALYTICAL REPORT

Scheme	XRF780	XRF780	XRF780	XRF780	XRF780	XRF780
Units	%	%	%	%	%	%
Detection Limit	0.01	0.01	0.01	0.01	0.01	0.01
Upper Limit	100.00	100.00	100.00	100.00	100.00	100.00
	Cr2O3	Ba	Zr	Sr	Nb	Y
200333	-	-	-	-	-	-
200334	-	-	-	-	-	-
200335	-	-	-	-	-	-
200336	-	-	-	-	-	-
200337	-	-	-	-	-	-
200338	-	-	-	-	-	-
200339	-	-	-	-	-	-
200340	-	-	-	-	-	-
200341	-	-	-	-	-	-
200342	-	-	-	-	-	-
200343	-	-	-	-	-	-
200344	-	-	-	-	-	-
200345	-	-	-	-	-	-
200346	-	-	-	-	-	-
200347	-	-	-	-	-	-
200348	-	-	-	-	-	-
200349	-	-	-	-	-	-
200350	-	-	-	-	-	-
200351	-	-	-	-	-	-
200352	-	-	-	-	-	-
200353	-	-	-	-	-	-
200354	-	-	-	-	-	-
200355	-	-	-	-	-	-
200356	-	-	-	-	-	-
200357	-	-	-	-	-	-
200358	-	-	-	-	-	-
200359	-	-	-	-	-	-
200360	-	-	-	-	-	-
200361	-	-	-	-	-	-
200362	-	-	-	-	-	-
200363	-	-	-	-	-	-
200364	-	-	-	-	-	-
200365	-	-	-	-	-	-
200366	-	-	-	-	-	-
200367	-	-	-	-	-	-
200368	-	-	-	-	-	-
200369	-	-	-	-	-	-
200370	-	-	-	-	-	-

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.

Lab Ref WM128035
 Client Ref **46105**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 11 of 34

ANALYTICAL REPORT

	XRF780 % 0.01 100.00 Cr2O3	XRF780 % 0.01 100.00 Ba	XRF780 % 0.01 100.00 Zr	XRF780 % 0.01 100.00 Sr	XRF780 % 0.01 100.00 Nb	XRF780 % 0.01 100.00 Y
200371	-	-	-	-	-	-
200372	-	-	-	-	-	-
200373	-	-	-	-	-	-
200374	-	-	-	-	-	-
200375	-	-	-	-	-	-
200376	-	-	-	-	-	-
200377	-	-	-	-	-	-
200378	-	-	-	-	-	-
200379	-	-	-	-	-	-
200380	-	-	-	-	-	-
200381	-	-	-	-	-	-
200382	-	-	-	-	-	-
200383	-	-	-	-	-	-
200384	-	-	-	-	-	-
200385	-	-	-	-	-	-
200386	-	-	-	-	-	-
200387	-	-	-	-	-	-
200388	-	-	-	-	-	-
200389	-	-	-	-	-	-
200390	-	-	-	-	-	-
200391	-	-	-	-	-	-
200392	-	-	-	-	-	-
200393	-	-	-	-	-	-
200394	-	-	-	-	-	-
200395	-	-	-	-	-	-
200396	<0.01	0.01	<0.01	<0.01	<0.01	0.01
200397	0.01	0.11	0.01	<0.01	<0.01	<0.01
200398	<0.01	0.01	0.01	<0.01	<0.01	<0.01
200399	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
20400	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
20401	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
20402	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
20403	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
20404	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
20405	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
20406	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
20407	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
20408	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
20409	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128035
 Client Ref **46105**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 12 of 34

ANALYTICAL REPORT

	XRF780 % 0.01 100.00 Cr2O3	XRF780 % 0.01 100.00 Ba	XRF780 % 0.01 100.00 Zr	XRF780 % 0.01 100.00 Sr	XRF780 % 0.01 100.00 Nb	XRF780 % 0.01 100.00 Y
200410	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200411	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200412	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200413	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200414	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200415	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200416	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200417	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200418	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200419	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200420	<0.01	0.01	<0.01	<0.01	<0.01	<0.01
200421	0.01	0.02	0.02	<0.01	<0.01	<0.01
200422	-	-	-	-	-	-
200423	-	-	-	-	-	-
200424	-	-	-	-	-	-
200425	-	-	-	-	-	-
200426	-	-	-	-	-	-
200427	-	-	-	-	-	-
200428	-	-	-	-	-	-
200429	-	-	-	-	-	-
200430	-	-	-	-	-	-
200431	-	-	-	-	-	-
200432	-	-	-	-	-	-
200433	-	-	-	-	-	-
200434	-	-	-	-	-	-
200435	-	-	-	-	-	-
200436	-	-	-	-	-	-
200437	-	-	-	-	-	-
200438	-	-	-	-	-	-
200439	-	-	-	-	-	-
200440	-	-	-	-	-	-
200441	-	-	-	-	-	-
200442	-	-	-	-	-	-
200443	-	-	-	-	-	-
200444	-	-	-	-	-	-
200445	-	-	-	-	-	-
200446	-	-	-	-	-	-
200447	-	-	-	-	-	-
200448	-	-	-	-	-	-

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128035
 Client Ref **46105**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 13 of 34

ANALYTICAL REPORT

	XRF780 % 0.01 100.00 Cr2O3	XRF780 % 0.01 100.00 Ba	XRF780 % 0.01 100.00 Zr	XRF780 % 0.01 100.00 Sr	XRF780 % 0.01 100.00 Nb	XRF780 % 0.01 100.00 Y
200449	-	-	-	-	-	-
200450	-	-	-	-	-	-
200451	-	-	-	-	-	-
200452	-	-	-	-	-	-
200453	-	-	-	-	-	-
200454	-	-	-	-	-	-
200455	-	-	-	-	-	-
200456	-	-	-	-	-	-
200457	-	-	-	-	-	-
200458	-	-	-	-	-	-
200459	-	-	-	-	-	-
200460	-	-	-	-	-	-
200461	-	-	-	-	-	-
200462	-	-	-	-	-	-
200463	-	-	-	-	-	-
200464	-	-	-	-	-	-
200465	-	-	-	-	-	-
200466	-	-	-	-	-	-
200467	-	-	-	-	-	-
200468	-	-	-	-	-	-
200469	-	-	-	-	-	-
200470	-	-	-	-	-	-
200471	-	-	-	-	-	-
200472	-	-	-	-	-	-
200473	-	-	-	-	-	-
200474	-	-	-	-	-	-
200475	-	-	-	-	-	-
200476	-	-	-	-	-	-
D - 200341	-	-	-	-	-	-
D - 200388	-	-	-	-	-	-
D - 200435	-	-	-	-	-	-

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128035
 Client Ref **46105**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 14 of 34

ANALYTICAL REPORT

Scheme	XRF780	ICP40Q	ICP40Q	ICP40Q	ICP40Q	ICP40Q
Units	%	PPM	PPM	PPM	PPM	PPM
Detection Limit	-10.00	100.00	3.00	5.00	0.50	50.00
Upper Limit	100.00	400,000.00	10,000.00	10,000.00	5,000.00	400,000.00
	LOI	Al	As	Ba	Be	Ca
200333	-	730	<3	6	<0.5	74
200334	-	7.07%	6	573	5.0	4.24%
200335	-	6430	6	13	2.5	7.22%
200336	-	4460	8	<5	2.6	8.07%
200337	-	1650	11	<5	2.8	7.02%
200338	-	810	8	<5	1.7	2.63%
200339	-	1460	8	<5	1.5	2.68%
200340	-	5050	13	5	4.5	6.40%
200341	-	1670	6	<5	3.1	8.42%
200342	-	8330	6	17	4.1	5.60%
200343	-	6.01%	11	601	5.1	1.44%
200344	-	8.26%	8	653	2.8	6711
200345	-	8.44%	14	1685	2.8	1.16%
200346	-	5.15%	7	965	3.2	5.03%
200347	-	7.76%	13	1637	2.7	2.36%
200348	-	7.96%	11	1543	4.0	3.44%
200349	-	4.84%	7	321	3.3	8.85%
200350	-	1.18%	3	55	3.2	13.5%
200351	-	5.35%	12	457	4.2	11.3%
200352	-	6.33%	11	278	2.7	8.84%
200353	-	7.08%	46	1032	2.9	4.62%
200354	-	2.44%	66	73	0.6	3090
200355	-	7.65%	40	1213	2.4	3.37%
200356	-	6.66%	10	346	3.3	6.91%
200357	-	7.13%	84	1861	2.2	1.34%
200358	-	6.66%	71	1391	3.0	1.44%
200359	-	6.40%	39	700	2.8	6723
200360	-	6.23%	28	780	2.7	9832
200361	-	4.81%	41	396	2.6	9325
200362	-	6.53%	20	681	2.5	7892
200363	-	6.83%	18	941	3.3	1.83%
200364	-	2400	6	18	4.1	14.7%
200365	-	2410	8	23	3.9	15.7%
200366	-	8970	17	17	3.8	13.7%
200367	-	1.38%	83	99	3.5	8.45%
200368	-	4.94%	30	197	4.7	9.52%
200369	-	2.64%	12	113	4.3	13.1%
200370	-	2950	5	7	3.7	15.7%

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128035
 Client Ref **46105**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 15 of 34

ANALYTICAL REPORT

	XRF780 % -10.00 100.00 LOI	ICP40Q PPM 100.00 400,000.00 Al	ICP40Q PPM 3.00 10,000.00 As	ICP40Q PPM 5.00 10,000.00 Ba	ICP40Q PPM 0.50 5,000.00 Be	ICP40Q PPM 50.00 400,000.00 Ca
200371	-	5980	9	<5	3.0	12.2%
200372	-	3.18%	18	89	2.8	4.19%
200373	-	7.97%	85	1440	3.4	1.12%
200374	-	6.19%	65	871	6.5	6.28%
200375	-	2.49%	67	72	0.7	3198
200376	-	3.90%	319	339	3.3	3.18%
200377	-	2.09%	92	170	2.1	4.84%
200378	-	1.53%	193	51	3.7	2.88%
200379	-	2.48%	225	141	3.3	1.23%
200380	-	3.35%	287	244	2.2	8386
200381	-	3.67%	462	338	2.8	3435
200382	-	4470	163	8	2.8	2954
200383	-	2.18%	616	78	3.4	1.34%
200384	-	7.20%	118	1549	1.7	3.69%
200385	-	8.03%	10	3650	1.7	5.55%
200386	-	7.51%	30	960	3.6	5.95%
200387	-	7.45%	25	303	5.5	4.00%
200388	-	1.70%	16	323	6.9	13.0%
200389	-	1740	17	40	3.8	17.3%
200390	-	1250	18	14	3.0	17.1%
200391	-	6.06%	77	1739	3.9	6.16%
200392	-	7.67%	88	2351	4.2	1.11%
200393	-	8.49%	41	2971	3.1	7846
200394	-	7.15%	20	791	3.7	5.21%
200395	-	1.08%	13	91	1.9	9.20%
200396	11.3	2.48%	67	71	0.6	3417
200397	7.35	6.81%	10	968	2.9	1.97%
200398	12.6	5.90%	123	28	4.1	8711
200399	2.43	1510	106	12	1.2	1223
200400	-0.6510	780	48	14	<0.5	879
200401	-0.5430	1740	21	16	<0.5	8137
200402	1.57	730	25	10	<0.5	9963
200403	1.79	310	28	7	0.8	1111
200404	3.82	280	44	7	1.2	186
200405	2.39	2620	34	17	1.2	1110
200406	2.31	760	61	7	0.8	5808
200407	1.56	680	126	6	<0.5	1090
200408	-0.1230	530	83	7	<0.5	1826
200409	6.56	3820	<3	23	0.8	5366

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128035
 Client Ref **46105**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 16 of 34

ANALYTICAL REPORT

	XRF780 % -10.00 100.00 LOI	ICP40Q PPM 100.00 400,000.00 Al	ICP40Q PPM 3.00 10,000.00 As	ICP40Q PPM 5.00 10,000.00 Ba	ICP40Q PPM 0.50 5,000.00 Be	ICP40Q PPM 50.00 400,000.00 Ca
200410	1.34	470	72	7	0.7	1388
200411	2.40	370	47	6	1.0	1759
200412	2.32	200	58	6	0.9	1595
200413	0.783	470	79	9	0.6	489
200414	1.27	550	140	17	0.6	983
200415	3.55	1020	268	11	0.8	4881
200416	4.26	1880	261	9	1.2	7041
200417	4.16	1180	144	10	1.1	1.15%
200418	11.3	2.63%	66	78	0.7	3049
200419	4.53	980	164	6	1.0	8734
200420	8.15	2.40%	344	115	1.2	8700
200421	10.6	7.85%	111	169	1.6	1.57%
200422	-	4.86%	170	6	2.6	7493
200423	-	5.36%	222	28	3.7	3.10%
200424	-	1.18%	266	13	0.6	3.75%
200425	-	1990	86	9	<0.5	5.20%
200426	-	6460	389	11	0.6	2.43%
200427	-	6.68%	69	307	4.5	5.99%
200428	-	8.44%	113	1598	3.0	3.66%
200429	-	3.63%	30	321	2.9	12.4%
200430	-	8.30%	293	1684	3.6	1.82%
200431	-	7.21%	73	844	2.9	1.17%
200432	-	7.38%	51	1399	2.9	1.53%
200433	-	8.63%	123	789	5.7	6.93%
200434	-	3.56%	116	83	3.1	13.0%
200435	-	8480	159	11	1.4	2.74%
200436	-	1.20%	121	36	1.6	2.66%
200437	-	2.86%	16	79	3.2	13.8%
200438	-	2090	7	7	3.0	17.2%
200439	-	2.65%	71	74	0.7	3722
200440	-	5.55%	7	243	4.1	9.78%
200441	-	6.34%	13	386	4.8	9.32%
200442	-	7.25%	16	102	4.9	11.7%
200443	-	5.35%	10	291	4.7	9.93%
200444	-	2.34%	13	17	5.9	10.2%
200445	-	7.52%	34	18	2.3	3.30%
200446	-	4.17%	92	7	2.8	5.58%
200447	-	1.82%	213	6	1.3	1.74%
200448	-	3.84%	49	43	4.2	7.55%

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128035
 Client Ref **46105**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 17 of 34

ANALYTICAL REPORT

	XRF780 % -10.00 100.00 LOI	ICP40Q PPM 100.00 400,000.00 Al	ICP40Q PPM 3.00 10,000.00 As	ICP40Q PPM 5.00 10,000.00 Ba	ICP40Q PPM 0.50 5,000.00 Be	ICP40Q PPM 50.00 400,000.00 Ca
200449	-	4.94%	21	211	5.0	11.6%
200450	-	6.98%	40	1034	2.5	5.99%
200451	-	5.39%	13	316	3.1	11.3%
200452	-	2.30%	83	226	1.2	4.51%
200453	-	4.92%	25	233	1.7	5.57%
200454	-	3.49%	97	93	1.5	5.79%
200455	-	3740	181	7	0.5	5445
200456	-	3.68%	32	305	1.8	8.64%
200457	-	3.99%	36	202	2.0	9.95%
200458	-	2.76%	132	186	2.0	6.41%
200459	-	3.41%	59	260	1.8	6.73%
200460	-	2.26%	90	64	0.6	2966
200461	-	2.95%	41	111	1.4	5.53%
200462	-	3.45%	20	115	2.0	9.31%
200463	-	3.34%	209	38	1.7	11.1%
200464	-	7380	183	12	<0.5	1.75%
200465	-	3.50%	142	486	1.2	5.35%
200466	-	3.78%	13	441	1.1	6.02%
200467	-	2.67%	324	169	1.2	4.89%
200468	-	4.27%	11	376	1.1	5.42%
200469	-	4.04%	3	294	1.1	4.90%
200470	-	4.71%	9	299	1.2	5.60%
200471	-	6.34%	74	1135	2.1	1.04%
200472	-	6.23%	40	644	1.9	7396
200473	-	6.20%	12	592	2.4	6894
200474	-	6.15%	30	802	1.9	1.13%
200475	-	6.33%	31	425	2.4	3.23%
200476	-	1240	<3	10	<0.5	152
D - 200341	-	1560	<3	<5	3.1	9.07%
D - 200388	-	1.63%	13	312	6.9	12.7%
D - 200435	-	7970	149	10	1.3	2.62%

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.

Lab Ref WM128035
 Client Ref **46105**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 18 of 34

ANALYTICAL REPORT

Scheme	ICP40Q PPM 1.00 5,000.00 Cd	ICP40Q PPM 10.00 20,000.00 Cr	ICP40Q PPM 1.00 10,000.00 Co	ICP40Q PPM 5.00 10,000.00 Cu	ICP40Q PPM 100.00 1,000,000.00 Fe	ICP40Q PPM 100.00 200,000.00 K
Units						
Detection Limit						
Upper Limit						
200333	<1	10	<1	<5	200	250
200334	<1	53	19	<5	8.84%	2.14%
200335	<1	<10	30	<5	10.2%	930
200336	<1	<10	30	<5	8.93%	500
200337	<1	<10	13	<5	12.0%	480
200338	<1	<10	10	<5	24.9%	210
200339	<1	<10	13	<5	12.3%	130
200340	<1	<10	13	<5	8.61%	450
200341	<1	<10	10	<5	5.55%	400
200342	<1	<10	19	<5	14.8%	700
200343	<1	43	16	<5	14.1%	2.74%
200344	<1	39	8	<5	1.89%	4.53%
200345	<1	42	10	8	1.69%	5.13%
200346	<1	33	15	<5	6.78%	2.20%
200347	<1	41	7	<5	2.32%	3.40%
200348	<1	46	7	<5	2.74%	3.84%
200349	<1	34	9	<5	4.74%	1.80%
200350	<1	13	11	<5	6.87%	3440
200351	<1	40	8	<5	4.87%	1.89%
200352	<1	57	12	<5	7.43%	1.64%
200353	<1	65	14	38	4.93%	2.65%
200354	62	19	76	>10000	10.6%	6580
200355	<1	48	11	94	3.02%	3.48%
200356	<1	61	11	5	5.37%	1.68%
200357	<1	48	15	30	1.96%	4.32%
200358	<1	46	12	15	2.06%	3.72%
200359	<1	43	12	22	2.01%	3.15%
200360	<1	34	10	9	1.59%	3.79%
200361	<1	37	8	12	1.60%	1.86%
200362	<1	38	7	12	1.53%	3.61%
200363	<1	41	6	21	2.72%	3.52%
200364	<1	<10	3	<5	3.79%	690
200365	<1	<10	4	<5	2.79%	720
200366	<1	<10	8	10	3.00%	800
200367	<1	10	15	151	10.1%	2970
200368	<1	39	12	11	7.79%	9630
200369	<1	17	7	<5	3.54%	6030
200370	6	<10	5	<5	1.83%	320

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128035
 Client Ref **46105**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 19 of 34

ANALYTICAL REPORT

	ICP40Q PPM 1.00 5,000.00 Cd	ICP40Q PPM 10.00 20,000.00 Cr	ICP40Q PPM 1.00 10,000.00 Co	ICP40Q PPM 5.00 10,000.00 Cu	ICP40Q PPM 100.00 1,000,000.00 Fe	ICP40Q PPM 100.00 200,000.00 K
200371	1	<10	10	<5	8.07%	320
200372	<1	22	27	<5	21.4%	3750
200373	<1	83	21	92	3.41%	6.28%
200374	1	102	25	92	7.42%	2.73%
200375	59	18	72	>10000	10.8%	6950
200376	<1	38	63	619	14.4%	1.25%
200377	<1	15	54	511	14.7%	6430
200378	<1	16	17	32	14.7%	2090
200379	<1	20	50	410	21.6%	4840
200380	2	30	75	909	22.4%	4970
200381	1	31	50	1401	24.5%	3030
200382	<1	<10	34	412	18.4%	160
200383	2	19	124	676	20.2%	2520
200384	<1	243	52	120	8.51%	4.66%
200385	<1	249	16	15	5.60%	2.82%
200386	<1	230	18	6	5.38%	3.02%
200387	<1	182	40	6	6.33%	1.55%
200388	<1	14	15	<5	3.30%	6040
200389	<1	<10	4	<5	2.79%	480
200390	<1	<10	5	<5	3.50%	350
200391	<1	44	13	20	3.27%	2.97%
200392	<1	75	26	62	2.76%	5.85%
200393	<1	52	16	23	1.88%	6.53%
200394	3	42	14	7	2.04%	2.96%
200395	<1	11	8	5	2.33%	3510
200396	61	16	75	>10000	11.0%	6580
200397	<1	48	15	73	3.37%	3.01%
200398	<1	39	15	7	5.03%	660
200399	<1	<10	9	9	34.3%	170
200400	<1	<10	9	6	41.1%	170
200401	<1	<10	6	<5	41.0%	190
200402	<1	<10	11	<5	38.8%	150
200403	<1	<10	14	<5	34.1%	<100
200404	<1	<10	14	<5	29.8%	<100
200405	<1	<10	15	<5	35.1%	140
200406	<1	<10	13	<5	35.4%	<100
200407	<1	<10	12	13	37.4%	<100
200408	<1	<10	13	<5	39.6%	<100
200409	<1	30	3	14	25.6%	230

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128035
 Client Ref **46105**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 20 of 34

ANALYTICAL REPORT

	ICP40Q PPM 1.00 5,000.00 Cd	ICP40Q PPM 10.00 20,000.00 Cr	ICP40Q PPM 1.00 10,000.00 Co	ICP40Q PPM 5.00 10,000.00 Cu	ICP40Q PPM 100.00 1,000,000.00 Fe	ICP40Q PPM 100.00 200,000.00 K
200410	<1	<10	16	<5	38.3%	<100
200411	<1	<10	13	<5	33.6%	<100
200412	<1	<10	13	<5	34.6%	<100
200413	<1	<10	12	<5	37.0%	<100
200414	<1	<10	14	<5	37.7%	<100
200415	<1	<10	17	<5	33.8%	<100
200416	<1	<10	17	<5	32.3%	<100
200417	<1	<10	20	<5	32.3%	<100
200418	68	18	80	>10000	11.3%	6810
200419	<1	<10	16	97	30.5%	<100
200420	<1	20	17	18	23.3%	2330
200421	<1	55	39	16	9.56%	3980
200422	<1	33	12	6	11.8%	270
200423	<1	27	8	12	6.31%	1810
200424	<1	10	15	<5	20.6%	470
200425	<1	<10	11	7	35.4%	<100
200426	<1	<10	21	6	24.7%	660
200427	6	68	52	<5	3.41%	1.34%
200428	2	75	24	56	2.54%	2.84%
200429	<1	38	13	6	3.11%	6570
200430	<1	84	19	93	3.10%	4.39%
200431	<1	70	23	97	4.01%	4.97%
200432	<1	69	23	113	4.79%	4.87%
200433	<1	89	46	20	3.69%	2.79%
200434	<1	42	61	<5	4.24%	3750
200435	<1	<10	10	51	12.2%	650
200436	<1	20	16	119	19.7%	920
200437	<1	33	7	<5	4.21%	4030
200438	<1	<10	3	<5	1.32%	310
200439	66	25	81	>10000	11.6%	6930
200440	<1	63	8	87	5.32%	1.08%
200441	1	67	12	<5	7.40%	1.84%
200442	<1	62	10	<5	9.66%	9420
200443	<1	55	6	<5	7.19%	2.02%
200444	<1	27	5	<5	4.78%	1160
200445	<1	92	12	<5	9.33%	1470
200446	2	52	8	10	7.01%	630
200447	2	23	8	6	5.46%	1100
200448	2	45	11	<5	7.74%	3100

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.

Lab Ref WM128035
 Client Ref **46105**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 21 of 34

ANALYTICAL REPORT

	ICP40Q PPM 1.00 5,000.00 Cd	ICP40Q PPM 10.00 20,000.00 Cr	ICP40Q PPM 1.00 10,000.00 Co	ICP40Q PPM 5.00 10,000.00 Cu	ICP40Q PPM 100.00 1,000,000.00 Fe	ICP40Q PPM 100.00 200,000.00 K
200449	2	44	9	7	10.0%	1.45%
200450	<1	65	11	30	2.49%	3.72%
200451	<1	54	7	8	4.22%	2.25%
200452	<1	25	8	25	9.87%	1.31%
200453	<1	43	9	15	2.44%	1.22%
200454	<1	34	15	11	3.25%	8680
200455	<1	<10	7	9	22.1%	480
200456	<1	31	6	7	4.86%	1.42%
200457	<1	36	6	24	5.24%	1.22%
200458	<1	28	5	9	10.2%	1.47%
200459	<1	29	6	6	7.97%	1.68%
200460	56	22	69	>10000	10.1%	6280
200461	<1	28	6	113	11.1%	1.06%
200462	<1	32	6	20	6.29%	5690
200463	<1	30	6	64	3.93%	4090
200464	<1	<10	6	18	26.3%	470
200465	<1	33	10	61	7.19%	2.12%
200466	<1	37	5	9	3.88%	2.02%
200467	<1	24	29	162	13.2%	1.18%
200468	<1	36	4	<5	3.07%	2.20%
200469	<1	31	3	<5	2.37%	1.83%
200470	<1	39	4	8	3.27%	2.33%
200471	8	46	12	79	1.41%	3.66%
200472	<1	45	11	32	1.85%	3.01%
200473	<1	47	8	22	1.99%	2.86%
200474	<1	45	7	11	1.26%	2.81%
200475	<1	53	9	14	1.82%	1.69%
200476	<1	22	<1	<5	170	370
D - 200341	<1	10	10	<5	5.54%	410
D - 200388	<1	22	14	<5	3.16%	5810
D - 200435	<1	<10	9	45	11.6%	550

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128035
 Client Ref **46105**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 22 of 34

ANALYTICAL REPORT

Scheme	ICP40Q PPM 0.50 10,000.00 La	ICP40Q PPM 1.00 10,000.00 Li	ICP40Q PPM 20.00 1,000,000.00 Mg	ICP40Q PPM 5.00 10,000.00 Mn	ICP40Q PPM 5.00 10,000.00 Mo	ICP40Q PPM 5.00 10,000.00 Ni
Units						
Detection Limit						
Upper Limit						
200333	3.8	6	50	<5	<5	<5
200334	57.1	173	3.26%	3777	6	38
200335	2.5	20	8.37%	6875	<5	8
200336	1.1	2	10.1%	4352	<5	9
200337	0.9	44	10.2%	3899	<5	<5
200338	0.7	2	7.47%	3675	<5	<5
200339	0.9	5	12.8%	5824	<5	<5
200340	0.9	59	11.7%	5019	<5	<5
200341	0.9	<1	11.1%	4254	<5	<5
200342	3.6	12	6.60%	>10000	<5	12
200343	38.7	61	1.72%	9508	<5	17
200344	46.2	86	1.99%	1010	<5	11
200345	46.8	72	1.68%	798	<5	11
200346	32.0	44	4.57%	3826	<5	16
200347	50.8	71	2.32%	1019	<5	17
200348	32.6	50	2.10%	1427	5	17
200349	22.9	69	5.53%	2704	<5	15
200350	6.3	68	7.56%	3784	6	23
200351	53.1	91	5.18%	2950	14	25
200352	39.2	98	4.94%	3333	7	55
200353	46.0	59	2.82%	1772	6	44
200354	17.4	21	1.26%	791	<5	24
200355	43.6	50	2.17%	1054	<5	24
200356	44.1	50	4.17%	2601	<5	39
200357	47.3	60	1.68%	534	<5	24
200358	44.5	76	1.79%	467	<5	28
200359	42.2	80	1.57%	274	<5	26
200360	38.4	69	1.53%	257	<5	12
200361	31.3	94	1.70%	279	<5	11
200362	43.1	69	1.66%	307	<5	9
200363	40.3	81	2.45%	1502	<5	6
200364	2.6	20	8.11%	3899	<5	<5
200365	2.4	19	8.83%	2815	<5	<5
200366	4.0	36	9.63%	2656	<5	10
200367	2.1	19	10.4%	2966	<5	7
200368	96.1	134	7.57%	4371	<5	56
200369	17.9	119	8.69%	3129	<5	23
200370	3.0	12	9.78%	1917	<5	10

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128035
 Client Ref **46105**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 23 of 34

ANALYTICAL REPORT

	ICP40Q PPM 0.50 10,000.00 La	ICP40Q PPM 1.00 10,000.00 Li	ICP40Q PPM 20.00 1,000,000.00 Mg	ICP40Q PPM 5.00 10,000.00 Mn	ICP40Q PPM 5.00 10,000.00 Mo	ICP40Q PPM 5.00 10,000.00 Ni
200371	3.3	12	9.21%	2248	<5	14
200372	13.4	80	7.31%	3601	<5	39
200373	50.4	71	1.61%	828	10	48
200374	40.0	91	4.46%	6904	14	64
200375	17.6	22	1.28%	811	<5	25
200376	146	113	10.9%	2893	<5	71
200377	8.1	35	11.0%	2115	<5	66
200378	3.2	40	11.6%	2218	<5	37
200379	4.6	43	10.7%	2351	<5	107
200380	2.6	27	11.8%	2602	<5	146
200381	1.8	27	12.0%	1890	<5	169
200382	1.9	28	13.1%	1930	<5	98
200383	2.2	27	11.1%	3168	<5	280
200384	7.9	106	6.07%	2421	<5	150
200385	10.7	153	5.86%	2381	<5	111
200386	40.0	79	5.23%	3280	<5	46
200387	35.7	194	8.97%	>10000	<5	51
200388	15.0	70	8.62%	5276	<5	13
200389	22.0	21	9.28%	3832	<5	6
200390	3.3	18	9.45%	3230	<5	<5
200391	71.5	121	5.92%	2414	7	29
200392	45.8	136	2.74%	3082	12	56
200393	48.7	103	2.15%	1107	9	27
200394	40.9	228	5.79%	2117	11	23
200395	3.5	63	12.9%	2654	<5	10
200396	15.5	20	1.33%	813	<5	22
200397	33.7	299	11.9%	2197	<5	34
200398	29.3	425	19.2%	1902	27	22
200399	4.1	24	7.86%	1129	11	12
200400	<0.5	5	3.86%	1530	<5	<5
200401	0.9	9	2.94%	1819	<5	<5
200402	0.6	4	5.36%	2082	<5	<5
200403	<0.5	3	8.92%	2148	<5	<5
200404	<0.5	2	11.5%	2121	<5	<5
200405	0.9	7	9.49%	2406	<5	<5
200406	<0.5	4	7.83%	2419	<5	<5
200407	<0.5	4	5.76%	1081	<5	76
200408	<0.5	6	4.27%	1782	<5	<5
200409	3.6	18	5.95%	2080	<5	47

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128035
 Client Ref **46105**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 24 of 34

ANALYTICAL REPORT

	ICP40Q PPM 0.50 10,000.00 La	ICP40Q PPM 1.00 10,000.00 Li	ICP40Q PPM 20.00 1,000,000.00 Mg	ICP40Q PPM 5.00 10,000.00 Mn	ICP40Q PPM 5.00 10,000.00 Mo	ICP40Q PPM 5.00 10,000.00 Ni
200410	<0.5	4	6.03%	2354	<5	<5
200411	<0.5	2	9.07%	2101	<5	<5
200412	<0.5	2	8.59%	1875	<5	<5
200413	<0.5	4	6.56%	1749	<5	<5
200414	<0.5	3	7.06%	1797	<5	<5
200415	0.6	3	8.30%	1728	<5	<5
200416	0.5	7	9.71%	1859	<5	5
200417	1.1	3	8.69%	2026	<5	<5
200418	16.3	23	1.36%	838	<5	23
200419	0.6	2	10.6%	1944	<5	<5
200420	1.4	27	13.8%	2018	8	25
200421	36.6	177	15.2%	4099	16	45
200422	22.6	86	17.4%	2460	33	24
200423	49.8	110	17.3%	3334	15	16
200424	5.4	18	12.8%	1539	200	13
200425	2.7	3	4.22%	1540	21	<5
200426	2.2	6	12.2%	1161	40	9
200427	30.9	210	13.0%	3269	10	81
200428	43.9	83	2.77%	1323	11	53
200429	31.9	87	8.79%	2730	<5	20
200430	44.7	55	1.53%	369	15	45
200431	39.1	48	1.95%	257	27	51
200432	39.9	53	1.81%	335	20	44
200433	43.9	64	2.74%	2723	26	72
200434	27.2	124	10.5%	3500	19	49
200435	1.5	51	15.2%	1907	<5	19
200436	13.9	49	12.1%	2390	<5	49
200437	41.3	82	10.0%	3097	<5	26
200438	1.8	7	11.0%	2117	<5	42
200439	16.3	21	1.42%	869	<5	34
200440	77.8	204	10.6%	3064	<5	20
200441	135	146	6.66%	5147	6	34
200442	36.7	73	2.13%	4786	15	35
200443	21.5	78	6.88%	3556	6	20
200444	107	54	9.82%	3138	<5	10
200445	894	259	9.53%	8517	16	16
200446	39.1	137	12.6%	4821	6	116
200447	2.6	68	15.8%	2274	<5	6
200448	219	83	10.1%	4245	<5	12

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.

Lab Ref WM128035
 Client Ref **46105**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 25 of 34

ANALYTICAL REPORT

	ICP40Q PPM 0.50 10,000.00 La	ICP40Q PPM 1.00 10,000.00 Li	ICP40Q PPM 20.00 1,000,000.00 Mg	ICP40Q PPM 5.00 10,000.00 Mn	ICP40Q PPM 5.00 10,000.00 Mo	ICP40Q PPM 5.00 10,000.00 Ni
200449	64.8	82	4.97%	4829	5	13
200450	33.5	36	2.74%	2112	6	23
200451	85.3	69	6.18%	3669	<5	16
200452	14.6	76	13.8%	2397	<5	13
200453	16.8	98	14.5%	1131	<5	18
200454	11.3	109	15.4%	1304	<5	13
200455	1.3	79	13.4%	1645	<5	<5
200456	11.1	54	12.9%	2634	<5	6
200457	19.2	105	11.2%	2492	<5	14
200458	15.4	77	11.5%	2513	<5	11
200459	19.2	68	12.7%	2520	<5	11
200460	15.0	19	1.24%	736	<5	22
200461	6.3	43	10.9%	1628	<5	11
200462	17.9	67	10.7%	1921	<5	10
200463	22.4	106	10.4%	1713	<5	8
200464	4.2	23	8.00%	2682	<5	14
200465	9.4	40	14.4%	2224	<5	13
200466	5.6	60	12.6%	1652	<5	11
200467	68.6	56	11.4%	1954	<5	15
200468	27.5	86	10.0%	1307	<5	13
200469	18.1	38	5.98%	985	<5	10
200470	17.3	72	8.35%	1310	<5	11
200471	32.9	43	1.46%	403	<5	16
200472	38.8	52	1.49%	353	<5	26
200473	42.0	51	1.28%	165	<5	19
200474	36.4	48	1.54%	156	<5	18
200475	28.6	78	3.61%	531	<5	30
200476	4.6	6	180	<5	<5	<5
D - 200341	0.8	<1	11.5%	4293	<5	5
D - 200388	14.6	63	8.95%	5122	<5	11
D - 200435	1.2	48	14.7%	1757	<5	17

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128035
 Client Ref **46105**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 26 of 34

ANALYTICAL REPORT

Scheme	ICP40Q	ICP40Q	ICP40Q	ICP40Q	ICP40Q	ICP40Q
Units	PPM	PPM	PPM	PPM	PPM	PPM
Detection Limit	20.00	5.00	2.00	0.50	2.00	1.00
Upper Limit	100,000.00	5,000.00	5,000.00	500.00	10,000.00	10,000.00
	P	Pb	Sb	Sc	Sn	Sr
200333	<20	6	<2	<0.5	<2	2
200334	374	60	7	12.6	103	310
200335	76	<5	22	1.6	60	14
200336	51	<5	18	<0.5	58	8
200337	68	49	17	<0.5	44	5
200338	74	<5	25	<0.5	160	4
200339	42	<5	27	<0.5	41	5
200340	94	<5	18	<0.5	86	14
200341	77	7	13	<0.5	56	5
200342	215	156	17	1.9	60	23
200343	428	73	12	11.8	82	172
200344	372	29	<2	15.1	8	101
200345	376	33	<2	15.4	11	214
200346	229	46	7	9.0	113	247
200347	401	25	<2	14.1	34	237
200348	342	36	3	14.3	72	430
200349	234	17	7	9.6	70	135
200350	<20	46	6	2.6	38	23
200351	247	30	7	10.4	96	268
200352	321	8	8	11.4	227	246
200353	287	23	2	13.0	116	266
200354	69	>5000	32	3.5	11	15
200355	335	126	5	13.4	50	291
200356	304	36	12	12.0	125	369
200357	343	27	<2	13.6	19	203
200358	312	19	<2	12.2	8	185
200359	252	20	<2	11.5	4	126
200360	309	26	<2	11.1	5	108
200361	232	15	<2	8.6	3	102
200362	291	7	<2	11.8	4	106
200363	269	15	3	12.3	10	150
200364	<20	32	7	<0.5	24	21
200365	23	34	9	<0.5	22	18
200366	117	29	6	2.5	35	10
200367	198	11	12	1.9	50	5
200368	359	71	8	11.7	462	95
200369	230	32	6	5.4	114	54
200370	82	159	<2	1.1	45	9

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128035
 Client Ref **46105**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 27 of 34

ANALYTICAL REPORT

	ICP40Q PPM 20.00 100,000.00 P	ICP40Q PPM 5.00 5,000.00 Pb	ICP40Q PPM 2.00 5,000.00 Sb	ICP40Q PPM 0.50 500.00 Sc	ICP40Q PPM 2.00 10,000.00 Sn	ICP40Q PPM 1.00 10,000.00 Sr
200371	65	58	8	0.7	36	8
200372	119	34	21	4.0	40	76
200373	337	47	5	15.8	6	243
200374	418	95	19	13.0	75	229
200375	69	>5000	29	3.5	10	16
200376	435	139	24	7.6	186	23
200377	723	17	22	3.9	29	6
200378	595	31	23	3.7	40	4
200379	523	16	32	5.2	47	6
200380	1041	55	40	6.3	31	3
200381	1037	72	51	7.1	47	4
200382	940	145	24	1.6	39	3
200383	963	104	87	9.2	28	4
200384	672	34	28	35.7	29	266
200385	513	12	5	40.2	43	413
200386	434	45	10	37.3	141	369
200387	454	25	9	35.2	75	113
200388	144	15	17	3.6	28	49
200389	22	9	16	0.6	9	25
200390	<20	9	16	<0.5	9	41
200391	345	149	3	10.4	16	232
200392	469	99	7	14.0	21	251
200393	607	37	3	14.8	9	209
200394	396	122	<2	12.3	20	277
200395	70	48	6	1.8	16	29
200396	89	>5000	32	3.2	13	15
200397	443	118	3	10.9	44	113
200398	414	22	25	10.1	134	47
200399	32	<5	51	<0.5	361	4
200400	<20	<5	46	<0.5	924	4
200401	<20	<5	44	<0.5	443	10
200402	<20	<5	33	<0.5	1297	22
200403	<20	<5	33	<0.5	1079	2
200404	<20	<5	33	<0.5	1638	2
200405	<20	166	40	<0.5	1835	13
200406	29	<5	50	<0.5	2340	4
200407	52	<5	61	<0.5	343	2
200408	24	<5	52	<0.5	740	4
200409	433	<5	23	1.7	9	11

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128035
 Client Ref **46105**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 28 of 34

ANALYTICAL REPORT

	ICP40Q PPM 20.00 100,000.00 P	ICP40Q PPM 5.00 5,000.00 Pb	ICP40Q PPM 2.00 5,000.00 Sb	ICP40Q PPM 0.50 500.00 Sc	ICP40Q PPM 2.00 10,000.00 Sn	ICP40Q PPM 1.00 10,000.00 Sr
200410	<20	<5	50	<0.5	2538	3
200411	<20	<5	40	<0.5	1635	3
200412	<20	<5	37	<0.5	1129	3
200413	<20	<5	50	<0.5	833	3
200414	<20	<5	54	<0.5	1024	3
200415	48	<5	96	<0.5	1021	8
200416	39	<5	88	<0.5	1001	14
200417	<20	<5	70	<0.5	1385	11
200418	85	>5000	33	3.3	22	16
200419	33	103	60	<0.5	1468	9
200420	219	49	68	5.0	1375	12
200421	416	171	29	11.5	181	77
200422	249	44	53	6.7	327	64
200423	269	33	39	8.7	264	37
200424	184	44	47	2.4	389	25
200425	32	<5	40	0.7	252	34
200426	138	<5	54	1.5	240	16
200427	336	99	15	10.9	83	155
200428	438	139	4	15.0	13	372
200429	199	21	16	6.1	31	157
200430	571	21	<2	14.6	10	297
200431	624	20	5	12.9	37	198
200432	715	22	4	12.9	73	251
200433	711	124	36	14.5	37	399
200434	194	46	21	5.2	31	192
200435	330	18	22	0.8	20	13
200436	143	22	22	4.7	49	13
200437	297	233	12	6.3	86	75
200438	64	1133	6	<0.5	34	8
200439	92	>5000	34	3.4	13	14
200440	525	152	6	11.6	147	55
200441	613	196	9	11.8	112	175
200442	701	41	22	12.2	175	564
200443	348	103	22	9.3	119	202
200444	221	22	14	5.0	41	111
200445	458	105	2	13.1	71	68
200446	351	486	20	7.6	101	74
200447	175	278	26	2.4	21	25
200448	181	982	14	6.8	78	101

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128035
 Client Ref **46105**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 29 of 34

ANALYTICAL REPORT

	ICP40Q PPM 20.00 100,000.00 P	ICP40Q PPM 5.00 5,000.00 Pb	ICP40Q PPM 2.00 5,000.00 Sb	ICP40Q PPM 0.50 500.00 Sc	ICP40Q PPM 2.00 10,000.00 Sn	ICP40Q PPM 1.00 10,000.00 Sr
200449	219	83	17	8.0	199	233
200450	316	87	7	12.2	14	384
200451	274	73	11	9.6	108	201
200452	282	11	19	5.0	37	26
200453	347	25	3	10.5	5	85
200454	285	18	4	7.5	6	16
200455	72	23	33	0.8	25	8
200456	303	18	10	8.0	45	16
200457	287	18	9	8.2	41	26
200458	216	9	11	5.0	24	44
200459	276	15	10	8.0	34	18
200460	86	>5000	49	3.1	12	14
200461	350	110	10	7.2	37	11
200462	286	11	5	8.1	50	15
200463	243	10	15	7.0	15	64
200464	63	16	30	2.0	136	9
200465	340	12	12	7.9	47	12
200466	298	7	5	8.9	8	15
200467	204	43	17	5.9	14	21
200468	296	14	6	8.7	6	118
200469	251	14	<2	7.8	5	196
200470	321	15	3	9.6	4	164
200471	315	891	<2	10.2	3	171
200472	287	20	<2	10.2	3	142
200473	308	14	<2	10.3	3	135
200474	284	12	<2	10.0	3	211
200475	296	24	3	9.9	16	167
200476	<20	<5	<2	<0.5	<2	3
D - 200341	67	<5	13	<0.5	56	5
D - 200388	125	17	15	3.2	27	43
D - 200435	305	16	27	0.7	18	12

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.

Lab Ref WM128035
 Client Ref **46105**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 30 of 34

ANALYTICAL REPORT

Scheme	ICP40Q	ICP40Q	ICP40Q	ICP40Q	ICP40Q
Units	PPM	PPM	PPM	PPM	PPM
Detection Limit	10.00	1.00	10.00	0.50	5.00
Upper Limit	20,000.00	10,000.00	10,000.00	5,000.00	10,000.00
	Ti	V	W	Y	Zn
200333	761	1	<10	1.0	<5
200334	3250	197	<10	27.9	177
200335	218	20	170	21.6	181
200336	51	8	<10	13.8	129
200337	20	5	<10	4.0	82
200338	45	9	<10	0.7	107
200339	21	5	<10	1.0	110
200340	29	8	<10	3.7	121
200341	14	7	<10	2.3	147
200342	266	27	<10	4.3	339
200343	2720	122	<10	25.6	379
200344	4192	85	<10	33.3	67
200345	4259	99	<10	33.6	77
200346	2494	64	<10	21.5	188
200347	4157	92	<10	33.6	65
200348	4329	108	<10	33.6	60
200349	2716	78	<10	18.6	70
200350	330	34	<10	4.0	80
200351	2675	175	<10	21.4	77
200352	2890	226	<10	26.2	122
200353	3304	178	<10	26.5	78
200354	627	25	88	5.3	>10000
200355	3990	115	<10	29.5	98
200356	3241	182	<10	22.2	139
200357	4135	109	<10	32.4	34
200358	3763	101	<10	30.5	34
200359	3394	84	<10	25.8	24
200360	3860	74	<10	23.9	20
200361	2834	49	<10	18.6	27
200362	3343	64	<10	25.7	18
200363	3198	68	<10	27.0	27
200364	78	11	<10	4.4	68
200365	105	16	<10	5.7	123
200366	494	104	<10	7.8	134
200367	688	71	<10	10.6	190
200368	2821	164	<10	27.8	297
200369	1401	120	<10	16.2	66
200370	345	28	<10	7.6	1171

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.

Lab Ref WM128035
 Client Ref **46105**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 31 of 34

ANALYTICAL REPORT

	ICP40Q PPM 10.00 20,000.00 Ti	ICP40Q PPM 1.00 10,000.00 V	ICP40Q PPM 10.00 10,000.00 W	ICP40Q PPM 0.50 5,000.00 Y	ICP40Q PPM 5.00 10,000.00 Zn
200371	151	16	<10	5.8	206
200372	973	68	<10	7.3	247
200373	3675	241	<10	31.5	42
200374	3383	215	61	30.1	242
200375	637	24	86	5.7	>10000
200376	1963	138	12	15.5	235
200377	973	66	<10	6.8	179
200378	648	57	13	11.4	137
200379	1216	68	<10	10.4	137
200380	1830	88	20	10.4	649
200381	2042	83	<10	7.8	753
200382	333	27	<10	4.6	196
200383	1206	76	<10	7.0	495
200384	5963	243	11	18.7	182
200385	6746	271	<10	17.9	129
200386	6037	282	<10	22.3	182
200387	6123	258	<10	32.2	572
200388	885	41	<10	10.1	217
200389	88	7	<10	4.7	301
200390	50	6	12	3.2	159
200391	2527	142	13	25.8	160
200392	3658	217	18	34.2	252
200393	3749	188	<10	34.0	87
200394	3085	158	<10	29.0	439
200395	436	39	<10	6.1	79
200396	591	24	84	5.7	>10000
200397	3159	273	12	29.2	165
200398	2740	202	13	26.7	126
200399	86	14	19	<0.5	76
200400	19	3	39	<0.5	78
200401	27	4	19	<0.5	122
200402	19	2	22	<0.5	95
200403	<10	<1	17	<0.5	120
200404	<10	1	24	<0.5	83
200405	22	3	21	<0.5	151
200406	11	2	25	<0.5	141
200407	42	10	92	<0.5	65
200408	23	8	61	<0.5	78
200409	128	10	<10	2.1	11

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.

Lab Ref WM128035
 Client Ref **46105**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 32 of 34

ANALYTICAL REPORT

	ICP40Q PPM 10.00 20,000.00 Ti	ICP40Q PPM 1.00 10,000.00 V	ICP40Q PPM 10.00 10,000.00 W	ICP40Q PPM 0.50 5,000.00 Y	ICP40Q PPM 5.00 10,000.00 Zn
200410	<10	1	48	<0.5	94
200411	<10	<1	38	<0.5	98
200412	<10	<1	45	<0.5	96
200413	<10	1	38	<0.5	50
200414	<10	1	43	<0.5	63
200415	<10	2	71	0.7	55
200416	<10	2	68	1.7	65
200417	<10	1	89	<0.5	79
200418	585	25	87	6.5	>10000
200419	21	5	118	1.6	114
200420	1268	74	134	10.9	531
200421	3424	169	103	21.6	758
200422	1721	113	160	21.5	113
200423	2315	95	123	36.3	489
200424	760	28	167	9.2	34
200425	185	21	313	0.7	43
200426	441	17	203	8.5	136
200427	2774	169	54	37.9	1633
200428	3661	221	<10	32.0	296
200429	1522	119	<10	17.0	72
200430	3543	331	<10	35.3	28
200431	2981	368	15	30.3	18
200432	3184	430	24	32.4	16
200433	3872	425	13	38.2	64
200434	1381	132	<10	19.4	70
200435	149	16	<10	16.7	79
200436	828	86	<10	8.1	256
200437	1438	172	<10	20.7	154
200438	91	20	<10	10.1	81
200439	653	26	88	6.4	>10000
200440	2652	360	<10	20.5	284
200441	2967	411	<10	27.1	397
200442	2943	461	<10	39.5	178
200443	2245	195	<10	29.9	188
200444	1129	87	<10	39.2	100
200445	3833	240	<10	109	528
200446	2033	156	19	34.8	680
200447	609	35	62	59.5	425
200448	2108	122	11	50.4	648

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.

Lab Ref WM128035
 Client Ref **46105**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 33 of 34

ANALYTICAL REPORT

	ICP40Q PPM 10.00 20,000.00 Ti	ICP40Q PPM 1.00 10,000.00 V	ICP40Q PPM 10.00 10,000.00 W	ICP40Q PPM 0.50 5,000.00 Y	ICP40Q PPM 5.00 10,000.00 Zn
200449	2675	93	22	45.3	494
200450	3453	128	<10	29.5	156
200451	2582	120	<10	26.4	196
200452	1585	49	10	9.5	289
200453	3174	80	<10	22.8	51
200454	2631	63	<10	19.7	187
200455	283	12	<10	1.0	199
200456	2755	56	<10	17.9	268
200457	2480	79	<10	16.4	240
200458	1640	61	<10	15.6	106
200459	2444	57	<10	17.3	215
200460	588	23	84	5.9	>10000
200461	2280	82	<10	13.3	511
200462	2474	62	<10	15.5	474
200463	2574	55	<10	17.6	63
200464	789	22	17	1.8	139
200465	2688	62	11	15.5	145
200466	2920	61	<10	17.3	50
200467	1921	59	<10	14.2	87
200468	3315	67	<10	20.3	41
200469	3405	60	<10	22.2	31
200470	3718	70	<10	24.6	29
200471	3103	67	<10	27.0	1820
200472	3225	67	<10	27.8	47
200473	3210	65	<10	27.4	15
200474	3164	65	<10	25.8	19
200475	3135	92	<10	30.0	49
200476	1007	3	<10	1.4	7
D - 200341	16	8	<10	2.3	166
D - 200388	832	40	<10	9.8	221
D - 200435	136	15	12	16.2	83

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128035
Client Ref **46105**
Project *
Reported 16/12/10
Status Final
Page Page 34 of 34

DESCRIPTION

WGH79 : Sample Weight
XRF780 : XRF, Fusion, Ore Grade
ICP40Q : ICPAES after DIG40Q

Karen Lomasney

EA to CFO

Creat Resources Holdings Ltd

GPO Box 2288

Hobart

TAS 7001

Lab Ref WM128036*Client Ref* **46106***Project* **Cost Code**Status* Final*Received* 17/11/10*Reported* 16/12/10*Samples* 92*First Sample* 200477*Last Sample* 200568*Pages* 26*Copy**Notes*

Authorised by

On behalf of:

Graeme Farrant
Laboratory Manager

The results in this analytical report pertain to the samples provided to this laboratory for preparation and/or analysis as requested by the client. This document is issued by the company subject to its General Conditions of Services (www.sgs.com/generalconditions). Attention is drawn to the limitations of liability, indemnification and justifications issues established therein.



Lab Ref WM128036
 Client Ref **46106**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 2 of 26

ANALYTICAL REPORT

Scheme	WGH79	XRF780	XRF780	XRF780	XRF780	XRF780
Units	G	%	%	%	%	%
Detection Limit	0.00	0.01	0.01	0.01	0.01	0.01
Upper Limit	0.00	100.00	100.00	100.00	100.00	100.00
	Wt(Dry)	Al2O3	SiO2	TiO2	Fe2O3	MnO
200477		-	-	-	-	-
200478	3410.000	-	-	-	-	-
200479	4466.000	-	-	-	-	-
200480	4840.000	-	-	-	-	-
200481	4254.000	-	-	-	-	-
200482	3920.000	-	-	-	-	-
200483	4146.000	-	-	-	-	-
200484	4426.000	-	-	-	-	-
200485	4218.000	-	-	-	-	-
200486	4638.000	-	-	-	-	-
200487	5046.000	-	-	-	-	-
200488	5008.000	-	-	-	-	-
200489	4740.000	-	-	-	-	-
200490	4956.000	-	-	-	-	-
200491	4476.000	-	-	-	-	-
200492	3920.000	-	-	-	-	-
200493	3680.000	-	-	-	-	-
200494	4158.000	-	-	-	-	-
200495	4780.000	-	-	-	-	-
200496	3754.000	-	-	-	-	-
200497	2968.000	-	-	-	-	-
200498		-	-	-	-	-
200499	1600.000	1.49	22.9	0.07	48.4	0.31
200500	3346.000	0.51	8.58	0.03	77.0	0.33
200501	3678.000	0.60	4.38	0.04	88.2	0.32
200502	3870.000	0.38	5.02	0.03	87.7	0.31
200503		0.42	27.1	0.04	53.9	0.28
200504	3320.000	0.37	10.1	0.04	76.0	0.36
200505	3520.000	0.23	6.79	0.03	83.7	0.37
200506	2430.000	0.08	25.3	0.01	38.3	0.30
200507	2710.000	2.24	16.7	0.10	57.8	0.51
200508	2386.000	-	-	-	-	-
200509	2576.000	-	-	-	-	-
200510	2176.000	-	-	-	-	-
200511	2178.000	-	-	-	-	-
200512	2348.000	-	-	-	-	-
200513	2444.000	-	-	-	-	-
200514	2502.000	-	-	-	-	-

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128036
 Client Ref **46106**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 3 of 26

ANALYTICAL REPORT

	WGH79 G 0.00 0.00 Wt(Dry)	XRF780 % 0.01 100.00 Al2O3	XRF780 % 0.01 100.00 SiO2	XRF780 % 0.01 100.00 TiO2	XRF780 % 0.01 100.00 Fe2O3	XRF780 % 0.01 100.00 MnO
200515	2428.000	-	-	-	-	-
200516	2568.000	-	-	-	-	-
200517	2418.000	-	-	-	-	-
200518	2392.000	-	-	-	-	-
200519	2412.000	-	-	-	-	-
200520		-	-	-	-	-
200521	2422.000	-	-	-	-	-
200522	2294.000	-	-	-	-	-
200523	2134.000	-	-	-	-	-
200524	2190.000	-	-	-	-	-
200525	2644.000	-	-	-	-	-
200526	2264.000	-	-	-	-	-
200527	1942.000	-	-	-	-	-
200528	2322.000	-	-	-	-	-
200529	2490.000	-	-	-	-	-
200530	2506.000	-	-	-	-	-
200531	1984.000	-	-	-	-	-
200532	2412.000	-	-	-	-	-
200533	2420.000	-	-	-	-	-
200534	2406.000	-	-	-	-	-
200535	2340.000	-	-	-	-	-
200536	2484.000	-	-	-	-	-
200537	2308.000	-	-	-	-	-
200538	2342.000	-	-	-	-	-
200539	2616.000	-	-	-	-	-
200540	2530.000	-	-	-	-	-
200541		-	-	-	-	-
200542	2238.000	-	-	-	-	-
200543	2206.000	-	-	-	-	-
200544	2342.000	-	-	-	-	-
200545	2728.000	-	-	-	-	-
200546	2384.000	-	-	-	-	-
200547	2338.000	-	-	-	-	-
200548	2650.000	-	-	-	-	-
200549	2648.000	-	-	-	-	-
200550	2512.000	-	-	-	-	-
200551	2652.000	-	-	-	-	-
200552	2296.000	-	-	-	-	-
200553	2788.000	-	-	-	-	-

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128036
 Client Ref **46106**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 4 of 26

ANALYTICAL REPORT

	WGH79 G 0.00 0.00 Wt(Dry)	XRF780 % 0.01 100.00 Al2O3	XRF780 % 0.01 100.00 SiO2	XRF780 % 0.01 100.00 TiO2	XRF780 % 0.01 100.00 Fe2O3	XRF780 % 0.01 100.00 MnO
200554	3000.000	-	-	-	-	-
200555	2494.000	-	-	-	-	-
200556	2604.000	-	-	-	-	-
200557	2364.000	-	-	-	-	-
200558	2674.000	-	-	-	-	-
200559	2262.000	-	-	-	-	-
200560	2274.000	-	-	-	-	-
200561	2418.000	-	-	-	-	-
200562		-	-	-	-	-
200563	2756.000	-	-	-	-	-
200564	2766.000	-	-	-	-	-
200565	2408.000	-	-	-	-	-
200566	2312.000	-	-	-	-	-
200567	2168.000	-	-	-	-	-
200568		-	-	-	-	-
D - 200485		-	-	-	-	-
D - 200532		-	-	-	-	-

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.

Lab Ref WM128036
 Client Ref **46106**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 5 of 26

ANALYTICAL REPORT

Scheme	XRF780	XRF780	XRF780	XRF780	XRF780	XRF780
Units	%	%	%	%	%	%
Detection Limit	0.01	0.01	0.01	0.01	0.01	0.01
Upper Limit	100.00	100.00	100.00	100.00	100.00	100.00
	CaO	K2O	MgO	P2O5	Na2O	Zn
200477	-	-	-	-	-	-
200478	-	-	-	-	-	-
200479	-	-	-	-	-	-
200480	-	-	-	-	-	-
200481	-	-	-	-	-	-
200482	-	-	-	-	-	-
200483	-	-	-	-	-	-
200484	-	-	-	-	-	-
200485	-	-	-	-	-	-
200486	-	-	-	-	-	-
200487	-	-	-	-	-	-
200488	-	-	-	-	-	-
200489	-	-	-	-	-	-
200490	-	-	-	-	-	-
200491	-	-	-	-	-	-
200492	-	-	-	-	-	-
200493	-	-	-	-	-	-
200494	-	-	-	-	-	-
200495	-	-	-	-	-	-
200496	-	-	-	-	-	-
200497	-	-	-	-	-	-
200498	-	-	-	-	-	-
200499	2.14	0.22	18.0	0.03	0.08	0.02
200500	0.83	<0.01	9.56	0.02	0.03	0.02
200501	0.50	<0.01	5.80	0.04	0.02	0.03
200502	0.71	0.01	6.26	0.02	0.02	0.03
200503	0.77	0.02	10.3	0.11	0.04	<0.01
200504	0.44	0.02	11.1	0.04	0.02	0.03
200505	0.27	<0.01	8.43	0.01	0.02	0.02
200506	0.08	<0.01	27.6	<0.01	0.03	0.02
200507	0.95	0.18	17.1	0.04	0.02	0.02
200508	-	-	-	-	-	-
200509	-	-	-	-	-	-
200510	-	-	-	-	-	-
200511	-	-	-	-	-	-
200512	-	-	-	-	-	-
200513	-	-	-	-	-	-
200514	-	-	-	-	-	-

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128036
 Client Ref **46106**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 6 of 26

ANALYTICAL REPORT

	XRF780 % 0.01 100.00 CaO	XRF780 % 0.01 100.00 K2O	XRF780 % 0.01 100.00 MgO	XRF780 % 0.01 100.00 P2O5	XRF780 % 0.01 100.00 Na2O	XRF780 % 0.01 100.00 Zn
200515	-	-	-	-	-	-
200516	-	-	-	-	-	-
200517	-	-	-	-	-	-
200518	-	-	-	-	-	-
200519	-	-	-	-	-	-
200520	-	-	-	-	-	-
200521	-	-	-	-	-	-
200522	-	-	-	-	-	-
200523	-	-	-	-	-	-
200524	-	-	-	-	-	-
200525	-	-	-	-	-	-
200526	-	-	-	-	-	-
200527	-	-	-	-	-	-
200528	-	-	-	-	-	-
200529	-	-	-	-	-	-
200530	-	-	-	-	-	-
200531	-	-	-	-	-	-
200532	-	-	-	-	-	-
200533	-	-	-	-	-	-
200534	-	-	-	-	-	-
200535	-	-	-	-	-	-
200536	-	-	-	-	-	-
200537	-	-	-	-	-	-
200538	-	-	-	-	-	-
200539	-	-	-	-	-	-
200540	-	-	-	-	-	-
200541	-	-	-	-	-	-
200542	-	-	-	-	-	-
200543	-	-	-	-	-	-
200544	-	-	-	-	-	-
200545	-	-	-	-	-	-
200546	-	-	-	-	-	-
200547	-	-	-	-	-	-
200548	-	-	-	-	-	-
200549	-	-	-	-	-	-
200550	-	-	-	-	-	-
200551	-	-	-	-	-	-
200552	-	-	-	-	-	-
200553	-	-	-	-	-	-

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128036
Client Ref **46106**
Project *
Reported 16/12/10
Status Final
Page Page 7 of 26

ANALYTICAL REPORT

	XRF780 % 0.01 100.00 CaO	XRF780 % 0.01 100.00 K2O	XRF780 % 0.01 100.00 MgO	XRF780 % 0.01 100.00 P2O5	XRF780 % 0.01 100.00 Na2O	XRF780 % 0.01 100.00 Zn
200554	-	-	-	-	-	-
200555	-	-	-	-	-	-
200556	-	-	-	-	-	-
200557	-	-	-	-	-	-
200558	-	-	-	-	-	-
200559	-	-	-	-	-	-
200560	-	-	-	-	-	-
200561	-	-	-	-	-	-
200562	-	-	-	-	-	-
200563	-	-	-	-	-	-
200564	-	-	-	-	-	-
200565	-	-	-	-	-	-
200566	-	-	-	-	-	-
200567	-	-	-	-	-	-
200568	-	-	-	-	-	-
D - 200485	-	-	-	-	-	-
D - 200532	-	-	-	-	-	-

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128036
 Client Ref **46106**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 8 of 26

ANALYTICAL REPORT

Scheme	XRF780	XRF780	XRF780	XRF780	XRF780	XRF780
Units	%	%	%	%	%	%
Detection Limit	0.01	0.01	0.01	0.01	0.01	0.01
Upper Limit	100.00	100.00	100.00	100.00	100.00	100.00
	Cr2O3	Ba	Zr	Sr	Nb	Y
200477	-	-	-	-	-	-
200478	-	-	-	-	-	-
200479	-	-	-	-	-	-
200480	-	-	-	-	-	-
200481	-	-	-	-	-	-
200482	-	-	-	-	-	-
200483	-	-	-	-	-	-
200484	-	-	-	-	-	-
200485	-	-	-	-	-	-
200486	-	-	-	-	-	-
200487	-	-	-	-	-	-
200488	-	-	-	-	-	-
200489	-	-	-	-	-	-
200490	-	-	-	-	-	-
200491	-	-	-	-	-	-
200492	-	-	-	-	-	-
200493	-	-	-	-	-	-
200494	-	-	-	-	-	-
200495	-	-	-	-	-	-
200496	-	-	-	-	-	-
200497	-	-	-	-	-	-
200498	-	-	-	-	-	-
200499	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200500	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200501	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200502	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200503	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200504	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200505	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200506	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200507	<0.01	0.01	<0.01	<0.01	<0.01	<0.01
200508	-	-	-	-	-	-
200509	-	-	-	-	-	-
200510	-	-	-	-	-	-
200511	-	-	-	-	-	-
200512	-	-	-	-	-	-
200513	-	-	-	-	-	-
200514	-	-	-	-	-	-

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128036
 Client Ref **46106**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 9 of 26

ANALYTICAL REPORT

	XRF780 % 0.01 100.00 Cr2O3	XRF780 % 0.01 100.00 Ba	XRF780 % 0.01 100.00 Zr	XRF780 % 0.01 100.00 Sr	XRF780 % 0.01 100.00 Nb	XRF780 % 0.01 100.00 Y
200515	-	-	-	-	-	-
200516	-	-	-	-	-	-
200517	-	-	-	-	-	-
200518	-	-	-	-	-	-
200519	-	-	-	-	-	-
200520	-	-	-	-	-	-
200521	-	-	-	-	-	-
200522	-	-	-	-	-	-
200523	-	-	-	-	-	-
200524	-	-	-	-	-	-
200525	-	-	-	-	-	-
200526	-	-	-	-	-	-
200527	-	-	-	-	-	-
200528	-	-	-	-	-	-
200529	-	-	-	-	-	-
200530	-	-	-	-	-	-
200531	-	-	-	-	-	-
200532	-	-	-	-	-	-
200533	-	-	-	-	-	-
200534	-	-	-	-	-	-
200535	-	-	-	-	-	-
200536	-	-	-	-	-	-
200537	-	-	-	-	-	-
200538	-	-	-	-	-	-
200539	-	-	-	-	-	-
200540	-	-	-	-	-	-
200541	-	-	-	-	-	-
200542	-	-	-	-	-	-
200543	-	-	-	-	-	-
200544	-	-	-	-	-	-
200545	-	-	-	-	-	-
200546	-	-	-	-	-	-
200547	-	-	-	-	-	-
200548	-	-	-	-	-	-
200549	-	-	-	-	-	-
200550	-	-	-	-	-	-
200551	-	-	-	-	-	-
200552	-	-	-	-	-	-
200553	-	-	-	-	-	-

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128036
Client Ref **46106**
Project *
Reported 16/12/10
Status Final
Page Page 10 of 26

ANALYTICAL REPORT

	XRF780 % 0.01 100.00 Cr2O3	XRF780 % 0.01 100.00 Ba	XRF780 % 0.01 100.00 Zr	XRF780 % 0.01 100.00 Sr	XRF780 % 0.01 100.00 Nb	XRF780 % 0.01 100.00 Y
200554	-	-	-	-	-	-
200555	-	-	-	-	-	-
200556	-	-	-	-	-	-
200557	-	-	-	-	-	-
200558	-	-	-	-	-	-
200559	-	-	-	-	-	-
200560	-	-	-	-	-	-
200561	-	-	-	-	-	-
200562	-	-	-	-	-	-
200563	-	-	-	-	-	-
200564	-	-	-	-	-	-
200565	-	-	-	-	-	-
200566	-	-	-	-	-	-
200567	-	-	-	-	-	-
200568	-	-	-	-	-	-
D - 200485	-	-	-	-	-	-
D - 200532	-	-	-	-	-	-

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.

Lab Ref WM128036
 Client Ref **46106**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 11 of 26

ANALYTICAL REPORT

Scheme	XRF780	ICP40Q	ICP40Q	ICP40Q	ICP40Q	ICP40Q
Units	%	PPM	PPM	PPM	PPM	PPM
Detection Limit	-10.00	100.00	3.00	5.00	0.50	50.00
Upper Limit	100.00	400,000.00	10,000.00	10,000.00	5,000.00	400,000.00
	LOI	Al	As	Ba	Be	Ca
200477	-	1280	<3	9	<0.5	107
200478	-	2590	96	6	5.8	7.97%
200479	-	2570	18	8	3.7	9.41%
200480	-	1500	14	5	3.8	9.42%
200481	-	2170	107	8	3.7	7.09%
200482	-	2.03%	34	60	3.3	8.01%
200483	-	2160	342	8	0.8	2.92%
200484	-	4020	361	24	1.1	8770
200485	-	830	362	9	1.1	6.90%
200486	-	3600	189	22	1.4	3.71%
200487	-	1320	24	13	3.2	17.2%
200488	-	660	10	6	2.9	17.1%
200489	-	800	6	6	3.4	17.8%
200490	-	950	13	5	3.2	18.2%
200491	-	5.54%	19	757	5.7	12.9%
200492	-	10.3%	283	938	4.1	1.69%
200493	-	9.36%	359	2101	5.3	2.08%
200494	-	9.17%	103	1370	5.2	5.30%
200495	-	8.03%	<3	28	4.0	10.0%
200496	-	8.45%	<3	42	3.2	11.2%
200497	-	10.7%	12	175	3.7	12.4%
200498	-	2.48%	67	80	0.6	3591
200499	5.96	8480	181	101	1.0	1.45%
200500	1.83	3020	145	40	<0.5	5845
200501	-0.4090	3470	86	47	<0.5	3407
200502	-0.3630	2640	92	53	<0.5	4993
200503	6.98	2720	29	41	<0.5	5649
200504	1.82	2410	116	45	<0.5	3025
200505	0.550	1730	108	49	<0.5	2012
200506	8.65	750	105	20	<0.5	582
200507	4.55	1.30%	107	126	<0.5	6787
200508	-	4580	38	7	1.2	9.44%
200509	-	1.85%	4	200	3.2	16.0%
200510	-	8.16%	32	4951	3.2	3.06%
200511	-	8.16%	54	4471	2.8	1.93%
200512	-	10.0%	107	3243	3.0	2.60%
200513	-	7.61%	8	1023	4.5	8.22%
200514	-	7.40%	<3	890	5.0	12.4%

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128036
 Client Ref **46106**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 12 of 26

ANALYTICAL REPORT

	XRF780 % -10.00 100.00 LOI	ICP40Q PPM 100.00 400,000.00 Al	ICP40Q PPM 3.00 10,000.00 As	ICP40Q PPM 5.00 10,000.00 Ba	ICP40Q PPM 0.50 5,000.00 Be	ICP40Q PPM 50.00 400,000.00 Ca
200515	-	9290	57	135	2.1	6.40%
200516	-	1.47%	5	37	2.9	13.3%
200517	-	1.32%	9	47	3.3	11.5%
200518	-	9120	105	45	1.3	1.34%
200519	-	7740	71	38	<0.5	4180
200520	-	2.63%	64	83	0.6	3185
200521	-	3690	69	16	0.9	5.60%
200522	-	7.80%	11	705	3.8	5.96%
200523	-	8.08%	7	1038	2.4	6210
200524	-	5.55%	13	1065	4.5	6.50%
200525	-	1910	9	16	2.2	16.6%
200526	-	2250	68	18	0.7	6.37%
200527	-	970	174	16	<0.5	967
200528	-	1.91%	102	531	0.6	1.69%
200529	-	5390	127	15	1.4	2.64%
200530	-	6050	158	17	1.0	5218
200531	-	3750	233	18	<0.5	513
200532	-	8530	256	24	<0.5	712
200533	-	9970	228	23	1.3	1610
200534	-	970	166	16	0.6	5209
200535	-	2080	176	17	0.5	1.30%
200536	-	6.38%	7	330	2.9	10.0%
200537	-	4.79%	12	80	4.0	11.9%
200538	-	1.39%	121	63	1.1	2.92%
200539	-	2170	171	19	<0.5	3549
200540	-	6440	102	27	4.4	1.25%
200541	-	2.42%	68	81	0.7	3247
200542	-	1050	95	11	<0.5	6657
200543	-	580	109	12	<0.5	216
200544	-	900	159	18	<0.5	811
200545	-	3.63%	56	61	2.2	11.5%
200546	-	820	155	18	0.6	1456
200547	-	1520	165	13	1.4	2.00%
200548	-	1690	97	11	2.2	8.44%
200549	-	930	133	16	2.0	4.91%
200550	-	690	133	16	2.1	3.80%
200551	-	500	94	11	2.0	7.34%
200552	-	1050	98	11	1.4	4.61%
200553	-	2500	135	41	0.6	1756

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128036
 Client Ref **46106**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 13 of 26

ANALYTICAL REPORT

	XRF780 %	ICP40Q PPM	ICP40Q PPM	ICP40Q PPM	ICP40Q PPM	ICP40Q PPM
	-10.00 100.00 LOI	100.00 400,000.00 Al	3.00 10,000.00 As	5.00 10,000.00 Ba	0.50 5,000.00 Be	50.00 400,000.00 Ca
200554	-	550	125	30	<0.5	1343
200555	-	700	158	40	<0.5	1853
200556	-	280	209	32	<0.5	409
200557	-	2870	194	16	<0.5	881
200558	-	2.32%	149	32	3.7	5.30%
200559	-	5.58%	<3	365	3.0	9.44%
200560	-	9.14%	<3	737	3.4	7.19%
200561	-	8.58%	<3	207	3.4	13.2%
200562	-	2.59%	74	83	0.7	4004
200563	-	6.36%	<3	134	2.8	14.5%
200564	-	9030	226	48	1.6	2.99%
200565	-	6.84%	48	344	3.5	9.93%
200566	-	9.62%	<3	1450	3.4	2.39%
200567	-	8.82%	<3	746	3.5	4.34%
200568	-	1660	<3	13	<0.5	487
D - 200485	-	870	360	11	1.3	6.87%
D - 200532	-	7890	257	22	<0.5	607

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.

Lab Ref WM128036
 Client Ref **46106**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 14 of 26

ANALYTICAL REPORT

Scheme	ICP40Q PPM 1.00 5,000.00 Cd	ICP40Q PPM 10.00 20,000.00 Cr	ICP40Q PPM 1.00 10,000.00 Co	ICP40Q PPM 5.00 10,000.00 Cu	ICP40Q PPM 100.00 1,000,000.00 Fe	ICP40Q PPM 100.00 200,000.00 K
Units						
Detection Limit						
Upper Limit						
200477	<1	14	<1	<5	290	290
200478	<1	<10	7	41	4.31%	1110
200479	2	<10	9	<5	8.68%	530
200480	3	<10	11	<5	5.75%	520
200481	4	<10	8	21	7.17%	750
200482	<1	23	11	13	13.2%	1310
200483	<1	<10	18	102	7.59%	720
200484	2	<10	5	51	16.1%	230
200485	<1	<10	8	20	9.07%	100
200486	1	<10	14	21	27.5%	400
200487	<1	<10	3	<5	2.41%	200
200488	<1	<10	2	<5	2.20%	<100
200489	<1	<10	3	<5	2.23%	110
200490	<1	<10	2	<5	1.52%	<100
200491	2	47	13	<5	5.83%	1.69%
200492	<1	83	25	37	2.01%	4.43%
200493	<1	100	50	11	1.50%	4.30%
200494	2	122	32	612	6.37%	2.79%
200495	21	64	29	129	14.3%	1100
200496	31	59	26	130	9.58%	5860
200497	7	67	27	10	7.86%	1.32%
200498	67	24	76	>10000	12.3%	6430
200499	2	<10	47	350	35.4%	2060
200500	2	<10	24	117	57.1%	<100
200501	2	<10	16	34	67.9%	<100
200502	2	<10	16	20	68.3%	<100
200503	1	28	13	12	36.1%	160
200504	1	<10	20	24	58.5%	110
200505	2	<10	17	16	70.6%	<100
200506	1	<10	10	7	29.0%	<100
200507	1	12	14	13	44.5%	1650
200508	<1	<10	6	<5	6.36%	1310
200509	<1	32	5	<5	3.21%	5230
200510	<1	85	18	48	3.48%	4.74%
200511	<1	89	21	95	3.36%	4.28%
200512	<1	88	28	61	2.55%	4.61%
200513	<1	92	11	7	3.11%	2.58%
200514	<1	90	12	<5	4.49%	1.84%

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.

Lab Ref WM128036
 Client Ref **46106**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 15 of 26

ANALYTICAL REPORT

	ICP40Q PPM 1.00 5,000.00 Cd	ICP40Q PPM 10.00 20,000.00 Cr	ICP40Q PPM 1.00 10,000.00 Co	ICP40Q PPM 5.00 10,000.00 Cu	ICP40Q PPM 100.00 1,000,000.00 Fe	ICP40Q PPM 100.00 200,000.00 K
200515	<1	<10	13	<5	16.9%	3310
200516	<1	15	6	<5	2.03%	1410
200517	<1	12	6	<5	2.76%	1870
200518	1	<10	20	26	25.0%	1390
200519	<1	<10	16	43	16.4%	4840
200520	71	24	85	>10000	13.5%	6540
200521	<1	<10	12	155	15.3%	980
200522	<1	77	10	14	3.26%	2.85%
200523	<1	60	13	92	3.93%	4.41%
200524	<1	36	8	28	3.11%	1.59%
200525	4	<10	1	5	1.22%	220
200526	<1	<10	7	<5	4.63%	620
200527	<1	<10	41	18	6.55%	360
200528	<1	23	16	22	5.41%	6970
200529	<1	<10	5	37	10.9%	1560
200530	<1	<10	21	8	18.4%	1670
200531	<1	<10	28	63	22.1%	300
200532	2	<10	40	83	18.9%	1590
200533	1	<10	90	448	26.8%	990
200534	<1	<10	5	19	18.8%	<100
200535	<1	<10	8	45	19.2%	710
200536	<1	63	10	33	4.75%	1.15%
200537	<1	46	9	<5	5.24%	2540
200538	<1	13	9	<5	10.6%	1700
200539	<1	<10	12	8	24.0%	<100
200540	<1	<10	12	<5	25.1%	600
200541	59	23	69	>10000	12.9%	6310
200542	<1	<10	10	121	11.5%	130
200543	<1	<10	10	8	10.3%	<100
200544	<1	<10	11	6	19.1%	<100
200545	<1	28	6	<5	9.49%	1530
200546	<1	<10	17	8	22.6%	<100
200547	<1	<10	10	<5	16.0%	540
200548	<1	<10	7	<5	11.9%	230
200549	<1	<10	7	<5	16.0%	190
200550	<1	<10	7	<5	20.1%	180
200551	<1	<10	7	<5	15.3%	120
200552	<1	<10	7	<5	14.1%	160
200553	<1	<10	12	10	37.2%	210

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.

Lab Ref WM128036
 Client Ref **46106**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 16 of 26

ANALYTICAL REPORT

	ICP40Q PPM 1.00 5,000.00 Cd	ICP40Q PPM 10.00 20,000.00 Cr	ICP40Q PPM 1.00 10,000.00 Co	ICP40Q PPM 5.00 10,000.00 Cu	ICP40Q PPM 100.00 1,000,000.00 Fe	ICP40Q PPM 100.00 200,000.00 K
200554	<1	<10	13	9	40.4%	<100
200555	<1	<10	17	12	40.4%	<100
200556	<1	<10	15	8	29.7%	<100
200557	<1	<10	13	10	18.6%	370
200558	<1	22	15	6	17.7%	1950
200559	<1	60	10	<5	3.97%	1.64%
200560	<1	97	5	<5	2.30%	3.43%
200561	<1	100	7	<5	3.48%	1.86%
200562	61	24	72	>10000	12.6%	6470
200563	<1	73	6	98	2.92%	9710
200564	<1	13	15	10	30.1%	950
200565	<1	69	7	<5	8.84%	7800
200566	<1	98	8	11	2.00%	4.88%
200567	<1	91	4	<5	2.04%	2.73%
200568	<1	15	<1	<5	610	500
D - 200485	<1	<10	7	23	8.74%	120
D - 200532	2	<10	38	86	18.3%	1590

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128036
 Client Ref **46106**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 17 of 26

ANALYTICAL REPORT

Scheme	ICP40Q	ICP40Q	ICP40Q	ICP40Q	ICP40Q	ICP40Q
Units	PPM	PPM	PPM	PPM	PPM	PPM
Detection Limit	0.50	1.00	20.00	5.00	5.00	5.00
Upper Limit	10,000.00	10,000.00	1,000,000.00	10,000.00	10,000.00	10,000.00
	La	Li	Mg	Mn	Mo	Ni
200477	4.3	6	95	6	<5	5
200478	<0.5	22	14.1%	5507	111	5
200479	<0.5	4	12.3%	3849	<5	<5
200480	<0.5	2	12.7%	3457	<5	<5
200481	<0.5	29	13.8%	3309	34	<5
200482	2.3	23	11.2%	5993	7	23
200483	<0.5	8	20.5%	4121	10	<5
200484	3.2	16	18.9%	4250	97	6
200485	0.9	6	16.1%	3143	<5	<5
200486	1.9	10	13.9%	4201	<5	<5
200487	0.5	12	11.7%	4082	<5	8
200488	<0.5	8	10.3%	3841	<5	8
200489	<0.5	6	10.7%	3527	<5	<5
200490	<0.5	5	11.4%	3059	<5	61
200491	46.3	84	7.93%	4460	8	24
200492	40.9	61	1.86%	736	10	44
200493	28.1	49	1.20%	1127	17	47
200494	37.0	70	2.11%	3654	23	43
200495	41.6	133	3.55%	>10000	<5	19
200496	29.6	164	3.55%	>10000	<5	25
200497	56.2	168	3.97%	8565	11	75
200498	16.0	20	1.35%	827	<5	25
200499	7.0	52	11.2%	2389	9	20
200500	6.9	4	5.71%	2456	<5	<5
200501	3.4	2	3.43%	2485	<5	<5
200502	8.1	2	3.73%	2417	<5	<5
200503	6.0	2	6.56%	2261	<5	45
200504	4.1	4	6.75%	2872	<5	8
200505	5.5	2	5.43%	3077	<5	<5
200506	2.6	<1	17.5%	2446	<5	29
200507	3.0	6	11.0%	4199	<5	10
200508	<0.5	16	17.0%	4224	<5	6
200509	20.7	54	10.7%	3813	5	24
200510	38.4	54	2.78%	1783	13	42
200511	39.2	45	2.18%	1013	15	48
200512	51.2	62	2.24%	1146	13	46
200513	58.3	45	4.35%	3153	18	46
200514	126	105	6.86%	4846	<5	30

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128036
 Client Ref **46106**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 18 of 26

ANALYTICAL REPORT

	ICP40Q PPM 0.50 10,000.00 La	ICP40Q PPM 1.00 10,000.00 Li	ICP40Q PPM 20.00 1,000,000.00 Mg	ICP40Q PPM 5.00 10,000.00 Mn	ICP40Q PPM 5.00 10,000.00 Mo	ICP40Q PPM 5.00 10,000.00 Ni
200515	3.0	15	14.1%	4748	<5	5
200516	<0.5	21	14.6%	6486	<5	9
200517	<0.5	16	15.4%	5759	<5	7
200518	3.8	8	18.2%	4648	<5	5
200519	1.7	13	20.7%	3776	<5	8
200520	16.0	20	1.56%	900	<5	25
200521	1.1	29	16.3%	3757	<5	<5
200522	43.0	89	4.44%	3104	<5	17
200523	40.7	60	1.89%	1136	<5	22
200524	30.3	102	5.94%	4245	<5	13
200525	<0.5	21	9.90%	3702	<5	<5
200526	<0.5	22	17.0%	3345	<5	6
200527	1.0	5	22.6%	3501	<5	7
200528	1.5	15	20.5%	4020	<5	9
200529	0.7	5	17.8%	4026	<5	<5
200530	1.6	3	18.1%	3379	<5	12
200531	2.4	<1	17.3%	2829	5	13
200532	2.0	<1	18.3%	3399	<5	21
200533	1.0	24	15.3%	3366	8	61
200534	1.5	1	17.5%	2656	<5	<5
200535	1.0	5	16.9%	2709	<5	5
200536	45.0	135	10.8%	6348	65	28
200537	57.4	148	9.27%	6935	<5	16
200538	6.4	45	17.4%	4656	<5	9
200539	1.4	<1	17.0%	3122	<5	6
200540	4.2	9	15.0%	4062	<5	7
200541	16.0	19	1.39%	799	<5	24
200542	1.2	2	20.6%	3924	<5	<5
200543	0.6	<1	22.3%	3493	<5	9
200544	1.9	5	18.3%	3102	<5	<5
200545	23.9	38	10.4%	4460	<5	9
200546	2.0	<1	16.8%	2548	<5	13
200547	1.0	1	16.3%	3262	<5	<5
200548	1.4	7	12.1%	3461	<5	<5
200549	0.9	6	13.0%	3288	<5	<5
200550	0.7	4	12.9%	3423	<5	<5
200551	1.0	4	12.6%	3726	<5	<5
200552	<0.5	2	14.6%	3103	<5	<5
200553	6.8	3	10.0%	2953	<5	<5

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128036
 Client Ref **46106**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 19 of 26

ANALYTICAL REPORT

	ICP40Q PPM 0.50 10,000.00 La	ICP40Q PPM 1.00 10,000.00 Li	ICP40Q PPM 20.00 1,000,000.00 Mg	ICP40Q PPM 5.00 10,000.00 Mn	ICP40Q PPM 5.00 10,000.00 Mo	ICP40Q PPM 5.00 10,000.00 Ni
200554	2.0	2	9.70%	3219	<5	<5
200555	1.8	2	9.93%	2859	<5	5
200556	1.0	<1	14.1%	2680	<5	<5
200557	1.1	5	18.0%	2851	<5	12
200558	8.4	41	12.8%	3058	<5	28
200559	68.9	122	8.58%	2102	<5	34
200560	33.9	44	2.07%	1036	<5	18
200561	102	49	3.26%	2359	<5	20
200562	16.6	20	1.31%	793	<5	23
200563	213	69	6.57%	2160	<5	21
200564	20.9	68	11.0%	1642	<5	17
200565	1063	97	6.51%	1810	<5	20
200566	58.3	81	2.36%	254	<5	65
200567	51.5	33	2.27%	720	9	62
200568	4.1	6	320	12	<5	<5
D - 200485	2.2	5	15.0%	3242	<5	<5
D - 200532	1.6	<1	17.9%	3137	<5	21

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128036
 Client Ref **46106**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 20 of 26

ANALYTICAL REPORT

Scheme	ICP40Q PPM 20.00 100,000.00 P	ICP40Q PPM 5.00 5,000.00 Pb	ICP40Q PPM 2.00 5,000.00 Sb	ICP40Q PPM 0.50 500.00 Sc	ICP40Q PPM 2.00 10,000.00 Sn	ICP40Q PPM 1.00 10,000.00 Sr
Units						
Detection Limit						
Upper Limit						
200477	<20	<5	<2	<0.5	<2	3
200478	155	100	15	1.2	20	3
200479	76	134	10	<0.5	25	4
200480	<20	469	7	<0.5	15	4
200481	255	150	14	0.6	27	4
200482	175	252	13	3.4	54	6
200483	89	86	34	<0.5	26	2
200484	130	69	43	<0.5	45	12
200485	65	56	31	<0.5	31	5
200486	67	50	35	<0.5	87	8
200487	<20	42	9	<0.5	17	33
200488	<20	32	5	<0.5	13	33
200489	<20	560	4	<0.5	19	18
200490	<20	89	5	<0.5	40	14
200491	252	129	25	10.3	186	295
200492	304	65	<2	15.9	10	281
200493	355	113	<2	15.4	13	480
200494	329	155	34	14.5	202	514
200495	291	1145	27	12.0	678	553
200496	998	1321	28	14.4	610	651
200497	478	410	72	15.7	416	652
200498	63	>5000	30	3.2	16	15
200499	90	145	36	2.5	85	29
200500	29	23	43	<0.5	154	7
200501	112	21	38	<0.5	152	6
200502	24	17	46	<0.5	117	23
200503	402	9	18	1.6	3	10
200504	138	14	40	0.6	125	6
200505	20	14	40	<0.5	165	7
200506	23	11	23	<0.5	49	2
200507	121	14	31	1.9	104	4
200508	202	12	12	<0.5	31	6
200509	117	88	5	3.6	31	49
200510	331	61	4	13.4	17	401
200511	400	67	<2	14.0	9	394
200512	443	59	<2	16.5	10	435
200513	370	46	8	13.0	51	312
200514	381	48	27	13.2	153	306

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128036
 Client Ref **46106**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 21 of 26

ANALYTICAL REPORT

	ICP40Q PPM 20.00 100,000.00 P	ICP40Q PPM 5.00 5,000.00 Pb	ICP40Q PPM 2.00 5,000.00 Sb	ICP40Q PPM 0.50 500.00 Sc	ICP40Q PPM 2.00 10,000.00 Sn	ICP40Q PPM 1.00 10,000.00 Sr
200515	35	21	17	0.7	28	12
200516	31	18	5	0.7	82	7
200517	106	20	8	1.1	53	8
200518	290	60	18	0.8	60	7
200519	323	20	17	0.9	25	2
200520	60	>5000	34	3.1	12	14
200521	303	159	17	0.8	25	9
200522	474	52	6	11.4	37	209
200523	246	62	<2	13.5	6	125
200524	231	70	5	8.2	77	247
200525	33	56	9	<0.5	18	17
200526	80	20	10	<0.5	15	14
200527	42	48	12	0.8	5	2
200528	107	79	8	4.2	15	11
200529	87	9	11	0.9	19	2
200530	49	14	13	1.2	20	1
200531	34	30	20	0.9	16	<1
200532	105	38	18	1.6	12	2
200533	76	173	21	1.4	13	4
200534	46	<5	15	<0.5	13	2
200535	40	23	18	<0.5	15	2
200536	403	47	10	10.6	58	102
200537	227	39	21	8.5	98	158
200538	81	15	13	2.2	28	40
200539	41	31	20	<0.5	32	2
200540	46	21	17	0.8	67	9
200541	64	>5000	31	3.2	12	14
200542	21	150	14	<0.5	13	2
200543	24	18	9	<0.5	6	1
200544	23	20	17	<0.5	12	3
200545	122	35	30	5.4	80	121
200546	34	30	26	<0.5	22	2
200547	66	9	18	<0.5	31	2
200548	<20	8	13	<0.5	28	7
200549	<20	6	14	<0.5	24	3
200550	53	7	15	<0.5	29	2
200551	26	7	12	<0.5	25	3
200552	50	6	14	<0.5	37	2
200553	64	11	29	1.6	61	3

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128036
 Client Ref **46106**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 22 of 26

ANALYTICAL REPORT

	ICP40Q PPM 20.00 100,000.00 P	ICP40Q PPM 5.00 5,000.00 Pb	ICP40Q PPM 2.00 5,000.00 Sb	ICP40Q PPM 0.50 500.00 Sc	ICP40Q PPM 2.00 10,000.00 Sn	ICP40Q PPM 1.00 10,000.00 Sr
200554	70	9	27	0.6	54	2
200555	40	17	22	<0.5	45	3
200556	35	10	18	<0.5	35	2
200557	26	16	13	<0.5	27	2
200558	163	22	15	4.6	45	37
200559	521	15	5	12.9	34	159
200560	520	18	3	21.4	53	361
200561	488	16	10	20.9	84	209
200562	73	>5000	35	3.3	12	15
200563	370	127	5	14.2	47	80
200564	82	22	31	2.8	54	20
200565	392	28	54	15.3	94	268
200566	572	11	<2	24.2	7	328
200567	524	25	<2	22.1	34	398
200568	<20	8	<2	<0.5	<2	5
D - 200485	63	52	28	<0.5	32	7
D - 200532	111	32	18	1.5	14	2

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128036
 Client Ref **46106**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 23 of 26

ANALYTICAL REPORT

Scheme	ICP40Q	ICP40Q	ICP40Q	ICP40Q	ICP40Q
Units	PPM	PPM	PPM	PPM	PPM
Detection Limit	10.00	1.00	10.00	0.50	5.00
Upper Limit	20,000.00	10,000.00	10,000.00	5,000.00	10,000.00
	Ti	V	W	Y	Zn
200477	944	2	<10	2.2	<5
200478	62	7	<10	5.7	86
200479	38	6	<10	3.9	373
200480	38	8	<10	3.6	843
200481	59	7	<10	4.7	979
200482	920	72	<10	6.4	347
200483	34	4	30	3.5	163
200484	39	3	<10	3.9	390
200485	42	5	15	4.7	134
200486	92	15	15	5.1	175
200487	15	5	<10	4.9	168
200488	38	6	<10	3.5	293
200489	12	8	<10	5.7	158
200490	46	8	<10	5.7	242
200491	2322	178	<10	23.9	515
200492	3567	225	<10	36.4	118
200493	3299	391	<10	39.7	212
200494	3104	386	<10	39.7	597
200495	3165	254	<10	40.4	5902
200496	3394	272	<10	36.8	7992
200497	4205	259	<10	52.5	1984
200498	594	24	85	6.9	>10000
200499	386	55	<10	3.9	260
200500	164	37	<10	0.8	194
200501	206	37	<10	0.6	258
200502	151	42	<10	0.7	252
200503	137	11	<10	4.6	14
200504	199	36	<10	1.1	262
200505	160	31	<10	0.7	217
200506	46	12	15	1.2	159
200507	605	70	11	3.2	209
200508	34	10	11	5.2	141
200509	859	94	<10	12.0	117
200510	3299	221	<10	28.2	103
200511	3434	286	<10	34.5	104
200512	4095	240	<10	32.6	75
200513	3349	273	<10	34.4	127
200514	3217	289	<10	41.0	202

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128036
 Client Ref **46106**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 24 of 26

ANALYTICAL REPORT

	ICP40Q PPM 10.00 20,000.00 Ti	ICP40Q PPM 1.00 10,000.00 V	ICP40Q PPM 10.00 10,000.00 W	ICP40Q PPM 0.50 5,000.00 Y	ICP40Q PPM 5.00 10,000.00 Zn
200515	282	49	<10	7.2	104
200516	191	22	<10	7.1	120
200517	216	25	<10	7.2	148
200518	415	108	15	3.1	340
200519	401	84	<10	3.7	216
200520	584	25	86	6.4	>10000
200521	289	37	<10	2.4	219
200522	3043	107	<10	23.6	178
200523	3286	98	<10	20.9	101
200524	2676	59	<10	22.0	286
200525	74	10	23	4.0	756
200526	94	7	<10	3.9	145
200527	67	2	16	1.4	254
200528	948	47	19	4.0	369
200529	269	16	10	11.1	46
200530	452	25	20	7.6	23
200531	351	23	23	3.8	257
200532	656	36	25	4.8	607
200533	494	28	32	10.4	143
200534	82	12	19	13.9	46
200535	75	8	<10	5.2	63
200536	2888	194	<10	28.9	273
200537	2563	89	<10	24.5	124
200538	542	24	47	10.3	103
200539	79	11	73	3.7	169
200540	202	20	58	7.1	108
200541	637	26	83	7.2	>10000
200542	56	5	89	3.7	247
200543	32	4	100	1.3	162
200544	48	7	101	2.6	102
200545	1460	53	25	16.9	153
200546	35	6	86	6.0	123
200547	17	5	60	18.5	34
200548	54	8	<10	17.8	114
200549	17	5	<10	16.6	30
200550	17	6	12	21.7	24
200551	16	5	13	15.3	24
200552	34	6	46	11.7	20
200553	313	40	50	7.0	24

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128036
 Client Ref **46106**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 25 of 26

ANALYTICAL REPORT

	ICP40Q PPM 10.00 20,000.00 Ti	ICP40Q PPM 1.00 10,000.00 V	ICP40Q PPM 10.00 10,000.00 W	ICP40Q PPM 0.50 5,000.00 Y	ICP40Q PPM 5.00 10,000.00 Zn
200554	242	35	50	5.5	30
200555	103	15	38	3.7	70
200556	95	11	57	4.5	73
200557	78	13	64	2.6	140
200558	1212	75	12	20.9	106
200559	3423	118	<10	28.0	80
200560	6399	154	<10	42.1	36
200561	6436	155	<10	45.6	48
200562	671	27	91	7.8	>10000
200563	4351	121	<10	30.4	117
200564	601	61	<10	11.9	92
200565	4839	117	<10	55.3	72
200566	6583	169	<10	33.4	25
200567	6368	154	13	32.4	40
200568	937	3	<10	2.7	<5
D - 200485	42	5	14	4.2	114
D - 200532	679	36	27	4.4	595

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128036
Client Ref **46106**
Project *
Reported 16/12/10
Status Final
Page Page 26 of 26

DESCRIPTION

WGH79 : Sample Weight
XRF78O : XRF, Fusion, Ore Grade
ICP40Q : ICPAES after DIG40Q

Table with columns for element symbols (Al, Fe, Mn, Mg, Ca, Cr, Ni, As, Ba, Co, Cu, K, Pb, S, Sr, V, Zn, LOI) and their respective concentrations in various units (%, mg/kg, etc.). The table includes data for multiple samples and standards, with values ranging from 0.01 to 1000.

*DUP-200053

*DUP-200050

*DUP-200047

*DUP-200194

Table with columns for aircraft type, registration, weight, dimensions, and performance metrics. Includes rows for various aircraft models like Cessna, Piper, and Beechcraft.

Type	Code	Name	Description
rock_type	BC	Brecciated	CRAE Tenth Legion logging code
rock_type	BH	Brecciated	CRAE Tenth Legion logging code
rock_type	BS	Brecciated	CRAE Tenth Legion logging code
rock_type	C	Calc-silicat	CRAE Tenth Legion logging code
rock_type	CM	Calc-silicat	CRAE Tenth Legion logging code
rock_type	DM	Dolomite w	CRAE Tenth Legion logging code
rock_type	H	Shale and s	CRAE Tenth Legion logging code
rock_type	LC	Limestone	CRAE Tenth Legion logging code
rock_type	LM	Limestone	CRAE Tenth Legion logging code
rock_type	LS	Limestone	CRAE Tenth Legion logging code
rock_type	M	Massive m	CRAE Tenth Legion logging code
rock_type	MC	Magnetite	CRAE Tenth Legion logging code
rock_type	MQ	Magnetite	CRAE Tenth Legion logging code
rock_type	MS	Magnetite	CRAE Tenth Legion logging code
rock_type	Q	Quartzite, r	CRAE Tenth Legion logging code
rock_type	SM	Serpentinit	CRAE Tenth Legion logging code
rock_type	NS	no sample	use this for core loss situations
rock_type	CAL	alluvium	
rock_type	CAV	cavity or void	
rock_type	CBS	black soil	
rock_type	CCL	calcrete	
rock_type	CCO	colluvium	
rock_type	CCY	carbonaceous clay	
rock_type	CLT	laterite	
rock_type	CLY	clay	
rock_type	CSA	aeolian sand	
rock_type	CSF	ironstone	
rock_type	CSG	gossan	
rock_type	CSI	silcrete	
rock_type	CSP	pisolites	
rock_type	EAN	andesite	
rock_type	EBA	basalt	
rock_type	EDC	dacite	
rock_type	ERY	rhyolite	
rock_type	FZ	fault zone	
rock_type	IAP	aplite	
rock_type	IDO	dolerite	
rock_type	IFU	felsic undiff.	
rock_type	IGB	gabbro	
rock_type	IGD	granodiorite	
rock_type	IGR	granite	
rock_type	IMU	mafic undiff.	
rock_type	IPG	pegmatite	
rock_type	IUD	intermediate undiff.	
rock_type	IUM	ultramafic	
rock_type	IUS	serpentine	
rock_type	MBS	black slate	
rock_type	MBS	graphitic schist	
rock_type	MGN	gneiss	
rock_type	MGP	graphitic phyllite	
rock_type	MMA	marble	
rock_type	MMF	hornfels	
rock_type	MPH	phyllite	
rock_type	MQZ	quartzite	
rock_type	MSC	schist	
rock_type	MSK	skarn	
rock_type	MSL	slate	
rock_type	MUD	mudstone	
rock_type	OBX	breccia	
rock_type	OME	melange	
rock_type	OMS	massive sulphide	
rock_type	OMY	mylonite	
rock_type	SAL	argillaceous limestone	
rock_type	SBS	black shale	
rock_type	SBX	breccia	
rock_type	SCA	carbonate undiff	
rock_type	SCG	conglomerate	
rock_type	SCH	chert	
rock_type	SCI	carbonaceous siltstone	
rock_type	SCS	carbonaceous sandstone	
rock_type	SDL	dolomite	
rock_type	SIF	bif	
rock_type	SLA	lithic arenite	
rock_type	SLM	limestone	
rock_type	SSH	shale	
rock_type	SSI	siltstone	
rock_type	SSS	sandstone	
rock_type	UNK	unknown	
rock_type	VCC	volcaniclastic	
rock_type	VEIN	large vein	
rock_type	WOL	wollastonite	