



**Laurie Veska**

**Creat Resources Holdings Ltd**

GPO Box 2288  
Hobart  
TAS 7001

*Lab Ref* WM127709

*Client Ref* **46103**

*Project* \*

*Cost Code*

*Status* Final

*Received* 11/10/10

*Reported* 15/11/10

*Samples* 175

*First Sample* 200045

*Last Sample* 200219

*Pages* 47

*Copy*

*Notes*

*Authorised by*

*On behalf of:*

Graeme Farrant  
Laboratory Manager

*The results in this analytical report pertain to the samples provided to this laboratory for preparation and/or analysis as requested by the client. This document is issued by the company subject to its General Conditions of Services ([www.sgs.com/generalconditions](http://www.sgs.com/generalconditions)). Attention is drawn to the limitations of liability, indemnification and justifications issues established therein.*



Lab Ref WM127709  
 Client Ref **46103**  
 Project \*  
 Reported 15/11/10  
 Status Final  
 Page Page 2 of 47

## ANALYTICAL REPORT

Scheme	WGH79	ICP90Q	ICP90Q	ICP90Q	ICP90Q	ICP90Q
Units	KG	%	%	%	%	PPM
Detection Limit	0.01	0.40	0.01	0.01	0.01	10.00
Upper Limit	0.00	0.00	25.00	25.00	70.00	100,000.00
	Wt(Dry)	SiO2	Ti	Al	Fe	Mn
200045		90.0	0.10	0.08	0.06	10
200046	3.89	50.5	0.02	0.55	10.1	1810
200047	4.64	54.2	<0.01	0.16	6.24	2351
200048	4.35	54.7	<0.01	0.10	2.15	2061
200049	5.09	18.9	0.01	0.26	39.5	4091
200050	5.02	43.9	<0.01	0.18	10.8	2379
200051	3.63	50.7	0.01	0.17	1.99	2598
200052	2.08	48.6	<0.01	0.16	2.63	3363
200053	2.25	49.8	<0.01	0.14	3.93	4279
200054	2.65	47.9	<0.01	0.18	7.24	5905
200055	2.55	48.8	<0.01	0.09	2.96	2892
200056	2.39	49.2	<0.01	0.19	2.71	2563
200057	1.41	42.7	<0.01	0.07	2.13	3619
200058	2.66	44.4	<0.01	0.06	1.63	1975
200059	2.27	45.3	<0.01	0.23	4.82	3572
200060	3.36	15.1	<0.01	0.14	41.6	3348
200061	3.05	12.9	0.02	0.15	47.9	3924
200062	3.47	6.1	<0.01	0.17	56.4	4601
200063	2.75	17.0	<0.01	0.25	42.1	4086
200064	2.47	31.4	<0.01	0.23	13.7	3493
200065	2.74	46.2	<0.01	0.20	8.36	2122
200066		53.4	0.06	2.41	12.3	778
200067	2.71	38.9	0.14	3.54	12.7	3697
200068	2.18	45.7	0.31	8.25	3.31	3150
200069	2.23	55.6	0.31	7.65	1.81	1096
200070	2.82	49.2	0.06	1.54	3.88	4140
200071	2.16	42.4	0.30	7.03	4.59	4042
200072	2.39	45.8	0.09	1.46	2.43	2388
200073	2.46	46.0	<0.01	0.12	2.84	2354
200074	2.72	29.9	0.09	2.17	22.9	4529
200075	2.60	34.6	0.15	3.51	15.0	4200
200076	2.67	12.9	0.04	0.70	28.4	3074
200077	2.94	7.9	0.01	0.17	44.6	3570
200078	2.46	1.5	<0.01	0.12	9.47	2693
200079	2.70	4.4	<0.01	0.08	22.0	3538
200080	2.83	6.5	0.01	0.13	28.6	3909
200081	2.44	18.5	0.11	2.84	13.8	5642
200082	2.04	53.2	0.29	7.64	3.41	9303

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709  
 Client Ref **46103**  
 Project \*  
 Reported 15/11/10  
 Status Final  
 Page Page 3 of 47

## ANALYTICAL REPORT

	WGH79 KG 0.01 0.00 Wt(Dry)	ICP90Q % 0.40 0.00 SiO2	ICP90Q % 0.01 25.00 Ti	ICP90Q % 0.01 25.00 Al	ICP90Q % 0.01 70.00 Fe	ICP90Q PPM 10.00 100,000.00 Mn
200083	2.06	62.5	0.31	8.34	1.64	1222
200084	2.40	48.1	0.36	9.36	3.39	3787
200085	3.00	35.5	0.05	1.00	16.7	4553
200086	3.30	19.6	0.03	0.66	38.2	5156
200087	2.52	45.4	0.15	3.63	4.89	4341
200088	2.43	50.1	0.20	4.65	6.07	5875
200089	2.50	40.1	0.20	4.53	11.6	3581
200090	2.54	44.8	0.01	0.18	9.56	3088
200091	2.64	42.1	0.04	0.97	10.2	4590
200092	2.79	46.2	0.23	5.67	2.79	2705
200093	2.62	44.8	0.09	2.66	2.31	2497
200094	2.44	48.4	0.28	6.92	2.70	2399
200095	2.26	66.5	0.34	8.69	1.63	616
200096	1.92	59.1	0.31	8.29	2.33	554
200097	2.40	59.1	0.31	8.95	3.73	298
200098	2.23	58.1	0.34	7.95	4.27	203
200099	2.25	59.1	0.30	7.12	1.53	467
200100	1.77	58.6	0.33	8.25	1.43	750
200101	2.53	60.3	0.33	8.30	2.24	434
200102	1.95	49.1	0.29	8.11	2.57	2362
200103	2.57	28.6	0.03	0.68	26.9	2243
200104	2.91	36.4	0.11	2.46	14.8	3947
200105	3.13	14.6	0.05	1.27	45.4	3227
200106	1.61	25.0	0.04	1.15	28.8	3481
200107	0.66	42.1	0.36	6.31	4.62	3656
200108	1.69	40.8	0.30	5.34	2.78	4247
200109	2.01	31.1	0.05	1.10	16.8	3329
200110	2.69	18.1	0.04	0.37	31.0	4482
200111	2.35	23.5	0.03	0.28	24.7	3557
200112	2.58	42.3	0.03	0.73	12.4	3319
200113	2.51	44.6	<0.01	0.19	2.36	4051
200114	2.82	42.0	0.04	1.16	7.23	3058
200115	2.26	46.2	0.14	2.76	2.14	2949
200116	2.35	45.8	0.16	3.75	1.64	2399
200117	1.37	47.7	0.29	6.33	2.25	2294
200118	2.41	50.2	0.04	1.21	1.46	1812
200119	2.57	40.8	0.12	3.26	2.60	2099
200120	2.75	41.6	0.15	3.70	2.30	2316
200121	2.54	46.1	0.22	5.20	2.55	2495

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709  
 Client Ref **46103**  
 Project \*  
 Reported 15/11/10  
 Status Final  
 Page Page 4 of 47

## ANALYTICAL REPORT

	WGH79 KG 0.01 0.00 Wt(Dry)	ICP90Q % 0.40 0.00 SiO2	ICP90Q % 0.01 25.00 Ti	ICP90Q % 0.01 25.00 Al	ICP90Q % 0.01 70.00 Fe	ICP90Q PPM 10.00 100,000.00 Mn
200122	2.19	43.1	0.23	5.12	2.52	2915
200123	2.34	49.0	0.27	6.02	1.89	2659
200124	2.24	47.5	0.24	4.99	3.20	4750
200125	2.50	28.8	0.10	2.13	17.2	3839
200126	2.63	18.4	0.02	0.40	29.4	3513
200127		26.3	0.02	0.26	38.7	2016
200128	2.53	27.1	0.04	0.82	20.3	2405
200129	2.45	41.1	0.23	3.70	4.23	2985
200130	2.43	53.1	0.19	2.85	2.99	1412
200131	2.20	46.6	0.25	3.93	4.29	1386
200132	2.49	42.9	0.26	4.29	4.45	1305
200133	2.44	43.9	0.26	3.80	3.86	1682
200134	2.42	45.4	0.27	4.03	4.70	1548
200135	2.55	43.4	0.25	4.09	4.41	1729
200136	2.36	47.9	0.27	4.08	3.40	1289
200137	2.22	46.8	0.22	3.69	5.57	1229
200138	2.10	73.3	0.29	6.37	1.68	427
200139	2.05	70.5	0.36	7.92	2.69	421
200140	2.66	73.9	0.33	7.74	2.41	286
200141	2.26	76.1	0.30	6.65	1.79	194
200142	2.17	78.1	0.29	5.96	1.37	209
200143	2.27	73.5	0.31	5.39	1.39	347
200144	2.30	69.5	0.32	6.69	1.53	343
200145	2.69	56.6	0.27	4.56	2.08	1381
200146	2.63	57.7	0.33	6.03	2.68	1518
200147	2.18	60.2	0.37	6.69	1.80	1076
200148	2.35	63.0	0.54	9.19	1.33	589
200149	2.27	60.1	0.27	5.17	1.95	1200
200150	2.48	53.6	0.21	4.45	1.77	1913
200151	2.12	77.3	0.32	6.56	1.21	890
200152	2.20	79.0	0.25	4.77	0.87	404
200153	0.30	59.6	0.28	5.94	1.47	1492
200154	2.51	54.5	0.25	5.38	2.57	2341
200155	2.45	62.5	0.20	3.67	1.44	1148
200156	2.67	57.3	0.29	5.88	1.51	1076
200157		58.0	0.06	2.43	12.4	759
200158	2.54	48.3	0.24	3.91	6.87	1385
200159	2.32	51.8	0.37	6.00	5.17	775
200160	2.25	56.1	0.42	7.32	3.33	572

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709  
 Client Ref **46103**  
 Project \*  
 Reported 15/11/10  
 Status Final  
 Page Page 5 of 47

## ANALYTICAL REPORT

	WGH79 KG 0.01 0.00 Wt(Dry)	ICP90Q % 0.40 0.00 SiO2	ICP90Q % 0.01 25.00 Ti	ICP90Q % 0.01 25.00 Al	ICP90Q % 0.01 70.00 Fe	ICP90Q PPM 10.00 100,000.00 Mn
200161	2.31	57.2	0.41	7.16	3.20	386
200162	2.33	64.1	0.45	7.44	3.61	407
200163	2.27	64.4	0.40	6.24	3.17	663
200164	2.25	59.5	0.42	7.55	3.71	376
200165	2.37	64.7	0.43	7.61	3.69	504
200166	2.35	64.9	0.43	6.89	3.54	567
200167	2.47	56.3	0.38	6.42	8.08	709
200168	2.37	63.8	0.46	8.13	4.15	492
200169	2.27	58.5	0.35	6.29	5.05	893
200170	2.41	64.2	0.43	6.96	4.59	589
200171	2.37	68.3	0.50	7.75	3.88	360
200172	2.37	68.7	0.46	7.57	4.60	327
200173	2.32	63.6	0.46	8.25	4.85	248
200174	2.36	70.6	0.56	8.67	4.70	212
200175	2.30	53.0	0.34	6.12	4.25	1677
200176	2.49	53.1	0.35	6.40	3.06	1240
200177	2.54	56.2	0.27	4.96	2.41	1258
200178		60.2	0.06	2.39	12.5	766
200179	2.45	57.8	0.27	4.40	2.21	1622
200180	2.54	55.7	0.31	5.81	2.09	1740
200181	2.62	61.5	0.33	6.17	2.13	1443
200182	2.19	66.9	0.35	6.41	1.94	1039
200183	2.27	57.3	0.28	5.24	1.63	1273
200184	2.16	55.4	0.28	4.97	1.66	1318
200185	2.20	60.5	0.35	6.00	1.86	908
200186	2.32	58.7	0.35	6.21	1.83	1179
200187	2.62	50.9	0.32	6.39	2.39	2268
200188	2.34	52.4	0.32	6.00	2.27	1482
200189	2.24	60.1	0.37	6.29	1.71	792
200190	2.24	51.5	0.27	4.55	2.41	1589
200191	2.65	45.3	0.26	4.60	7.53	1356
200192	1.75	34.3	0.10	1.84	11.6	1633
200193	2.49	42.6	0.28	4.72	9.11	1229
200194	2.49	50.4	0.33	5.50	4.99	1744
200195	2.45	48.0	0.27	4.67	5.04	1634
200196	2.46	40.7	0.23	4.63	8.05	1567
200197	2.58	43.4	0.25	4.64	4.86	1384
200198	2.24	45.9	0.31	5.34	6.23	1541
200199		54.7	0.06	2.30	12.6	757

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709  
 Client Ref **46103**  
 Project \*  
 Reported 15/11/10  
 Status Final  
 Page Page 6 of 47

## ANALYTICAL REPORT

	WGH79 KG 0.01 0.00 Wt(Dry)	ICP90Q % 0.40 0.00 SiO2	ICP90Q % 0.01 25.00 Ti	ICP90Q % 0.01 25.00 Al	ICP90Q % 0.01 70.00 Fe	ICP90Q PPM 10.00 100,000.00 Mn
200200	2.79	45.5	0.28	5.00	6.94	1684
200201	2.86	16.1	0.05	1.08	39.3	1657
200202	2.67	20.8	0.11	1.95	27.8	1826
200203	2.53	40.7	0.16	3.38	8.38	2700
200204	2.51	45.0	0.23	4.01	8.10	1264
200205	2.46	44.8	0.34	5.80	6.21	906
200206	2.46	46.6	0.28	5.59	6.41	1109
200207	2.55	50.3	0.37	7.07	5.43	631
200208	2.01	54.1	0.48	8.56	4.17	275
200209	2.23	58.3	0.42	7.51	3.78	462
200210	2.42	56.8	0.33	6.73	4.05	554
200211	2.30	51.7	0.35	7.47	4.69	578
200212	2.42	41.1	0.31	4.72	13.9	945
200213	2.02	47.0	0.31	5.53	6.77	829
200214	1.35	46.5	0.31	5.61	3.78	1201
200215	0.56	30.3	0.18	3.44	3.42	2260
200216	1.15	43.9	0.30	4.89	4.14	1733
200217	1.06	51.9	0.43	7.41	2.80	558
200218	0.83	43.5	0.29	5.54	4.56	1249
200219		86.9	0.09	0.11	0.04	<10
D - 200053		53.6	<0.01	0.15	3.96	4197
D - 200100		60.8	0.30	7.58	1.36	722
D - 200147		54.7	0.37	6.22	1.88	1107
D - 200194		45.5	0.28	5.49	4.87	1760

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709  
 Client Ref **46103**  
 Project \*  
 Reported 15/11/10  
 Status Final  
 Page Page 7 of 47

## ANALYTICAL REPORT

Scheme	ICP90Q	ICP90Q	ICP90Q	ICP90Q	ICP90Q	ICP90Q
Units	%	%	PPM	PPM	PPM	PPM
Detection Limit	0.02	0.20	20.00	20.00	10.00	30.00
Upper Limit	30.00	40.00	100,000.00	100,000.00	100,000.00	50,000.00
	Mg	Ca	B	Cr	Ni	As
200045	<0.02	<0.2	21	45	23	<30
200046	12.8	8.1	146	<20	12	750
200047	11.9	13.0	35	<20	<10	534
200048	11.8	17.8	27	<20	12	<30
200049	11.0	0.5	282	<20	14	76
200050	11.0	11.6	92	21	16	31
200051	9.99	15.7	<20	<20	<10	<30
200052	10.3	16.8	<20	<20	<10	<30
200053	10.5	16.8	<20	<20	<10	<30
200054	8.21	15.6	22	<20	<10	<30
200055	9.15	14.8	27	<20	<10	80
200056	10.3	15.7	42	<20	<10	83
200057	7.97	19.1	<20	<20	<10	111
200058	10.9	16.4	<20	<20	<10	<30
200059	13.5	11.5	154	<20	17	43
200060	7.03	2.2	143	<20	<10	<30
200061	7.68	0.4	194	<20	<10	<30
200062	4.14	<0.2	74	<20	<10	<30
200063	9.23	1.7	207	<20	<10	<30
200064	15.5	4.2	318	<20	<10	59
200065	11.0	13.6	56	30	13	<30
200066	1.41	0.3	55	39	24	61
200067	7.46	11.3	67	43	18	165
200068	3.19	9.3	157	73	26	<30
200069	1.46	4.1	42	85	64	60
200070	8.76	16.4	24	20	14	<30
200071	4.71	11.2	83	97	26	<30
200072	8.88	14.4	34	23	13	<30
200073	13.8	12.4	167	<20	10	<30
200074	10.5	4.5	250	34	22	60
200075	8.69	8.0	188	42	20	61
200076	8.99	5.9	309	<20	<10	93
200077	6.21	0.4	216	<20	<10	<30
200078	11.1	18.2	973	<20	<10	<30
200079	9.78	12.2	1570	<20	<10	<30
200080	9.28	9.7	748	<20	13	<30
200081	10.1	11.1	94	56	14	408
200082	4.71	1.6	1532	81	30	55

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709  
 Client Ref **46103**  
 Project \*  
 Reported 15/11/10  
 Status Final  
 Page Page 8 of 47

## ANALYTICAL REPORT

	ICP90Q % 0.02 30.00 Mg	ICP90Q % 0.20 40.00 Ca	ICP90Q PPM 20.00 100,000.00 B	ICP90Q PPM 20.00 100,000.00 Cr	ICP90Q PPM 10.00 100,000.00 Ni	ICP90Q PPM 30.00 50,000.00 As
200083	1.47	1.7	105	128	178	90
200084	3.30	8.7	151	133	53	<30
200085	13.7	4.2	354	<20	<10	<30
200086	10.5	1.4	266	<20	<10	<30
200087	10.2	11.2	160	34	34	<30
200088	5.38	14.9	37	46	27	<30
200089	10.1	7.3	281	52	47	46
200090	13.0	10.1	152	<20	<10	<30
200091	16.6	7.3	274	<20	16	96
200092	8.70	13.6	110	56	27	<30
200093	9.72	17.2	40	43	60	<30
200094	4.68	13.0	65	86	45	54
200095	1.87	4.5	94	91	58	54
200096	1.51	1.7	197	75	36	37
200097	1.30	0.4	276	79	33	43
200098	1.13	0.4	283	109	69	67
200099	1.50	2.7	51	76	53	39
200100	2.42	4.0	87	107	59	79
200101	1.26	1.8	274	107	54	80
200102	2.61	5.4	95	90	42	38
200103	12.0	4.2	187	20	36	92
200104	11.9	8.7	99	27	17	258
200105	7.17	1.6	169	<20	<10	<30
200106	13.2	2.4	425	<20	<10	38
200107	8.13	12.7	2618	69	22	<30
200108	7.65	14.4	461	68	76	<30
200109	19.8	2.2	930	<20	<10	36
200110	15.0	0.2	6959	<20	<10	<30
200111	17.0	<0.2	5918	<20	<10	<30
200112	14.8	9.3	412	31	62	118
200113	14.3	12.4	229	<20	14	<30
200114	15.6	8.5	247	<20	86	36
200115	11.1	15.6	260	38	45	<30
200116	8.29	11.4	68	32	46	<30
200117	6.25	7.6	138	59	73	<30
200118	13.4	17.1	28	<20	65	<30
200119	10.8	11.8	39	42	111	38
200120	8.92	13.2	62	42	45	<30
200121	8.28	16.6	362	52	67	<30

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.





Lab Ref WM127709  
 Client Ref **46103**  
 Project \*  
 Reported 15/11/10  
 Status Final  
 Page Page 9 of 47

## ANALYTICAL REPORT

	ICP90Q % 0.02 30.00 Mg	ICP90Q % 0.20 40.00 Ca	ICP90Q PPM 20.00 100,000.00 B	ICP90Q PPM 20.00 100,000.00 Cr	ICP90Q PPM 10.00 100,000.00 Ni	ICP90Q PPM 30.00 50,000.00 As
200122	5.53	11.4	67	44	89	<30
200123	4.65	8.7	44	68	68	<30
200124	5.34	11.0	64	44	33	107
200125	13.5	4.3	234	<20	62	72
200126	13.5	0.2	364	<20	84	46
200127	6.73	0.5	<20	30	74	<30
200128	16.2	0.9	488	<20	22	<30
200129	12.7	7.9	109	41	53	<30
200130	7.70	7.5	68	45	59	<30
200131	12.9	6.3	73	27	29	<30
200132	12.8	5.3	173	45	197	<30
200133	12.2	7.6	52	38	89	<30
200134	12.0	6.6	70	34	39	<30
200135	11.9	6.4	210	32	50	160
200136	11.1	6.0	344	27	43	<30
200137	14.0	5.2	161	27	19	<30
200138	3.00	2.4	208	52	24	49
200139	2.26	0.9	185	55	26	<30
200140	1.80	0.6	172	55	24	<30
200141	1.57	0.7	216	53	39	<30
200142	1.59	1.4	215	43	17	<30
200143	2.15	1.4	191	47	19	38
200144	2.55	2.0	463	77	45	48
200145	7.38	10.1	133	47	39	<30
200146	7.75	11.8	439	58	39	<30
200147	6.92	7.4	279	71	36	<30
200148	3.00	3.4	983	111	28	<30
200149	6.33	9.7	191	61	33	<30
200150	7.96	14.7	1177	46	42	<30
200151	2.40	3.3	448	54	47	<30
200152	1.72	2.1	194	38	17	<30
200153	4.94	8.5	65	70	29	<30
200154	6.47	15.3	298	44	46	<30
200155	7.72	12.9	958	35	27	<30
200156	6.47	11.4	100	54	38	<30
200157	1.52	0.3	<20	28	25	53
200158	11.1	10.4	859	40	172	<30
200159	6.29	5.2	278	57	136	<30
200160	4.49	3.7	252	73	126	<30

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709  
Client Ref **46103**  
Project \*  
Reported 15/11/10  
Status Final  
Page Page 10 of 47

## ANALYTICAL REPORT

	ICP90Q % 0.02 30.00 Mg	ICP90Q % 0.20 40.00 Ca	ICP90Q PPM 20.00 100,000.00 B	ICP90Q PPM 20.00 100,000.00 Cr	ICP90Q PPM 10.00 100,000.00 Ni	ICP90Q PPM 30.00 50,000.00 As
200161	4.31	3.1	343	69	49	<30
200162	4.13	3.3	350	85	57	<30
200163	3.96	4.1	255	66	37	<30
200164	4.30	3.2	319	68	39	<30
200165	4.30	3.6	255	78	41	<30
200166	4.39	4.0	182	72	49	<30
200167	4.44	3.7	792	84	58	<30
200168	3.13	2.1	1168	99	67	<30
200169	4.78	4.8	315	73	63	37
200170	3.82	3.8	479	77	50	<30
200171	3.20	1.8	458	89	62	<30
200172	3.39	1.2	1204	77	40	<30
200173	3.03	0.9	1295	85	52	<30
200174	3.01	0.7	1146	99	54	<30
200175	6.51	5.6	770	67	201	111
200176	7.03	7.8	136	64	137	<30
200177	6.43	10.0	124	42	159	<30
200178	1.45	0.3	<20	26	24	63
200179	6.36	13.1	42	45	272	<30
200180	6.28	14.0	141	54	246	<30
200181	5.51	8.7	63	60	283	<30
200182	5.40	5.1	55	66	167	<30
200183	5.26	7.9	<20	47	156	<30
200184	4.87	8.2	22	46	139	<30
200185	5.09	5.9	109	64	115	<30
200186	4.83	6.5	66	61	108	<30
200187	7.06	11.9	83	54	173	<30
200188	7.39	8.6	130	65	206	<30
200189	5.54	5.1	68	67	82	<30
200190	8.73	13.9	114	39	77	<30
200191	9.05	13.4	283	37	140	<30
200192	16.8	5.0	205	<20	83	118
200193	9.50	9.0	802	48	150	<30
200194	5.36	13.2	126	53	328	115
200195	6.60	11.6	109	44	78	<30
200196	6.77	12.8	241	37	65	52
200197	7.52	14.0	889	51	35	<30
200198	7.13	13.9	398	53	39	<30
200199	1.53	0.3	22	23	22	68

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709  
 Client Ref **46103**  
 Project \*  
 Reported 15/11/10  
 Status Final  
 Page Page 11 of 47

## ANALYTICAL REPORT

	ICP90Q % 0.02 30.00 Mg	ICP90Q % 0.20 40.00 Ca	ICP90Q PPM 20.00 100,000.00 B	ICP90Q PPM 20.00 100,000.00 Cr	ICP90Q PPM 10.00 100,000.00 Ni	ICP90Q PPM 30.00 50,000.00 As
200200	8.55	12.4	1631	49	40	<30
200201	11.0	0.6	296	<20	83	47
200202	12.1	2.6	308	<20	90	69
200203	15.1	7.4	651	30	40	70
200204	11.4	10.3	3408	44	66	53
200205	7.35	7.0	2551	62	54	<30
200206	7.99	9.3	4419	59	50	34
200207	5.24	4.9	1634	78	69	<30
200208	3.31	1.5	1180	88	44	<30
200209	5.21	3.3	788	82	45	<30
200210	4.95	4.3	1137	62	35	90
200211	4.91	4.5	1526	71	39	<30
200212	8.61	6.7	5407	64	74	95
200213	7.56	5.3	1551	62	62	<30
200214	10.6	7.3	2483	48	43	<30
200215	14.1	14.6	277	29	25	99
200216	13.3	7.0	535	57	53	<30
200217	6.03	1.8	1101	80	37	<30
200218	12.9	3.8	438	49	34	<30
200219	0.05	<0.2	<20	<20	<10	<30
D - 200053	10.9	17.4	<20	<20	<10	<30
D - 200100	2.47	4.0	82	96	56	49
D - 200147	6.56	7.6	289	65	30	<30
D - 200194	5.58	12.7	127	52	328	115

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.

Lab Ref WM127709  
 Client Ref **46103**  
 Project \*  
 Reported 15/11/10  
 Status Final  
 Page Page 12 of 47

## ANALYTICAL REPORT

Scheme	ICP90Q	ICP90Q	ICP90Q	ICP90Q	ICP90Q	ICP90Q
Units	PPM	PPM	PPM	PPM	PPM	PPM
Detection Limit	10.00	5.00	10.00	10.00	10.00	10.00
Upper Limit	10,000.00	2,500.00	50,000.00	20,000.00	100,000.00	100,000.00
	Ba	Be	Cd	Ce	Co	Cu
200045	25	<5	<10	<10	<10	<10
200046	18	<5	<10	34	39	31
200047	14	<5	<10	<10	<10	45
200048	14	<5	<10	<10	<10	<10
200049	13	<5	<10	<10	17	<10
200050	18	<5	<10	<10	<10	<10
200051	23	<5	<10	<10	<10	<10
200052	13	<5	<10	<10	<10	70
200053	37	<5	<10	87	<10	16
200054	19	<5	<10	54	13	<10
200055	24	<5	<10	18	<10	<10
200056	13	<5	<10	27	<10	11
200057	15	<5	<10	16	<10	<10
200058	16	<5	<10	<10	<10	<10
200059	29	<5	<10	<10	<10	<10
200060	23	<5	<10	<10	<10	<10
200061	16	<5	<10	<10	15	<10
200062	10	<5	<10	<10	12	<10
200063	<10	<5	<10	<10	12	<10
200064	<10	<5	<10	<10	<10	<10
200065	<10	<5	<10	82	<10	<10
200066	69	<5	57	323	76	2.33%
200067	83	6	<10	42	<10	10
200068	207	<5	<10	182	13	<10
200069	178	<5	<10	65	19	23
200070	72	<5	<10	18	<10	<10
200071	309	7	<10	776	<10	<10
200072	81	<5	<10	60	15	25
200073	13	<5	<10	<10	<10	<10
200074	92	<5	<10	84	12	<10
200075	100	<5	<10	68	<10	<10
200076	<10	<5	<10	<10	12	<10
200077	<10	<5	<10	<10	12	<10
200078	<10	<5	<10	<10	<10	<10
200079	<10	<5	<10	<10	<10	<10
200080	<10	<5	<10	<10	12	<10
200081	<10	<5	<10	20	<10	17
200082	520	<5	<10	81	18	39

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709  
 Client Ref **46103**  
 Project \*  
 Reported 15/11/10  
 Status Final  
 Page Page 13 of 47

## ANALYTICAL REPORT

	ICP90Q PPM 10.00 10,000.00 Ba	ICP90Q PPM 5.00 2,500.00 Be	ICP90Q PPM 10.00 50,000.00 Cd	ICP90Q PPM 10.00 20,000.00 Ce	ICP90Q PPM 10.00 100,000.00 Co	ICP90Q PPM 10.00 100,000.00 Cu
200083	2333	<5	<10	98	29	27
200084	245	<5	<10	88	<10	<10
200085	64	<5	<10	10	15	22
200086	22	<5	<10	<10	14	<10
200087	81	<5	<10	58	12	<10
200088	249	<5	<10	40	<10	<10
200089	1029	<5	<10	105	<10	<10
200090	24	<5	<10	<10	<10	<10
200091	21	<5	<10	<10	11	17
200092	277	<5	<10	28	<10	<10
200093	15	<5	<10	24	<10	<10
200094	204	<5	<10	43	11	<10
200095	1635	<5	<10	74	18	31
200096	1541	<5	<10	78	12	30
200097	510	<5	<10	86	19	40
200098	984	<5	<10	131	34	74
200099	3706	<5	<10	75	20	38
200100	6401	<5	<10	52	16	27
200101	2992	<5	<10	65	22	68
200102	1452	<5	<10	132	11	18
200103	61	<5	<10	<10	46	417
200104	20	<5	<10	27	<10	14
200105	21	<5	<10	<10	<10	21
200106	11	<5	<10	<10	<10	22
200107	559	<5	<10	30	<10	<10
200108	187	<5	<10	44	<10	<10
200109	31	<5	<10	13	<10	<10
200110	<10	<5	<10	<10	<10	<10
200111	<10	<5	<10	<10	<10	<10
200112	14	<5	<10	<10	<10	<10
200113	<10	<5	<10	<10	<10	17
200114	39	<5	<10	<10	16	112
200115	174	<5	<10	<10	<10	<10
200116	131	<5	<10	18	<10	<10
200117	237	<5	<10	41	<10	<10
200118	24	<5	<10	<10	<10	<10
200119	188	<5	<10	50	13	48
200120	196	<5	<10	40	<10	<10
200121	202	<5	<10	26	<10	<10

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709  
Client Ref **46103**  
Project \*  
Reported 15/11/10  
Status Final  
Page Page 14 of 47

## ANALYTICAL REPORT

	ICP90Q PPM 10.00 10,000.00 Ba	ICP90Q PPM 5.00 2,500.00 Be	ICP90Q PPM 10.00 50,000.00 Cd	ICP90Q PPM 10.00 20,000.00 Ce	ICP90Q PPM 10.00 100,000.00 Co	ICP90Q PPM 10.00 100,000.00 Cu
200122	522	<5	<10	25	<10	<10
200123	312	<5	<10	20	<10	<10
200124	204	<5	<10	61	<10	16
200125	146	<5	11	38	13	62
200126	<10	<5	15	<10	29	214
200127	20	<5	<10	<10	<10	<10
200128	22	<5	<10	<10	20	111
200129	381	<5	<10	18	<10	34
200130	509	<5	<10	22	<10	<10
200131	701	<5	<10	47	<10	<10
200132	754	<5	<10	57	<10	<10
200133	888	<5	<10	35	<10	<10
200134	599	<5	<10	37	10	<10
200135	449	<5	<10	35	<10	<10
200136	336	<5	<10	35	<10	<10
200137	386	<5	<10	55	11	26
200138	1233	<5	<10	77	<10	11
200139	662	<5	<10	82	<10	<10
200140	778	<5	<10	83	<10	17
200141	922	<5	<10	81	<10	29
200142	826	<5	<10	73	<10	12
200143	1319	<5	<10	62	<10	<10
200144	3810	<5	<10	87	10	25
200145	3097	<5	<10	53	<10	<10
200146	586	<5	<10	66	<10	<10
200147	766	<5	<10	64	<10	<10
200148	978	<5	<10	85	<10	<10
200149	1123	<5	<10	46	<10	<10
200150	572	<5	<10	15	<10	<10
200151	1289	<5	<10	61	<10	<10
200152	1403	<5	<10	53	<10	<10
200153	1422	<5	<10	27	<10	<10
200154	372	<5	<10	11	<10	<10
200155	738	<5	<10	35	<10	<10
200156	618	<5	<10	34	<10	<10
200157	71	<5	60	26	71	2.31%
200158	384	<5	<10	34	41	594
200159	4297	<5	<10	67	28	438
200160	9309	<5	<10	69	19	120

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709  
 Client Ref **46103**  
 Project \*  
 Reported 15/11/10  
 Status Final  
 Page Page 15 of 47

## ANALYTICAL REPORT

	ICP90Q PPM 10.00 10,000.00 Ba	ICP90Q PPM 5.00 2,500.00 Be	ICP90Q PPM 10.00 50,000.00 Cd	ICP90Q PPM 10.00 20,000.00 Ce	ICP90Q PPM 10.00 100,000.00 Co	ICP90Q PPM 10.00 100,000.00 Cu
200161	4716	<5	<10	82	23	176
200162	7018	<5	<10	84	23	157
200163	9027	<5	<10	90	13	109
200164	3542	<5	<10	79	21	89
200165	4483	<5	<10	86	14	33
200166	4829	<5	<10	82	14	97
200167	3828	<5	<10	75	21	211
200168	3986	<5	<10	82	26	297
200169	5278	<5	<10	93	15	550
200170	3888	<5	<10	73	13	181
200171	2354	<5	<10	80	12	95
200172	1659	<5	<10	87	19	74
200173	1316	<5	<10	96	21	118
200174	1211	<5	<10	101	21	102
200175	1035	<5	<10	65	31	1286
200176	1901	<5	<10	77	10	28
200177	3657	<5	<10	39	<10	57
200178	75	<5	57	27	72	2.38%
200179	358	<5	<10	43	<10	<10
200180	382	<5	<10	37	<10	<10
200181	937	<5	<10	43	<10	<10
200182	7046	<5	<10	26	<10	20
200183	860	<5	<10	15	<10	<10
200184	2811	<5	<10	15	<10	<10
200185	5514	<5	<10	39	12	<10
200186	4582	<5	<10	44	11	<10
200187	279	<5	<10	<10	10	<10
200188	1382	<5	<10	20	<10	<10
200189	6845	<5	<10	30	12	<10
200190	857	<5	<10	13	<10	<10
200191	204	<5	<10	<10	17	25
200192	1106	<5	<10	<10	36	140
200193	681	<5	<10	56	98	146
200194	849	<5	<10	55	49	97
200195	1821	<5	<10	100	42	<10
200196	531	<5	<10	86	77	77
200197	244	<5	<10	35	37	24
200198	890	<5	<10	65	41	24
200199	78	<5	60	20	77	2.26%

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.

Lab Ref WM127709  
 Client Ref **46103**  
 Project \*  
 Reported 15/11/10  
 Status Final  
 Page Page 16 of 47

## ANALYTICAL REPORT

	ICP90Q PPM 10.00 10,000.00 Ba	ICP90Q PPM 5.00 2,500.00 Be	ICP90Q PPM 10.00 50,000.00 Cd	ICP90Q PPM 10.00 20,000.00 Ce	ICP90Q PPM 10.00 100,000.00 Co	ICP90Q PPM 10.00 100,000.00 Cu
200200	364	<5	<10	133	40	87
200201	82	<5	<10	<10	41	210
200202	115	<5	<10	20	31	177
200203	411	<5	<10	39	16	114
200204	148	<5	<10	45	36	78
200205	1993	<5	<10	171	39	23
200206	2083	<5	<10	77	23	12
200207	3065	<5	<10	74	35	12
200208	2151	<5	<10	80	32	11
200209	4177	<5	<10	159	27	<10
200210	5039	<5	<10	54	28	<10
200211	6862	<5	<10	164	26	<10
200212	642	<5	<10	37	91	<10
200213	3943	<5	<10	114	43	<10
200214	1943	<5	<10	29	16	<10
200215	553	<5	<10	32	14	<10
200216	3116	<5	<10	195	20	13
200217	>10000	<5	<10	74	24	<10
200218	3911	<5	<10	55	21	<10
200219	24	<5	<10	<10	<10	<10
D - 200053	30	<5	<10	76	<10	<10
D - 200100	6269	<5	<10	54	16	21
D - 200147	767	<5	<10	57	<10	<10
D - 200194	848	<5	<10	45	47	91

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.





Lab Ref WM127709  
 Client Ref **46103**  
 Project \*  
 Reported 15/11/10  
 Status Final  
 Page Page 17 of 47

## ANALYTICAL REPORT

Scheme	ICP90Q	ICP90Q	ICP90Q	ICP90Q	ICP90Q	ICP90Q
Units	%	PPM	PPM	PPM	PPM	%
Detection Limit	0.10	10.00	10.00	10.00	20.00	0.01
Upper Limit	25.00	20,000.00	100,000.00	100,000.00	20,000.00	10.00
	K	La	Li	Mo	Pb	S
200045	<0.1	<10	<10	<10	<20	<0.01
200046	0.1	12	12	<10	<20	0.05
200047	<0.1	<10	<10	<10	<20	0.05
200048	<0.1	<10	<10	<10	<20	0.02
200049	0.1	<10	13	<10	<20	0.02
200050	<0.1	<10	11	<10	<20	<0.01
200051	<0.1	<10	10	<10	80	0.02
200052	<0.1	<10	<10	<10	27	0.02
200053	<0.1	45	<10	<10	33	0.44
200054	<0.1	21	13	<10	<20	0.29
200055	<0.1	<10	<10	<10	<20	0.02
200056	<0.1	11	<10	<10	<20	0.05
200057	<0.1	<10	11	<10	<20	0.11
200058	<0.1	<10	10	12	<20	<0.01
200059	0.2	<10	<10	<10	<20	0.03
200060	<0.1	<10	<10	<10	24	<0.01
200061	<0.1	<10	<10	<10	<20	<0.01
200062	<0.1	<10	<10	<10	<20	<0.01
200063	<0.1	<10	<10	<10	<20	0.01
200064	0.1	<10	<10	<10	26	0.04
200065	0.1	28	<10	<10	<20	<0.01
200066	0.6	133	15	<10	>20000	8.33
200067	0.6	21	33	29	30	0.07
200068	0.9	86	32	<10	<20	0.02
200069	0.6	27	16	22	22	0.10
200070	0.3	<10	25	<10	<20	<0.01
200071	1.5	414	49	<10	<20	<0.01
200072	0.4	30	22	<10	64	0.22
200073	<0.1	<10	14	<10	223	0.01
200074	0.4	42	61	<10	24	0.06
200075	0.6	35	68	<10	<20	0.01
200076	<0.1	<10	<10	<10	<20	0.11
200077	<0.1	<10	<10	<10	<20	<0.01
200078	<0.1	<10	<10	<10	<20	0.10
200079	<0.1	<10	<10	<10	<20	0.02
200080	<0.1	<10	<10	<10	<20	0.08
200081	<0.1	<10	111	<10	104	0.51
200082	3.3	34	120	13	62	0.32

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709  
 Client Ref **46103**  
 Project \*  
 Reported 15/11/10  
 Status Final  
 Page Page 18 of 47

## ANALYTICAL REPORT

	ICP90Q % 0.10 25.00 K	ICP90Q PPM 10.00 20,000.00 La	ICP90Q PPM 10.00 100,000.00 Li	ICP90Q PPM 10.00 100,000.00 Mo	ICP90Q PPM 20.00 20,000.00 Pb	ICP90Q % 0.01 10.00 S
200083	5.3	40	47	20	332	0.05
200084	1.3	40	83	<10	61	<0.01
200085	0.3	<10	<10	<10	<20	0.30
200086	0.1	<10	14	<10	<20	0.11
200087	0.4	24	20	<10	<20	0.02
200088	0.9	19	27	<10	56	<0.01
200089	0.9	50	27	15	26	0.04
200090	<0.1	<10	<10	<10	<20	0.01
200091	0.1	<10	29	<10	26	0.19
200092	1.1	18	79	<10	26	0.02
200093	<0.1	10	32	12	20	0.03
200094	1.0	21	24	<10	<20	0.02
200095	2.0	39	29	17	47	0.11
200096	4.3	42	47	11	57	0.66
200097	4.6	46	50	<10	<20	1.44
200098	4.7	63	42	19	<20	1.80
200099	3.2	40	22	16	46	0.17
200100	5.5	27	25	14	64	0.05
200101	4.7	34	33	13	43	0.61
200102	3.0	78	48	25	22	0.03
200103	0.2	<10	27	<10	<20	3.86
200104	<0.1	15	49	<10	24	0.21
200105	0.1	<10	21	<10	<20	0.06
200106	<0.1	<10	39	<10	<20	0.11
200107	1.2	16	66	<10	<20	0.09
200108	0.7	25	57	<10	<20	0.01
200109	0.2	<10	11	<10	<20	0.03
200110	<0.1	<10	<10	<10	<20	0.05
200111	<0.1	<10	<10	<10	<20	0.03
200112	0.1	<10	10	<10	38	0.11
200113	0.1	<10	<10	<10	<20	0.16
200114	0.5	<10	32	<10	<20	0.88
200115	0.6	<10	55	<10	22	0.02
200116	0.7	11	37	<10	<20	0.02
200117	1.1	20	61	<10	29	0.01
200118	0.1	<10	38	<10	<20	0.01
200119	0.6	32	67	<10	<20	0.13
200120	0.7	24	45	<10	<20	0.01
200121	0.7	15	40	<10	28	0.01

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709  
 Client Ref **46103**  
 Project \*  
 Reported 15/11/10  
 Status Final  
 Page Page 19 of 47

## ANALYTICAL REPORT

	ICP90Q % 0.10 25.00 K	ICP90Q PPM 10.00 20,000.00 La	ICP90Q PPM 10.00 100,000.00 Li	ICP90Q PPM 10.00 100,000.00 Mo	ICP90Q PPM 20.00 20,000.00 Pb	ICP90Q % 0.01 10.00 S
200122	1.8	11	23	<10	<20	<0.01
200123	1.5	<10	21	<10	<20	0.02
200124	0.9	30	28	<10	25	0.02
200125	0.4	16	19	<10	<20	0.57
200126	<0.1	<10	<10	15	<20	2.33
200127	<0.1	<10	<10	<10	<20	0.04
200128	0.1	<10	<10	<10	<20	1.04
200129	0.9	<10	42	<10	<20	0.14
200130	0.9	10	19	14	<20	0.02
200131	2.0	24	47	<10	<20	0.02
200132	1.9	31	38	<10	22	0.02
200133	2.0	18	30	<10	<20	0.02
200134	1.3	20	55	<10	<20	0.06
200135	1.2	17	69	<10	23	0.03
200136	1.1	17	69	<10	<20	0.01
200137	1.3	25	33	<10	<20	0.42
200138	2.6	36	30	12	<20	0.09
200139	3.2	37	55	<10	<20	0.04
200140	3.3	38	43	<10	<20	0.10
200141	3.1	37	31	<10	<20	0.24
200142	2.7	32	29	<10	30	0.13
200143	2.3	29	20	19	<20	0.04
200144	2.9	41	18	<10	<20	0.20
200145	1.8	22	<10	10	88	0.02
200146	1.1	29	<10	<10	40	0.02
200147	1.2	27	34	<10	44	0.05
200148	1.3	41	<10	<10	33	0.04
200149	1.5	21	<10	<10	23	0.01
200150	1.2	<10	13	<10	<20	0.01
200151	2.6	29	18	<10	30	0.02
200152	2.1	23	<10	<10	24	0.02
200153	2.5	<10	<10	<10	37	0.03
200154	1.0	<10	<10	<10	24	0.05
200155	1.4	15	<10	<10	<20	0.03
200156	1.3	15	13	<10	51	<0.01
200157	0.6	14	<10	<10	>20000	8.17
200158	1.4	16	48	<10	68	2.82
200159	3.5	30	22	<10	<20	1.82
200160	3.6	33	22	<10	21	0.21

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709  
 Client Ref **46103**  
 Project \*  
 Reported 15/11/10  
 Status Final  
 Page Page 20 of 47

## ANALYTICAL REPORT

	ICP90Q % 0.10 25.00 K	ICP90Q PPM 10.00 20,000.00 La	ICP90Q PPM 10.00 100,000.00 Li	ICP90Q PPM 10.00 100,000.00 Mo	ICP90Q PPM 20.00 20,000.00 Pb	ICP90Q % 0.01 10.00 S
200161	2.9	38	26	<10	<20	0.38
200162	3.5	41	31	<10	<20	0.45
200163	3.4	43	14	<10	<20	0.13
200164	3.2	36	26	<10	<20	0.65
200165	3.7	40	24	<10	<20	0.14
200166	3.6	38	23	<10	<20	0.15
200167	3.1	38	24	<10	<20	0.75
200168	4.5	41	31	<10	21	0.93
200169	3.6	43	<10	10	34	0.38
200170	3.5	32	21	<10	23	0.46
200171	3.8	38	38	<10	<20	0.34
200172	4.1	42	46	<10	<20	0.54
200173	4.7	47	45	<10	<20	1.33
200174	5.1	50	56	<10	<20	1.20
200175	2.7	31	35	21	1446	0.87
200176	1.6	32	19	<10	60	0.06
200177	2.0	16	14	<10	36	0.13
200178	0.7	15	<10	<10	>20000	8.55
200179	0.6	19	<10	<10	<20	0.03
200180	0.9	12	14	<10	<20	0.03
200181	1.5	12	<10	<10	28	0.06
200182	4.6	11	<10	<10	46	0.03
200183	1.1	<10	15	<10	37	0.02
200184	3.5	<10	19	<10	21	0.05
200185	4.6	18	<10	<10	<20	0.10
200186	3.5	19	<10	<10	25	0.07
200187	0.5	<10	19	<10	55	0.03
200188	1.5	<10	14	<10	<20	0.04
200189	4.1	15	<10	<10	<20	0.05
200190	1.3	<10	42	<10	<20	0.04
200191	0.7	<10	39	<10	<20	0.41
200192	0.6	<10	<10	<10	<20	5.12
200193	2.1	32	29	<10	65	6.00
200194	2.3	25	20	<10	194	2.22
200195	2.2	52	23	<10	58	2.67
200196	0.9	41	29	<10	<20	5.75
200197	0.7	15	25	<10	<20	2.66
200198	1.0	34	26	<10	<20	3.48
200199	0.5	14	14	<10	>20000	8.85

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709  
 Client Ref **46103**  
 Project \*  
 Reported 15/11/10  
 Status Final  
 Page Page 21 of 47

## ANALYTICAL REPORT

	ICP90Q % 0.10 25.00 K	ICP90Q PPM 10.00 20,000.00 La	ICP90Q PPM 10.00 100,000.00 Li	ICP90Q PPM 10.00 100,000.00 Mo	ICP90Q PPM 20.00 20,000.00 Pb	ICP90Q % 0.01 10.00 S
200200	0.8	73	38	<10	54	3.53
200201	0.1	<10	<10	<10	24	8.74
200202	0.1	13	<10	<10	<20	9.36
200203	0.8	24	29	<10	<20	4.09
200204	1.0	28	41	<10	<20	4.12
200205	2.8	91	36	<10	<20	3.57
200206	2.0	30	24	<10	<20	3.67
200207	3.5	41	35	<10	<20	3.37
200208	4.5	42	43	<10	<20	2.28
200209	4.4	78	39	<10	<20	1.67
200210	4.1	27	16	<10	<20	2.45
200211	5.2	91	<10	<10	<20	3.27
200212	0.5	19	13	<10	<20	>10
200213	2.5	62	18	<10	<20	4.42
200214	1.7	16	18	<10	<20	1.18
200215	0.6	20	16	<10	<20	1.50
200216	1.3	129	35	<10	<20	1.74
200217	3.5	39	43	<10	<20	1.13
200218	1.5	34	68	<10	<20	1.79
200219	<0.1	<10	<10	<10	<20	0.03
D - 200053	<0.1	43	<10	<10	22	0.49
D - 200100	4.9	26	21	13	59	0.05
D - 200147	1.2	29	40	<10	33	0.05
D - 200194	2.1	23	18	<10	196	2.09

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709  
 Client Ref **46103**  
 Project \*  
 Reported 15/11/10  
 Status Final  
 Page Page 22 of 47

## ANALYTICAL REPORT

Scheme	ICP90Q	ICP90Q	ICP90Q	ICP90Q	ICP90Q	XRF78S
Units	PPM	PPM	PPM	PPM	PPM	%
Detection Limit	50.00	10.00	10.00	5.00	25.00	0.01
Upper Limit	10,000.00	20,000.00	50,000.00	50,000.00	100,000.00	100.00
	Sb	Sr	V	Y	Zn	SiO2
200045	<50	<10	<10	13	<25	99.1
200046	<50	<10	10	13	113	48.2
200047	<50	14	<10	7	89	52.1
200048	<50	18	<10	6	74	54.2
200049	<50	<10	19	<5	358	19.1
200050	<50	16	<10	<5	118	45.7
200051	<50	27	<10	5	306	55.3
200052	<50	14	<10	<5	102	53.5
200053	<50	21	<10	7	329	52.6
200054	<50	23	<10	10	204	51.3
200055	<50	15	<10	13	106	53.4
200056	<50	11	<10	14	60	52.8
200057	<50	22	<10	11	109	46.7
200058	<50	15	<10	7	26	54.3
200059	<50	14	<10	6	78	48.7
200060	<50	<10	14	<5	185	16.0
200061	<50	<10	29	<5	207	12.1
200062	<50	<10	22	<5	258	5.93
200063	<50	<10	32	<5	292	18.0
200064	<50	<10	11	<5	146	35.4
200065	<50	<10	14	22	116	47.2
200066	<50	14	22	19	1.52%	54.0
200067	<50	55	124	17	395	40.5
200068	<50	227	187	31	85	50.3
200069	<50	343	213	34	106	62.9
200070	<50	42	85	8	104	50.7
200071	<50	184	279	43	145	46.1
200072	<50	36	287	12	76	50.7
200073	<50	<10	<10	<5	86	50.1
200074	<50	52	96	9	283	30.6
200075	<50	69	171	20	240	36.0
200076	<50	39	19	<5	796	13.4
200077	<50	<10	16	<5	316	8.50
200078	<50	92	<10	<5	748	1.28
200079	<50	37	20	<5	283	4.02
200080	<50	31	52	<5	429	5.96
200081	<50	46	97	9	1047	18.4
200082	<50	93	221	30	187	55.8

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709  
 Client Ref **46103**  
 Project \*  
 Reported 15/11/10  
 Status Final  
 Page Page 23 of 47

## ANALYTICAL REPORT

	ICP90Q PPM 50.00 10,000.00 Sb	ICP90Q PPM 10.00 20,000.00 Sr	ICP90Q PPM 10.00 50,000.00 V	ICP90Q PPM 5.00 50,000.00 Y	ICP90Q PPM 25.00 100,000.00 Zn	XRF78S % 0.01 100.00 SiO2
200083	<50	296	242	34	333	63.3
200084	<50	420	208	37	185	47.7
200085	<50	26	67	6	217	35.5
200086	<50	<10	56	<5	328	19.4
200087	<50	179	115	17	119	46.8
200088	<50	221	156	26	134	47.7
200089	<50	163	88	17	197	39.3
200090	<50	11	21	6	111	45.1
200091	<50	<10	28	9	153	42.4
200092	<50	147	175	17	60	47.5
200093	<50	34	90	11	83	48.9
200094	<50	443	251	26	78	51.6
200095	<50	453	243	41	39	64.6
200096	<50	255	162	36	48	63.8
200097	<50	78	150	34	<25	62.4
200098	<50	88	259	39	<25	62.7
200099	<50	404	301	35	43	67.2
200100	<50	358	230	37	57	60.4
200101	<50	355	279	37	29	63.5
200102	<50	282	261	38	35	55.6
200103	<50	20	85	<5	299	30.7
200104	<50	48	74	13	699	38.5
200105	<50	28	105	<5	583	14.7
200106	<50	61	43	<5	290	27.1
200107	<50	71	92	24	1151	44.2
200108	<50	85	149	27	115	47.1
200109	<50	22	43	<5	245	32.9
200110	<50	<10	43	<5	396	20.7
200111	<50	<10	38	<5	339	25.3
200112	<50	35	26	10	141	42.1
200113	<50	11	<10	11	62	51.2
200114	<50	12	34	11	164	45.8
200115	<50	52	111	12	60	50.0
200116	<50	94	100	19	70	52.3
200117	<50	101	79	30	86	52.5
200118	<50	14	105	8	41	51.6
200119	<50	52	114	16	71	47.8
200120	<50	63	141	18	48	49.2
200121	<50	90	136	21	79	48.4

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709  
 Client Ref **46103**  
 Project \*  
 Reported 15/11/10  
 Status Final  
 Page Page 24 of 47

## ANALYTICAL REPORT

	ICP90Q PPM 50.00 10,000.00 Sb	ICP90Q PPM 10.00 20,000.00 Sr	ICP90Q PPM 10.00 50,000.00 V	ICP90Q PPM 5.00 50,000.00 Y	ICP90Q PPM 25.00 100,000.00 Zn	XRF78S % 0.01 100.00 SiO2
200122	<50	157	94	23	90	50.7
200123	<50	307	102	27	75	55.0
200124	<50	155	84	31	95	52.4
200125	<50	36	32	13	6836	31.8
200126	<50	<10	26	<5	8523	20.5
200127	<50	13	14	13	34	27.1
200128	<50	<10	19	6	630	28.8
200129	<50	26	41	16	579	43.2
200130	<50	174	40	15	71	61.4
200131	<50	79	58	17	43	50.5
200132	<50	47	63	23	63	47.0
200133	<50	25	62	20	136	46.7
200134	<50	76	62	21	55	47.3
200135	<50	51	60	17	51	48.2
200136	<50	143	56	18	35	52.9
200137	<50	33	71	18	203	46.5
200138	<50	241	73	30	25	69.7
200139	<50	61	85	35	50	65.7
200140	<50	71	77	33	38	68.2
200141	<50	78	86	31	<25	72.5
200142	<50	121	68	31	<25	73.8
200143	<50	201	59	29	<25	73.4
200144	<50	429	87	34	<25	67.6
200145	<50	249	130	28	105	55.0
200146	<50	287	105	34	99	51.6
200147	<50	323	86	32	82	54.4
200148	<50	315	166	37	64	59.0
200149	<50	256	125	25	88	57.5
200150	<50	190	114	25	131	49.7
200151	<50	251	80	29	43	69.3
200152	<50	183	62	19	42	76.8
200153	<50	314	97	22	67	57.2
200154	<50	115	79	21	96	48.7
200155	<50	158	69	20	38	55.7
200156	<50	303	113	24	75	54.0
200157	<50	17	25	9	1.61%	54.1
200158	<50	80	81	21	143	44.2
200159	<50	256	106	31	56	50.0
200160	<50	485	142	35	32	56.2

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.





Lab Ref WM127709  
 Client Ref **46103**  
 Project \*  
 Reported 15/11/10  
 Status Final  
 Page Page 25 of 47

## ANALYTICAL REPORT

	ICP90Q PPM 50.00 10,000.00 Sb	ICP90Q PPM 10.00 20,000.00 Sr	ICP90Q PPM 10.00 50,000.00 V	ICP90Q PPM 5.00 50,000.00 Y	ICP90Q PPM 25.00 100,000.00 Zn	XRF78S % 0.01 100.00 SiO2
200161	<50	495	129	31	26	59.0
200162	<50	546	137	39	29	58.0
200163	<50	416	102	34	46	60.2
200164	<50	488	135	33	30	59.2
200165	<50	564	136	35	33	59.3
200166	<50	428	125	33	40	59.2
200167	<50	314	143	34	55	52.2
200168	<50	279	142	34	46	59.4
200169	<50	316	138	30	71	55.8
200170	<50	385	141	34	43	58.0
200171	<50	405	146	36	29	61.9
200172	<50	401	155	35	<25	62.2
200173	<50	332	162	36	<25	59.7
200174	<50	256	136	40	<25	59.7
200175	<50	288	106	26	2062	50.2
200176	<50	442	106	27	142	51.6
200177	<50	277	87	23	122	53.3
200178	<50	16	21	10	1.60%	54.1
200179	<50	212	73	24	39	53.3
200180	<50	143	90	30	38	50.3
200181	<50	329	102	34	71	55.9
200182	<50	294	114	33	74	59.1
200183	<50	271	98	28	65	59.2
200184	<50	164	86	28	52	57.5
200185	<50	229	110	35	46	58.4
200186	<50	266	98	33	63	57.0
200187	<50	313	120	28	131	51.2
200188	<50	332	118	28	65	54.1
200189	<50	397	102	30	42	58.4
200190	<50	202	86	27	46	50.2
200191	<50	161	86	23	36	44.8
200192	<50	58	54	12	74	33.5
200193	<50	143	107	26	146	41.5
200194	<50	281	115	34	634	48.2
200195	<50	282	104	34	100	48.7
200196	<50	235	106	31	43	43.0
200197	<50	157	109	29	32	46.2
200198	<50	211	117	31	39	45.2
200199	<50	17	21	12	1.59%	53.8

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709  
 Client Ref **46103**  
 Project \*  
 Reported 15/11/10  
 Status Final  
 Page Page 26 of 47

## ANALYTICAL REPORT

	ICP90Q PPM 50.00 10,000.00 Sb	ICP90Q PPM 10.00 20,000.00 Sr	ICP90Q PPM 10.00 50,000.00 V	ICP90Q PPM 5.00 50,000.00 Y	ICP90Q PPM 25.00 100,000.00 Zn	XRF78S % 0.01 100.00 SiO2
200200	<50	203	109	30	73	44.3
200201	<50	14	123	<5	227	16.6
200202	<50	76	151	11	272	22.4
200203	<50	95	124	18	90	39.6
200204	<50	117	107	21	41	43.3
200205	<50	309	116	31	36	47.0
200206	<50	336	129	26	32	47.2
200207	<50	408	145	30	<25	52.3
200208	<50	311	132	34	<25	55.0
200209	<50	436	168	37	<25	55.8
200210	<50	425	150	31	26	56.7
200211	<50	565	124	35	25	52.8
200212	<50	256	99	24	38	39.1
200213	<50	464	110	29	36	48.6
200214	<50	505	127	29	29	46.9
200215	<50	99	103	20	45	30.8
200216	<50	165	126	32	45	44.5
200217	<50	614	147	36	<25	53.5
200218	<50	256	120	25	39	46.4
200219	<50	<10	11	<5	<25	99.7
D - 200053	<50	<10	13	9	357	52.8
D - 200100	<50	316	243	37	56	60.6
D - 200147	<50	286	108	33	83	54.7
D - 200194	<50	261	132	31	633	48.3

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709  
 Client Ref **46103**  
 Project \*  
 Reported 15/11/10  
 Status Final  
 Page Page 27 of 47

## ANALYTICAL REPORT

Scheme	XRF78S	XRF78S	XRF78S	XRF78S	XRF78S	XRF78S
Units	%	%	%	%	%	%
Detection Limit	0.01	0.01	0.01	0.01	0.01	0.01
Upper Limit	100.00	100.00	100.00	100.00	100.00	100.00
	Ti	Al	Fe	Mn	Mg	Ca
200045	0.11	0.06	0.03	<0.01	0.01	0.01
200046	0.02	0.50	9.71	0.19	13.4	8.09
200047	<0.01	0.13	5.81	0.25	11.8	12.3
200048	<0.01	0.07	1.92	0.21	11.3	16.4
200049	0.02	0.26	39.7	0.44	11.3	0.42
200050	0.01	0.17	10.8	0.26	11.9	11.7
200051	0.02	0.16	1.96	0.29	11.0	15.8
200052	<0.01	0.14	2.53	0.37	10.9	16.7
200053	<0.01	0.12	3.74	0.46	10.2	16.7
200054	<0.01	0.17	7.17	0.65	8.55	16.0
200055	<0.01	0.08	3.12	0.35	10.4	17.0
200056	<0.01	0.17	2.71	0.28	10.7	15.7
200057	<0.01	0.06	2.09	0.39	8.00	18.6
200058	<0.01	0.04	1.63	0.22	11.3	16.7
200059	<0.01	0.22	4.71	0.39	14.3	11.5
200060	<0.01	0.14	46.4	0.40	7.36	2.29
200061	0.02	0.14	50.1	0.45	7.82	0.33
200062	<0.01	0.17	60.2	0.53	4.22	0.13
200063	<0.01	0.25	41.9	0.45	9.61	1.88
200064	<0.01	0.23	15.6	0.42	16.8	4.54
200065	<0.01	0.18	8.31	0.24	11.3	14.1
200066	0.07	2.40	11.9	0.08	1.37	0.29
200067	0.15	3.66	13.1	0.42	8.11	11.9
200068	0.36	9.09	3.48	0.35	3.15	10.3
200069	0.37	8.94	1.90	0.13	1.50	4.48
200070	0.07	1.50	3.79	0.45	9.31	16.5
200071	0.35	7.70	4.86	0.48	5.17	12.3
200072	0.11	1.49	2.61	0.29	9.88	16.2
200073	<0.01	0.10	2.97	0.26	14.3	12.3
200074	0.10	2.15	24.1	0.51	11.1	4.77
200075	0.17	3.82	16.0	0.50	9.39	8.71
200076	0.04	0.73	32.5	0.38	10.2	6.52
200077	0.02	0.18	53.3	0.46	6.86	0.41
200078	<0.01	0.10	9.36	0.31	11.9	18.5
200079	<0.01	0.07	21.7	0.40	11.0	12.8
200080	0.01	0.12	29.1	0.45	9.87	10.0
200081	0.12	2.81	13.9	0.63	10.9	11.9
200082	0.33	8.15	3.45	1.03	4.96	1.87

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709  
 Client Ref **46103**  
 Project \*  
 Reported 15/11/10  
 Status Final  
 Page Page 28 of 47

## ANALYTICAL REPORT

	XRF78S % 0.01 100.00 Ti	XRF78S % 0.01 100.00 Al	XRF78S % 0.01 100.00 Fe	XRF78S % 0.01 100.00 Mn	XRF78S % 0.01 100.00 Mg	XRF78S % 0.01 100.00 Ca
200083	0.33	8.59	1.61	0.13	1.43	1.79
200084	0.39	9.75	3.39	0.43	3.58	9.86
200085	0.05	0.96	16.9	0.52	15.4	4.73
200086	0.03	0.64	38.6	0.57	11.2	1.49
200087	0.17	3.85	4.82	0.48	11.0	11.7
200088	0.21	4.67	5.75	0.63	5.37	15.5
200089	0.22	4.80	11.5	0.41	10.6	7.54
200090	0.01	0.15	9.29	0.33	14.3	10.6
200091	0.05	0.90	9.60	0.49	17.0	7.29
200092	0.25	5.66	2.66	0.29	8.31	13.3
200093	0.10	2.53	2.22	0.27	9.43	17.1
200094	0.32	7.25	2.63	0.26	4.30	11.9
200095	0.36	8.49	1.43	0.06	1.65	4.23
200096	0.35	8.81	2.26	0.06	1.46	1.87
200097	0.35	9.46	3.55	0.03	1.22	0.43
200098	0.38	8.62	4.04	0.02	1.06	0.38
200099	0.35	7.56	1.52	0.05	1.43	2.87
200100	0.36	8.16	1.26	0.08	2.17	3.86
200101	0.36	8.60	2.11	0.05	1.20	1.92
200102	0.34	8.70	2.54	0.27	2.48	5.81
200103	0.03	0.61	26.4	0.24	11.1	4.10
200104	0.12	2.37	14.2	0.43	11.5	9.11
200105	0.05	1.19	46.0	0.36	7.30	1.74
200106	0.04	1.12	27.7	0.37	12.9	2.41
200107	0.40	6.38	4.38	0.39	7.53	12.2
200108	0.36	5.60	2.77	0.47	7.44	15.0
200109	0.05	1.04	15.7	0.34	18.4	2.03
200110	0.05	0.36	31.6	0.49	15.4	0.21
200111	0.04	0.28	24.5	0.38	18.0	0.17
200112	0.03	0.68	11.4	0.35	14.1	8.87
200113	<0.01	0.18	2.37	0.44	14.3	12.6
200114	0.05	1.09	6.90	0.33	14.8	8.29
200115	0.16	2.60	1.98	0.32	10.7	14.7
200116	0.19	3.95	1.69	0.28	8.86	12.9
200117	0.34	7.00	2.22	0.27	6.71	7.95
200118	0.04	1.08	1.33	0.19	12.3	15.6
200119	0.15	3.24	2.65	0.25	11.4	13.0
200120	0.18	3.83	2.39	0.27	9.12	14.6
200121	0.24	4.99	2.40	0.26	7.67	15.4

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709  
Client Ref **46103**  
Project \*  
Reported 15/11/10  
Status Final  
Page Page 29 of 47

## ANALYTICAL REPORT

	XRF78S % 0.01 100.00 Ti	XRF78S % 0.01 100.00 Al	XRF78S % 0.01 100.00 Fe	XRF78S % 0.01 100.00 Mn	XRF78S % 0.01 100.00 Mg	XRF78S % 0.01 100.00 Ca
200122	0.28	5.86	2.74	0.36	6.01	13.2
200123	0.31	6.36	1.98	0.32	5.06	10.3
200124	0.28	5.38	3.24	0.55	5.56	12.3
200125	0.11	2.12	17.8	0.44	13.9	4.67
200126	0.03	0.39	31.0	0.40	14.0	0.25
200127	0.02	0.24	37.5	0.22	6.35	0.55
200128	0.04	0.79	20.0	0.27	18.0	1.04
200129	0.26	3.68	4.24	0.35	14.2	8.72
200130	0.22	2.91	3.10	0.17	8.10	8.23
200131	0.29	3.97	4.25	0.16	12.6	6.46
200132	0.30	4.42	4.55	0.16	13.6	5.96
200133	0.29	3.88	3.91	0.20	13.2	8.50
200134	0.30	4.06	4.78	0.18	12.9	7.31
200135	0.29	4.10	4.51	0.20	12.8	7.25
200136	0.30	4.12	3.45	0.15	11.4	6.60
200137	0.27	3.88	5.53	0.14	14.3	5.23
200138	0.34	6.76	1.61	0.05	2.72	2.39
200139	0.40	8.70	2.63	0.05	2.17	0.87
200140	0.36	8.28	2.36	0.03	1.71	0.56
200141	0.36	7.11	1.69	0.02	1.40	0.69
200142	0.33	6.27	1.34	0.02	1.45	1.33
200143	0.35	6.08	1.36	0.04	1.99	1.43
200144	0.38	7.23	1.50	0.04	2.46	2.12
200145	0.35	4.84	1.97	0.15	6.78	9.92
200146	0.36	6.20	2.52	0.16	7.23	11.1
200147	0.39	6.91	1.75	0.12	6.86	7.14
200148	0.61	9.76	1.36	0.06	2.81	3.29
200149	0.32	5.25	1.60	0.12	5.74	9.48
200150	0.24	4.63	1.67	0.21	7.70	14.2
200151	0.35	6.81	1.03	0.09	2.18	3.14
200152	0.30	4.96	0.84	0.04	1.53	2.06
200153	0.34	6.17	1.44	0.16	4.56	8.67
200154	0.26	5.45	2.44	0.25	5.90	14.7
200155	0.20	3.61	1.44	0.13	7.63	12.2
200156	0.35	6.23	1.48	0.12	6.23	11.0
200157	0.07	2.41	11.7	0.08	1.37	0.29
200158	0.25	3.87	6.71	0.15	10.8	10.4
200159	0.42	6.52	5.33	0.09	6.74	5.47
200160	0.50	7.96	3.40	0.07	4.42	3.84

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709  
Client Ref **46103**  
Project \*  
Reported 15/11/10  
Status Final  
Page Page 30 of 47

## ANALYTICAL REPORT

	XRF78S % 0.01 100.00 Ti	XRF78S % 0.01 100.00 Al	XRF78S % 0.01 100.00 Fe	XRF78S % 0.01 100.00 Mn	XRF78S % 0.01 100.00 Mg	XRF78S % 0.01 100.00 Ca
200161	0.50	7.85	3.36	0.05	4.25	3.28
200162	0.50	8.38	3.43	0.04	3.91	3.22
200163	0.44	6.98	3.15	0.07	4.00	4.15
200164	0.50	8.02	3.74	0.04	3.99	3.22
200165	0.50	7.98	3.50	0.06	4.01	3.39
200166	0.49	7.47	3.38	0.06	4.20	3.89
200167	0.43	7.30	7.90	0.08	4.36	3.75
200168	0.50	8.11	3.92	0.05	2.77	2.07
200169	0.41	6.77	4.91	0.10	4.42	4.83
200170	0.47	7.64	4.45	0.07	3.72	3.74
200171	0.51	7.97	3.77	0.04	3.05	1.72
200172	0.51	7.90	4.19	0.03	3.00	1.13
200173	0.54	8.81	4.66	0.03	2.76	0.82
200174	0.55	8.83	4.33	0.02	2.76	0.62
200175	0.38	6.59	4.23	0.19	6.63	5.68
200176	0.42	7.04	3.06	0.14	7.16	7.98
200177	0.32	5.18	2.33	0.14	6.00	9.87
200178	0.07	2.41	11.7	0.08	1.36	0.29
200179	0.30	4.74	2.14	0.18	6.68	13.2
200180	0.33	6.06	2.04	0.19	6.10	13.6
200181	0.38	6.65	2.02	0.16	5.28	8.61
200182	0.40	6.64	1.75	0.11	4.79	4.63
200183	0.37	6.01	1.55	0.14	4.99	7.95
200184	0.36	5.69	1.61	0.15	4.61	8.38
200185	0.40	6.58	1.68	0.10	4.81	5.62
200186	0.41	6.89	1.77	0.13	4.85	6.67
200187	0.39	6.82	2.23	0.24	6.25	11.0
200188	0.40	6.55	2.14	0.16	6.63	8.30
200189	0.42	6.73	1.59	0.09	5.03	4.92
200190	0.31	4.82	2.28	0.18	8.15	13.4
200191	0.30	4.81	7.09	0.15	8.38	12.7
200192	0.12	1.86	10.7	0.17	16.3	4.75
200193	0.33	5.07	8.61	0.14	9.00	8.73
200194	0.37	6.00	4.64	0.19	5.02	12.6
200195	0.34	5.22	4.83	0.18	6.01	12.0
200196	0.30	4.97	7.73	0.18	6.32	12.8
200197	0.34	5.25	4.68	0.16	7.03	14.1
200198	0.36	5.67	5.82	0.17	6.27	13.0
200199	0.07	2.40	11.7	0.08	1.36	0.29

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709  
 Client Ref **46103**  
 Project \*  
 Reported 15/11/10  
 Status Final  
 Page Page 31 of 47

## ANALYTICAL REPORT

	XRF78S % 0.01 100.00 Ti	XRF78S % 0.01 100.00 Al	XRF78S % 0.01 100.00 Fe	XRF78S % 0.01 100.00 Mn	XRF78S % 0.01 100.00 Mg	XRF78S % 0.01 100.00 Ca
200200	0.35	5.51	6.35	0.18	7.74	11.5
200201	0.06	1.11	37.6	0.18	10.2	0.66
200202	0.15	2.13	27.8	0.21	11.5	2.73
200203	0.19	3.51	7.67	0.29	14.4	6.93
200204	0.27	4.23	7.37	0.14	10.5	9.63
200205	0.42	6.36	5.98	0.10	7.08	7.14
200206	0.37	5.96	5.72	0.12	6.81	8.72
200207	0.46	7.71	4.90	0.07	4.52	4.80
200208	0.58	9.74	4.05	0.03	3.26	1.48
200209	0.51	8.42	3.38	0.05	4.63	3.07
200210	0.42	7.28	3.69	0.06	4.33	4.01
200211	0.43	7.75	4.30	0.06	3.98	4.34
200212	0.36	5.04	12.6	0.10	7.70	6.29
200213	0.38	6.07	6.45	0.09	6.96	5.24
200214	0.40	6.17	3.49	0.13	9.70	7.01
200215	0.23	3.76	3.21	0.24	12.7	13.6
200216	0.38	5.30	3.87	0.19	12.5	6.78
200217	0.57	8.60	2.66	0.06	5.66	1.82
200218	0.39	6.15	4.28	0.14	11.6	3.79
200219	0.13	0.08	0.03	<0.01	<0.01	<0.01
D - 200053	<0.01	0.12	3.71	0.46	10.1	16.7
D - 200100	0.36	8.14	1.33	0.08	2.14	3.84
D - 200147	0.39	6.81	1.76	0.12	6.83	7.15
D - 200194	0.37	5.93	4.67	0.20	5.10	12.7

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709  
 Client Ref **46103**  
 Project \*  
 Reported 15/11/10  
 Status Final  
 Page Page 32 of 47

## ANALYTICAL REPORT

Scheme	XRF78S	XRF78S	XRF78S	XRF78S	XRF78S	XRF78S
Units	%	%	%	%	%	%
Detection Limit	0.01	0.01	0.01	0.01	0.01	0.01
Upper Limit	100.00	100.00	10.00	100.00	100.00	100.00
	Cr	Ni	As	Ba	Co	Cu
200045	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200046	<0.01	<0.01	0.07	<0.01	<0.01	<0.01
200047	<0.01	<0.01	0.05	<0.01	<0.01	<0.01
200048	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200049	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200050	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200051	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200052	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200053	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200054	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200055	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200056	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200057	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200058	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200059	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200060	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200061	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200062	<0.01	0.01	<0.01	<0.01	<0.01	<0.01
200063	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200064	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200065	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200066	<0.01	<0.01	<0.01	<0.01	<0.01	2.46
200067	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200068	0.01	<0.01	<0.01	0.03	<0.01	<0.01
200069	0.01	<0.01	<0.01	0.03	<0.01	<0.01
200070	<0.01	<0.01	<0.01	0.01	<0.01	<0.01
200071	0.01	<0.01	<0.01	0.04	<0.01	<0.01
200072	<0.01	<0.01	<0.01	0.01	<0.01	<0.01
200073	<0.01	<0.01	<0.01	0.01	<0.01	<0.01
200074	<0.01	<0.01	<0.01	0.01	<0.01	<0.01
200075	<0.01	<0.01	<0.01	0.01	<0.01	<0.01
200076	<0.01	<0.01	0.01	<0.01	<0.01	<0.01
200077	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200078	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200079	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200080	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200081	<0.01	<0.01	0.05	<0.01	<0.01	<0.01
200082	<0.01	<0.01	<0.01	0.06	<0.01	<0.01

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.





Lab Ref WM127709  
Client Ref **46103**  
Project \*  
Reported 15/11/10  
Status Final  
Page Page 33 of 47

## ANALYTICAL REPORT

	XRF78S % 0.01 100.00 Cr	XRF78S % 0.01 100.00 Ni	XRF78S % 0.01 10.00 As	XRF78S % 0.01 100.00 Ba	XRF78S % 0.01 100.00 Co	XRF78S % 0.01 100.00 Cu
200083	0.01	<0.01	<0.01	0.24	<0.01	<0.01
200084	0.01	<0.01	<0.01	0.03	<0.01	<0.01
200085	<0.01	<0.01	<0.01	0.01	<0.01	<0.01
200086	0.02	0.04	<0.01	<0.01	<0.01	<0.01
200087	<0.01	<0.01	<0.01	0.01	<0.01	<0.01
200088	<0.01	<0.01	<0.01	0.03	<0.01	<0.01
200089	<0.01	<0.01	<0.01	0.03	<0.01	<0.01
200090	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200091	<0.01	<0.01	<0.01	0.01	<0.01	<0.01
200092	<0.01	<0.01	<0.01	0.04	<0.01	<0.01
200093	<0.01	<0.01	<0.01	0.01	<0.01	0.02
200094	0.01	<0.01	<0.01	0.03	<0.01	<0.01
200095	0.01	<0.01	<0.01	0.16	<0.01	<0.01
200096	<0.01	<0.01	<0.01	0.16	<0.01	<0.01
200097	0.01	<0.01	<0.01	0.06	<0.01	<0.01
200098	0.01	<0.01	<0.01	0.11	<0.01	<0.01
200099	0.01	<0.01	<0.01	0.40	<0.01	<0.01
200100	0.01	<0.01	<0.01	0.65	<0.01	<0.01
200101	0.01	<0.01	<0.01	0.32	<0.01	0.01
200102	0.01	<0.01	<0.01	0.16	<0.01	<0.01
200103	<0.01	<0.01	<0.01	<0.01	<0.01	0.04
200104	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200105	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200106	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200107	<0.01	<0.01	<0.01	0.07	<0.01	<0.01
200108	<0.01	<0.01	<0.01	0.03	<0.01	<0.01
200109	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200110	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200111	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200112	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200113	<0.01	<0.01	<0.01	0.01	<0.01	<0.01
200114	<0.01	<0.01	<0.01	0.01	<0.01	0.01
200115	<0.01	<0.01	<0.01	0.03	<0.01	<0.01
200116	<0.01	<0.01	<0.01	0.02	<0.01	<0.01
200117	<0.01	<0.01	<0.01	0.03	<0.01	<0.01
200118	<0.01	<0.01	<0.01	0.01	<0.01	<0.01
200119	<0.01	<0.01	<0.01	0.03	<0.01	<0.01
200120	<0.01	<0.01	<0.01	0.03	<0.01	<0.01
200121	<0.01	<0.01	<0.01	0.03	<0.01	<0.01

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709  
Client Ref **46103**  
Project \*  
Reported 15/11/10  
Status Final  
Page Page 34 of 47

## ANALYTICAL REPORT

	XRF78S % 0.01 100.00 Cr	XRF78S % 0.01 100.00 Ni	XRF78S % 0.01 10.00 As	XRF78S % 0.01 100.00 Ba	XRF78S % 0.01 100.00 Co	XRF78S % 0.01 100.00 Cu
200122	<0.01	<0.01	<0.01	0.07	<0.01	<0.01
200123	<0.01	<0.01	<0.01	0.05	<0.01	<0.01
200124	<0.01	<0.01	<0.01	0.03	<0.01	<0.01
200125	<0.01	<0.01	<0.01	0.02	<0.01	<0.01
200126	<0.01	<0.01	<0.01	<0.01	<0.01	0.02
200127	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200128	<0.01	<0.01	<0.01	<0.01	<0.01	0.01
200129	<0.01	<0.01	<0.01	0.05	<0.01	<0.01
200130	<0.01	<0.01	<0.01	0.07	<0.01	<0.01
200131	<0.01	<0.01	<0.01	0.08	<0.01	<0.01
200132	<0.01	<0.01	<0.01	0.09	<0.01	<0.01
200133	<0.01	<0.01	<0.01	0.11	<0.01	<0.01
200134	<0.01	<0.01	<0.01	0.07	<0.01	<0.01
200135	<0.01	<0.01	<0.01	0.06	<0.01	<0.01
200136	<0.01	<0.01	<0.01	0.05	<0.01	<0.01
200137	<0.01	<0.01	<0.01	0.05	<0.01	<0.01
200138	<0.01	<0.01	<0.01	0.13	<0.01	<0.01
200139	<0.01	<0.01	<0.01	0.07	<0.01	<0.01
200140	<0.01	<0.01	<0.01	0.08	<0.01	<0.01
200141	<0.01	<0.01	<0.01	0.10	<0.01	<0.01
200142	<0.01	<0.01	<0.01	0.09	<0.01	<0.01
200143	<0.01	<0.01	<0.01	0.14	<0.01	<0.01
200144	0.01	<0.01	<0.01	0.39	<0.01	<0.01
200145	<0.01	<0.01	<0.01	0.32	<0.01	<0.01
200146	<0.01	<0.01	<0.01	0.07	<0.01	<0.01
200147	0.01	<0.01	<0.01	0.09	<0.01	<0.01
200148	0.02	<0.01	<0.01	0.11	<0.01	<0.01
200149	0.02	0.02	<0.01	0.12	<0.01	<0.01
200150	<0.01	<0.01	<0.01	0.07	<0.01	<0.01
200151	<0.01	<0.01	<0.01	0.13	<0.01	<0.01
200152	<0.01	<0.01	<0.01	0.14	<0.01	<0.01
200153	0.01	<0.01	<0.01	0.16	<0.01	<0.01
200154	<0.01	<0.01	<0.01	0.05	<0.01	<0.01
200155	<0.01	<0.01	<0.01	0.08	<0.01	<0.01
200156	<0.01	<0.01	<0.01	0.07	<0.01	<0.01
200157	<0.01	<0.01	<0.01	<0.01	<0.01	2.47
200158	<0.01	0.02	<0.01	0.05	<0.01	0.06
200159	<0.01	0.01	<0.01	0.83	<0.01	0.05
200160	0.01	0.01	<0.01	1.03	<0.01	0.01

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709  
Client Ref **46103**  
Project \*  
Reported 15/11/10  
Status Final  
Page Page 35 of 47

## ANALYTICAL REPORT

	XRF78S % 0.01 100.00 Cr	XRF78S % 0.01 100.00 Ni	XRF78S % 0.01 10.00 As	XRF78S % 0.01 100.00 Ba	XRF78S % 0.01 100.00 Co	XRF78S % 0.01 100.00 Cu
200161	0.01	<0.01	<0.01	0.53	<0.01	0.02
200162	0.01	<0.01	<0.01	0.73	<0.01	0.02
200163	<0.01	<0.01	<0.01	0.98	<0.01	0.01
200164	0.01	<0.01	<0.01	0.38	<0.01	0.01
200165	0.01	<0.01	<0.01	0.47	<0.01	<0.01
200166	0.01	<0.01	<0.01	0.50	<0.01	0.01
200167	0.01	<0.01	<0.01	0.42	<0.01	0.02
200168	0.01	<0.01	<0.01	0.40	<0.01	0.03
200169	<0.01	<0.01	<0.01	0.56	<0.01	0.06
200170	0.01	<0.01	<0.01	0.41	<0.01	0.02
200171	0.01	<0.01	<0.01	0.25	<0.01	0.01
200172	0.01	<0.01	<0.01	0.17	<0.01	0.01
200173	0.01	<0.01	<0.01	0.14	<0.01	0.01
200174	0.01	<0.01	<0.01	0.12	<0.01	0.01
200175	<0.01	0.02	<0.01	0.11	<0.01	0.13
200176	0.01	0.02	<0.01	0.21	<0.01	<0.01
200177	<0.01	0.02	<0.01	0.40	<0.01	<0.01
200178	<0.01	<0.01	<0.01	<0.01	<0.01	2.46
200179	<0.01	0.03	<0.01	0.05	<0.01	<0.01
200180	<0.01	0.03	<0.01	0.05	<0.01	<0.01
200181	<0.01	0.03	<0.01	0.11	<0.01	<0.01
200182	<0.01	0.02	<0.01	0.69	<0.01	<0.01
200183	<0.01	0.02	<0.01	0.10	<0.01	<0.01
200184	<0.01	0.02	<0.01	0.32	<0.01	<0.01
200185	<0.01	0.01	<0.01	0.58	<0.01	<0.01
200186	<0.01	0.01	<0.01	0.50	<0.01	<0.01
200187	<0.01	0.02	<0.01	0.04	<0.01	<0.01
200188	<0.01	0.02	<0.01	0.15	<0.01	<0.01
200189	<0.01	<0.01	<0.01	0.73	<0.01	<0.01
200190	<0.01	<0.01	<0.01	0.09	<0.01	<0.01
200191	<0.01	0.02	<0.01	0.03	<0.01	<0.01
200192	<0.01	0.01	<0.01	0.12	<0.01	0.02
200193	<0.01	0.02	<0.01	0.08	0.01	0.02
200194	<0.01	0.04	0.01	0.10	<0.01	0.02
200195	0.01	0.02	<0.01	0.20	<0.01	<0.01
200196	<0.01	<0.01	<0.01	0.06	<0.01	0.01
200197	<0.01	<0.01	<0.01	0.03	<0.01	<0.01
200198	<0.01	<0.01	<0.01	0.10	<0.01	<0.01
200199	<0.01	<0.01	<0.01	<0.01	<0.01	2.49

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709  
 Client Ref **46103**  
 Project \*  
 Reported 15/11/10  
 Status Final  
 Page Page 36 of 47

## ANALYTICAL REPORT

	XRF78S % 0.01 100.00 Cr	XRF78S % 0.01 100.00 Ni	XRF78S % 0.01 10.00 As	XRF78S % 0.01 100.00 Ba	XRF78S % 0.01 100.00 Co	XRF78S % 0.01 100.00 Cu
200200	<0.01	<0.01	<0.01	0.04	<0.01	0.01
200201	<0.01	<0.01	<0.01	<0.01	<0.01	0.02
200202	<0.01	0.01	<0.01	0.01	<0.01	0.02
200203	<0.01	<0.01	<0.01	0.05	<0.01	0.02
200204	<0.01	<0.01	<0.01	0.02	<0.01	0.01
200205	<0.01	<0.01	<0.01	0.22	<0.01	<0.01
200206	<0.01	<0.01	<0.01	0.21	<0.01	<0.01
200207	<0.01	<0.01	<0.01	0.31	<0.01	<0.01
200208	0.01	<0.01	<0.01	0.24	<0.01	<0.01
200209	0.01	<0.01	<0.01	0.44	<0.01	<0.01
200210	<0.01	<0.01	<0.01	0.52	<0.01	<0.01
200211	<0.01	<0.01	<0.01	0.71	<0.01	<0.01
200212	<0.01	<0.01	<0.01	0.06	0.01	<0.01
200213	<0.01	<0.01	<0.01	0.43	<0.01	<0.01
200214	<0.01	<0.01	<0.01	0.20	<0.01	<0.01
200215	<0.01	<0.01	<0.01	0.07	<0.01	<0.01
200216	<0.01	<0.01	<0.01	0.33	<0.01	<0.01
200217	0.01	<0.01	<0.01	1.16	<0.01	<0.01
200218	<0.01	<0.01	<0.01	0.40	<0.01	<0.01
200219	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
D - 200053	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
D - 200100	0.01	<0.01	<0.01	0.66	<0.01	<0.01
D - 200147	<0.01	<0.01	<0.01	0.09	<0.01	<0.01
D - 200194	<0.01	0.04	0.01	0.09	<0.01	0.01

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709  
 Client Ref **46103**  
 Project \*  
 Reported 15/11/10  
 Status Final  
 Page Page 37 of 47

## ANALYTICAL REPORT

Scheme	XRF78S	XRF78S	XRF78S	XRF78S	XRF78S	XRF78S
Units	%	%	%	%	%	%
Detection Limit	0.01	0.01	0.01	0.01	0.01	0.01
Upper Limit	100.00	100.00	100.00	100.00	100.00	100.00
	K	Pb	S	Sr	V	Zn
200045	0.03	<0.01	0.020	<0.01	<0.01	<0.01
200046	0.07	<0.01	0.071	<0.01	<0.01	0.02
200047	0.03	<0.01	0.078	<0.01	<0.01	0.01
200048	0.01	<0.01	0.040	<0.01	<0.01	0.01
200049	0.05	<0.01	0.033	<0.01	<0.01	0.04
200050	0.05	0.01	0.015	<0.01	<0.01	0.02
200051	0.05	0.02	0.034	<0.01	<0.01	0.04
200052	<0.01	<0.01	0.023	<0.01	<0.01	0.02
200053	<0.01	<0.01	0.462	<0.01	<0.01	0.04
200054	<0.01	<0.01	0.297	<0.01	<0.01	0.03
200055	<0.01	<0.01	0.020	<0.01	<0.01	0.01
200056	0.02	<0.01	0.063	<0.01	<0.01	0.01
200057	0.01	<0.01	0.104	<0.01	<0.01	0.02
200058	<0.01	<0.01	0.017	<0.01	<0.01	<0.01
200059	0.14	<0.01	0.055	<0.01	<0.01	0.01
200060	<0.01	<0.01	0.020	<0.01	<0.01	0.02
200061	<0.01	<0.01	0.021	<0.01	<0.01	0.03
200062	<0.01	<0.01	0.011	<0.01	<0.01	0.03
200063	0.04	<0.01	0.019	<0.01	<0.01	0.04
200064	0.11	<0.01	0.032	<0.01	<0.01	0.02
200065	0.06	<0.01	0.012	<0.01	<0.01	0.02
200066	0.59	3.17	7.43	<0.01	<0.01	1.64
200067	0.63	<0.01	0.045	<0.01	0.02	0.05
200068	0.96	0.01	0.028	0.03	0.02	0.01
200069	0.72	<0.01	0.109	0.05	0.03	0.02
200070	0.27	<0.01	0.008	<0.01	0.01	0.02
200071	1.86	<0.01	0.011	0.03	0.04	0.02
200072	0.42	0.01	0.248	0.01	0.03	0.01
200073	0.02	0.03	0.023	<0.01	<0.01	0.01
200074	0.39	<0.01	0.072	<0.01	0.01	0.04
200075	0.60	<0.01	0.020	<0.01	0.02	0.03
200076	0.01	<0.01	0.124	<0.01	<0.01	0.10
200077	<0.01	<0.01	0.017	<0.01	<0.01	0.04
200078	<0.01	<0.01	0.117	<0.01	<0.01	0.09
200079	<0.01	<0.01	0.020	<0.01	<0.01	0.04
200080	<0.01	<0.01	0.090	<0.01	<0.01	0.05
200081	0.01	0.02	0.557	<0.01	0.01	0.12
200082	3.86	<0.01	0.357	0.01	0.03	0.03

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709  
 Client Ref **46103**  
 Project \*  
 Reported 15/11/10  
 Status Final  
 Page Page 38 of 47

## ANALYTICAL REPORT

	XRF78S % 0.01 100.00 K	XRF78S % 0.01 100.00 Pb	XRF78S % 0.01 100.00 S	XRF78S % 0.01 100.00 Sr	XRF78S % 0.01 100.00 V	XRF78S % 0.01 100.00 Zn
200083	5.82	0.04	0.057	0.04	0.03	0.04
200084	1.43	0.02	0.014	0.05	0.03	0.02
200085	0.30	<0.01	0.331	<0.01	<0.01	0.03
200086	0.07	<0.01	0.111	<0.01	<0.01	0.04
200087	0.47	<0.01	0.023	0.03	0.01	0.02
200088	0.94	0.01	0.010	0.03	0.02	0.02
200089	1.01	<0.01	0.033	0.03	0.01	0.02
200090	0.05	<0.01	0.020	<0.01	<0.01	0.02
200091	0.07	0.01	0.188	<0.01	<0.01	0.02
200092	1.10	0.01	0.008	0.02	0.02	<0.01
200093	0.03	0.01	0.008	<0.01	0.01	<0.01
200094	1.06	0.01	0.009	0.05	0.03	<0.01
200095	1.94	0.01	0.101	0.05	0.03	<0.01
200096	4.72	0.02	0.709	0.03	0.02	<0.01
200097	5.08	0.01	1.27	0.01	0.02	<0.01
200098	5.16	<0.01	1.59	0.02	0.03	<0.01
200099	3.47	0.01	0.193	0.05	0.03	<0.01
200100	5.78	0.02	0.049	0.05	0.03	<0.01
200101	5.15	0.02	0.659	0.05	0.03	<0.01
200102	3.33	0.01	0.037	0.04	0.03	<0.01
200103	0.12	0.01	3.90	<0.01	0.01	0.03
200104	0.03	0.02	0.226	<0.01	0.01	0.08
200105	0.05	<0.01	0.059	<0.01	0.01	0.06
200106	0.04	0.01	0.122	<0.01	<0.01	0.03
200107	1.24	0.02	0.064	<0.01	0.01	0.12
200108	0.67	0.01	0.009	0.01	0.02	0.01
200109	0.11	0.01	0.026	<0.01	<0.01	0.03
200110	0.01	<0.01	0.052	<0.01	<0.01	0.05
200111	0.01	0.01	0.031	<0.01	<0.01	0.04
200112	0.06	0.02	0.083	<0.01	<0.01	0.01
200113	0.05	<0.01	0.163	<0.01	<0.01	<0.01
200114	0.42	0.02	0.916	<0.01	<0.01	0.02
200115	0.52	<0.01	0.016	0.01	0.01	<0.01
200116	0.70	0.02	0.008	0.02	0.01	<0.01
200117	1.24	0.01	0.011	0.02	0.01	0.01
200118	0.06	0.01	0.009	<0.01	0.01	<0.01
200119	0.62	<0.01	0.132	0.01	0.02	0.01
200120	0.75	0.01	0.015	0.01	0.02	<0.01
200121	0.65	0.01	0.011	0.02	0.02	0.01

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709  
 Client Ref **46103**  
 Project \*  
 Reported 15/11/10  
 Status Final  
 Page Page 39 of 47

## ANALYTICAL REPORT

	XRF78S % 0.01 100.00 K	XRF78S % 0.01 100.00 Pb	XRF78S % 0.01 100.00 S	XRF78S % 0.01 100.00 Sr	XRF78S % 0.01 100.00 V	XRF78S % 0.01 100.00 Zn
200122	2.14	0.01	0.008	0.03	0.02	0.01
200123	1.75	0.01	0.010	0.04	0.02	0.01
200124	0.92	0.02	0.020	0.02	0.01	0.01
200125	0.36	0.01	0.651	<0.01	<0.01	0.81
200126	<0.01	0.02	2.53	<0.01	<0.01	1.05
200127	0.02	<0.01	0.041	<0.01	<0.01	<0.01
200128	0.10	<0.01	1.14	<0.01	<0.01	0.07
200129	0.98	0.01	0.155	<0.01	<0.01	0.07
200130	0.98	0.01	0.023	0.03	<0.01	0.01
200131	2.02	0.01	0.018	0.01	<0.01	<0.01
200132	2.03	0.01	0.012	0.01	0.01	<0.01
200133	2.07	0.01	0.022	<0.01	<0.01	0.02
200134	1.39	<0.01	0.075	0.01	<0.01	<0.01
200135	1.26	0.01	0.008	0.01	<0.01	<0.01
200136	1.17	0.01	0.013	0.02	<0.01	<0.01
200137	1.38	<0.01	0.422	<0.01	<0.01	0.02
200138	2.91	0.01	0.087	0.03	<0.01	<0.01
200139	3.69	0.01	0.040	<0.01	<0.01	<0.01
200140	3.79	0.01	0.114	0.01	<0.01	<0.01
200141	3.44	0.01	0.205	<0.01	<0.01	<0.01
200142	2.94	<0.01	0.115	0.02	<0.01	<0.01
200143	2.97	0.01	0.034	0.03	<0.01	<0.01
200144	3.44	0.01	0.201	0.05	<0.01	<0.01
200145	1.92	0.02	0.016	0.03	0.01	0.01
200146	1.21	0.01	0.019	0.04	0.01	0.01
200147	1.47	0.01	0.044	0.04	<0.01	<0.01
200148	1.68	0.01	0.037	0.04	0.02	<0.01
200149	1.75	0.01	0.012	0.04	0.01	0.01
200150	1.44	<0.01	0.010	0.03	0.01	0.02
200151	3.00	0.01	0.013	0.03	<0.01	<0.01
200152	2.38	0.01	0.014	0.02	<0.01	<0.01
200153	2.69	0.01	0.012	0.04	0.01	0.01
200154	0.93	<0.01	0.015	0.02	<0.01	0.01
200155	1.48	<0.01	0.006	0.02	<0.01	<0.01
200156	1.40	0.01	0.017	0.04	0.01	0.01
200157	0.60	3.17	7.42	<0.01	<0.01	1.63
200158	1.57	0.01	2.70	0.01	0.01	0.02
200159	4.21	0.01	1.84	0.04	0.01	<0.01
200160	4.67	0.01	0.208	0.07	0.02	<0.01

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709  
 Client Ref **46103**  
 Project \*  
 Reported 15/11/10  
 Status Final  
 Page Page 40 of 47

## ANALYTICAL REPORT

	XRF78S % 0.01 100.00 K	XRF78S % 0.01 100.00 Pb	XRF78S % 0.01 100.00 S	XRF78S % 0.01 100.00 Sr	XRF78S % 0.01 100.00 V	XRF78S % 0.01 100.00 Zn
200161	3.67	0.01	0.377	0.07	0.01	<0.01
200162	4.10	<0.01	0.429	0.07	0.02	<0.01
200163	4.15	0.01	0.095	0.06	0.01	<0.01
200164	3.78	0.01	0.648	0.06	0.01	<0.01
200165	4.25	0.01	0.130	0.07	0.02	<0.01
200166	4.21	<0.01	0.144	0.06	0.01	<0.01
200167	3.87	<0.01	0.749	0.05	0.02	<0.01
200168	5.27	0.01	0.884	0.04	0.01	<0.01
200169	4.38	0.01	0.375	0.04	0.01	<0.01
200170	4.19	<0.01	0.435	0.05	0.02	<0.01
200171	4.57	<0.01	0.317	0.05	0.02	<0.01
200172	4.53	<0.01	0.517	0.05	0.02	<0.01
200173	5.10	0.01	1.26	0.04	0.02	<0.01
200174	5.41	<0.01	1.16	0.03	0.01	<0.01
200175	3.08	0.15	0.784	0.04	0.01	0.22
200176	1.74	0.01	0.052	0.06	0.01	0.02
200177	2.02	<0.01	0.130	0.04	<0.01	0.01
200178	0.60	3.19	7.59	<0.01	<0.01	1.63
200179	0.72	<0.01	0.018	0.03	0.01	<0.01
200180	0.97	<0.01	0.021	0.02	0.01	<0.01
200181	1.67	<0.01	0.025	0.05	0.01	<0.01
200182	5.21	<0.01	0.021	0.04	0.01	<0.01
200183	1.28	0.01	0.010	0.04	0.01	<0.01
200184	4.12	0.01	0.040	0.03	0.01	<0.01
200185	5.31	<0.01	0.055	0.04	0.01	<0.01
200186	4.09	0.01	0.035	0.04	0.01	<0.01
200187	0.61	<0.01	0.018	0.05	0.01	0.01
200188	1.91	<0.01	0.031	0.05	0.01	<0.01
200189	5.27	<0.01	0.031	0.06	0.01	<0.01
200190	1.50	<0.01	0.015	0.03	0.01	<0.01
200191	0.77	<0.01	0.357	0.03	0.01	<0.01
200192	0.70	<0.01	4.54	0.01	<0.01	<0.01
200193	2.45	0.01	5.26	0.03	0.02	0.02
200194	2.73	0.03	1.96	0.04	0.02	0.07
200195	2.53	0.01	2.40	0.04	0.01	0.01
200196	0.97	<0.01	4.96	0.04	0.01	<0.01
200197	0.78	<0.01	2.40	0.03	0.01	<0.01
200198	1.26	<0.01	3.14	0.04	0.01	<0.01
200199	0.60	3.17	7.87	<0.01	<0.01	1.64

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.





Lab Ref WM127709  
 Client Ref **46103**  
 Project \*  
 Reported 15/11/10  
 Status Final  
 Page Page 41 of 47

## ANALYTICAL REPORT

	XRF78S % 0.01 100.00 K	XRF78S % 0.01 100.00 Pb	XRF78S % 0.01 100.00 S	XRF78S % 0.01 100.00 Sr	XRF78S % 0.01 100.00 V	XRF78S % 0.01 100.00 Zn
200200	1.07	<0.01	3.15	0.03	0.01	<0.01
200201	0.18	<0.01	6.56	<0.01	0.01	0.02
200202	0.20	<0.01	6.43	<0.01	0.02	0.03
200203	0.91	<0.01	3.72	0.02	0.02	0.01
200204	1.18	<0.01	3.62	0.02	0.01	<0.01
200205	3.52	<0.01	3.36	0.05	0.02	<0.01
200206	2.31	<0.01	3.17	0.05	0.01	<0.01
200207	4.79	<0.01	3.06	0.06	0.02	<0.01
200208	5.95	<0.01	2.15	0.05	0.02	<0.01
200209	5.15	0.01	1.49	0.06	0.02	<0.01
200210	4.90	<0.01	2.23	0.06	0.02	<0.01
200211	6.04	<0.01	2.90	0.08	0.01	<0.01
200212	0.55	<0.01	5.17	0.04	0.01	<0.01
200213	3.14	<0.01	3.97	0.07	0.01	<0.01
200214	1.94	<0.01	1.12	0.07	0.01	<0.01
200215	0.60	<0.01	1.43	0.02	0.01	<0.01
200216	1.51	<0.01	1.59	0.03	0.02	<0.01
200217	4.28	<0.01	1.04	0.09	0.02	<0.01
200218	1.77	<0.01	1.59	0.04	0.01	<0.01
200219	0.04	<0.01	0.012	<0.01	<0.01	<0.01
D - 200053	0.01	0.01	0.459	<0.01	<0.01	0.04
D - 200100	5.77	0.01	0.048	0.04	0.03	<0.01
D - 200147	1.47	0.01	0.045	0.04	0.01	<0.01
D - 200194	2.69	0.03	1.90	0.04	0.02	0.07

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709  
Client Ref **46103**  
Project \*  
Reported 15/11/10  
Status Final  
Page Page 42 of 47

## ANALYTICAL REPORT

Scheme	XRF78S
Units	%
Detection Limit	-10.00
Upper Limit	100.00
	LOI
200045	0.158
200046	2.79
200047	2.07
200048	1.14
200049	3.65
200050	2.19
200051	0.914
200052	0.775
200053	1.05
200054	0.684
200055	0.520
200056	2.82
200057	9.75
200058	0.825
200059	3.55
200060	0.984
200061	1.67
200062	-0.5330
200063	2.27
200064	6.96
200065	1.39
200066	10.5
200067	2.20
200068	2.79
200069	0.878
200070	1.39
200071	2.44
200072	2.54
200073	4.14
200074	4.55
200075	3.83
200076	12.1
200077	2.17
200078	39.5
200079	28.3
200080	21.4
200081	20.6
200082	4.76

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709  
Client Ref **46103**  
Project \*  
Reported 15/11/10  
Status Final  
Page Page 43 of 47

## ANALYTICAL REPORT

	XRF78S % -10.00 100.00 LOI
200083	2.28
200084	3.86
200085	5.25
200086	2.41
200087	2.26
200088	1.86
200089	4.51
200090	2.12
200091	3.12
200092	2.96
200093	2.91
200094	2.04
200095	1.27
200096	2.99
200097	3.63
200098	4.19
200099	1.31
200100	2.04
200101	1.64
200102	3.55
200103	5.82
200104	3.95
200105	1.95
200106	5.61
200107	4.20
200108	2.88
200109	8.83
200110	6.53
200111	8.15
200112	3.96
200113	3.30
200114	4.92
200115	2.31
200116	2.07
200117	2.77
200118	1.71
200119	3.65
200120	2.67
200121	2.77

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709  
Client Ref **46103**  
Project \*  
Reported 15/11/10  
Status Final  
Page Page 44 of 47

## ANALYTICAL REPORT

	XRF78S % -10.00 100.00 LOI
200122	2.00
200123	1.39
200124	1.92
200125	7.26
200126	9.31
200127	6.88
200128	9.15
200129	5.67
200130	1.39
200131	2.63
200132	3.32
200133	2.89
200134	3.83
200135	3.96
200136	3.71
200137	4.41
200138	1.71
200139	3.35
200140	2.81
200141	2.16
200142	2.38
200143	1.71
200144	1.58
200145	1.99
200146	2.00
200147	2.31
200148	1.43
200149	1.38
200150	3.29
200151	1.91
200152	1.17
200153	2.24
200154	4.07
200155	2.03
200156	1.64
200157	10.5
200158	2.33
200159	1.97
200160	1.17

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709  
Client Ref **46103**  
Project \*  
Reported 15/11/10  
Status Final  
Page Page 45 of 47

## ANALYTICAL REPORT

	XRF78S % -10.00 100.00 LOI
200161	1.24
200162	1.33
200163	1.16
200164	1.36
200165	0.938
200166	1.06
200167	1.60
200168	1.63
200169	1.06
200170	1.19
200171	1.33
200172	1.62
200173	2.07
200174	2.19
200175	3.67
200176	2.58
200177	3.84
200178	10.5
200179	1.58
200180	2.59
200181	1.58
200182	0.883
200183	0.930
200184	1.56
200185	1.05
200186	1.33
200187	3.21
200188	2.14
200189	1.22
200190	2.26
200191	2.61
200192	9.16
200193	4.33
200194	1.84
200195	2.74
200196	4.74
200197	2.79
200198	3.42
200199	10.6

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127709  
Client Ref **46103**  
Project \*  
Reported 15/11/10  
Status Final  
Page Page 46 of 47

## ANALYTICAL REPORT

	XRF78S % -10.00 100.00 LOI
200200	3.84
200201	8.89
200202	10.6
200203	6.18
200204	4.21
200205	3.93
200206	3.19
200207	3.09
200208	3.28
200209	2.40
200210	2.45
200211	2.97
200212	7.62
200213	4.79
200214	5.36
200215	14.2
200216	5.94
200217	4.03
200218	6.22
200219	0.0930
D - 200053	1.08
D - 200100	2.04
D - 200147	2.27
D - 200194	1.85

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



<i>Lab Ref</i>	WM127709
<i>Client Ref</i>	<b>46103</b>
<i>Project</i>	*
<i>Reported</i>	15/11/10
<i>Status</i>	Final
<i>Page</i>	Page 47 of 47

## DESCRIPTION

WGH79 : Sample Weight  
ICP90Q : ICPAES after DIG90Q  
XRF78S : XRF, Fusion, Whole Rock