

**Kaern Lomasney**

EA to CFO

Creat Resources Holdings Ltd

GPO Box 2288

Hobart

TAS 7001

Lab Ref WM127900*Client Ref* **46104***Project* **Cost Code**Status* Final*Received* 04/11/10*Reported* 19/11/10*Samples* 119*First Sample* 200214*Last Sample* 200332*Pages* 50*Copy**Notes**Authorised by*

Graeme Farrant

Laboratory Manager

On behalf of:

The results in this analytical report pertain to the samples provided to this laboratory for preparation and/or analysis as requested by the client. This document is issued by the company subject to its General Conditions of Services (www.sgs.com/generalconditions). Attention is drawn to the limitations of liability, indemnification and justifications issues established therein.



Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 2 of 50

ANALYTICAL REPORT

Scheme	WGH79	ICP90Q	ICP90Q	ICP90Q	ICP90Q	ICP90Q
Units	G	%	%	%	%	PPM
Detection Limit	0.00	0.40	0.01	0.01	0.01	10.00
Upper Limit	0.00	0.00	25.00	25.00	70.00	100,000.00
	Wt(Dry)	SiO2	Ti	Al	Fe	Mn
200214		81.4	0.10	0.10	0.04	<10
200215	1.466000	63.6	0.32	7.81	4.68	4173
200216	1.978000	63.8	0.33	7.03	7.87	9739
200217	1.828000	53.6	0.25	5.25	13.2	6710
200218	1.756000	50.4	<0.01	0.38	14.3	6017
200219	0.910000	35.3	0.01	0.51	24.4	9891
200220	1.782000	47.0	<0.01	1.61	12.9	3457
200221	2.728000	32.8	0.01	1.31	20.4	3051
200222	2.098000	15.3	0.06	1.37	52.3	2114
200223	1.704000	41.2	0.34	7.08	11.1	1.10%
200224	2.546000	38.1	0.03	0.87	12.4	2707
200225	2.212000	45.7	<0.01	0.31	8.77	2470
200226	2.414000	47.9	0.14	3.46	9.51	3922
200227	1.630000	64.9	0.30	6.99	3.50	2015
200228	2.568000	40.8	0.17	3.80	29.2	2318
200229	2.750000	17.4	0.02	0.08	52.8	2342
200230	3.090000	22.5	0.10	1.85	37.2	3155
200231	2.646000	40.9	0.22	4.20	10.6	5264
200232	1.330000	43.7	0.28	6.42	15.4	6673
200233	3.300000	14.3	0.02	0.20	56.3	2743
200234	2.586000	37.6	<0.01	0.06	14.7	2905
200235		58.0	0.06	2.06	13.4	822
200236	2.136000	51.8	<0.01	0.10	3.52	2840
200237	2.462000	44.7	<0.01	0.11	14.5	2491
200238	2.640000	50.1	<0.01	0.10	1.91	2401
200239	2.614000	50.7	<0.01	0.06	2.06	2450
200240	2.726000	51.2	<0.01	0.07	3.77	2406
200241	2.586000	49.4	<0.01	0.07	7.82	3477
200242	2.356000	38.3	<0.01	0.04	15.0	5240
200243	2.466000	39.3	<0.01	0.03	11.0	5102
200244	2.338000	36.4	<0.01	0.05	15.1	3845
200245	2.522000	43.5	<0.01	0.11	15.1	3018
200246	2.390000	35.3	<0.01	0.11	23.8	3292
200247	2.244000	39.5	<0.01	0.04	13.9	2985
200248	2.200000	26.8	<0.01	0.08	25.7	3314
200249	1.684000	19.7	<0.01	0.09	33.8	7660
200250	1.760000	39.6	<0.01	0.07	18.6	4141
200251	2.178000	21.7	<0.01	0.09	34.7	5385

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 3 of 50

ANALYTICAL REPORT

	WGH79 G 0.00 0.00 Wt(Dry)	ICP90Q % 0.40 0.00 SiO2	ICP90Q % 0.01 25.00 Ti	ICP90Q % 0.01 25.00 Al	ICP90Q % 0.01 70.00 Fe	ICP90Q PPM 10.00 100,000.00 Mn
200252	1.694000	29.2	<0.01	0.06	21.1	6747
200253	2.128000	23.4	<0.01	0.16	27.0	7004
200254	2.844000	14.5	0.03	0.50	44.4	4852
200255	2.494000	18.8	0.03	0.30	36.0	3854
200256		56.4	0.06	2.60	12.0	809
200257	2.450000	31.4	0.02	0.18	21.2	3760
200258	2.578000	27.8	0.02	0.19	22.3	4344
200259		29.3	0.02	0.27	35.3	2071
200260	2.114000	23.0	0.02	0.25	28.0	4690
200261	2.764000	17.7	0.03	0.18	36.2	5423
200262	2.744000	25.8	0.01	0.15	22.3	4565
200263	2.450000	24.7	0.01	0.10	24.6	3711
200264	2.208000	28.2	<0.01	0.07	20.0	2972
200265	2.156000	35.3	0.01	0.16	15.7	3263
200266	2.490000	38.7	0.02	0.48	13.1	5719
200267	2.618000	48.9	<0.01	0.27	4.27	3215
200268	2.614000	31.0	0.02	0.23	22.9	3312
200269	3.170000	16.1	0.04	0.33	40.2	4373
200270	2.832000	25.5	0.16	3.56	27.3	6475
200271	1.978000	33.1	0.09	3.11	12.4	4913
200272	2.678000	19.1	0.03	0.15	36.5	2989
200273	2.190000	23.3	0.02	0.30	28.0	5327
200274	2.588000	24.7	0.03	0.23	24.9	5922
200275	2.578000	22.2	0.04	0.42	29.5	6785
200276	2.790000	25.8	0.03	0.40	22.0	5968
200277	2.584000	18.9	0.05	0.46	34.4	6440
200278		51.8	0.06	2.49	12.1	836
200279	2.142000	37.7	0.03	1.58	6.88	5581
200280	2.268000	49.5	0.27	6.75	5.60	6032
200281	2.856000	43.1	0.21	5.70	6.78	5778
200282	2.662000	41.1	0.12	3.13	6.82	5839
200283	2.500000	41.8	0.26	7.13	8.00	3380
200284	2.558000	46.2	0.17	4.29	3.59	2378
200285	2.534000	47.2	0.22	5.77	6.65	3458
200286	2.380000	42.9	0.19	4.37	6.78	2302
200287	2.510000	40.7	0.26	6.39	9.10	3084
200288	1.732000	55.8	0.34	9.18	2.46	1758
200289	3.148000	48.7	0.03	0.87	3.00	2893
200290	2.478000	51.3	<0.01	0.28	3.10	1933

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 4 of 50

ANALYTICAL REPORT

	WGH79 G 0.00 0.00 Wt(Dry)	ICP90Q % 0.40 0.00 SiO2	ICP90Q % 0.01 25.00 Ti	ICP90Q % 0.01 25.00 Al	ICP90Q % 0.01 70.00 Fe	ICP90Q PPM 10.00 100,000.00 Mn
200291	2.540000	52.9	<0.01	0.13	2.01	2162
200292	2.340000	49.3	<0.01	0.15	2.09	1601
200293	2.620000	53.2	0.05	1.37	2.82	1694
200294	2.304000	53.0	0.11	2.78	3.26	2160
200295	2.364000	57.9	0.31	8.22	2.58	1147
200296	2.156000	59.6	0.28	7.67	3.95	357
200297	2.586000	48.0	0.26	7.19	4.81	2826
200298	2.508000	49.1	0.17	4.50	3.79	2991
200299		54.2	0.06	2.37	11.7	788
200300	2.654000	50.7	0.24	6.69	3.13	2515
200301	2.258000	53.7	0.32	8.33	3.04	2396
200302	2.226000	64.5	0.30	7.85	2.23	289
200303	2.320000	68.1	0.30	6.86	1.53	255
200304	2.326000	69.3	0.33	7.47	1.61	317
200305	2.046000	69.1	0.33	7.77	1.38	447
200306	2.452000	55.0	0.28	6.35	2.45	1710
200307	2.484000	50.4	0.32	7.75	4.16	3182
200308	2.332000	49.8	0.25	6.29	2.51	2299
200309	2.408000	53.4	0.25	5.63	1.45	1139
200310	2.310000	61.5	0.29	6.74	1.88	1401
200311	2.224000	55.2	0.23	5.58	2.93	2221
200312	2.510000	34.5	0.10	1.94	18.5	1942
200313	2.266000	33.3	0.02	0.54	14.8	1898
200314	2.382000	40.1	0.02	0.57	9.20	1730
200315	2.574000	47.7	0.01	0.29	9.81	1392
200316	2.352000	46.9	0.01	0.43	4.93	2526
200317	2.590000	39.6	0.27	4.64	6.91	2484
200318	2.236000	46.5	0.32	6.10	4.48	5176
200319	2.334000	69.2	0.28	6.24	1.13	578
200320		54.8	0.06	2.51	12.1	792
200321	2.104000	70.7	0.30	5.96	1.14	337
200322	2.270000	68.3	0.32	7.19	0.91	195
200323	2.168000	67.8	0.33	7.50	0.84	94
200324	2.232000	75.6	0.34	6.92	0.74	97
200325	1.990000	76.0	0.28	5.63	0.67	104
200326	2.170000	64.6	0.28	6.18	1.09	260
200327	2.430000	58.2	0.32	6.90	2.41	571
200328	2.178000	72.2	0.34	7.41	2.53	101
200329	2.290000	54.3	0.38	6.66	3.12	953

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
Client Ref **46104**
Project *
Reported 19/11/10
Status Final
Page Page 5 of 50

ANALYTICAL REPORT

	WGH79 G 0.00 0.00 Wt(Dry)	ICP90Q % 0.40 0.00 SiO2	ICP90Q % 0.01 25.00 Ti	ICP90Q % 0.01 25.00 Al	ICP90Q % 0.01 70.00 Fe	ICP90Q PPM 10.00 100,000.00 Mn
200330	2.444000	46.5	0.35	5.67	3.94	1278
200331	2.084000	41.3	0.32	5.34	6.82	1920
200332		50.6	0.06	2.40	11.9	799
D - 200222		13.4	0.06	1.37	49.6	2120
D - 200269		14.4	0.04	0.34	42.4	4475
D - 200316		45.8	0.01	0.43	4.92	2511

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 6 of 50

ANALYTICAL REPORT

Scheme	ICP90Q	ICP90Q	ICP90Q	ICP90Q	ICP90Q	ICP90Q
Units	%	%	PPM	PPM	PPM	PPM
Detection Limit	0.02	0.20	20.00	20.00	10.00	30.00
Upper Limit	30.00	40.00	100,000.00	100,000.00	100,000.00	50,000.00
	Mg	Ca	B	Cr	Ni	As
200214	<0.02	<0.2	21	29	<10	48
200215	2.06	0.4	177	58	23	<30
200216	3.28	0.6	55	62	24	<30
200217	6.70	4.8	809	51	28	<30
200218	9.60	7.8	22	<20	<10	33
200219	7.58	3.5	87	<20	20	111
200220	13.8	4.1	164	<20	13	112
200221	14.9	2.2	230	22	31	165
200222	4.30	1.6	57	22	34	93
200223	5.29	8.2	97	78	55	57
200224	9.18	6.9	39	21	37	113
200225	11.2	11.3	34	<20	20	<30
200226	7.04	8.7	21	50	38	<30
200227	3.07	2.2	<20	72	54	70
200228	4.13	2.3	66	50	60	346
200229	6.93	0.3	88	<20	20	311
200230	5.84	3.8	72	35	52	205
200231	5.82	12.8	31	52	35	37
200232	7.63	11.4	79	63	43	50
200233	6.21	1.2	154	<20	23	133
200234	10.3	10.5	116	<20	19	125
200235	1.43	0.5	<20	34	37	116
200236	10.1	15.1	26	<20	57	<30
200237	9.19	12.6	45	<20	49	<30
200238	10.7	15.5	39	<20	46	<30
200239	10.5	16.6	45	<20	45	<30
200240	11.1	13.1	60	<20	13	86
200241	15.5	8.7	260	<20	16	179
200242	19.8	1.4	425	<20	<10	173
200243	19.3	1.2	482	<20	27	161
200244	17.5	1.5	458	<20	56	177
200245	14.6	5.7	246	<20	120	120
200246	14.6	2.5	308	<20	21	71
200247	20.7	0.5	639	<20	14	150
200248	14.7	0.4	502	<20	12	67
200249	10.8	0.5	415	<20	63	123
200250	14.1	3.7	334	<20	17	70
200251	12.4	0.3	372	<20	<10	43

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 7 of 50

ANALYTICAL REPORT

	ICP90Q % 0.02 30.00 Mg	ICP90Q % 0.20 40.00 Ca	ICP90Q PPM 20.00 100,000.00 B	ICP90Q PPM 20.00 100,000.00 Cr	ICP90Q PPM 10.00 100,000.00 Ni	ICP90Q PPM 30.00 50,000.00 As
200252	15.9	0.5	529	<20	70	72
200253	12.9	0.8	435	<20	30	235
200254	8.69	0.5	205	<20	33	37
200255	11.1	0.4	269	<20	18	39
200256	1.37	0.4	58	25	62	73
200257	16.9	0.7	421	<20	44	61
200258	16.3	<0.2	416	<20	31	70
200259	6.02	0.5	<20	30	75	<30
200260	14.0	<0.2	337	22	18	62
200261	10.7	0.4	274	<20	<10	52
200262	15.3	0.3	376	<20	23	72
200263	15.8	<0.2	377	<20	13	277
200264	16.9	<0.2	423	<20	<10	163
200265	17.6	1.6	422	<20	86	56
200266	14.8	4.0	291	<20	<10	241
200267	12.1	11.0	121	<20	<10	261
200268	13.5	2.4	308	<20	<10	118
200269	9.47	0.4	256	<20	15	159
200270	9.08	4.6	275	37	47	108
200271	16.1	3.0	295	28	<10	128
200272	11.9	0.2	281	<20	<10	56
200273	14.9	0.2	505	<20	<10	40
200274	17.1	<0.2	401	<20	<10	51
200275	15.2	0.2	324	<20	11	54
200276	16.9	<0.2	383	<20	12	47
200277	12.8	<0.2	291	<20	12	124
200278	1.39	0.4	56	24	28	64
200279	18.5	3.5	390	<20	<10	86
200280	4.26	11.2	166	57	21	<30
200281	6.11	12.8	199	65	18	<30
200282	16.8	5.7	313	23	10	51
200283	4.56	11.6	80	65	74	39
200284	7.35	13.9	1467	31	28	<30
200285	5.81	15.4	469	45	68	<30
200286	11.3	9.0	162	45	49	85
200287	8.86	7.8	2404	70	42	41
200288	1.74	6.1	116	107	57	<30
200289	10.2	13.5	55	<20	27	<30
200290	16.2	7.7	171	<20	42	50

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 8 of 50

ANALYTICAL REPORT

	ICP90Q % 0.02 30.00 Mg	ICP90Q % 0.20 40.00 Ca	ICP90Q PPM 20.00 100,000.00 B	ICP90Q PPM 20.00 100,000.00 Cr	ICP90Q PPM 10.00 100,000.00 Ni	ICP90Q PPM 30.00 50,000.00 As
200291	13.2	11.0	32	<20	13	<30
200292	11.7	9.0	43	<20	14	<30
200293	14.5	7.6	89	<20	47	<30
200294	10.5	12.9	270	26	42	<30
200295	1.40	4.8	137	94	57	<30
200296	1.78	2.1	210	75	71	<30
200297	3.59	11.4	66	83	97	<30
200298	7.65	13.6	49	47	16	<30
200299	1.31	0.4	50	28	31	65
200300	5.99	11.9	67	56	91	<30
200301	2.39	9.5	212	60	58	<30
200302	1.31	1.1	286	71	90	37
200303	1.22	1.9	317	62	30	<30
200304	1.47	2.0	323	51	35	<30
200305	1.65	1.5	330	57	35	<30
200306	5.17	7.3	126	44	10	<30
200307	3.95	9.9	51	63	30	<30
200308	3.54	8.4	156	53	19	<30
200309	4.65	8.7	178	58	18	<30
200310	4.20	6.9	51	70	21	<30
200311	5.49	8.9	53	53	18	<30
200312	12.8	4.7	234	<20	24	214
200313	17.0	4.2	381	<20	<10	397
200314	17.4	3.2	362	<20	<10	441
200315	14.2	6.3	170	<20	<10	230
200316	12.0	10.0	<20	<20	<10	<30
200317	15.1	4.8	33	33	12	64
200318	8.67	4.0	49	42	22	<30
200319	2.45	0.8	330	42	41	<30
200320	1.48	0.3	60	25	45	95
200321	2.52	1.0	271	47	16	35
200322	1.87	1.7	328	49	60	<30
200323	1.57	1.1	341	52	35	<30
200324	1.36	1.0	298	51	36	<30
200325	1.37	1.0	436	50	43	32
200326	3.05	2.4	248	51	32	33
200327	4.73	3.4	253	70	39	<30
200328	1.96	1.3	251	99	54	35
200329	6.37	5.0	386	85	52	<30

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
Client Ref **46104**
Project *
Reported 19/11/10
Status Final
Page Page 9 of 50

ANALYTICAL REPORT

	ICP90Q % 0.02 30.00 Mg	ICP90Q % 0.20 40.00 Ca	ICP90Q PPM 20.00 100,000.00 B	ICP90Q PPM 20.00 100,000.00 Cr	ICP90Q PPM 10.00 100,000.00 Ni	ICP90Q PPM 30.00 50,000.00 As
200330	8.49	6.7	478	67	26	<30
200331	11.2	6.4	245	68	41	<30
200332	1.54	0.3	56	30	30	69
D - 200222	4.64	1.4	33	<20	17	31
D - 200269	10.2	0.3	265	<20	<10	202
D - 200316	12.8	10.8	<20	<20	<10	<30

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 10 of 50

ANALYTICAL REPORT

Scheme	ICP90Q	ICP90Q	ICP90Q	ICP90Q	ICP90Q	ICP90Q
Units	PPM	PPM	PPM	PPM	PPM	PPM
Detection Limit	10.00	5.00	10.00	10.00	10.00	10.00
Upper Limit	10,000.00	2,500.00	50,000.00	20,000.00	100,000.00	100,000.00
	Ba	Be	Cd	Ce	Co	Cu
200214	10	<5	<10	<10	<10	<10
200215	470	<5	<10	65	12	25
200216	868	<5	<10	145	18	505
200217	222	6	<10	81	32	35
200218	<10	<5	<10	<10	52	393
200219	18	<5	<10	<10	82	556
200220	26	<5	<10	51	36	285
200221	230	<5	<10	<10	28	165
200222	57	<5	<10	15	20	222
200223	97	6	<10	184	14	64
200224	39	<5	<10	16	26	149
200225	34	<5	<10	<10	<10	67
200226	21	<5	<10	19	<10	29
200227	19	<5	<10	76	23	33
200228	66	<5	<10	54	61	244
200229	88	<5	<10	<10	26	102
200230	72	<5	<10	181	122	563
200231	31	7	<10	463	11	41
200232	79	6	<10	252	30	66
200233	154	<5	<10	<10	26	194
200234	116	<5	<10	<10	26	225
200235	14	<5	60	28	67	2.26%
200236	<10	<5	<10	11	13	<10
200237	<10	<5	<10	16	<10	<10
200238	10	<5	<10	<10	<10	<10
200239	<10	<5	<10	11	<10	<10
200240	<10	<5	<10	<10	<10	35
200241	<10	<5	<10	<10	16	92
200242	<10	<5	<10	<10	43	275
200243	14	<5	<10	<10	25	92
200244	<10	<5	<10	<10	16	97
200245	<10	<5	<10	<10	16	51
200246	<10	<5	<10	<10	<10	<10
200247	<10	<5	<10	<10	11	<10
200248	<10	<5	<10	<10	<10	<10
200249	10	7	<10	<10	12	<10
200250	<10	<5	<10	<10	14	<10
200251	<10	<5	<10	<10	11	<10

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 11 of 50

ANALYTICAL REPORT

	ICP90Q PPM 10.00 10,000.00 Ba	ICP90Q PPM 5.00 2,500.00 Be	ICP90Q PPM 10.00 50,000.00 Cd	ICP90Q PPM 10.00 20,000.00 Ce	ICP90Q PPM 10.00 100,000.00 Co	ICP90Q PPM 10.00 100,000.00 Cu
200252	<10	5	<10	<10	<10	<10
200253	<10	<5	<10	<10	16	<10
200254	<10	<5	<10	<10	12	<10
200255	<10	<5	<10	<10	13	12
200256	71	<5	60	24	74	2.39%
200257	<10	<5	<10	<10	13	108
200258	<10	<5	<10	<10	16	39
200259	19	<5	<10	<10	<10	<10
200260	<10	<5	<10	<10	<10	32
200261	<10	<5	<10	<10	14	40
200262	<10	<5	<10	<10	14	11
200263	<10	<5	<10	<10	14	<10
200264	<10	<5	<10	<10	<10	<10
200265	<10	<5	<10	<10	28	198
200266	25	<5	<10	<10	41	168
200267	<10	<5	<10	<10	<10	11
200268	<10	<5	<10	<10	36	92
200269	<10	<5	<10	<10	30	28
200270	32	<5	<10	33	31	104
200271	74	<5	<10	37	13	<10
200272	<10	<5	<10	<10	<10	<10
200273	<10	<5	<10	<10	17	22
200274	<10	<5	<10	<10	17	29
200275	<10	<5	<10	<10	19	66
200276	<10	<5	<10	<10	15	26
200277	<10	<5	<10	<10	19	54
200278	69	<5	58	26	70	2.27%
200279	39	<5	<10	<10	<10	136
200280	380	<5	<10	80	<10	<10
200281	157	<5	<10	76	<10	<10
200282	65	<5	<10	34	10	12
200283	321	<5	<10	195	19	116
200284	238	<5	<10	47	12	<10
200285	156	<5	<10	141	23	<10
200286	145	<5	<10	120	<10	<10
200287	220	<5	<10	186	12	<10
200288	603	5	<10	50	<10	<10
200289	19	<5	<10	<10	<10	<10
200290	<10	<5	<10	<10	<10	<10

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 12 of 50

ANALYTICAL REPORT

	ICP90Q PPM 10.00 10,000.00 Ba	ICP90Q PPM 5.00 2,500.00 Be	ICP90Q PPM 10.00 50,000.00 Cd	ICP90Q PPM 10.00 20,000.00 Ce	ICP90Q PPM 10.00 100,000.00 Co	ICP90Q PPM 10.00 100,000.00 Cu
200291	<10	<5	<10	<10	<10	<10
200292	<10	<5	<10	<10	<10	<10
200293	119	<5	<10	<10	<10	<10
200294	114	<5	<10	39	<10	<10
200295	1108	<5	<10	101	10	21
200296	1066	<5	<10	83	14	60
200297	730	<5	<10	101	<10	11
200298	244	<5	<10	89	<10	<10
200299	68	<5	57	23	70	2.21%
200300	265	<5	<10	129	<10	18
200301	341	<5	<10	46	<10	<10
200302	1336	<5	<10	83	15	33
200303	1252	<5	<10	68	<10	<10
200304	676	<5	<10	71	<10	<10
200305	853	<5	<10	72	<10	<10
200306	797	<5	<10	43	<10	<10
200307	783	5	<10	120	11	<10
200308	321	<5	<10	28	<10	<10
200309	313	<5	<10	29	<10	<10
200310	313	<5	<10	44	<10	<10
200311	465	<5	<10	58	<10	<10
200312	82	<5	<10	42	24	86
200313	11	<5	<10	<10	<10	<10
200314	<10	<5	<10	<10	<10	<10
200315	<10	<5	<10	<10	<10	<10
200316	<10	<5	<10	<10	<10	<10
200317	237	<5	<10	<10	23	101
200318	198	<5	<10	66	22	49
200319	840	<5	<10	64	11	<10
200320	70	<5	62	20	78	2.34%
200321	703	<5	<10	66	<10	17
200322	836	<5	<10	60	<10	<10
200323	859	<5	<10	72	<10	<10
200324	980	<5	<10	58	<10	<10
200325	1237	<5	<10	56	<10	<10
200326	5634	<5	<10	60	<10	<10
200327	2612	<5	<10	77	14	22
200328	2688	<5	<10	78	15	35
200329	>10000	<5	<10	64	12	<10

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
Client Ref **46104**
Project *
Reported 19/11/10
Status Final
Page Page 13 of 50

ANALYTICAL REPORT

	ICP90Q PPM 10.00 10,000.00 Ba	ICP90Q PPM 5.00 2,500.00 Be	ICP90Q PPM 10.00 50,000.00 Cd	ICP90Q PPM 10.00 20,000.00 Ce	ICP90Q PPM 10.00 100,000.00 Co	ICP90Q PPM 10.00 100,000.00 Cu
200330	4139	<5	<10	33	15	19
200331	392	<5	<10	71	20	<10
200332	72	<5	63	22	76	2.25%
D - 200222	39	<5	<10	31	24	204
D - 200269	<10	<5	<10	<10	33	24
D - 200316	<10	<5	<10	<10	<10	<10

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 14 of 50

ANALYTICAL REPORT

Scheme	ICP90Q	ICP90Q	ICP90Q	ICP90Q	ICP90Q	ICP90Q
Units	%	PPM	PPM	PPM	PPM	%
Detection Limit	0.10	10.00	10.00	10.00	20.00	0.01
Upper Limit	25.00	20,000.00	100,000.00	100,000.00	20,000.00	10.00
	K	La	Li	Mo	Pb	S
200214	<0.1	<10	<10	<10	<20	0.03
200215	2.8	35	91	<10	70	0.12
200216	2.4	87	122	<10	207	0.18
200217	0.9	51	38	<10	208	0.14
200218	<0.1	<10	<10	<10	25	0.09
200219	<0.1	<10	<10	<10	43	3.59
200220	0.2	18	<10	<10	71	2.22
200221	0.3	<10	<10	18	<20	1.47
200222	0.3	<10	21	<10	<20	1.14
200223	1.3	80	154	<10	<20	0.15
200224	0.2	<10	16	<10	<20	1.95
200225	0.1	<10	15	<10	<20	0.21
200226	1.4	<10	56	13	<20	0.14
200227	2.1	29	58	12	<20	0.05
200228	0.9	22	45	<10	<20	1.63
200229	<0.1	<10	26	<10	<20	0.49
200230	0.3	82	33	<10	<20	6.76
200231	0.6	221	51	<10	<20	0.06
200232	1.0	123	109	<10	<20	0.17
200233	0.1	<10	<10	<10	<20	1.40
200234	<0.1	<10	20	<10	<20	1.88
200235	0.6	12	15	<10	<20	7.95
200236	0.1	<10	21	<10	32	0.02
200237	<0.1	<10	22	<10	27	0.07
200238	<0.1	<10	<10	<10	32	0.03
200239	<0.1	<10	<10	<10	<20	0.02
200240	0.1	<10	<10	<10	46	0.24
200241	<0.1	<10	<10	<10	36	0.86
200242	<0.1	<10	<10	<10	<20	2.97
200243	<0.1	<10	<10	<10	27	1.18
200244	<0.1	<10	<10	<10	51	1.02
200245	<0.1	<10	<10	<10	23	0.60
200246	<0.1	<10	<10	<10	<20	0.14
200247	<0.1	<10	<10	<10	<20	0.15
200248	<0.1	<10	<10	<10	26	0.06
200249	<0.1	<10	<10	<10	22	0.39
200250	<0.1	<10	<10	<10	26	0.35
200251	<0.1	<10	<10	<10	<20	0.12

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 15 of 50

ANALYTICAL REPORT

	ICP90Q % 0.10 25.00 K	ICP90Q PPM 10.00 20,000.00 La	ICP90Q PPM 10.00 100,000.00 Li	ICP90Q PPM 10.00 100,000.00 Mo	ICP90Q PPM 20.00 20,000.00 Pb	ICP90Q % 0.01 10.00 S
200252	<0.1	<10	<10	<10	<20	0.15
200253	<0.1	<10	<10	<10	<20	1.18
200254	<0.1	<10	<10	<10	22	0.07
200255	<0.1	<10	<10	<10	<20	0.06
200256	0.6	16	13	<10	>20000	8.73
200257	<0.1	<10	<10	<10	<20	0.15
200258	<0.1	<10	<10	<10	22	0.30
200259	<0.1	<10	<10	<10	<20	0.04
200260	<0.1	<10	<10	<10	<20	0.18
200261	<0.1	<10	<10	<10	35	0.20
200262	0.1	<10	<10	<10	<20	0.12
200263	<0.1	<10	<10	<10	37	0.06
200264	<0.1	<10	<10	<10	<20	0.05
200265	0.1	<10	<10	<10	<20	1.59
200266	0.4	<10	<10	<10	<20	2.36
200267	0.1	<10	<10	<10	<20	0.08
200268	0.1	<10	<10	<10	<20	1.48
200269	0.1	<10	<10	<10	67	0.11
200270	0.2	19	63	<10	40	0.98
200271	0.8	20	20	<10	29	0.16
200272	<0.1	<10	<10	<10	46	0.02
200273	<0.1	<10	<10	<10	32	0.25
200274	<0.1	<10	<10	<10	<20	0.30
200275	0.1	<10	<10	<10	<20	0.49
200276	0.1	<10	<10	<10	30	0.32
200277	0.1	<10	<10	<10	31	0.53
200278	0.7	16	16	<10	>20000	8.05
200279	0.3	<10	<10	<10	<20	0.22
200280	2.0	37	38	<10	51	0.04
200281	1.1	40	50	<10	27	0.05
200282	0.5	20	34	<10	40	0.11
200283	1.4	112	55	<10	160	0.10
200284	1.0	25	31	<10	51	<0.01
200285	0.7	80	41	<10	42	<0.01
200286	0.7	67	70	<10	142	0.10
200287	0.8	98	74	<10	46	0.01
200288	3.0	24	27	11	114	0.02
200289	0.1	<10	15	<10	<20	<0.01
200290	<0.1	<10	<10	<10	34	0.10

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 16 of 50

ANALYTICAL REPORT

	ICP90Q % 0.10 25.00 K	ICP90Q PPM 10.00 20,000.00 La	ICP90Q PPM 10.00 100,000.00 Li	ICP90Q PPM 10.00 100,000.00 Mo	ICP90Q PPM 20.00 20,000.00 Pb	ICP90Q % 0.01 10.00 S
200291	<0.1	<10	<10	<10	<20	0.03
200292	<0.1	<10	<10	<10	<20	0.01
200293	0.5	<10	28	<10	79	0.02
200294	0.5	21	33	<10	<20	0.02
200295	2.5	49	21	<10	31	0.25
200296	3.6	42	41	<10	<20	1.80
200297	1.1	54	25	<10	33	0.21
200298	1.0	51	36	<10	22	0.01
200299	0.5	14	11	<10	>20000	8.36
200300	1.1	66	29	<10	45	0.03
200301	1.3	22	21	<10	33	0.03
200302	4.1	42	33	<10	<20	0.63
200303	2.4	33	39	<10	<20	0.03
200304	2.4	33	36	<10	<20	0.05
200305	3.0	36	44	<10	<20	<0.01
200306	3.0	22	32	<10	<20	0.02
200307	2.2	63	35	<10	21	0.02
200308	1.3	14	17	<10	84	0.05
200309	1.2	14	12	<10	35	0.01
200310	1.4	23	13	12	59	0.01
200311	1.2	28	37	12	35	0.03
200312	0.5	24	47	<10	<20	0.84
200313	<0.1	<10	41	<10	<20	0.06
200314	0.1	<10	32	<10	116	0.04
200315	<0.1	<10	13	<10	62	0.05
200316	<0.1	<10	10	<10	177	0.02
200317	1.0	<10	78	<10	85	1.25
200318	1.6	32	113	<10	66	0.34
200319	3.4	32	51	<10	21	0.04
200320	0.6	14	14	<10	>20000	8.72
200321	2.6	33	37	<10	42	0.02
200322	3.0	29	37	<10	<20	0.01
200323	3.4	37	32	<10	<20	0.03
200324	3.3	30	29	<10	<20	0.02
200325	2.7	30	27	<10	<20	0.05
200326	2.7	28	32	<10	<20	0.08
200327	2.6	40	36	<10	<20	0.43
200328	3.3	43	39	<10	<20	0.97
200329	2.5	38	29	<10	<20	0.12

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 17 of 50

ANALYTICAL REPORT

	ICP90Q % 0.10 25.00 K	ICP90Q PPM 10.00 20,000.00 La	ICP90Q PPM 10.00 100,000.00 Li	ICP90Q PPM 10.00 100,000.00 Mo	ICP90Q PPM 20.00 20,000.00 Pb	ICP90Q % 0.01 10.00 S
200330	1.9	18	19	<10	21	0.24
200331	2.1	36	50	<10	21	1.32
200332	0.6	15	12	<10	>20000	8.58
D - 200222	0.3	20	20	<10	22	1.14
D - 200269	<0.1	<10	<10	<10	74	0.12
D - 200316	<0.1	<10	<10	<10	194	0.03

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 18 of 50

ANALYTICAL REPORT

Scheme	ICP90Q	ICP90Q	ICP90Q	ICP90Q	ICP90Q	XRF78S
Units	PPM	PPM	PPM	PPM	PPM	%
Detection Limit	50.00	10.00	10.00	5.00	25.00	0.01
Upper Limit	10,000.00	20,000.00	50,000.00	50,000.00	100,000.00	100.00
	Sb	Sr	V	Y	Zn	Al
200214	<50	<10	<10	<5	<25	0.04
200215	<50	67	75	29	667	7.99
200216	<50	95	84	53	1302	6.72
200217	<50	112	73	56	680	4.91
200218	<50	<10	14	9	229	0.30
200219	<50	<10	17	<5	376	0.45
200220	<50	<10	<10	14	1632	1.48
200221	<50	<10	11	8	1140	1.76
200222	<50	<10	56	6	288	1.31
200223	<50	181	239	37	571	8.63
200224	<50	<10	36	11	590	1.26
200225	<50	<10	10	11	216	0.34
200226	<50	96	119	19	167	4.24
200227	<50	214	166	31	70	8.24
200228	<50	136	159	18	231	4.51
200229	<50	<10	36	<5	220	0.27
200230	<50	18	42	18	256	2.41
200231	<50	59	84	39	152	5.17
200232	<50	154	118	26	1550	6.54
200233	<50	<10	23	<5	251	0.38
200234	<50	<10	<10	6	133	0.06
200235	<50	13	20	9	1.32%	2.45
200236	<50	17	<10	10	3445	0.03
200237	<50	41	11	<5	421	0.06
200238	<50	41	<10	<5	160	0.04
200239	<50	29	<10	<5	53	<0.01
200240	<50	20	<10	6	140	0.02
200241	<50	<10	<10	<5	176	0.01
200242	<50	<10	<10	5	168	<0.01
200243	<50	<10	<10	<5	140	<0.01
200244	<50	<10	<10	5	178	<0.01
200245	<50	<10	<10	<5	152	0.04
200246	<50	<10	<10	<5	191	0.06
200247	<50	12	<10	<5	96	<0.01
200248	<50	<10	<10	<5	144	0.04
200249	<50	12	14	<5	183	0.06
200250	<50	11	10	6	121	0.03
200251	<50	<10	13	<5	233	0.06

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 19 of 50

ANALYTICAL REPORT

	ICP90Q PPM 50.00 10,000.00 Sb	ICP90Q PPM 10.00 20,000.00 Sr	ICP90Q PPM 10.00 50,000.00 V	ICP90Q PPM 5.00 50,000.00 Y	ICP90Q PPM 25.00 100,000.00 Zn	XRF78S % 0.01 100.00 Al
200252	<50	<10	<10	<5	164	0.02
200253	<50	11	11	<5	202	0.13
200254	<50	15	42	<5	367	0.46
200255	<50	19	40	<5	244	0.27
200256	<50	16	23	9	1.59%	2.44
200257	<50	<10	17	<5	244	0.12
200258	<50	<10	14	<5	231	0.15
200259	<50	15	12	13	<25	0.22
200260	<50	<10	20	<5	238	0.24
200261	<50	<10	38	<5	276	0.18
200262	<50	<10	21	6	173	0.15
200263	<50	<10	19	<5	170	0.09
200264	<50	<10	<10	<5	141	0.07
200265	<50	25	15	10	127	0.15
200266	<50	12	22	9	137	0.47
200267	<50	<10	13	13	64	0.24
200268	<50	11	39	7	184	0.23
200269	<50	<10	74	<5	584	0.32
200270	<50	75	91	10	433	3.31
200271	<50	15	61	19	1580	2.97
200272	<50	<10	47	<5	202	0.13
200273	<50	<10	35	<5	333	0.30
200274	<50	<10	37	<5	298	0.21
200275	<50	<10	56	6	325	0.40
200276	<50	<10	34	<5	271	0.39
200277	<50	<10	63	<5	373	0.45
200278	<50	17	25	7	1.44%	2.44
200279	<50	13	28	8	600	1.53
200280	<50	242	136	32	281	6.67
200281	<50	135	145	34	394	5.78
200282	<50	93	75	15	268	2.94
200283	<50	270	184	44	388	7.37
200284	<50	144	113	17	77	4.36
200285	<50	273	168	37	139	5.72
200286	<50	67	155	23	936	4.37
200287	<50	202	257	32	170	6.32
200288	<50	255	266	37	250	9.30
200289	<50	26	50	10	68	0.79
200290	<50	<10	20	7	157	0.26

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 20 of 50

ANALYTICAL REPORT

	ICP90Q PPM 50.00 10,000.00 Sb	ICP90Q PPM 10.00 20,000.00 Sr	ICP90Q PPM 10.00 50,000.00 V	ICP90Q PPM 5.00 50,000.00 Y	ICP90Q PPM 25.00 100,000.00 Zn	XRF78S % 0.01 100.00 Al
200291	<50	<10	17	<5	71	0.12
200292	<50	<10	12	5	44	0.15
200293	<50	<10	48	8	97	1.31
200294	<50	60	118	17	54	2.61
200295	<50	367	238	36	47	8.86
200296	<50	179	231	32	<25	7.90
200297	<50	359	262	37	90	7.13
200298	<50	153	185	20	194	4.41
200299	<50	<10	25	10	1.52%	2.43
200300	<50	278	120	33	80	6.62
200301	<50	448	140	37	88	8.14
200302	<50	156	141	32	<25	8.12
200303	<50	203	126	33	<25	7.18
200304	<50	210	74	34	<25	7.45
200305	<50	207	77	34	<25	7.78
200306	<50	271	109	27	97	6.36
200307	<50	396	150	35	63	7.71
200308	<50	265	116	25	162	6.93
200309	<50	286	154	24	66	5.90
200310	<50	268	135	28	96	6.47
200311	<50	272	93	30	116	5.66
200312	<50	55	44	9	261	1.79
200313	<50	35	17	<5	104	0.50
200314	<50	22	12	<5	217	0.55
200315	<50	21	11	7	148	0.26
200316	<50	47	<10	12	549	0.38
200317	<50	21	68	18	253	4.58
200318	<50	32	65	28	211	5.99
200319	<50	100	60	30	<25	6.44
200320	<50	15	25	11	1.66%	2.45
200321	<50	140	60	32	33	5.98
200322	<50	287	76	33	<25	7.20
200323	<50	204	75	32	<25	7.38
200324	<50	208	64	35	<25	6.67
200325	<50	193	63	32	<25	5.55
200326	<50	310	69	29	<25	6.32
200327	<50	266	88	31	<25	6.76
200328	<50	257	99	36	<25	7.11
200329	<50	416	106	32	35	6.60

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 21 of 50

ANALYTICAL REPORT

	ICP90Q PPM 50.00 10,000.00 Sb	ICP90Q PPM 10.00 20,000.00 Sr	ICP90Q PPM 10.00 50,000.00 V	ICP90Q PPM 5.00 50,000.00 Y	ICP90Q PPM 25.00 100,000.00 Zn	XRF78S % 0.01 100.00 Al
200330	<50	355	98	27	56	5.88
200331	<50	314	92	22	139	5.45
200332	<50	<10	23	8	1.64%	2.43
D - 200222	<50	20	70	<5	361	1.29
D - 200269	<50	<10	77	<5	634	0.32
D - 200316	<50	45	10	9	610	0.39

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 22 of 50

ANALYTICAL REPORT

Scheme	XRF78S	XRF78S	XRF78S	XRF78S	XRF78S	XRF78S
Units	%	%	%	%	%	%
Detection Limit	0.01	0.01	0.01	0.01	0.01	0.01
Upper Limit	100.00	100.00	100.00	100.00	100.00	100.00
	SiO2	Ti	Fe	Mn	Ca	K
200214	99.3	0.11	0.04	<0.01	0.01	0.03
200215	65.0	0.35	4.78	0.42	0.37	2.88
200216	59.5	0.34	7.82	0.95	0.61	2.44
200217	47.8	0.25	12.6	0.64	4.92	0.95
200218	48.1	<0.01	13.9	0.59	7.50	0.05
200219	33.4	0.01	24.4	1.03	3.46	0.10
200220	42.8	<0.01	12.7	0.34	4.30	0.14
200221	33.3	0.01	18.7	0.33	2.21	0.32
200222	13.7	0.06	51.6	0.21	1.35	0.27
200223	39.9	0.37	9.95	1.13	8.58	1.62
200224	46.0	0.04	12.1	0.33	8.36	0.16
200225	48.2	<0.01	8.01	0.26	11.6	0.06
200226	48.5	0.18	8.67	0.41	8.94	1.67
200227	61.8	0.34	3.07	0.20	1.90	2.52
200228	37.9	0.19	25.7	0.22	2.07	0.96
200229	16.1	0.02	49.1	0.24	0.16	0.02
200230	22.1	0.12	34.8	0.33	3.87	0.33
200231	43.3	0.31	9.88	0.55	13.3	0.64
200232	37.5	0.31	13.8	0.58	9.91	1.01
200233	13.5	0.03	51.2	0.27	0.98	0.04
200234	42.2	<0.01	13.8	0.34	10.5	0.01
200235	54.6	0.07	12.0	0.09	0.30	0.62
200236	52.4	<0.01	3.66	0.30	16.4	0.01
200237	42.9	<0.01	15.4	0.26	12.7	0.01
200238	53.4	<0.01	1.96	0.26	16.8	0.01
200239	53.5	<0.01	2.17	0.27	16.8	<0.01
200240	52.5	<0.01	4.01	0.25	14.1	0.02
200241	45.7	<0.01	7.94	0.36	8.78	0.02
200242	34.8	<0.01	15.5	0.54	1.32	<0.01
200243	38.5	<0.01	11.9	0.55	1.28	0.01
200244	36.0	<0.01	16.1	0.41	1.62	0.01
200245	40.7	<0.01	15.0	0.30	5.64	0.02
200246	31.7	<0.01	24.4	0.33	2.58	0.01
200247	34.8	<0.01	13.7	0.30	0.44	<0.01
200248	25.1	<0.01	27.8	0.34	0.37	<0.01
200249	19.8	<0.01	36.3	0.80	0.52	<0.01
200250	37.3	<0.01	18.8	0.42	3.86	0.02
200251	19.8	<0.01	36.1	0.54	0.21	<0.01

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
Client Ref **46104**
Project *
Reported 19/11/10
Status Final
Page Page 23 of 50

ANALYTICAL REPORT

	XRF78S % 0.01 100.00 SiO2	XRF78S % 0.01 100.00 Ti	XRF78S % 0.01 100.00 Fe	XRF78S % 0.01 100.00 Mn	XRF78S % 0.01 100.00 Ca	XRF78S % 0.01 100.00 K
200252	27.5	<0.01	22.4	0.71	0.53	<0.01
200253	22.2	<0.01	30.2	0.73	0.80	0.01
200254	13.6	0.04	46.4	0.49	0.45	0.05
200255	18.7	0.04	38.6	0.40	0.35	0.02
200256	54.6	0.07	12.0	0.09	0.30	0.61
200257	29.3	0.02	22.2	0.39	0.67	0.02
200258	26.4	0.02	24.2	0.46	0.04	<0.01
200259	27.3	0.02	37.4	0.21	0.55	0.02
200260	22.8	0.02	29.9	0.51	0.05	<0.01
200261	19.0	0.04	38.0	0.59	0.40	<0.01
200262	27.6	0.02	23.7	0.51	0.28	0.02
200263	25.3	0.01	26.4	0.39	0.09	<0.01
200264	28.5	<0.01	21.3	0.33	0.03	<0.01
200265	34.4	0.01	15.7	0.34	1.68	0.05
200266	38.4	0.02	13.7	0.63	4.15	0.29
200267	51.0	<0.01	4.66	0.35	11.6	0.04
200268	30.6	0.02	24.4	0.36	2.41	0.05
200269	15.4	0.05	43.3	0.47	0.27	0.02
200270	25.4	0.18	27.8	0.67	4.37	0.13
200271	34.0	0.11	12.4	0.51	2.91	0.66
200272	19.4	0.03	37.5	0.31	0.16	<0.01
200273	23.4	0.03	28.6	0.56	0.16	<0.01
200274	24.1	0.03	24.9	0.62	0.06	<0.01
200275	21.1	0.04	30.2	0.70	0.20	0.01
200276	25.5	0.03	22.8	0.64	0.15	0.03
200277	18.2	0.05	36.1	0.68	0.06	0.04
200278	54.6	0.07	11.9	0.08	0.30	0.61
200279	37.9	0.04	7.10	0.60	3.49	0.25
200280	48.2	0.30	5.90	0.62	12.0	1.82
200281	43.2	0.24	7.18	0.63	13.4	1.06
200282	40.6	0.13	6.89	0.61	5.49	0.44
200283	43.6	0.31	8.31	0.35	11.2	1.45
200284	49.1	0.20	3.73	0.26	13.7	1.01
200285	46.0	0.25	6.56	0.36	13.9	0.68
200286	43.1	0.21	6.74	0.24	8.25	0.78
200287	40.9	0.29	9.10	0.32	7.58	0.85
200288	55.0	0.38	2.41	0.18	6.04	3.37
200289	53.5	0.04	3.16	0.31	13.9	0.10
200290	52.7	0.01	3.16	0.20	7.51	0.04

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 24 of 50

ANALYTICAL REPORT

	XRF78S % 0.01 100.00 SiO2	XRF78S % 0.01 100.00 Ti	XRF78S % 0.01 100.00 Fe	XRF78S % 0.01 100.00 Mn	XRF78S % 0.01 100.00 Ca	XRF78S % 0.01 100.00 K
200291	57.3	<0.01	2.04	0.22	10.8	0.04
200292	57.6	<0.01	2.43	0.19	9.93	0.05
200293	53.7	0.06	2.82	0.18	7.38	0.55
200294	51.5	0.13	3.28	0.23	11.9	0.56
200295	59.1	0.37	2.62	0.12	4.54	2.81
200296	63.9	0.34	3.99	0.04	2.09	4.13
200297	50.8	0.30	4.97	0.30	11.9	1.34
200298	49.7	0.20	3.89	0.32	13.4	1.06
200299	54.5	0.07	12.0	0.08	0.30	0.62
200300	49.6	0.27	3.19	0.27	12.0	1.20
200301	54.8	0.36	3.07	0.24	9.24	1.40
200302	66.9	0.35	2.22	0.03	1.05	4.67
200303	72.2	0.35	1.59	0.03	1.87	2.62
200304	70.4	0.38	1.63	0.04	2.02	2.80
200305	69.4	0.37	1.40	0.05	1.53	3.41
200306	56.4	0.31	2.44	0.18	7.99	3.43
200307	50.2	0.36	4.11	0.33	10.9	2.25
200308	56.6	0.32	2.76	0.26	9.13	1.59
200309	59.2	0.29	1.50	0.12	9.55	1.32
200310	60.5	0.31	1.77	0.14	7.19	1.52
200311	56.4	0.26	2.98	0.24	9.72	1.36
200312	34.9	0.12	18.5	0.20	5.05	0.45
200313	33.6	0.02	14.1	0.19	4.11	0.06
200314	41.3	0.02	9.15	0.18	3.32	0.08
200315	45.8	0.01	9.50	0.14	6.45	0.04
200316	44.8	0.02	4.69	0.25	10.2	0.03
200317	40.2	0.30	6.87	0.25	4.78	1.01
200318	49.5	0.36	4.50	0.53	4.24	1.84
200319	72.3	0.32	1.12	0.06	0.89	3.55
200320	54.5	0.07	12.0	0.09	0.30	0.62
200321	74.1	0.33	1.13	0.04	1.03	2.80
200322	71.9	0.35	0.88	0.02	1.61	3.12
200323	72.4	0.37	0.83	0.01	1.20	3.70
200324	74.9	0.36	0.67	0.01	1.09	3.42
200325	78.3	0.31	0.65	0.01	1.02	2.77
200326	70.7	0.33	1.07	0.03	2.39	2.84
200327	63.1	0.36	2.45	0.06	3.69	2.81
200328	69.9	0.36	2.39	0.01	1.28	3.36
200329	56.5	0.43	3.23	0.10	5.62	2.73

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
Client Ref **46104**
Project *
Reported 19/11/10
Status Final
Page Page 25 of 50

ANALYTICAL REPORT

	XRF78S % 0.01 100.00 SiO2	XRF78S % 0.01 100.00 Ti	XRF78S % 0.01 100.00 Fe	XRF78S % 0.01 100.00 Mn	XRF78S % 0.01 100.00 Ca	XRF78S % 0.01 100.00 K
200330	51.4	0.42	4.26	0.14	7.53	2.03
200331	45.0	0.37	6.95	0.20	6.48	2.18
200332	54.6	0.06	12.0	0.09	0.31	0.61
D - 200222	13.6	0.06	51.2	0.21	1.35	0.26
D - 200269	15.4	0.05	43.0	0.47	0.28	0.02
D - 200316	44.8	0.01	4.71	0.25	10.2	0.03

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 26 of 50

ANALYTICAL REPORT

Scheme	XRF78S	XRF78S	XRF78S	XRF78S	XRF78S	XRF78S
Units	%	%	%	%	%	%
Detection Limit	0.01	0.01	0.01	0.01	0.01	0.01
Upper Limit	100.00	100.00	100.00	100.00	100.00	100.00
	Mg	S	Ni	Co	Cu	Zn
200214	0.01	0.006	<0.01	<0.01	<0.01	<0.01
200215	2.13	0.113	<0.01	<0.01	<0.01	0.07
200216	3.31	0.143	<0.01	<0.01	0.05	0.12
200217	6.49	0.090	<0.01	0.01	<0.01	0.06
200218	9.53	0.084	<0.01	0.01	0.04	0.02
200219	7.38	3.01	<0.01	0.02	0.06	0.04
200220	13.6	1.98	<0.01	<0.01	0.03	0.16
200221	15.2	1.71	<0.01	<0.01	0.02	0.16
200222	4.08	1.11	<0.01	<0.01	0.02	0.04
200223	5.27	0.088	<0.01	<0.01	<0.01	0.07
200224	10.8	2.31	<0.01	<0.01	0.02	0.08
200225	11.3	0.212	<0.01	<0.01	<0.01	0.03
200226	7.19	0.079	<0.01	<0.01	<0.01	0.02
200227	3.00	0.038	<0.01	<0.01	<0.01	<0.01
200228	3.96	1.61	<0.01	0.01	0.02	0.03
200229	6.63	0.470	<0.01	<0.01	<0.01	0.03
200230	5.96	6.22	<0.01	0.02	0.05	0.03
200231	5.95	0.025	<0.01	<0.01	<0.01	0.02
200232	6.46	0.132	<0.01	<0.01	<0.01	0.16
200233	5.89	1.38	<0.01	<0.01	0.02	0.03
200234	11.5	1.89	<0.01	0.01	0.02	0.01
200235	1.34	7.88	<0.01	<0.01	2.49	1.58
200236	11.0	0.018	<0.01	<0.01	0.01	<0.01
200237	9.70	0.067	<0.01	<0.01	<0.01	0.02
200238	11.4	0.010	<0.01	<0.01	<0.01	0.01
200239	11.3	0.009	<0.01	<0.01	<0.01	<0.01
200240	11.9	0.223	<0.01	<0.01	<0.01	0.02
200241	15.4	0.787	<0.01	<0.01	0.01	0.02
200242	20.2	2.74	<0.01	0.01	0.03	0.02
200243	20.5	1.11	<0.01	<0.01	0.01	0.02
200244	18.5	1.03	<0.01	<0.01	0.01	0.02
200245	14.5	0.545	<0.01	<0.01	<0.01	0.02
200246	14.4	0.110	<0.01	<0.01	<0.01	0.02
200247	20.6	0.108	<0.01	<0.01	<0.01	0.01
200248	15.5	0.053	<0.01	0.01	<0.01	0.01
200249	11.5	0.402	<0.01	<0.01	<0.01	0.02
200250	14.1	0.341	<0.01	<0.01	<0.01	0.01
200251	12.5	0.114	<0.01	<0.01	<0.01	0.02

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
Client Ref **46104**
Project *
Reported 19/11/10
Status Final
Page Page 27 of 50

ANALYTICAL REPORT

	XRF78S % 0.01 100.00 Mg	XRF78S % 0.01 100.00 S	XRF78S % 0.01 100.00 Ni	XRF78S % 0.01 100.00 Co	XRF78S % 0.01 100.00 Cu	XRF78S % 0.01 100.00 Zn
200252	16.8	0.130	<0.01	<0.01	<0.01	0.02
200253	13.7	1.11	<0.01	<0.01	<0.01	0.02
200254	8.71	0.042	<0.01	<0.01	<0.01	0.04
200255	11.9	0.058	<0.01	0.01	<0.01	0.03
200256	1.36	7.94	<0.01	<0.01	2.42	1.58
200257	17.6	0.111	<0.01	<0.01	<0.01	0.02
200258	17.5	0.265	<0.01	0.01	<0.01	0.03
200259	6.33	0.037	<0.01	<0.01	<0.01	<0.01
200260	15.4	0.206	<0.01	<0.01	<0.01	0.02
200261	12.1	0.232	<0.01	<0.01	<0.01	0.03
200262	17.4	0.151	<0.01	<0.01	<0.01	0.02
200263	16.8	0.076	<0.01	<0.01	<0.01	0.02
200264	18.7	0.067	<0.01	<0.01	0.01	0.02
200265	18.8	1.53	<0.01	<0.01	0.02	0.01
200266	16.3	2.25	<0.01	<0.01	0.02	0.02
200267	13.6	0.087	<0.01	<0.01	<0.01	<0.01
200268	14.6	1.34	<0.01	<0.01	0.02	0.02
200269	10.3	0.125	<0.01	<0.01	<0.01	0.07
200270	9.72	0.985	<0.01	<0.01	0.01	0.05
200271	17.2	0.178	<0.01	<0.01	<0.01	0.18
200272	12.7	0.031	<0.01	<0.01	<0.01	0.02
200273	15.9	0.253	<0.01	<0.01	<0.01	0.04
200274	18.0	0.317	<0.01	<0.01	<0.01	0.03
200275	15.8	0.457	<0.01	<0.01	<0.01	0.04
200276	18.4	0.337	<0.01	<0.01	<0.01	0.03
200277	13.3	0.530	<0.01	<0.01	<0.01	0.04
200278	1.36	7.99	<0.01	<0.01	2.47	1.57
200279	19.8	0.170	<0.01	<0.01	<0.01	0.06
200280	4.48	0.037	<0.01	<0.01	<0.01	0.03
200281	6.88	0.033	<0.01	<0.01	<0.01	0.05
200282	17.8	0.110	<0.01	<0.01	<0.01	0.03
200283	4.84	0.089	<0.01	<0.01	0.02	0.05
200284	8.09	0.011	<0.01	<0.01	<0.01	0.01
200285	5.90	0.010	<0.01	<0.01	<0.01	0.02
200286	11.8	0.060	<0.01	<0.01	<0.01	0.10
200287	9.35	0.017	<0.01	<0.01	<0.01	0.02
200288	1.79	0.026	<0.01	<0.01	<0.01	0.03
200289	11.1	<0.005	<0.01	<0.01	<0.01	0.01
200290	16.9	0.106	<0.01	<0.01	<0.01	0.02

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 28 of 50

ANALYTICAL REPORT

	XRF78S % 0.01 100.00 Mg	XRF78S % 0.01 100.00 S	XRF78S % 0.01 100.00 Ni	XRF78S % 0.01 100.00 Co	XRF78S % 0.01 100.00 Cu	XRF78S % 0.01 100.00 Zn
200291	13.8	0.012	<0.01	<0.01	<0.01	<0.01
200292	14.0	<0.005	<0.01	<0.01	<0.01	<0.01
200293	15.2	0.023	<0.01	<0.01	<0.01	0.01
200294	10.8	0.025	<0.01	<0.01	<0.01	<0.01
200295	1.38	0.247	<0.01	<0.01	<0.01	<0.01
200296	1.86	1.55	<0.01	<0.01	0.01	<0.01
200297	3.90	0.188	<0.01	<0.01	<0.01	0.01
200298	8.25	0.009	<0.01	<0.01	<0.01	0.03
200299	1.34	7.99	<0.01	<0.01	2.51	1.58
200300	6.38	0.006	<0.01	<0.01	<0.01	<0.01
200301	2.43	0.010	<0.01	<0.01	<0.01	0.01
200302	1.32	0.594	<0.01	<0.01	0.01	<0.01
200303	1.32	0.038	<0.01	<0.01	<0.01	<0.01
200304	1.55	0.058	<0.01	<0.01	<0.01	<0.01
200305	1.71	0.011	<0.01	<0.01	<0.01	<0.01
200306	5.20	0.008	<0.01	<0.01	<0.01	0.01
200307	3.86	0.006	<0.01	<0.01	<0.01	<0.01
200308	3.59	0.015	<0.01	<0.01	<0.01	0.02
200309	4.59	0.009	<0.01	<0.01	<0.01	<0.01
200310	4.04	0.014	<0.01	<0.01	0.01	0.01
200311	5.60	0.012	<0.01	<0.01	0.03	0.01
200312	13.2	0.778	<0.01	<0.01	0.01	0.03
200313	16.7	0.015	<0.01	<0.01	<0.01	0.01
200314	18.1	0.018	<0.01	<0.01	<0.01	0.02
200315	14.6	0.019	<0.01	<0.01	<0.01	0.02
200316	12.3	0.021	<0.01	<0.01	<0.01	0.06
200317	15.1	1.18	<0.01	<0.01	0.01	0.03
200318	8.42	0.311	<0.01	<0.01	<0.01	0.02
200319	2.41	0.031	<0.01	<0.01	<0.01	<0.01
200320	1.36	8.09	<0.01	<0.01	2.43	1.57
200321	2.37	0.012	<0.01	<0.01	<0.01	<0.01
200322	1.65	0.012	<0.01	<0.01	<0.01	<0.01
200323	1.43	0.021	<0.01	<0.01	<0.01	<0.01
200324	1.26	0.019	<0.01	<0.01	<0.01	<0.01
200325	1.27	0.017	<0.01	<0.01	<0.01	<0.01
200326	2.87	0.038	<0.01	<0.01	<0.01	<0.01
200327	4.44	0.402	<0.01	<0.01	<0.01	<0.01
200328	1.74	0.876	<0.01	<0.01	<0.01	<0.01
200329	6.38	0.105	<0.01	<0.01	<0.01	<0.01

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
Client Ref **46104**
Project *
Reported 19/11/10
Status Final
Page Page 29 of 50

ANALYTICAL REPORT

	XRF78S % 0.01 100.00 Mg	XRF78S % 0.01 100.00 S	XRF78S % 0.01 100.00 Ni	XRF78S % 0.01 100.00 Co	XRF78S % 0.01 100.00 Cu	XRF78S % 0.01 100.00 Zn
200330	8.86	0.234	<0.01	<0.01	<0.01	<0.01
200331	11.0	1.27	<0.01	<0.01	<0.01	0.02
200332	1.33	7.84	<0.01	<0.01	2.48	1.57
D - 200222	4.08	1.04	<0.01	<0.01	0.02	0.04
D - 200269	10.4	0.126	<0.01	<0.01	<0.01	0.07
D - 200316	12.4	0.022	<0.01	<0.01	<0.01	0.06

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 30 of 50

ANALYTICAL REPORT

Scheme	XRF78S	XRF78S	XRF78S	XRF78S	XRF78S	XRF78S
Units	%	%	%	%	%	%
Detection Limit	0.01	0.01	0.01	0.01	0.01	0.01
Upper Limit	100.00	10.00	100.00	100.00	100.00	100.00
	Pb	As	Cr	V	Ba	Sr
200214	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200215	<0.01	<0.01	<0.01	0.01	0.05	0.01
200216	0.02	<0.01	<0.01	0.01	0.08	<0.01
200217	0.02	<0.01	<0.01	0.01	0.03	0.01
200218	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200219	<0.01	<0.01	<0.01	<0.01	0.01	<0.01
200220	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200221	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200222	<0.01	<0.01	<0.01	0.01	<0.01	<0.01
200223	0.03	<0.01	0.01	0.04	0.03	0.03
200224	0.03	<0.01	<0.01	<0.01	<0.01	<0.01
200225	0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200226	<0.01	<0.01	<0.01	0.02	0.05	0.01
200227	<0.01	<0.01	<0.01	0.02	0.08	0.02
200228	<0.01	0.03	<0.01	0.02	0.04	0.02
200229	<0.01	0.01	<0.01	<0.01	<0.01	<0.01
200230	<0.01	0.02	<0.01	<0.01	0.01	<0.01
200231	<0.01	<0.01	<0.01	0.01	0.01	0.02
200232	<0.01	<0.01	<0.01	0.02	0.03	0.03
200233	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200234	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200235	3.14	0.03	<0.01	<0.01	0.01	<0.01
200236	<0.01	<0.01	<0.01	<0.01	<0.01	0.01
200237	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200238	<0.01	<0.01	<0.01	<0.01	<0.01	0.01
200239	<0.01	<0.01	<0.01	<0.01	<0.01	0.01
200240	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200241	<0.01	0.01	<0.01	<0.01	<0.01	<0.01
200242	<0.01	0.01	<0.01	<0.01	<0.01	<0.01
200243	<0.01	0.01	<0.01	<0.01	<0.01	<0.01
200244	<0.01	0.01	<0.01	<0.01	<0.01	<0.01
200245	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200246	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200247	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200248	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200249	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200250	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200251	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
Client Ref **46104**
Project *
Reported 19/11/10
Status Final
Page Page 31 of 50

ANALYTICAL REPORT

	XRF78S % 0.01 100.00 Pb	XRF78S % 0.01 10.00 As	XRF78S % 0.01 100.00 Cr	XRF78S % 0.01 100.00 V	XRF78S % 0.01 100.00 Ba	XRF78S % 0.01 100.00 Sr
200252	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200253	<0.01	0.02	<0.01	<0.01	<0.01	<0.01
200254	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200255	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200256	3.10	0.04	<0.01	<0.01	0.01	<0.01
200257	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200258	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200259	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200260	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200261	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200262	<0.01	0.01	<0.01	<0.01	<0.01	<0.01
200263	<0.01	0.03	<0.01	<0.01	<0.01	<0.01
200264	<0.01	0.02	<0.01	<0.01	<0.01	<0.01
200265	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200266	<0.01	0.03	<0.01	<0.01	<0.01	<0.01
200267	<0.01	0.03	<0.01	<0.01	<0.01	<0.01
200268	<0.01	0.01	<0.01	<0.01	<0.01	<0.01
200269	<0.01	0.02	<0.01	<0.01	<0.01	<0.01
200270	<0.01	0.01	<0.01	0.01	<0.01	<0.01
200271	<0.01	0.02	<0.01	<0.01	0.01	<0.01
200272	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200273	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200274	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200275	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200276	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200277	<0.01	0.01	<0.01	<0.01	<0.01	<0.01
200278	3.12	0.04	<0.01	<0.01	0.02	<0.01
200279	<0.01	<0.01	<0.01	<0.01	0.01	<0.01
200280	<0.01	<0.01	<0.01	0.02	0.05	0.04
200281	<0.01	<0.01	<0.01	0.02	0.02	0.02
200282	<0.01	<0.01	<0.01	<0.01	0.02	0.02
200283	0.02	<0.01	<0.01	0.02	0.03	0.03
200284	<0.01	<0.01	<0.01	0.02	0.03	0.02
200285	<0.01	<0.01	<0.01	0.02	0.02	0.04
200286	0.01	<0.01	<0.01	0.02	0.02	0.01
200287	<0.01	0.02	<0.01	0.03	0.03	0.03
200288	0.01	<0.01	0.01	0.03	0.07	0.04
200289	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200290	<0.01	<0.01	<0.01	<0.01	0.01	<0.01

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 32 of 50

ANALYTICAL REPORT

	XRF78S % 0.01 100.00 Pb	XRF78S % 0.01 10.00 As	XRF78S % 0.01 100.00 Cr	XRF78S % 0.01 100.00 V	XRF78S % 0.01 100.00 Ba	XRF78S % 0.01 100.00 Sr
200291	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200292	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200293	<0.01	<0.01	<0.01	<0.01	0.02	<0.01
200294	<0.01	<0.01	<0.01	0.02	0.02	<0.01
200295	<0.01	<0.01	0.01	0.03	0.11	0.06
200296	<0.01	<0.01	0.01	0.03	0.11	0.03
200297	<0.01	<0.01	0.01	0.03	0.08	0.06
200298	<0.01	<0.01	<0.01	0.02	0.03	0.03
200299	3.16	0.03	<0.01	<0.01	0.02	<0.01
200300	<0.01	<0.01	<0.01	0.02	0.03	0.04
200301	<0.01	<0.01	<0.01	0.02	0.04	0.06
200302	<0.01	<0.01	<0.01	0.02	0.13	0.02
200303	<0.01	<0.01	<0.01	0.02	0.13	0.03
200304	<0.01	<0.01	<0.01	<0.01	0.07	0.04
200305	<0.01	<0.01	<0.01	<0.01	0.09	0.03
200306	0.01	<0.01	<0.01	0.01	0.09	0.04
200307	0.01	<0.01	<0.01	0.02	0.09	0.06
200308	0.02	<0.01	<0.01	0.02	0.04	0.04
200309	0.01	<0.01	<0.01	0.02	0.04	0.04
200310	0.01	<0.01	<0.01	0.02	0.04	0.04
200311	0.01	<0.01	<0.01	0.01	0.06	0.04
200312	0.01	0.02	<0.01	<0.01	<0.01	<0.01
200313	<0.01	0.04	<0.01	<0.01	<0.01	<0.01
200314	0.02	0.04	<0.01	<0.01	<0.01	<0.01
200315	0.01	0.02	<0.01	<0.01	<0.01	<0.01
200316	0.03	<0.01	<0.01	<0.01	<0.01	<0.01
200317	0.02	<0.01	<0.01	<0.01	0.03	<0.01
200318	0.01	<0.01	<0.01	<0.01	0.02	<0.01
200319	0.01	<0.01	<0.01	<0.01	0.09	0.02
200320	3.14	0.05	<0.01	<0.01	0.01	<0.01
200321	0.01	<0.01	<0.01	<0.01	0.07	0.01
200322	<0.01	<0.01	<0.01	<0.01	0.08	0.03
200323	<0.01	<0.01	<0.01	<0.01	0.09	0.02
200324	<0.01	<0.01	<0.01	<0.01	0.10	0.03
200325	<0.01	<0.01	<0.01	<0.01	0.12	0.03
200326	0.01	<0.01	<0.01	<0.01	0.57	0.05
200327	<0.01	<0.01	<0.01	0.01	0.26	0.04
200328	0.01	<0.01	0.01	0.01	0.25	0.03
200329	<0.01	<0.01	<0.01	0.01	1.07	0.06

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
Client Ref **46104**
Project *
Reported 19/11/10
Status Final
Page Page 33 of 50

ANALYTICAL REPORT

	XRF78S % 0.01 100.00 Pb	XRF78S % 0.01 10.00 As	XRF78S % 0.01 100.00 Cr	XRF78S % 0.01 100.00 V	XRF78S % 0.01 100.00 Ba	XRF78S % 0.01 100.00 Sr
200330	0.01	<0.01	<0.01	0.01	0.45	0.05
200331	<0.01	<0.01	<0.01	0.01	0.04	0.05
200332	3.14	0.04	<0.01	<0.01	<0.01	<0.01
D - 200222	0.01	<0.01	<0.01	<0.01	<0.01	<0.01
D - 200269	0.02	0.02	<0.01	<0.01	<0.01	<0.01
D - 200316	0.03	<0.01	<0.01	<0.01	<0.01	<0.01

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 34 of 50

ANALYTICAL REPORT

Scheme	XRF78S	XRF78O	XRF78O	XRF78O	XRF78O	XRF78O
Units	%	%	%	%	%	%
Detection Limit	-10.00	0.01	0.01	0.01	0.01	0.01
Upper Limit	100.00	100.00	100.00	100.00	100.00	100.00
	LOI	Al2O3	Ba	CaO	Cr2O3	Fe2O3
200214	0.148	-	-	-	-	-
200215	3.28	-	-	-	-	-
200216	4.21	-	-	-	-	-
200217	3.72	-	-	-	-	-
200218	3.79	-	-	-	-	-
200219	11.3	-	-	-	-	-
200220	6.33	-	-	-	-	-
200221	6.54	-	-	-	-	-
200222	0.337	-	-	-	-	-
200223	3.93	-	-	-	-	-
200224	3.30	-	-	-	-	-
200225	3.84	-	-	-	-	-
200226	3.02	-	-	-	-	-
200227	1.78	-	-	-	-	-
200228	1.94	-	-	-	-	-
200229	1.35	-	-	-	-	-
200230	6.51	-	-	-	-	-
200231	1.51	-	-	-	-	-
200232	2.71	-	-	-	-	-
200233	0.993	-	-	-	-	-
200234	3.57	-	-	-	-	-
200235	10.8	-	-	-	-	-
200236	1.04	-	-	-	-	-
200237	0.800	-	-	-	-	-
200238	1.09	-	-	-	-	-
200239	1.10	-	-	-	-	-
200240	1.57	-	-	-	-	-
200241	4.04	0.02	<0.01	12.3	<0.01	11.4
200242	7.01	<0.01	<0.01	1.85	<0.01	22.2
200243	8.08	<0.01	<0.01	1.80	<0.01	17.0
200244	7.53	<0.01	<0.01	2.26	<0.01	23.0
200245	4.06	0.08	<0.01	7.89	<0.01	21.4
200246	5.60	0.12	<0.01	3.61	<0.01	34.8
200247	10.7	<0.01	<0.01	0.61	<0.01	19.5
200248	7.97	0.08	<0.01	0.52	<0.01	39.7
200249	7.38	0.11	<0.01	0.72	<0.01	52.0
200250	5.52	0.05	<0.01	5.41	<0.01	26.9
200251	6.16	0.10	<0.01	0.29	<0.01	51.6

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 35 of 50

ANALYTICAL REPORT

	XRF78S % -10.00 100.00 LOI	XRF78O % 0.01 100.00 Al2O3	XRF78O % 0.01 100.00 Ba	XRF78O % 0.01 100.00 CaO	XRF78O % 0.01 100.00 Cr2O3	XRF78O % 0.01 100.00 Fe2O3
200252	10.9	0.03	<0.01	0.75	<0.01	32.0
200253	8.55	0.25	<0.01	1.12	<0.01	43.2
200254	3.30	0.86	<0.01	0.63	<0.01	66.4
200255	4.95	0.51	<0.01	0.49	<0.01	55.1
200256	10.7	4.62	0.01	0.41	<0.01	17.1
200257	8.20	0.22	<0.01	0.94	<0.01	31.7
200258	8.91	0.28	<0.01	0.05	<0.01	34.6
200259	6.90	0.42	<0.01	0.76	<0.01	53.5
200260	7.61	0.46	<0.01	0.07	<0.01	42.8
200261	4.91	0.34	<0.01	0.56	<0.01	54.4
200262	8.37	0.28	<0.01	0.40	<0.01	33.8
200263	8.33	0.18	<0.01	0.13	<0.01	37.8
200264	9.49	0.14	<0.01	0.05	<0.01	30.5
200265	8.83	0.28	<0.01	2.34	<0.01	22.4
200266	7.09	0.88	<0.01	5.80	<0.01	19.6
200267	2.67	0.45	<0.01	16.2	<0.01	6.66
200268	5.95	0.43	<0.01	3.37	<0.01	34.8
200269	3.94	0.61	<0.01	0.38	<0.01	61.9
200270	4.82	6.24	<0.01	6.12	<0.01	39.8
200271	8.23	5.61	0.01	4.07	<0.01	17.8
200272	5.24	0.24	<0.01	0.22	<0.01	53.6
200273	7.75	0.56	<0.01	0.23	<0.01	40.9
200274	8.93	0.39	<0.01	0.08	<0.01	35.7
200275	7.51	0.75	<0.01	0.28	<0.01	43.2
200276	9.65	0.73	<0.01	0.20	<0.01	32.6
200277	6.39	0.85	<0.01	0.08	<0.01	51.6
200278	10.9	4.61	0.02	0.42	<0.01	17.1
200279	10.1	2.89	0.01	4.88	<0.01	10.1
200280	1.62	-	-	-	-	-
200281	2.77	-	-	-	-	-
200282	4.94	-	-	-	-	-
200283	2.66	-	-	-	-	-
200284	2.10	-	-	-	-	-
200285	2.26	-	-	-	-	-
200286	5.07	-	-	-	-	-
200287	4.52	-	-	-	-	-
200288	2.93	-	-	-	-	-
200289	1.93	-	-	-	-	-
200290	3.30	-	-	-	-	-

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 36 of 50

ANALYTICAL REPORT

	XRF78S % -10.00 100.00 LOI	XRF78O % 0.01 100.00 Al2O3	XRF78O % 0.01 100.00 Ba	XRF78O % 0.01 100.00 CaO	XRF78O % 0.01 100.00 Cr2O3	XRF78O % 0.01 100.00 Fe2O3
200291	1.40	-	-	-	-	-
200292	1.45	-	-	-	-	-
200293	2.88	-	-	-	-	-
200294	2.59	-	-	-	-	-
200295	1.97	-	-	-	-	-
200296	2.22	-	-	-	-	-
200297	1.30	-	-	-	-	-
200298	1.73	-	-	-	-	-
200299	10.7	-	-	-	-	-
200300	2.81	-	-	-	-	-
200301	2.29	-	-	-	-	-
200302	2.02	-	-	-	-	-
200303	1.44	-	-	-	-	-
200304	1.50	-	-	-	-	-
200305	2.00	-	-	-	-	-
200306	2.04	-	-	-	-	-
200307	2.44	-	-	-	-	-
200308	1.56	-	-	-	-	-
200309	1.16	-	-	-	-	-
200310	1.22	-	-	-	-	-
200311	2.20	-	-	-	-	-
200312	5.10	-	-	-	-	-
200313	11.8	-	-	-	-	-
200314	9.68	-	-	-	-	-
200315	6.66	-	-	-	-	-
200316	12.7	-	-	-	-	-
200317	7.28	-	-	-	-	-
200318	8.31	-	-	-	-	-
200319	2.68	-	-	-	-	-
200320	10.8	-	-	-	-	-
200321	2.29	-	-	-	-	-
200322	1.68	-	-	-	-	-
200323	1.69	-	-	-	-	-
200324	1.46	-	-	-	-	-
200325	1.50	-	-	-	-	-
200326	1.62	-	-	-	-	-
200327	1.91	-	-	-	-	-
200328	1.84	-	-	-	-	-
200329	1.34	-	-	-	-	-

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 37 of 50

ANALYTICAL REPORT

	XRF78S % -10.00 100.00 LOI	XRF78O % 0.01 100.00 Al2O3	XRF78O % 0.01 100.00 Ba	XRF78O % 0.01 100.00 CaO	XRF78O % 0.01 100.00 Cr2O3	XRF78O % 0.01 100.00 Fe2O3
200330	1.60	-	-	-	-	-
200331	2.22	-	-	-	-	-
200332	10.9	-	-	-	-	-
D - 200222	0.170	-	-	-	-	-
D - 200269	3.98	0.61	<0.01	0.39	<0.01	61.5
D - 200316	12.5	-	-	-	-	-

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 38 of 50

ANALYTICAL REPORT

Scheme	XRF780	XRF780	XRF780	XRF780	XRF780	XRF780
Units	%	%	%	%	%	%
Detection Limit	0.01	0.01	0.01	0.01	0.01	0.01
Upper Limit	100.00	100.00	100.00	100.00	100.00	100.00
	K2O	MgO	MnO	Na2O	Nb	P2O5
200214	-	-	-	-	-	-
200215	-	-	-	-	-	-
200216	-	-	-	-	-	-
200217	-	-	-	-	-	-
200218	-	-	-	-	-	-
200219	-	-	-	-	-	-
200220	-	-	-	-	-	-
200221	-	-	-	-	-	-
200222	-	-	-	-	-	-
200223	-	-	-	-	-	-
200224	-	-	-	-	-	-
200225	-	-	-	-	-	-
200226	-	-	-	-	-	-
200227	-	-	-	-	-	-
200228	-	-	-	-	-	-
200229	-	-	-	-	-	-
200230	-	-	-	-	-	-
200231	-	-	-	-	-	-
200232	-	-	-	-	-	-
200233	-	-	-	-	-	-
200234	-	-	-	-	-	-
200235	-	-	-	-	-	-
200236	-	-	-	-	-	-
200237	-	-	-	-	-	-
200238	-	-	-	-	-	-
200239	-	-	-	-	-	-
200240	-	-	-	-	-	-
200241	0.02	25.6	0.46	0.04	<0.01	0.03
200242	<0.01	33.4	0.70	0.02	<0.01	0.02
200243	0.01	34.0	0.71	0.03	<0.01	0.02
200244	0.01	30.7	0.52	0.03	<0.01	0.02
200245	0.02	24.0	0.39	0.05	<0.01	0.02
200246	0.02	23.9	0.42	0.04	<0.01	0.02
200247	<0.01	34.1	0.39	0.03	<0.01	0.03
200248	<0.01	25.8	0.44	0.02	<0.01	0.02
200249	0.01	19.1	1.04	0.02	<0.01	0.03
200250	0.02	23.4	0.54	0.05	<0.01	0.02
200251	<0.01	20.7	0.69	0.03	<0.01	0.01

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 39 of 50

ANALYTICAL REPORT

	XRF780 % 0.01 100.00 K2O	XRF780 % 0.01 100.00 MgO	XRF780 % 0.01 100.00 MnO	XRF780 % 0.01 100.00 Na2O	XRF780 % 0.01 100.00 Nb	XRF780 % 0.01 100.00 P2O5
200252	<0.01	27.9	0.92	0.04	<0.01	0.27
200253	0.01	22.7	0.95	0.02	<0.01	0.40
200254	0.06	14.4	0.63	0.01	<0.01	0.01
200255	0.03	19.7	0.51	0.02	<0.01	0.02
200256	0.74	2.25	0.11	0.16	<0.01	0.03
200257	0.02	29.3	0.51	0.05	<0.01	0.02
200258	0.01	29.0	0.60	0.03	<0.01	0.03
200259	0.02	10.5	0.28	0.04	<0.01	0.11
200260	0.01	25.5	0.65	<0.01	<0.01	0.03
200261	<0.01	20.0	0.77	0.02	<0.01	0.02
200262	0.02	28.8	0.66	0.02	<0.01	0.03
200263	<0.01	27.8	0.51	<0.01	<0.01	0.08
200264	<0.01	30.9	0.42	<0.01	<0.01	0.03
200265	0.06	31.1	0.44	0.03	<0.01	0.02
200266	0.35	27.0	0.81	0.04	<0.01	0.07
200267	0.04	22.5	0.45	0.05	<0.01	0.02
200268	0.06	24.3	0.46	0.02	<0.01	0.02
200269	0.03	17.0	0.61	<0.01	<0.01	0.06
200270	0.16	16.1	0.87	0.07	<0.01	0.08
200271	0.80	28.5	0.66	<0.01	<0.01	0.15
200272	<0.01	21.1	0.40	<0.01	<0.01	0.04
200273	<0.01	26.4	0.72	<0.01	<0.01	0.13
200274	<0.01	29.9	0.80	<0.01	<0.01	0.05
200275	0.02	26.2	0.90	<0.01	<0.01	0.19
200276	0.04	30.4	0.83	<0.01	<0.01	0.14
200277	0.04	22.0	0.88	<0.01	<0.01	0.04
200278	0.73	2.25	0.11	0.18	<0.01	0.03
200279	0.30	32.8	0.77	0.02	<0.01	0.05
200280	-	-	-	-	-	-
200281	-	-	-	-	-	-
200282	-	-	-	-	-	-
200283	-	-	-	-	-	-
200284	-	-	-	-	-	-
200285	-	-	-	-	-	-
200286	-	-	-	-	-	-
200287	-	-	-	-	-	-
200288	-	-	-	-	-	-
200289	-	-	-	-	-	-
200290	-	-	-	-	-	-

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
Client Ref **46104**
Project *
Reported 19/11/10
Status Final
Page Page 40 of 50

ANALYTICAL REPORT

	XRF780 % 0.01 100.00 K2O	XRF780 % 0.01 100.00 MgO	XRF780 % 0.01 100.00 MnO	XRF780 % 0.01 100.00 Na2O	XRF780 % 0.01 100.00 Nb	XRF780 % 0.01 100.00 P2O5
200291	-	-	-	-	-	-
200292	-	-	-	-	-	-
200293	-	-	-	-	-	-
200294	-	-	-	-	-	-
200295	-	-	-	-	-	-
200296	-	-	-	-	-	-
200297	-	-	-	-	-	-
200298	-	-	-	-	-	-
200299	-	-	-	-	-	-
200300	-	-	-	-	-	-
200301	-	-	-	-	-	-
200302	-	-	-	-	-	-
200303	-	-	-	-	-	-
200304	-	-	-	-	-	-
200305	-	-	-	-	-	-
200306	-	-	-	-	-	-
200307	-	-	-	-	-	-
200308	-	-	-	-	-	-
200309	-	-	-	-	-	-
200310	-	-	-	-	-	-
200311	-	-	-	-	-	-
200312	-	-	-	-	-	-
200313	-	-	-	-	-	-
200314	-	-	-	-	-	-
200315	-	-	-	-	-	-
200316	-	-	-	-	-	-
200317	-	-	-	-	-	-
200318	-	-	-	-	-	-
200319	-	-	-	-	-	-
200320	-	-	-	-	-	-
200321	-	-	-	-	-	-
200322	-	-	-	-	-	-
200323	-	-	-	-	-	-
200324	-	-	-	-	-	-
200325	-	-	-	-	-	-
200326	-	-	-	-	-	-
200327	-	-	-	-	-	-
200328	-	-	-	-	-	-
200329	-	-	-	-	-	-

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
Client Ref **46104**
Project *
Reported 19/11/10
Status Final
Page Page 41 of 50

ANALYTICAL REPORT

	XRF780 % 0.01 100.00 K2O	XRF780 % 0.01 100.00 MgO	XRF780 % 0.01 100.00 MnO	XRF780 % 0.01 100.00 Na2O	XRF780 % 0.01 100.00 Nb	XRF780 % 0.01 100.00 P2O5
200330	-	-	-	-	-	-
200331	-	-	-	-	-	-
200332	-	-	-	-	-	-
D - 200222	-	-	-	-	-	-
D - 200269	0.03	17.2	0.61	0.02	<0.01	0.06
D - 200316	-	-	-	-	-	-

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 42 of 50

ANALYTICAL REPORT

Scheme	XRF780	XRF780	XRF780	XRF780	XRF780	XRF780
Units	%	%	%	%	%	%
Detection Limit	0.01	0.01	0.01	0.01	0.01	0.01
Upper Limit	100.00	100.00	100.00	100.00	100.00	100.00
	SiO ₂	Sr	TiO ₂	Y	Zn	Zr
200214	-	-	-	-	-	-
200215	-	-	-	-	-	-
200216	-	-	-	-	-	-
200217	-	-	-	-	-	-
200218	-	-	-	-	-	-
200219	-	-	-	-	-	-
200220	-	-	-	-	-	-
200221	-	-	-	-	-	-
200222	-	-	-	-	-	-
200223	-	-	-	-	-	-
200224	-	-	-	-	-	-
200225	-	-	-	-	-	-
200226	-	-	-	-	-	-
200227	-	-	-	-	-	-
200228	-	-	-	-	-	-
200229	-	-	-	-	-	-
200230	-	-	-	-	-	-
200231	-	-	-	-	-	-
200232	-	-	-	-	-	-
200233	-	-	-	-	-	-
200234	-	-	-	-	-	-
200235	-	-	-	-	-	-
200236	-	-	-	-	-	-
200237	-	-	-	-	-	-
200238	-	-	-	-	-	-
200239	-	-	-	-	-	-
200240	-	-	-	-	-	-
200241	45.7	<0.01	<0.01	<0.01	0.02	<0.01
200242	34.8	<0.01	<0.01	<0.01	0.02	<0.01
200243	38.5	<0.01	<0.01	<0.01	0.02	<0.01
200244	36.0	<0.01	<0.01	<0.01	0.02	<0.01
200245	40.7	<0.01	<0.01	<0.01	0.02	<0.01
200246	31.7	<0.01	<0.01	<0.01	0.02	<0.01
200247	34.8	<0.01	<0.01	<0.01	0.01	<0.01
200248	25.1	<0.01	<0.01	<0.01	0.01	<0.01
200249	19.8	<0.01	<0.01	<0.01	0.02	<0.01
200250	37.3	<0.01	<0.01	<0.01	0.01	<0.01
200251	19.8	<0.01	0.01	<0.01	0.02	<0.01

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
 Client Ref **46104**
 Project *
 Reported 19/11/10
 Status Final
 Page Page 43 of 50

ANALYTICAL REPORT

	XRF780 % 0.01 100.00 SiO2	XRF780 % 0.01 100.00 Sr	XRF780 % 0.01 100.00 TiO2	XRF780 % 0.01 100.00 Y	XRF780 % 0.01 100.00 Zn	XRF780 % 0.01 100.00 Zr
200252	27.5	<0.01	0.01	<0.01	0.02	<0.01
200253	22.2	<0.01	<0.01	<0.01	0.02	<0.01
200254	13.6	<0.01	0.07	<0.01	0.04	<0.01
200255	18.7	<0.01	0.06	<0.01	0.03	0.01
200256	54.6	<0.01	0.11	<0.01	1.58	0.01
200257	29.3	<0.01	0.02	<0.01	0.02	<0.01
200258	26.4	<0.01	0.02	<0.01	0.03	<0.01
200259	27.3	<0.01	0.04	<0.01	<0.01	<0.01
200260	22.8	<0.01	0.04	<0.01	0.02	<0.01
200261	19.0	<0.01	0.06	<0.01	0.03	<0.01
200262	27.6	<0.01	0.03	<0.01	0.02	<0.01
200263	25.3	<0.01	0.02	<0.01	0.02	<0.01
200264	28.5	<0.01	0.01	<0.01	0.02	<0.01
200265	34.4	<0.01	0.02	<0.01	0.01	<0.01
200266	38.4	<0.01	0.03	<0.01	0.02	<0.01
200267	51.0	<0.01	0.01	<0.01	<0.01	<0.01
200268	30.6	<0.01	0.04	<0.01	0.02	<0.01
200269	15.4	<0.01	0.09	<0.01	0.07	<0.01
200270	25.4	<0.01	0.30	<0.01	0.05	0.02
200271	34.0	<0.01	0.18	<0.01	0.18	<0.01
200272	19.4	<0.01	0.05	<0.01	0.02	<0.01
200273	23.4	<0.01	0.04	<0.01	0.04	<0.01
200274	24.1	<0.01	0.05	<0.01	0.03	<0.01
200275	21.1	<0.01	0.07	<0.01	0.04	<0.01
200276	25.5	<0.01	0.05	<0.01	0.03	<0.01
200277	18.2	<0.01	0.09	<0.01	0.04	<0.01
200278	54.6	<0.01	0.11	0.01	1.57	<0.01
200279	37.9	<0.01	0.06	<0.01	0.06	<0.01
200280	-	-	-	-	-	-
200281	-	-	-	-	-	-
200282	-	-	-	-	-	-
200283	-	-	-	-	-	-
200284	-	-	-	-	-	-
200285	-	-	-	-	-	-
200286	-	-	-	-	-	-
200287	-	-	-	-	-	-
200288	-	-	-	-	-	-
200289	-	-	-	-	-	-
200290	-	-	-	-	-	-

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
Client Ref **46104**
Project *
Reported 19/11/10
Status Final
Page Page 44 of 50

ANALYTICAL REPORT

	XRF780 % 0.01 100.00 SiO2	XRF780 % 0.01 100.00 Sr	XRF780 % 0.01 100.00 TiO2	XRF780 % 0.01 100.00 Y	XRF780 % 0.01 100.00 Zn	XRF780 % 0.01 100.00 Zr
200291	-	-	-	-	-	-
200292	-	-	-	-	-	-
200293	-	-	-	-	-	-
200294	-	-	-	-	-	-
200295	-	-	-	-	-	-
200296	-	-	-	-	-	-
200297	-	-	-	-	-	-
200298	-	-	-	-	-	-
200299	-	-	-	-	-	-
200300	-	-	-	-	-	-
200301	-	-	-	-	-	-
200302	-	-	-	-	-	-
200303	-	-	-	-	-	-
200304	-	-	-	-	-	-
200305	-	-	-	-	-	-
200306	-	-	-	-	-	-
200307	-	-	-	-	-	-
200308	-	-	-	-	-	-
200309	-	-	-	-	-	-
200310	-	-	-	-	-	-
200311	-	-	-	-	-	-
200312	-	-	-	-	-	-
200313	-	-	-	-	-	-
200314	-	-	-	-	-	-
200315	-	-	-	-	-	-
200316	-	-	-	-	-	-
200317	-	-	-	-	-	-
200318	-	-	-	-	-	-
200319	-	-	-	-	-	-
200320	-	-	-	-	-	-
200321	-	-	-	-	-	-
200322	-	-	-	-	-	-
200323	-	-	-	-	-	-
200324	-	-	-	-	-	-
200325	-	-	-	-	-	-
200326	-	-	-	-	-	-
200327	-	-	-	-	-	-
200328	-	-	-	-	-	-
200329	-	-	-	-	-	-

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
Client Ref **46104**
Project *
Reported 19/11/10
Status Final
Page Page 45 of 50

ANALYTICAL REPORT

	XRF780 % 0.01 100.00 SiO2	XRF780 % 0.01 100.00 Sr	XRF780 % 0.01 100.00 TiO2	XRF780 % 0.01 100.00 Y	XRF780 % 0.01 100.00 Zn	XRF780 % 0.01 100.00 Zr
200330	-	-	-	-	-	-
200331	-	-	-	-	-	-
200332	-	-	-	-	-	-
D - 200222	-	-	-	-	-	-
D - 200269	15.4	<0.01	0.08	<0.01	0.07	<0.01
D - 200316	-	-	-	-	-	-

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
Client Ref **46104**
Project *
Reported 19/11/10
Status Final
Page Page 46 of 50

ANALYTICAL REPORT

Scheme	XRF780
Units	%
Detection Limit	-10.00
Upper Limit	100.00
	LOI
200214	-
200215	-
200216	-
200217	-
200218	-
200219	-
200220	-
200221	-
200222	-
200223	-
200224	-
200225	-
200226	-
200227	-
200228	-
200229	-
200230	-
200231	-
200232	-
200233	-
200234	-
200235	-
200236	-
200237	-
200238	-
200239	-
200240	-
200241	4.04
200242	7.01
200243	8.08
200244	7.53
200245	4.06
200246	5.60
200247	10.7
200248	7.97
200249	7.38
200250	5.52
200251	6.16

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
Client Ref **46104**
Project *
Reported 19/11/10
Status Final
Page Page 47 of 50

ANALYTICAL REPORT

	XRF780 % -10.00 100.00 LOI
200252	10.9
200253	8.55
200254	3.30
200255	4.95
200256	10.7
200257	8.20
200258	8.91
200259	6.90
200260	7.61
200261	4.91
200262	8.37
200263	8.33
200264	9.49
200265	8.83
200266	7.09
200267	2.67
200268	5.95
200269	3.94
200270	4.82
200271	8.23
200272	5.24
200273	7.75
200274	8.93
200275	7.51
200276	9.65
200277	6.39
200278	10.9
200279	10.1
200280	-
200281	-
200282	-
200283	-
200284	-
200285	-
200286	-
200287	-
200288	-
200289	-
200290	-

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
Client Ref **46104**
Project *
Reported 19/11/10
Status Final
Page Page 48 of 50

ANALYTICAL REPORT

	XRF780 % -10.00 100.00 LOI
200291	-
200292	-
200293	-
200294	-
200295	-
200296	-
200297	-
200298	-
200299	-
200300	-
200301	-
200302	-
200303	-
200304	-
200305	-
200306	-
200307	-
200308	-
200309	-
200310	-
200311	-
200312	-
200313	-
200314	-
200315	-
200316	-
200317	-
200318	-
200319	-
200320	-
200321	-
200322	-
200323	-
200324	-
200325	-
200326	-
200327	-
200328	-
200329	-

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127900
Client Ref **46104**
Project *
Reported 19/11/10
Status Final
Page Page 49 of 50

ANALYTICAL REPORT

	XRF780 % -10.00 100.00 LOI
200330	-
200331	-
200332	-
D - 200222	-
D - 200269	3.98
D - 200316	-

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



<i>Lab Ref</i>	WM127900
<i>Client Ref</i>	46104
<i>Project</i>	*
<i>Reported</i>	19/11/10
<i>Status</i>	Final
<i>Page</i>	Page 50 of 50

DESCRIPTION

WGH79 : Sample Weight
ICP90Q : ICPAES after DIG90Q
XRF78S : XRF, Fusion, Whole Rock
XRF78O : XRF, Fusion, Ore Grade