

**Karen Lomasney**

EA to CFO

Creat Resources Holdings Ltd

GPO Box 2288

Hobart

TAS 7001

Lab Ref WM128036*Client Ref* **46106***Project* **Cost Code**Status* Final*Received* 17/11/10*Reported* 16/12/10*Samples* 92*First Sample* 200477*Last Sample* 200568*Pages* 26*Copy**Notes*

Authorised by

On behalf of:

Graeme Farrant

Laboratory Manager

The results in this analytical report pertain to the samples provided to this laboratory for preparation and/or analysis as requested by the client. This document is issued by the company subject to its General Conditions of Services (www.sgs.com/generalconditions). Attention is drawn to the limitations of liability, indemnification and justifications issues established therein.



Lab Ref WM128036
 Client Ref **46106**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 2 of 26

ANALYTICAL REPORT

Scheme	WGH79	XRF780	XRF780	XRF780	XRF780	XRF780
Units	G	%	%	%	%	%
Detection Limit	0.00	0.01	0.01	0.01	0.01	0.01
Upper Limit	0.00	100.00	100.00	100.00	100.00	100.00
	Wt(Dry)	Al2O3	SiO2	TiO2	Fe2O3	MnO
200477		-	-	-	-	-
200478	3410.000	-	-	-	-	-
200479	4466.000	-	-	-	-	-
200480	4840.000	-	-	-	-	-
200481	4254.000	-	-	-	-	-
200482	3920.000	-	-	-	-	-
200483	4146.000	-	-	-	-	-
200484	4426.000	-	-	-	-	-
200485	4218.000	-	-	-	-	-
200486	4638.000	-	-	-	-	-
200487	5046.000	-	-	-	-	-
200488	5008.000	-	-	-	-	-
200489	4740.000	-	-	-	-	-
200490	4956.000	-	-	-	-	-
200491	4476.000	-	-	-	-	-
200492	3920.000	-	-	-	-	-
200493	3680.000	-	-	-	-	-
200494	4158.000	-	-	-	-	-
200495	4780.000	-	-	-	-	-
200496	3754.000	-	-	-	-	-
200497	2968.000	-	-	-	-	-
200498		-	-	-	-	-
200499	1600.000	1.49	22.9	0.07	48.4	0.31
200500	3346.000	0.51	8.58	0.03	77.0	0.33
200501	3678.000	0.60	4.38	0.04	88.2	0.32
200502	3870.000	0.38	5.02	0.03	87.7	0.31
200503		0.42	27.1	0.04	53.9	0.28
200504	3320.000	0.37	10.1	0.04	76.0	0.36
200505	3520.000	0.23	6.79	0.03	83.7	0.37
200506	2430.000	0.08	25.3	0.01	38.3	0.30
200507	2710.000	2.24	16.7	0.10	57.8	0.51
200508	2386.000	-	-	-	-	-
200509	2576.000	-	-	-	-	-
200510	2176.000	-	-	-	-	-
200511	2178.000	-	-	-	-	-
200512	2348.000	-	-	-	-	-
200513	2444.000	-	-	-	-	-
200514	2502.000	-	-	-	-	-

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128036
 Client Ref **46106**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 3 of 26

ANALYTICAL REPORT

	WGH79 G 0.00 0.00 Wt(Dry)	XRF78O % 0.01 100.00 Al2O3	XRF78O % 0.01 100.00 SiO2	XRF78O % 0.01 100.00 TiO2	XRF78O % 0.01 100.00 Fe2O3	XRF78O % 0.01 100.00 MnO
200515	2428.000	-	-	-	-	-
200516	2568.000	-	-	-	-	-
200517	2418.000	-	-	-	-	-
200518	2392.000	-	-	-	-	-
200519	2412.000	-	-	-	-	-
200520		-	-	-	-	-
200521	2422.000	-	-	-	-	-
200522	2294.000	-	-	-	-	-
200523	2134.000	-	-	-	-	-
200524	2190.000	-	-	-	-	-
200525	2644.000	-	-	-	-	-
200526	2264.000	-	-	-	-	-
200527	1942.000	-	-	-	-	-
200528	2322.000	-	-	-	-	-
200529	2490.000	-	-	-	-	-
200530	2506.000	-	-	-	-	-
200531	1984.000	-	-	-	-	-
200532	2412.000	-	-	-	-	-
200533	2420.000	-	-	-	-	-
200534	2406.000	-	-	-	-	-
200535	2340.000	-	-	-	-	-
200536	2484.000	-	-	-	-	-
200537	2308.000	-	-	-	-	-
200538	2342.000	-	-	-	-	-
200539	2616.000	-	-	-	-	-
200540	2530.000	-	-	-	-	-
200541		-	-	-	-	-
200542	2238.000	-	-	-	-	-
200543	2206.000	-	-	-	-	-
200544	2342.000	-	-	-	-	-
200545	2728.000	-	-	-	-	-
200546	2384.000	-	-	-	-	-
200547	2338.000	-	-	-	-	-
200548	2650.000	-	-	-	-	-
200549	2648.000	-	-	-	-	-
200550	2512.000	-	-	-	-	-
200551	2652.000	-	-	-	-	-
200552	2296.000	-	-	-	-	-
200553	2788.000	-	-	-	-	-

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128036
 Client Ref **46106**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 4 of 26

ANALYTICAL REPORT

	WGH79 G 0.00 0.00 Wt(Dry)	XRF78O % 0.01 100.00 Al2O3	XRF78O % 0.01 100.00 SiO2	XRF78O % 0.01 100.00 TiO2	XRF78O % 0.01 100.00 Fe2O3	XRF78O % 0.01 100.00 MnO
200554	3000.000	-	-	-	-	-
200555	2494.000	-	-	-	-	-
200556	2604.000	-	-	-	-	-
200557	2364.000	-	-	-	-	-
200558	2674.000	-	-	-	-	-
200559	2262.000	-	-	-	-	-
200560	2274.000	-	-	-	-	-
200561	2418.000	-	-	-	-	-
200562		-	-	-	-	-
200563	2756.000	-	-	-	-	-
200564	2766.000	-	-	-	-	-
200565	2408.000	-	-	-	-	-
200566	2312.000	-	-	-	-	-
200567	2168.000	-	-	-	-	-
200568		-	-	-	-	-
D - 200485		-	-	-	-	-
D - 200532		-	-	-	-	-

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128036
 Client Ref **46106**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 5 of 26

ANALYTICAL REPORT

Scheme	XRF780	XRF780	XRF780	XRF780	XRF780	XRF780
Units	%	%	%	%	%	%
Detection Limit	0.01	0.01	0.01	0.01	0.01	0.01
Upper Limit	100.00	100.00	100.00	100.00	100.00	100.00
	CaO	K2O	MgO	P2O5	Na2O	Zn
200477	-	-	-	-	-	-
200478	-	-	-	-	-	-
200479	-	-	-	-	-	-
200480	-	-	-	-	-	-
200481	-	-	-	-	-	-
200482	-	-	-	-	-	-
200483	-	-	-	-	-	-
200484	-	-	-	-	-	-
200485	-	-	-	-	-	-
200486	-	-	-	-	-	-
200487	-	-	-	-	-	-
200488	-	-	-	-	-	-
200489	-	-	-	-	-	-
200490	-	-	-	-	-	-
200491	-	-	-	-	-	-
200492	-	-	-	-	-	-
200493	-	-	-	-	-	-
200494	-	-	-	-	-	-
200495	-	-	-	-	-	-
200496	-	-	-	-	-	-
200497	-	-	-	-	-	-
200498	-	-	-	-	-	-
200499	2.14	0.22	18.0	0.03	0.08	0.02
200500	0.83	<0.01	9.56	0.02	0.03	0.02
200501	0.50	<0.01	5.80	0.04	0.02	0.03
200502	0.71	0.01	6.26	0.02	0.02	0.03
200503	0.77	0.02	10.3	0.11	0.04	<0.01
200504	0.44	0.02	11.1	0.04	0.02	0.03
200505	0.27	<0.01	8.43	0.01	0.02	0.02
200506	0.08	<0.01	27.6	<0.01	0.03	0.02
200507	0.95	0.18	17.1	0.04	0.02	0.02
200508	-	-	-	-	-	-
200509	-	-	-	-	-	-
200510	-	-	-	-	-	-
200511	-	-	-	-	-	-
200512	-	-	-	-	-	-
200513	-	-	-	-	-	-
200514	-	-	-	-	-	-

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128036
Client Ref **46106**
Project *
Reported 16/12/10
Status Final
Page Page 6 of 26

ANALYTICAL REPORT

	XRF780 % 0.01 100.00 CaO	XRF780 % 0.01 100.00 K2O	XRF780 % 0.01 100.00 MgO	XRF780 % 0.01 100.00 P2O5	XRF780 % 0.01 100.00 Na2O	XRF780 % 0.01 100.00 Zn
200515	-	-	-	-	-	-
200516	-	-	-	-	-	-
200517	-	-	-	-	-	-
200518	-	-	-	-	-	-
200519	-	-	-	-	-	-
200520	-	-	-	-	-	-
200521	-	-	-	-	-	-
200522	-	-	-	-	-	-
200523	-	-	-	-	-	-
200524	-	-	-	-	-	-
200525	-	-	-	-	-	-
200526	-	-	-	-	-	-
200527	-	-	-	-	-	-
200528	-	-	-	-	-	-
200529	-	-	-	-	-	-
200530	-	-	-	-	-	-
200531	-	-	-	-	-	-
200532	-	-	-	-	-	-
200533	-	-	-	-	-	-
200534	-	-	-	-	-	-
200535	-	-	-	-	-	-
200536	-	-	-	-	-	-
200537	-	-	-	-	-	-
200538	-	-	-	-	-	-
200539	-	-	-	-	-	-
200540	-	-	-	-	-	-
200541	-	-	-	-	-	-
200542	-	-	-	-	-	-
200543	-	-	-	-	-	-
200544	-	-	-	-	-	-
200545	-	-	-	-	-	-
200546	-	-	-	-	-	-
200547	-	-	-	-	-	-
200548	-	-	-	-	-	-
200549	-	-	-	-	-	-
200550	-	-	-	-	-	-
200551	-	-	-	-	-	-
200552	-	-	-	-	-	-
200553	-	-	-	-	-	-

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128036
 Client Ref **46106**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 7 of 26

ANALYTICAL REPORT

	XRF780 % 0.01 100.00 CaO	XRF780 % 0.01 100.00 K2O	XRF780 % 0.01 100.00 MgO	XRF780 % 0.01 100.00 P2O5	XRF780 % 0.01 100.00 Na2O	XRF780 % 0.01 100.00 Zn
200554	-	-	-	-	-	-
200555	-	-	-	-	-	-
200556	-	-	-	-	-	-
200557	-	-	-	-	-	-
200558	-	-	-	-	-	-
200559	-	-	-	-	-	-
200560	-	-	-	-	-	-
200561	-	-	-	-	-	-
200562	-	-	-	-	-	-
200563	-	-	-	-	-	-
200564	-	-	-	-	-	-
200565	-	-	-	-	-	-
200566	-	-	-	-	-	-
200567	-	-	-	-	-	-
200568	-	-	-	-	-	-
D - 200485	-	-	-	-	-	-
D - 200532	-	-	-	-	-	-

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128036
 Client Ref **46106**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 8 of 26

ANALYTICAL REPORT

Scheme	XRF780	XRF780	XRF780	XRF780	XRF780	XRF780
Units	%	%	%	%	%	%
Detection Limit	0.01	0.01	0.01	0.01	0.01	0.01
Upper Limit	100.00	100.00	100.00	100.00	100.00	100.00
	Cr2O3	Ba	Zr	Sr	Nb	Y
200477	-	-	-	-	-	-
200478	-	-	-	-	-	-
200479	-	-	-	-	-	-
200480	-	-	-	-	-	-
200481	-	-	-	-	-	-
200482	-	-	-	-	-	-
200483	-	-	-	-	-	-
200484	-	-	-	-	-	-
200485	-	-	-	-	-	-
200486	-	-	-	-	-	-
200487	-	-	-	-	-	-
200488	-	-	-	-	-	-
200489	-	-	-	-	-	-
200490	-	-	-	-	-	-
200491	-	-	-	-	-	-
200492	-	-	-	-	-	-
200493	-	-	-	-	-	-
200494	-	-	-	-	-	-
200495	-	-	-	-	-	-
200496	-	-	-	-	-	-
200497	-	-	-	-	-	-
200498	-	-	-	-	-	-
200499	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200500	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200501	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200502	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200503	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200504	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200505	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200506	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
200507	<0.01	0.01	<0.01	<0.01	<0.01	<0.01
200508	-	-	-	-	-	-
200509	-	-	-	-	-	-
200510	-	-	-	-	-	-
200511	-	-	-	-	-	-
200512	-	-	-	-	-	-
200513	-	-	-	-	-	-
200514	-	-	-	-	-	-

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128036
Client Ref **46106**
Project *
Reported 16/12/10
Status Final
Page Page 9 of 26

ANALYTICAL REPORT

	XRF780 % 0.01 100.00 Cr2O3	XRF780 % 0.01 100.00 Ba	XRF780 % 0.01 100.00 Zr	XRF780 % 0.01 100.00 Sr	XRF780 % 0.01 100.00 Nb	XRF780 % 0.01 100.00 Y
200515	-	-	-	-	-	-
200516	-	-	-	-	-	-
200517	-	-	-	-	-	-
200518	-	-	-	-	-	-
200519	-	-	-	-	-	-
200520	-	-	-	-	-	-
200521	-	-	-	-	-	-
200522	-	-	-	-	-	-
200523	-	-	-	-	-	-
200524	-	-	-	-	-	-
200525	-	-	-	-	-	-
200526	-	-	-	-	-	-
200527	-	-	-	-	-	-
200528	-	-	-	-	-	-
200529	-	-	-	-	-	-
200530	-	-	-	-	-	-
200531	-	-	-	-	-	-
200532	-	-	-	-	-	-
200533	-	-	-	-	-	-
200534	-	-	-	-	-	-
200535	-	-	-	-	-	-
200536	-	-	-	-	-	-
200537	-	-	-	-	-	-
200538	-	-	-	-	-	-
200539	-	-	-	-	-	-
200540	-	-	-	-	-	-
200541	-	-	-	-	-	-
200542	-	-	-	-	-	-
200543	-	-	-	-	-	-
200544	-	-	-	-	-	-
200545	-	-	-	-	-	-
200546	-	-	-	-	-	-
200547	-	-	-	-	-	-
200548	-	-	-	-	-	-
200549	-	-	-	-	-	-
200550	-	-	-	-	-	-
200551	-	-	-	-	-	-
200552	-	-	-	-	-	-
200553	-	-	-	-	-	-

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128036
 Client Ref **46106**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 10 of 26

ANALYTICAL REPORT

	XRF780 % 0.01 100.00 Cr2O3	XRF780 % 0.01 100.00 Ba	XRF780 % 0.01 100.00 Zr	XRF780 % 0.01 100.00 Sr	XRF780 % 0.01 100.00 Nb	XRF780 % 0.01 100.00 Y
200554	-	-	-	-	-	-
200555	-	-	-	-	-	-
200556	-	-	-	-	-	-
200557	-	-	-	-	-	-
200558	-	-	-	-	-	-
200559	-	-	-	-	-	-
200560	-	-	-	-	-	-
200561	-	-	-	-	-	-
200562	-	-	-	-	-	-
200563	-	-	-	-	-	-
200564	-	-	-	-	-	-
200565	-	-	-	-	-	-
200566	-	-	-	-	-	-
200567	-	-	-	-	-	-
200568	-	-	-	-	-	-
D - 200485	-	-	-	-	-	-
D - 200532	-	-	-	-	-	-

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128036
 Client Ref **46106**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 11 of 26

ANALYTICAL REPORT

Scheme		XRF780	ICP40Q	ICP40Q	ICP40Q	ICP40Q	ICP40Q
Units		%	PPM	PPM	PPM	PPM	PPM
Detection Limit		-10.00	100.00	3.00	5.00	0.50	50.00
Upper Limit		100.00	400,000.00	10,000.00	10,000.00	5,000.00	400,000.00
		LOI	Al	As	Ba	Be	Ca
200477	-		1280	<3	9	<0.5	107
200478	-		2590	96	6	5.8	7.97%
200479	-		2570	18	8	3.7	9.41%
200480	-		1500	14	5	3.8	9.42%
200481	-		2170	107	8	3.7	7.09%
200482	-		2.03%	34	60	3.3	8.01%
200483	-		2160	342	8	0.8	2.92%
200484	-		4020	361	24	1.1	8770
200485	-		830	362	9	1.1	6.90%
200486	-		3600	189	22	1.4	3.71%
200487	-		1320	24	13	3.2	17.2%
200488	-		660	10	6	2.9	17.1%
200489	-		800	6	6	3.4	17.8%
200490	-		950	13	5	3.2	18.2%
200491	-		5.54%	19	757	5.7	12.9%
200492	-		10.3%	283	938	4.1	1.69%
200493	-		9.36%	359	2101	5.3	2.08%
200494	-		9.17%	103	1370	5.2	5.30%
200495	-		8.03%	<3	28	4.0	10.0%
200496	-		8.45%	<3	42	3.2	11.2%
200497	-		10.7%	12	175	3.7	12.4%
200498	-		2.48%	67	80	0.6	3591
200499	5.96		8480	181	101	1.0	1.45%
200500	1.83		3020	145	40	<0.5	5845
200501	-0.4090		3470	86	47	<0.5	3407
200502	-0.3630		2640	92	53	<0.5	4993
200503	6.98		2720	29	41	<0.5	5649
200504	1.82		2410	116	45	<0.5	3025
200505	0.550		1730	108	49	<0.5	2012
200506	8.65		750	105	20	<0.5	582
200507	4.55		1.30%	107	126	<0.5	6787
200508	-		4580	38	7	1.2	9.44%
200509	-		1.85%	4	200	3.2	16.0%
200510	-		8.16%	32	4951	3.2	3.06%
200511	-		8.16%	54	4471	2.8	1.93%
200512	-		10.0%	107	3243	3.0	2.60%
200513	-		7.61%	8	1023	4.5	8.22%
200514	-		7.40%	<3	890	5.0	12.4%

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128036
 Client Ref **46106**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 12 of 26

ANALYTICAL REPORT

	XRF780 % -10.00 100.00 LOI	ICP40Q PPM 100.00 400,000.00 Al	ICP40Q PPM 3.00 10,000.00 As	ICP40Q PPM 5.00 10,000.00 Ba	ICP40Q PPM 0.50 5,000.00 Be	ICP40Q PPM 50.00 400,000.00 Ca
200515	-	9290	57	135	2.1	6.40%
200516	-	1.47%	5	37	2.9	13.3%
200517	-	1.32%	9	47	3.3	11.5%
200518	-	9120	105	45	1.3	1.34%
200519	-	7740	71	38	<0.5	4180
200520	-	2.63%	64	83	0.6	3185
200521	-	3690	69	16	0.9	5.60%
200522	-	7.80%	11	705	3.8	5.96%
200523	-	8.08%	7	1038	2.4	6210
200524	-	5.55%	13	1065	4.5	6.50%
200525	-	1910	9	16	2.2	16.6%
200526	-	2250	68	18	0.7	6.37%
200527	-	970	174	16	<0.5	967
200528	-	1.91%	102	531	0.6	1.69%
200529	-	5390	127	15	1.4	2.64%
200530	-	6050	158	17	1.0	5218
200531	-	3750	233	18	<0.5	513
200532	-	8530	256	24	<0.5	712
200533	-	9970	228	23	1.3	1610
200534	-	970	166	16	0.6	5209
200535	-	2080	176	17	0.5	1.30%
200536	-	6.38%	7	330	2.9	10.0%
200537	-	4.79%	12	80	4.0	11.9%
200538	-	1.39%	121	63	1.1	2.92%
200539	-	2170	171	19	<0.5	3549
200540	-	6440	102	27	4.4	1.25%
200541	-	2.42%	68	81	0.7	3247
200542	-	1050	95	11	<0.5	6657
200543	-	580	109	12	<0.5	216
200544	-	900	159	18	<0.5	811
200545	-	3.63%	56	61	2.2	11.5%
200546	-	820	155	18	0.6	1456
200547	-	1520	165	13	1.4	2.00%
200548	-	1690	97	11	2.2	8.44%
200549	-	930	133	16	2.0	4.91%
200550	-	690	133	16	2.1	3.80%
200551	-	500	94	11	2.0	7.34%
200552	-	1050	98	11	1.4	4.61%
200553	-	2500	135	41	0.6	1756

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128036
 Client Ref **46106**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 13 of 26

ANALYTICAL REPORT

	XRF780 % -10.00 100.00 LOI	ICP40Q PPM 100.00 400,000.00 Al	ICP40Q PPM 3.00 10,000.00 As	ICP40Q PPM 5.00 10,000.00 Ba	ICP40Q PPM 0.50 5,000.00 Be	ICP40Q PPM 50.00 400,000.00 Ca
200554	-	550	125	30	<0.5	1343
200555	-	700	158	40	<0.5	1853
200556	-	280	209	32	<0.5	409
200557	-	2870	194	16	<0.5	881
200558	-	2.32%	149	32	3.7	5.30%
200559	-	5.58%	<3	365	3.0	9.44%
200560	-	9.14%	<3	737	3.4	7.19%
200561	-	8.58%	<3	207	3.4	13.2%
200562	-	2.59%	74	83	0.7	4004
200563	-	6.36%	<3	134	2.8	14.5%
200564	-	9030	226	48	1.6	2.99%
200565	-	6.84%	48	344	3.5	9.93%
200566	-	9.62%	<3	1450	3.4	2.39%
200567	-	8.82%	<3	746	3.5	4.34%
200568	-	1660	<3	13	<0.5	487
D - 200485	-	870	360	11	1.3	6.87%
D - 200532	-	7890	257	22	<0.5	607

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128036
 Client Ref **46106**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 14 of 26

ANALYTICAL REPORT

Scheme	ICP40Q	ICP40Q	ICP40Q	ICP40Q	ICP40Q	ICP40Q
Units	PPM	PPM	PPM	PPM	PPM	PPM
Detection Limit	1.00	10.00	1.00	5.00	100.00	100.00
Upper Limit	5,000.00	20,000.00	10,000.00	10,000.00	1,000,000.00	200,000.00
	Cd	Cr	Co	Cu	Fe	K
200477	<1	14	<1	<5	290	290
200478	<1	<10	7	41	4.31%	1110
200479	2	<10	9	<5	8.68%	530
200480	3	<10	11	<5	5.75%	520
200481	4	<10	8	21	7.17%	750
200482	<1	23	11	13	13.2%	1310
200483	<1	<10	18	102	7.59%	720
200484	2	<10	5	51	16.1%	230
200485	<1	<10	8	20	9.07%	100
200486	1	<10	14	21	27.5%	400
200487	<1	<10	3	<5	2.41%	200
200488	<1	<10	2	<5	2.20%	<100
200489	<1	<10	3	<5	2.23%	110
200490	<1	<10	2	<5	1.52%	<100
200491	2	47	13	<5	5.83%	1.69%
200492	<1	83	25	37	2.01%	4.43%
200493	<1	100	50	11	1.50%	4.30%
200494	2	122	32	612	6.37%	2.79%
200495	21	64	29	129	14.3%	1100
200496	31	59	26	130	9.58%	5860
200497	7	67	27	10	7.86%	1.32%
200498	67	24	76	>10000	12.3%	6430
200499	2	<10	47	350	35.4%	2060
200500	2	<10	24	117	57.1%	<100
200501	2	<10	16	34	67.9%	<100
200502	2	<10	16	20	68.3%	<100
200503	1	28	13	12	36.1%	160
200504	1	<10	20	24	58.5%	110
200505	2	<10	17	16	70.6%	<100
200506	1	<10	10	7	29.0%	<100
200507	1	12	14	13	44.5%	1650
200508	<1	<10	6	<5	6.36%	1310
200509	<1	32	5	<5	3.21%	5230
200510	<1	85	18	48	3.48%	4.74%
200511	<1	89	21	95	3.36%	4.28%
200512	<1	88	28	61	2.55%	4.61%
200513	<1	92	11	7	3.11%	2.58%
200514	<1	90	12	<5	4.49%	1.84%

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128036
 Client Ref **46106**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 15 of 26

ANALYTICAL REPORT

	ICP40Q PPM 1.00 5,000.00 Cd	ICP40Q PPM 10.00 20,000.00 Cr	ICP40Q PPM 1.00 10,000.00 Co	ICP40Q PPM 5.00 10,000.00 Cu	ICP40Q PPM 100.00 1,000,000.00 Fe	ICP40Q PPM 100.00 200,000.00 K
200515	<1	<10	13	<5	16.9%	3310
200516	<1	15	6	<5	2.03%	1410
200517	<1	12	6	<5	2.76%	1870
200518	1	<10	20	26	25.0%	1390
200519	<1	<10	16	43	16.4%	4840
200520	71	24	85	>10000	13.5%	6540
200521	<1	<10	12	155	15.3%	980
200522	<1	77	10	14	3.26%	2.85%
200523	<1	60	13	92	3.93%	4.41%
200524	<1	36	8	28	3.11%	1.59%
200525	4	<10	1	5	1.22%	220
200526	<1	<10	7	<5	4.63%	620
200527	<1	<10	41	18	6.55%	360
200528	<1	23	16	22	5.41%	6970
200529	<1	<10	5	37	10.9%	1560
200530	<1	<10	21	8	18.4%	1670
200531	<1	<10	28	63	22.1%	300
200532	2	<10	40	83	18.9%	1590
200533	1	<10	90	448	26.8%	990
200534	<1	<10	5	19	18.8%	<100
200535	<1	<10	8	45	19.2%	710
200536	<1	63	10	33	4.75%	1.15%
200537	<1	46	9	<5	5.24%	2540
200538	<1	13	9	<5	10.6%	1700
200539	<1	<10	12	8	24.0%	<100
200540	<1	<10	12	<5	25.1%	600
200541	59	23	69	>10000	12.9%	6310
200542	<1	<10	10	121	11.5%	130
200543	<1	<10	10	8	10.3%	<100
200544	<1	<10	11	6	19.1%	<100
200545	<1	28	6	<5	9.49%	1530
200546	<1	<10	17	8	22.6%	<100
200547	<1	<10	10	<5	16.0%	540
200548	<1	<10	7	<5	11.9%	230
200549	<1	<10	7	<5	16.0%	190
200550	<1	<10	7	<5	20.1%	180
200551	<1	<10	7	<5	15.3%	120
200552	<1	<10	7	<5	14.1%	160
200553	<1	<10	12	10	37.2%	210

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128036
 Client Ref **46106**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 16 of 26

ANALYTICAL REPORT

	ICP40Q PPM 1.00 5,000.00 Cd	ICP40Q PPM 10.00 20,000.00 Cr	ICP40Q PPM 1.00 10,000.00 Co	ICP40Q PPM 5.00 10,000.00 Cu	ICP40Q PPM 100.00 1,000,000.00 Fe	ICP40Q PPM 100.00 200,000.00 K
200554	<1	<10	13	9	40.4%	<100
200555	<1	<10	17	12	40.4%	<100
200556	<1	<10	15	8	29.7%	<100
200557	<1	<10	13	10	18.6%	370
200558	<1	22	15	6	17.7%	1950
200559	<1	60	10	<5	3.97%	1.64%
200560	<1	97	5	<5	2.30%	3.43%
200561	<1	100	7	<5	3.48%	1.86%
200562	61	24	72	>10000	12.6%	6470
200563	<1	73	6	98	2.92%	9710
200564	<1	13	15	10	30.1%	950
200565	<1	69	7	<5	8.84%	7800
200566	<1	98	8	11	2.00%	4.88%
200567	<1	91	4	<5	2.04%	2.73%
200568	<1	15	<1	<5	610	500
D - 200485	<1	<10	7	23	8.74%	120
D - 200532	2	<10	38	86	18.3%	1590

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128036
 Client Ref **46106**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 17 of 26

ANALYTICAL REPORT

Scheme	ICP40Q	ICP40Q	ICP40Q	ICP40Q	ICP40Q	ICP40Q
Units	PPM	PPM	PPM	PPM	PPM	PPM
Detection Limit	0.50	1.00	20.00	5.00	5.00	5.00
Upper Limit	10,000.00	10,000.00	1,000,000.00	10,000.00	10,000.00	10,000.00
	La	Li	Mg	Mn	Mo	Ni
200477	4.3	6	95	6	<5	5
200478	<0.5	22	14.1%	5507	111	5
200479	<0.5	4	12.3%	3849	<5	<5
200480	<0.5	2	12.7%	3457	<5	<5
200481	<0.5	29	13.8%	3309	34	<5
200482	2.3	23	11.2%	5993	7	23
200483	<0.5	8	20.5%	4121	10	<5
200484	3.2	16	18.9%	4250	97	6
200485	0.9	6	16.1%	3143	<5	<5
200486	1.9	10	13.9%	4201	<5	<5
200487	0.5	12	11.7%	4082	<5	8
200488	<0.5	8	10.3%	3841	<5	8
200489	<0.5	6	10.7%	3527	<5	<5
200490	<0.5	5	11.4%	3059	<5	61
200491	46.3	84	7.93%	4460	8	24
200492	40.9	61	1.86%	736	10	44
200493	28.1	49	1.20%	1127	17	47
200494	37.0	70	2.11%	3654	23	43
200495	41.6	133	3.55%	>10000	<5	19
200496	29.6	164	3.55%	>10000	<5	25
200497	56.2	168	3.97%	8565	11	75
200498	16.0	20	1.35%	827	<5	25
200499	7.0	52	11.2%	2389	9	20
200500	6.9	4	5.71%	2456	<5	<5
200501	3.4	2	3.43%	2485	<5	<5
200502	8.1	2	3.73%	2417	<5	<5
200503	6.0	2	6.56%	2261	<5	45
200504	4.1	4	6.75%	2872	<5	8
200505	5.5	2	5.43%	3077	<5	<5
200506	2.6	<1	17.5%	2446	<5	29
200507	3.0	6	11.0%	4199	<5	10
200508	<0.5	16	17.0%	4224	<5	6
200509	20.7	54	10.7%	3813	5	24
200510	38.4	54	2.78%	1783	13	42
200511	39.2	45	2.18%	1013	15	48
200512	51.2	62	2.24%	1146	13	46
200513	58.3	45	4.35%	3153	18	46
200514	126	105	6.86%	4846	<5	30

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128036
 Client Ref **46106**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 18 of 26

ANALYTICAL REPORT

	ICP40Q PPM 0.50 10,000.00 La	ICP40Q PPM 1.00 10,000.00 Li	ICP40Q PPM 20.00 1,000,000.00 Mg	ICP40Q PPM 5.00 10,000.00 Mn	ICP40Q PPM 5.00 10,000.00 Mo	ICP40Q PPM 5.00 10,000.00 Ni
200515	3.0	15	14.1%	4748	<5	5
200516	<0.5	21	14.6%	6486	<5	9
200517	<0.5	16	15.4%	5759	<5	7
200518	3.8	8	18.2%	4648	<5	5
200519	1.7	13	20.7%	3776	<5	8
200520	16.0	20	1.56%	900	<5	25
200521	1.1	29	16.3%	3757	<5	<5
200522	43.0	89	4.44%	3104	<5	17
200523	40.7	60	1.89%	1136	<5	22
200524	30.3	102	5.94%	4245	<5	13
200525	<0.5	21	9.90%	3702	<5	<5
200526	<0.5	22	17.0%	3345	<5	6
200527	1.0	5	22.6%	3501	<5	7
200528	1.5	15	20.5%	4020	<5	9
200529	0.7	5	17.8%	4026	<5	<5
200530	1.6	3	18.1%	3379	<5	12
200531	2.4	<1	17.3%	2829	5	13
200532	2.0	<1	18.3%	3399	<5	21
200533	1.0	24	15.3%	3366	8	61
200534	1.5	1	17.5%	2656	<5	<5
200535	1.0	5	16.9%	2709	<5	5
200536	45.0	135	10.8%	6348	65	28
200537	57.4	148	9.27%	6935	<5	16
200538	6.4	45	17.4%	4656	<5	9
200539	1.4	<1	17.0%	3122	<5	6
200540	4.2	9	15.0%	4062	<5	7
200541	16.0	19	1.39%	799	<5	24
200542	1.2	2	20.6%	3924	<5	<5
200543	0.6	<1	22.3%	3493	<5	9
200544	1.9	5	18.3%	3102	<5	<5
200545	23.9	38	10.4%	4460	<5	9
200546	2.0	<1	16.8%	2548	<5	13
200547	1.0	1	16.3%	3262	<5	<5
200548	1.4	7	12.1%	3461	<5	<5
200549	0.9	6	13.0%	3288	<5	<5
200550	0.7	4	12.9%	3423	<5	<5
200551	1.0	4	12.6%	3726	<5	<5
200552	<0.5	2	14.6%	3103	<5	<5
200553	6.8	3	10.0%	2953	<5	<5

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128036
 Client Ref **46106**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 19 of 26

ANALYTICAL REPORT

	ICP40Q PPM 0.50 10,000.00 La	ICP40Q PPM 1.00 10,000.00 Li	ICP40Q PPM 20.00 1,000,000.00 Mg	ICP40Q PPM 5.00 10,000.00 Mn	ICP40Q PPM 5.00 10,000.00 Mo	ICP40Q PPM 5.00 10,000.00 Ni
200554	2.0	2	9.70%	3219	<5	<5
200555	1.8	2	9.93%	2859	<5	5
200556	1.0	<1	14.1%	2680	<5	<5
200557	1.1	5	18.0%	2851	<5	12
200558	8.4	41	12.8%	3058	<5	28
200559	68.9	122	8.58%	2102	<5	34
200560	33.9	44	2.07%	1036	<5	18
200561	102	49	3.26%	2359	<5	20
200562	16.6	20	1.31%	793	<5	23
200563	213	69	6.57%	2160	<5	21
200564	20.9	68	11.0%	1642	<5	17
200565	1063	97	6.51%	1810	<5	20
200566	58.3	81	2.36%	254	<5	65
200567	51.5	33	2.27%	720	9	62
200568	4.1	6	320	12	<5	<5
D - 200485	2.2	5	15.0%	3242	<5	<5
D - 200532	1.6	<1	17.9%	3137	<5	21

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128036
 Client Ref **46106**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 20 of 26

ANALYTICAL REPORT

Scheme	ICP40Q	ICP40Q	ICP40Q	ICP40Q	ICP40Q	ICP40Q
Units	PPM	PPM	PPM	PPM	PPM	PPM
Detection Limit	20.00	5.00	2.00	0.50	2.00	1.00
Upper Limit	100,000.00	5,000.00	5,000.00	500.00	10,000.00	10,000.00
	P	Pb	Sb	Sc	Sn	Sr
200477	<20	<5	<2	<0.5	<2	3
200478	155	100	15	1.2	20	3
200479	76	134	10	<0.5	25	4
200480	<20	469	7	<0.5	15	4
200481	255	150	14	0.6	27	4
200482	175	252	13	3.4	54	6
200483	89	86	34	<0.5	26	2
200484	130	69	43	<0.5	45	12
200485	65	56	31	<0.5	31	5
200486	67	50	35	<0.5	87	8
200487	<20	42	9	<0.5	17	33
200488	<20	32	5	<0.5	13	33
200489	<20	560	4	<0.5	19	18
200490	<20	89	5	<0.5	40	14
200491	252	129	25	10.3	186	295
200492	304	65	<2	15.9	10	281
200493	355	113	<2	15.4	13	480
200494	329	155	34	14.5	202	514
200495	291	1145	27	12.0	678	553
200496	998	1321	28	14.4	610	651
200497	478	410	72	15.7	416	652
200498	63	>5000	30	3.2	16	15
200499	90	145	36	2.5	85	29
200500	29	23	43	<0.5	154	7
200501	112	21	38	<0.5	152	6
200502	24	17	46	<0.5	117	23
200503	402	9	18	1.6	3	10
200504	138	14	40	0.6	125	6
200505	20	14	40	<0.5	165	7
200506	23	11	23	<0.5	49	2
200507	121	14	31	1.9	104	4
200508	202	12	12	<0.5	31	6
200509	117	88	5	3.6	31	49
200510	331	61	4	13.4	17	401
200511	400	67	<2	14.0	9	394
200512	443	59	<2	16.5	10	435
200513	370	46	8	13.0	51	312
200514	381	48	27	13.2	153	306

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128036
 Client Ref **46106**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 21 of 26

ANALYTICAL REPORT

	ICP40Q PPM 20.00 100,000.00 P	ICP40Q PPM 5.00 5,000.00 Pb	ICP40Q PPM 2.00 5,000.00 Sb	ICP40Q PPM 0.50 500.00 Sc	ICP40Q PPM 2.00 10,000.00 Sn	ICP40Q PPM 1.00 10,000.00 Sr
200515	35	21	17	0.7	28	12
200516	31	18	5	0.7	82	7
200517	106	20	8	1.1	53	8
200518	290	60	18	0.8	60	7
200519	323	20	17	0.9	25	2
200520	60	>5000	34	3.1	12	14
200521	303	159	17	0.8	25	9
200522	474	52	6	11.4	37	209
200523	246	62	<2	13.5	6	125
200524	231	70	5	8.2	77	247
200525	33	56	9	<0.5	18	17
200526	80	20	10	<0.5	15	14
200527	42	48	12	0.8	5	2
200528	107	79	8	4.2	15	11
200529	87	9	11	0.9	19	2
200530	49	14	13	1.2	20	1
200531	34	30	20	0.9	16	<1
200532	105	38	18	1.6	12	2
200533	76	173	21	1.4	13	4
200534	46	<5	15	<0.5	13	2
200535	40	23	18	<0.5	15	2
200536	403	47	10	10.6	58	102
200537	227	39	21	8.5	98	158
200538	81	15	13	2.2	28	40
200539	41	31	20	<0.5	32	2
200540	46	21	17	0.8	67	9
200541	64	>5000	31	3.2	12	14
200542	21	150	14	<0.5	13	2
200543	24	18	9	<0.5	6	1
200544	23	20	17	<0.5	12	3
200545	122	35	30	5.4	80	121
200546	34	30	26	<0.5	22	2
200547	66	9	18	<0.5	31	2
200548	<20	8	13	<0.5	28	7
200549	<20	6	14	<0.5	24	3
200550	53	7	15	<0.5	29	2
200551	26	7	12	<0.5	25	3
200552	50	6	14	<0.5	37	2
200553	64	11	29	1.6	61	3

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128036
 Client Ref **46106**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 22 of 26

ANALYTICAL REPORT

	ICP40Q PPM 20.00 100,000.00 P	ICP40Q PPM 5.00 5,000.00 Pb	ICP40Q PPM 2.00 5,000.00 Sb	ICP40Q PPM 0.50 500.00 Sc	ICP40Q PPM 2.00 10,000.00 Sn	ICP40Q PPM 1.00 10,000.00 Sr
200554	70	9	27	0.6	54	2
200555	40	17	22	<0.5	45	3
200556	35	10	18	<0.5	35	2
200557	26	16	13	<0.5	27	2
200558	163	22	15	4.6	45	37
200559	521	15	5	12.9	34	159
200560	520	18	3	21.4	53	361
200561	488	16	10	20.9	84	209
200562	73	>5000	35	3.3	12	15
200563	370	127	5	14.2	47	80
200564	82	22	31	2.8	54	20
200565	392	28	54	15.3	94	268
200566	572	11	<2	24.2	7	328
200567	524	25	<2	22.1	34	398
200568	<20	8	<2	<0.5	<2	5
D - 200485	63	52	28	<0.5	32	7
D - 200532	111	32	18	1.5	14	2

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128036
 Client Ref **46106**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 23 of 26

ANALYTICAL REPORT

Scheme	ICP40Q	ICP40Q	ICP40Q	ICP40Q	ICP40Q
Units	PPM	PPM	PPM	PPM	PPM
Detection Limit	10.00	1.00	10.00	0.50	5.00
Upper Limit	20,000.00	10,000.00	10,000.00	5,000.00	10,000.00
	Ti	V	W	Y	Zn
200477	944	2	<10	2.2	<5
200478	62	7	<10	5.7	86
200479	38	6	<10	3.9	373
200480	38	8	<10	3.6	843
200481	59	7	<10	4.7	979
200482	920	72	<10	6.4	347
200483	34	4	30	3.5	163
200484	39	3	<10	3.9	390
200485	42	5	15	4.7	134
200486	92	15	15	5.1	175
200487	15	5	<10	4.9	168
200488	38	6	<10	3.5	293
200489	12	8	<10	5.7	158
200490	46	8	<10	5.7	242
200491	2322	178	<10	23.9	515
200492	3567	225	<10	36.4	118
200493	3299	391	<10	39.7	212
200494	3104	386	<10	39.7	597
200495	3165	254	<10	40.4	5902
200496	3394	272	<10	36.8	7992
200497	4205	259	<10	52.5	1984
200498	594	24	85	6.9	>10000
200499	386	55	<10	3.9	260
200500	164	37	<10	0.8	194
200501	206	37	<10	0.6	258
200502	151	42	<10	0.7	252
200503	137	11	<10	4.6	14
200504	199	36	<10	1.1	262
200505	160	31	<10	0.7	217
200506	46	12	15	1.2	159
200507	605	70	11	3.2	209
200508	34	10	11	5.2	141
200509	859	94	<10	12.0	117
200510	3299	221	<10	28.2	103
200511	3434	286	<10	34.5	104
200512	4095	240	<10	32.6	75
200513	3349	273	<10	34.4	127
200514	3217	289	<10	41.0	202

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128036
Client Ref **46106**
Project *
Reported 16/12/10
Status Final
Page Page 24 of 26

ANALYTICAL REPORT

	ICP40Q PPM 10.00 20,000.00 Ti	ICP40Q PPM 1.00 10,000.00 V	ICP40Q PPM 10.00 10,000.00 W	ICP40Q PPM 0.50 5,000.00 Y	ICP40Q PPM 5.00 10,000.00 Zn
200515	282	49	<10	7.2	104
200516	191	22	<10	7.1	120
200517	216	25	<10	7.2	148
200518	415	108	15	3.1	340
200519	401	84	<10	3.7	216
200520	584	25	86	6.4	>10000
200521	289	37	<10	2.4	219
200522	3043	107	<10	23.6	178
200523	3286	98	<10	20.9	101
200524	2676	59	<10	22.0	286
200525	74	10	23	4.0	756
200526	94	7	<10	3.9	145
200527	67	2	16	1.4	254
200528	948	47	19	4.0	369
200529	269	16	10	11.1	46
200530	452	25	20	7.6	23
200531	351	23	23	3.8	257
200532	656	36	25	4.8	607
200533	494	28	32	10.4	143
200534	82	12	19	13.9	46
200535	75	8	<10	5.2	63
200536	2888	194	<10	28.9	273
200537	2563	89	<10	24.5	124
200538	542	24	47	10.3	103
200539	79	11	73	3.7	169
200540	202	20	58	7.1	108
200541	637	26	83	7.2	>10000
200542	56	5	89	3.7	247
200543	32	4	100	1.3	162
200544	48	7	101	2.6	102
200545	1460	53	25	16.9	153
200546	35	6	86	6.0	123
200547	17	5	60	18.5	34
200548	54	8	<10	17.8	114
200549	17	5	<10	16.6	30
200550	17	6	12	21.7	24
200551	16	5	13	15.3	24
200552	34	6	46	11.7	20
200553	313	40	50	7.0	24

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM128036
 Client Ref **46106**
 Project *
 Reported 16/12/10
 Status Final
 Page Page 25 of 26

ANALYTICAL REPORT

	ICP40Q PPM 10.00 20,000.00 Ti	ICP40Q PPM 1.00 10,000.00 V	ICP40Q PPM 10.00 10,000.00 W	ICP40Q PPM 0.50 5,000.00 Y	ICP40Q PPM 5.00 10,000.00 Zn
200554	242	35	50	5.5	30
200555	103	15	38	3.7	70
200556	95	11	57	4.5	73
200557	78	13	64	2.6	140
200558	1212	75	12	20.9	106
200559	3423	118	<10	28.0	80
200560	6399	154	<10	42.1	36
200561	6436	155	<10	45.6	48
200562	671	27	91	7.8	>10000
200563	4351	121	<10	30.4	117
200564	601	61	<10	11.9	92
200565	4839	117	<10	55.3	72
200566	6583	169	<10	33.4	25
200567	6368	154	13	32.4	40
200568	937	3	<10	2.7	<5
D - 200485	42	5	14	4.2	114
D - 200532	679	36	27	4.4	595

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



<i>Lab Ref</i>	WM128036
<i>Client Ref</i>	46106
<i>Project</i>	*
<i>Reported</i>	16/12/10
<i>Status</i>	Final
<i>Page</i>	Page 26 of 26

DESCRIPTION

WGH79 : Sample Weight
XRF78O : XRF, Fusion, Ore Grade
ICP40Q : ICPAES after DIG40Q