

**Kaern Lomasney**

EA to CFO

**Creat Resources Holdings Ltd**

GPO Box 2288

Hobart

TAS 7001

*Lab Ref* WM127697*Client Ref* **46102***Project* \**Cost Code**Status* Final*Received* 11/10/10*Reported* 10/11/10*Samples* 45*First Sample* 200000*Last Sample* 200044*Pages* 12*Copy**Notes**Authorised by*

Graeme Farrant

Laboratory Manager

*On behalf of:*

*The results in this analytical report pertain to the samples provided to this laboratory for preparation and/or analysis as requested by the client. This document is issued by the company subject to its General Conditions of Services ([www.sgs.com/generalconditions](http://www.sgs.com/generalconditions)). Attention is drawn to the limitations of liability, indemnification and justifications issues established therein.*



Lab Ref WM127697  
 Client Ref **46102**  
 Project \*  
 Reported 10/11/10  
 Status Final  
 Page Page 2 of 12

## ANALYTICAL REPORT

Scheme	WGH79	ICP90Q	ICP90Q	ICP90Q	ICP90Q	ICP90Q
Units	G	%	%	%	%	PPM
Detection Limit	0.00	0.40	0.01	0.01	0.01	10.00
Upper Limit	0.00	0.00	25.00	25.00	70.00	100,000.00
	Wt(Dry)	SiO2	Ti	Al	Fe	Mn
200000		81.4	0.08	0.07	0.03	<10
200001	3.816000	21.5	<0.01	0.05	2.98	875
200002	4.824000	25.9	<0.01	0.05	3.34	712
200003	4.478000	25.5	<0.01	0.06	3.48	875
200004	4.072000	22.0	<0.01	0.05	2.95	1157
200005	1.906000	20.9	<0.01	0.01	2.38	1074
200006	3.698000	34.1	<0.01	0.04	3.99	628
200007	3.690000	21.2	<0.01	0.01	2.97	2554
200008	2.298000	33.2	<0.01	0.01	3.58	781
200009	3.578000	20.6	<0.01	0.03	1.89	2083
200010	4.176000	19.3	<0.01	0.01	2.05	2267
200011	1.912000	22.4	<0.01	0.02	2.48	1341
200012	4.642000	23.3	<0.01	0.02	2.98	1055
200013	3.768000	28.7	<0.01	0.02	3.62	489
200014	1.872000	30.6	<0.01	0.01	3.39	321
200015	1.726000	33.6	<0.01	0.03	4.11	421
200016	1.972000	31.3	<0.01	0.02	4.04	575
200017	1.998000	30.5	<0.01	0.02	3.67	438
200018	1.742000	32.5	<0.01	0.02	3.43	426
200019		12.4	<0.01	0.12	18.7	2.59%
200020	2.074000	31.0	<0.01	0.02	5.21	599
200021	2.060000	31.4	<0.01	0.03	6.40	584
200022	3.922000	10.9	<0.01	<0.01	1.55	150
200023	2.198000	27.9	<0.01	<0.01	7.02	876
200024	1.618000	28.5	<0.01	0.03	1.57	1001
200025	5.042000	27.3	<0.01	0.03	3.41	477
200026	4.338000	27.8	<0.01	0.01	3.51	563
200027	4.322000	26.1	<0.01	0.02	3.66	725
200028	4.664000	27.3	<0.01	0.02	2.99	909
200029	4.618000	26.7	<0.01	0.02	3.18	897
200030	4.578000	26.9	<0.01	0.02	3.16	657
200031	2.016000	26.5	<0.01	0.01	3.78	1527
200032	3.766000	31.4	<0.01	0.01	5.20	783
200033	3.716000	32.0	<0.01	0.02	3.77	370
200034	3.674000	29.4	<0.01	0.02	3.71	322
200035	4.294000	14.7	<0.01	<0.01	2.20	204
200036	3.992000	31.7	<0.01	0.02	3.85	335
200037		11.6	<0.01	0.13	20.5	2.92%

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127697  
 Client Ref **46102**  
 Project \*  
 Reported 10/11/10  
 Status Final  
 Page Page 3 of 12

### ANALYTICAL REPORT

	WGH79 G 0.00 0.00 Wt(Dry)	ICP90Q % 0.40 0.00 SiO2	ICP90Q % 0.01 25.00 Ti	ICP90Q % 0.01 25.00 Al	ICP90Q % 0.01 70.00 Fe	ICP90Q PPM 10.00 100,000.00 Mn
200038		74.6	0.09	0.07	0.12	26
200039	2.258000	32.3	<0.01	0.02	4.99	362
200040	2.186000	26.0	<0.01	0.02	10.9	606
200041	1.936000	29.5	<0.01	0.02	3.38	372
200042	2.078000	32.0	<0.01	0.02	4.58	353
200043	2.028000	32.7	<0.01	0.02	4.47	345
200044	3.706000	33.3	<0.01	0.03	4.70	342
D - 200008						

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127697  
 Client Ref **46102**  
 Project \*  
 Reported 10/11/10  
 Status Final  
 Page Page 4 of 12

## ANALYTICAL REPORT

Scheme	ICP90Q	ICP90Q	ICP90Q	ICP90Q	ICP90Q	ICP90Q
Units	%	%	PPM	PPM	PPM	PPM
Detection Limit	0.02	0.20	20.00	20.00	10.00	30.00
Upper Limit	30.00	40.00	100,000.00	100,000.00	100,000.00	50,000.00
	Mg	Ca	B	Cr	Ni	As
200000	<0.02	<0.2	<20	57	18	<30
200001	11.2	16.2	<20	1437	1769	<30
200002	11.6	14.1	<20	1713	2085	54
200003	14.2	13.5	<20	1742	2381	<30
200004	13.8	14.3	<20	1344	1632	<30
200005	19.7	6.8	46	1873	1595	<30
200006	22.2	2.4	72	1696	2024	<30
200007	18.5	12.2	21	1755	1547	<30
200008	23.3	1.3	69	1865	2328	<30
200009	20.6	7.9	46	1215	1938	<30
200010	21.9	7.9	50	1258	1903	<30
200011	19.4	5.1	32	1012	2207	<30
200012	12.5	15.6	<20	1892	1307	<30
200013	21.2	0.6	62	1749	1991	<30
200014	20.1	<0.2	57	1697	1994	<30
200015	22.6	0.5	70	2279	2470	<30
200016	23.9	0.3	62	1999	2273	<30
200017	20.9	0.3	71	2333	2108	<30
200018	22.1	0.3	57	1733	1959	<30
200019	0.44	9.1	30	<20	116	643
200020	21.2	0.6	60	2340	2838	<30
200021	22.4	0.3	76	2321	3106	<30
200022	11.2	<0.2	21	671	821	<30
200023	25.9	<0.2	57	1977	2640	<30
200024	23.5	0.6	53	2639	1767	<30
200025	21.9	<0.2	46	1951	1823	<30
200026	22.4	<0.2	37	1569	1846	163
200027	21.3	<0.2	44	1530	2007	<30
200028	21.3	0.2	<20	1761	1639	<30
200029	21.4	<0.2	<20	1784	1788	<30
200030	21.5	0.4	53	1214	1810	<30
200031	22.6	0.3	91	1479	2000	<30
200032	23.4	<0.2	70	2100	2561	<30
200033	25.0	<0.2	96	1993	2377	<30
200034	24.3	<0.2	89	1835	2241	<30
200035	13.6	<0.2	38	1054	1119	60
200036	22.5	<0.2	82	1744	2148	<30
200037	0.53	10.2	34	<20	107	701

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127697  
Client Ref **46102**  
Project \*  
Reported 10/11/10  
Status Final  
Page Page 5 of 12

### ANALYTICAL REPORT

	ICP90Q % 0.02 30.00 Mg	ICP90Q % 0.20 40.00 Ca	ICP90Q PPM 20.00 100,000.00 B	ICP90Q PPM 20.00 100,000.00 Cr	ICP90Q PPM 10.00 100,000.00 Ni	ICP90Q PPM 30.00 50,000.00 As
200038	0.04	<0.2	<20	188	49	<30
200039	23.3	<0.2	102	1883	2462	<30
200040	19.8	<0.2	63	1554	3631	<30
200041	22.6	<0.2	101	1759	1973	<30
200042	20.4	<0.2	84	2094	2231	<30
200043	20.7	<0.2	88	2115	2410	<30
200044	23.0	<0.2	95	2221	2454	<30
D - 200008						

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127697  
 Client Ref **46102**  
 Project \*  
 Reported 10/11/10  
 Status Final  
 Page Page 6 of 12

## ANALYTICAL REPORT

Scheme	ICP90Q	ICP90Q	ICP90Q	ICP90Q	ICP90Q	ICP90Q
Units	PPM	PPM	PPM	PPM	PPM	PPM
Detection Limit	10.00	5.00	10.00	10.00	10.00	10.00
Upper Limit	10,000.00	2,500.00	50,000.00	20,000.00	100,000.00	100,000.00
	Ba	Be	Cd	Ce	Co	Cu
200000	14	<5	<10	<10	<10	<10
200001	18	<5	<10	<10	71	<10
200002	20	<5	<10	<10	84	13
200003	23	<5	<10	<10	86	<10
200004	46	<5	<10	<10	69	<10
200005	12	<5	<10	<10	59	<10
200006	15	<5	<10	<10	92	19
200007	16	<5	<10	<10	86	<10
200008	<10	<5	<10	<10	98	<10
200009	23	<5	<10	<10	59	32
200010	28	<5	<10	<10	68	41
200011	12	<5	<10	<10	67	<10
200012	60	<5	<10	<10	74	<10
200013	20	<5	<10	<10	92	12
200014	<10	<5	<10	<10	79	<10
200015	10	<5	<10	<10	108	<10
200016	<10	<5	<10	<10	103	<10
200017	<10	<5	<10	<10	102	<10
200018	<10	<5	<10	<10	86	21
200019	<10	<5	150	111	13	407
200020	<10	<5	<10	<10	108	<10
200021	<10	<5	<10	<10	142	<10
200022	<10	<5	<10	<10	42	<10
200023	<10	<5	<10	<10	154	<10
200024	<10	<5	<10	<10	43	21
200025	<10	<5	<10	<10	91	<10
200026	<10	<5	<10	<10	89	<10
200027	15	<5	<10	<10	93	<10
200028	<10	<5	<10	<10	83	<10
200029	<10	<5	<10	<10	87	17
200030	12	<5	<10	<10	81	<10
200031	<10	<5	<10	<10	86	<10
200032	<10	<5	<10	<10	107	<10
200033	<10	<5	<10	<10	101	15
200034	<10	<5	<10	<10	101	<10
200035	<10	<5	<10	<10	58	<10
200036	<10	<5	<10	<10	88	<10
200037	<10	<5	170	143	15	434

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127697  
Client Ref **46102**  
Project \*  
Reported 10/11/10  
Status Final  
Page Page 7 of 12

### ANALYTICAL REPORT

	ICP90Q PPM 10.00 10,000.00 Ba	ICP90Q PPM 5.00 2,500.00 Be	ICP90Q PPM 10.00 50,000.00 Cd	ICP90Q PPM 10.00 20,000.00 Ce	ICP90Q PPM 10.00 100,000.00 Co	ICP90Q PPM 10.00 100,000.00 Cu
200038	<10	<5	<10	<10	<10	<10
200039	<10	<5	<10	<10	127	<10
200040	<10	<5	<10	<10	179	<10
200041	<10	<5	<10	<10	99	<10
200042	<10	<5	<10	<10	109	<10
200043	<10	<5	<10	<10	113	<10
200044	<10	<5	<10	<10	124	<10
D - 200008						

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.

Lab Ref WM127697  
 Client Ref **46102**  
 Project \*  
 Reported 10/11/10  
 Status Final  
 Page Page 8 of 12

## ANALYTICAL REPORT

Scheme	ICP90Q	ICP90Q	ICP90Q	ICP90Q	ICP90Q	ICP90Q
Units	%	PPM	PPM	PPM	PPM	%
Detection Limit	0.10	10.00	10.00	10.00	20.00	0.01
Upper Limit	25.00	20,000.00	100,000.00	100,000.00	20,000.00	10.00
	K	La	Li	Mo	Pb	S
200000	<0.1	<10	<10	<10	<20	0.02
200001	<0.1	<10	<10	<10	<20	0.01
200002	<0.1	<10	<10	11	<20	0.05
200003	<0.1	<10	<10	<10	<20	0.02
200004	<0.1	<10	<10	<10	<20	0.02
200005	<0.1	<10	<10	<10	<20	0.02
200006	<0.1	<10	<10	<10	<20	<0.01
200007	<0.1	<10	<10	<10	<20	0.01
200008	<0.1	<10	<10	<10	<20	<0.01
200009	<0.1	<10	<10	38	<20	0.05
200010	<0.1	<10	<10	<10	<20	0.05
200011	<0.1	<10	<10	<10	<20	0.05
200012	<0.1	<10	<10	29	<20	<0.01
200013	<0.1	<10	<10	11	<20	<0.01
200014	<0.1	<10	<10	<10	<20	0.02
200015	<0.1	<10	<10	71	<20	0.02
200016	<0.1	<10	<10	38	<20	<0.01
200017	<0.1	<10	<10	<10	<20	0.01
200018	<0.1	<10	<10	13	<20	0.01
200019	<0.1	73	<10	22	>20000	6.90
200020	<0.1	<10	<10	<10	<20	0.01
200021	<0.1	<10	<10	<10	<20	0.02
200022	<0.1	<10	<10	<10	<20	<0.01
200023	<0.1	<10	<10	25	<20	<0.01
200024	<0.1	<10	<10	<10	58	0.02
200025	<0.1	<10	<10	69	<20	<0.01
200026	<0.1	<10	<10	<10	<20	0.03
200027	<0.1	<10	<10	27	<20	<0.01
200028	<0.1	<10	<10	<10	<20	<0.01
200029	<0.1	<10	<10	<10	<20	<0.01
200030	<0.1	<10	<10	53	<20	<0.01
200031	<0.1	<10	<10	<10	<20	0.01
200032	<0.1	<10	<10	<10	<20	<0.01
200033	<0.1	<10	<10	<10	<20	0.01
200034	<0.1	<10	<10	<10	<20	<0.01
200035	<0.1	<10	<10	<10	<20	0.02
200036	<0.1	<10	<10	<10	32	0.01
200037	<0.1	89	<10	<10	>20000	7.73

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.





Lab Ref WM127697  
Client Ref **46102**  
Project \*  
Reported 10/11/10  
Status Final  
Page Page 9 of 12

### ANALYTICAL REPORT

	ICP90Q % 0.10 25.00 K	ICP90Q PPM 10.00 20,000.00 La	ICP90Q PPM 10.00 100,000.00 Li	ICP90Q PPM 10.00 100,000.00 Mo	ICP90Q PPM 20.00 20,000.00 Pb	ICP90Q % 0.01 10.00 S
200038	<0.1	<10	<10	<10	<20	0.05
200039	<0.1	<10	<10	<10	<20	0.05
200040	<0.1	<10	<10	<10	<20	0.02
200041	<0.1	<10	<10	<10	<20	<0.01
200042	<0.1	<10	<10	<10	<20	0.04
200043	<0.1	<10	<10	<10	<20	0.06
200044	<0.1	<10	<10	<10	<20	<0.01
D - 200008						

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127697  
 Client Ref **46102**  
 Project \*  
 Reported 10/11/10  
 Status Final  
 Page Page 10 of 12

## ANALYTICAL REPORT

Scheme	ICP90Q	ICP90Q	ICP90Q	ICP90Q	ICP90Q	AAS43B
Units	PPM	PPM	PPM	PPM	PPM	%
Detection Limit	50.00	10.00	10.00	5.00	25.00	0.01
Upper Limit	10,000.00	20,000.00	50,000.00	50,000.00	100,000.00	40.00
	Sb	Sr	V	Y	Zn	Pb
200000	<50	19	19	<5	<25	
200001	<50	914	17	<5	<25	
200002	<50	674	16	<5	<25	
200003	<50	1024	17	<5	<25	
200004	<50	1616	17	5	25	
200005	<50	480	12	<5	61	
200006	<50	131	23	<5	57	
200007	<50	1001	15	<5	35	
200008	<50	106	17	<5	49	
200009	<50	454	<10	<5	<25	
200010	<50	490	15	<5	30	
200011	<50	204	12	<5	36	
200012	<50	1540	15	<5	<25	
200013	<50	46	15	<5	31	
200014	<50	25	<10	<5	33	
200015	<50	41	13	<5	35	
200016	<50	34	12	<5	28	
200017	<50	31	14	<5	34	
200018	<50	42	12	<5	43	
200019	1356	24	14	81	3.23%	23.3
200020	<50	126	10	<5	49	
200021	<50	27	15	<5	34	
200022	<50	16	<10	<5	<25	
200023	<50	16	11	<5	<25	
200024	<50	49	12	<5	37	
200025	<50	19	17	<5	92	
200026	<50	18	<10	<5	90	
200027	<50	17	13	<5	124	
200028	<50	21	16	<5	226	
200029	<50	21	11	<5	179	
200030	<50	81	11	<5	113	
200031	<50	51	12	<5	49	
200032	<50	13	<10	<5	40	
200033	<50	14	12	<5	29	
200034	<50	10	15	<5	<25	
200035	<50	<10	<10	<5	36	
200036	<50	13	14	<5	28	
200037	1489	22	19	84	3.37%	24.6

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref WM127697  
 Client Ref **46102**  
 Project \*  
 Reported 10/11/10  
 Status Final  
 Page Page 11 of 12

### ANALYTICAL REPORT

	ICP90Q PPM 50.00 10,000.00 Sb	ICP90Q PPM 10.00 20,000.00 Sr	ICP90Q PPM 10.00 50,000.00 V	ICP90Q PPM 5.00 50,000.00 Y	ICP90Q PPM 25.00 100,000.00 Zn	AAS43B % 0.01 40.00 Pb
200038	<50	16	<10	<5	<25	
200039	<50	12	13	<5	<25	
200040	<50	15	11	<5	<25	
200041	<50	12	13	<5	<25	
200042	<50	10	12	<5	26	
200043	<50	11	10	<5	42	
200044	<50	11	17	<5	45	
D - 200008						

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



<i>Lab Ref</i>	WM127697
<i>Client Ref</i>	<b>46102</b>
<i>Project</i>	*
<i>Reported</i>	10/11/10
<i>Status</i>	Final
<i>Page</i>	Page 12 of 12

#### **DESCRIPTION**

WGH79 : Sample Weight  
ICP90Q : ICPAES after DIG90Q  
AAS43B : AAS after DIG43B