


Elliott Bay, SW Tasmania, Australia.

Targeting Map.

Linear structures with radiometric and panned stream sediment anomalism.



View extents as for main map. Major linears (shown red) determined from all image products. Light brown areas are those areas of high radiometric response, not apparently readily explained as a result of a watercourse cut in the area. The coincidence of these stippled areas with areas of known mineralisation is consistent with the radiometric highs being the result of alteration. Target areas for main map, numbers showing relative target priority. Underlying geology from TCR88_2853 (Cyprus Gold).

Legend

Au_ppm	(actual values shown)	Major linears	1 Quartzose gravel	7 Granite
Below detection		Source linears	2 Dolerite	8 Microgranite
<5ppm Au		Magnetic features	3 Undifferentiated Owen Conglomerate	9 Porphyritic microgranite
<25ppm Au		Topographic/satellite features	3a Coarse quartzose sandstone	10 Undifferentiated western epiclastics
<50ppm Au		Radiometric features	3b Siltstone	10a Andesitic to basaltic volcanics
>50ppm Au		SWivers selection	4 Undifferentiated Waterloo Creek Group	10b Tuffaceous siltstone and quartzose conglomerate
			4a Hematitic volcanoclastic conglomerate	10c Black shale (pyrite)
			4b Tuffaceous quartz sandstone and grit	10d Fine to medium grained rhyolitic volcanics
			4c Black shale (pyrite)	10e Gabbro
			4d Fine to medium grained rhyolitic volcanoclastic	10f Coarse grained rhyolitic volcanoclastic sandstone
			5 Undifferentiated Wart Hill & Hudson River volcanics	11 Undifferentiated Mainwaring Group
			5a Fine to medium grained rhyolitic volcanoclastic	11a Gabbro
			5b Rhyolitic quartz feldspar porphyry lavas and intrusives	11b Andesitic to basaltic volcanics
			5c Dacitic porphyry	11c Dolomite
			5d Coarse grained rhyolitic volcanoclastic	11d Black shale (pyrite)
			5e Siltstone	11e Siltstone and sandstone
			5f Siliceous conglomerate	12 Precambrian metasedimentary rocks
			5g Greywacke and siltstone	
			6 Elliott Point Porphyry	

Main map.

Targets show anomalous: 1- Radiometrics, stream sediment; 2- Radiometrics, magnetic highs, linear structures, stream sediment; 3- radiometrics, stream sediment, magnetics; 4- Bulls-eye magnetic, radiometrics, stream sediment, adjacent linear structure; 5- Mapped alteration, adjacent linear structure, stream sediment; 6- radiometrics, stream sediment; 7- Major linear structures, intersection of linear structures, radiometrics, stream sediments; 8- radiometrics, linear structure, intersection of linear structures, stream sediments; 9- mapped fault terminating radiometric anomaly, variations in unit thickness indicating syngenetic fault activity; 10- major linear structure, radiometrics, stream sediments; 11- as for 9; 12- radiometrics, major linear structures, possible folded mineralised horizon; 13- radiometrics over major magnetic anomaly, untested stream sediments; 14- radiometrics, major linear structure; 15- weak bulls-eye magnetic, adjacent linear structure, radiometrics; 16- intersection major linear structures, radiometrics, stream sediment; 17- as for 15, stream sediments; 18- radiometrics, linear structures, stream sediments. Targets remain untested. Anomalous values have also been noted in streams draining regions containing major linears, and these should also be considered as valid targets.




Image processing and map production by:
Dr Alistair Reed, Ochre Australia Pty. Ltd.
50 Queen Street, Bellevue, Tasmania 7018
ph 03-6244-1317, mobile 0407-115-123, email alreed@bigpond.net.au


Copyright 2003, Ochre Australia Pty. Ltd.
This image incorporates data which is copyright, Commonwealth of Australia (Geoscience Australia) 1996, 1999, 2002.
This image also includes data derived from Mineral Resources Tasmania, Dept. Infrastructure, Energy and Resources, Dept. Primary Industries, Water and Environment, and scanned images extracted from company reports held by Mineral Resources Tasmania.

Statement of uncertainty.

Attribute data for point data have not been verified. Position error as per stated in Miroloch database (available from Mineral Resources Tasmania). This database indicates position errors for some deposits of greater than 1km. Dons drill hole database is known from comparison with mineral exploration reports not to be complete. Position error for gridded image data is unknown but likely to be less than the original flightline spacing of 200m. Road and river data have been digitised from georeferenced company reports. Comparisons between georeferenced images indicate position errors of up to about 100m (but typically less than 30m). Errors for other scanned and georeferenced products are in the order of less than 50m.

Disclaimer

This and accompanying maps and reports are based on interpretations of geophysical data. While every care has been taken in the preparation of this data, no warranty is given as to the correctness of the information and no liability is accepted for any statement or opinion or for any error or omission. This material is provided upon the condition that the user, by receiving or viewing the material shown, agrees not to act in reliance upon it without first satisfying himself by independent enquiry or advice as to the correctness, accuracy, relevance, currency, reliability or otherwise of the material displayed, including (without limitation) representations of fact, nature, quality and suitability. Whilst every endeavour has been made to ensure the accuracy and reliability of the information shown, the author expressly disclaims any liability or responsibility for any errors or omissions that may occur herein. The user shall have, make or bring no action, suit, claim, demand or proceedings against the author for damages, compensation, losses, costs, expenses, orders or any other legal or equitable remedy should any such material be found to be incorrect, inaccurate, erroneous, defective, deceptive or misleading, whether caused by the negligence of the author or any other cause whatsoever.



Location map.

N