



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com

Page: 1
Finalized Date: 2-OCT-2012
Account: STERES

QC CERTIFICATE BU12218404

Project: Stellar Res.

P.O. No.:

This report is for 174 Soil samples submitted to our lab in Burnie, TAS, Australia on 17-SEP-2012.

The following have access to data associated with this certificate:

PETER BLIGHT

KEN MORRISON

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| PUL-31b | Pulv. Lg split to >80% -75um |
| CRU-21 | Crush entire sample >70% -6 mm |
| LOG-22 | Sample login - Rcd w/o BarCode |
| LEV-01 | Waste Disposal Levy |
| PUL-QC | Pulverizing QC Test |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|-----------|-------------------------------|------------|
| ME-ICP41a | High Grade Aqua Regia ICP-AES | ICP-AES |
| Au-AA25 | Ore Grade Au 30g FA AA finish | AAS |

To: **STELLAR RESOURCES**
ATTN: KEN MORRISON
4 WESTRINGA ROAD
FERNTREE TAS 7054

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Ricky Gelston, Laboratory Manager, Burnie



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Page: 2 - A
 Total # Pages: 6 (A)
 Finalized Date: 2-OCT-2012
 Account: STERES

Project: Stellar Res.

QC CERTIFICATE OF ANALYSIS BU12218404

| Method Analyte Units LOR | Au-AA25 Au ppm 0.01 | ME-ICP41a Cu ppm 5 | ME-ICP41a Pb ppm 10 | ME-ICP41a Zn ppm 10 | ME-ICP41a Ni ppm 5 |
|-----------------------------------|------------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| Sample Description | | | | | |
| STANDARDS | | | | | |
| GBM306-12 | | 14850 | 26900 | 19400 | 9540 |
| GBM306-12 | | 14550 | 25600 | 20700 | 9630 |
| GBM306-12 | | 14550 | 25900 | 19900 | 9340 |
| Target Range - Lower Bound | | 13750 | 24900 | 19050 | 8810 |
| Upper Bound | | 15850 | 28700 | 22000 | 10150 |
| GBM398-1 | | 14450 | 25600 | 20000 | 9120 |
| GBM398-1 | | 15600 | 27000 | 21800 | 9730 |
| GBM398-1 | | 14850 | 25800 | 20400 | 9440 |
| Target Range - Lower Bound | | 13700 | 24800 | 18950 | 8850 |
| Upper Bound | | 15800 | 28600 | 21800 | 10200 |
| GBM904-11 | | 8700 | >50000 | >50000 | <5 |
| GBM904-11 | | 8480 | >50000 | >50000 | <5 |
| GBM904-11 | | 8430 | >50000 | >50000 | 5 |
| Target Range - Lower Bound | | 8180 | 88000 | 220000 | <5 |
| Upper Bound | | 9440 | >50000 | >50000 | 17 |
| MG-12 | 0.89 | | | | |
| MG-12 | 0.94 | | | | |
| MG-12 | 0.90 | | | | |
| MG-12 | 0.89 | | | | |
| MG-12 | 0.92 | | | | |
| Target Range - Lower Bound | 0.82 | | | | |
| Upper Bound | 0.95 | | | | |
| OGGeo08 | | 8500 | 7170 | 6800 | 8750 |
| OGGeo08 | | 8520 | 6960 | 7370 | 9010 |
| OGGeo08 | | 8370 | 7130 | 7040 | 8730 |
| Target Range - Lower Bound | | 7790 | 6660 | 6590 | 8170 |
| Upper Bound | | 8990 | 7700 | 7620 | 9420 |
| OxK95 | 3.27 | | | | |
| OxK95 | 3.48 | | | | |
| OxK95 | 3.51 | | | | |
| OxK95 | 3.52 | | | | |
| OxK95 | 3.57 | | | | |
| Target Range - Lower Bound | 3.31 | | | | |
| Upper Bound | 3.76 | | | | |



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com

Page: 3 - A
Total # Pages: 6 (A)
Finalized Date: 2-OCT-2012
Account: STERES

Project: Stellar Res.

QC CERTIFICATE OF ANALYSIS BU12218404

| Sample Description | Method Analyte Units LOR | Au-AA25 Au ppm 0.01 | ME-ICP41a Cu ppm 5 | ME-ICP41a Pb ppm 10 | ME-ICP41a Zn ppm 10 | ME-ICP41a Ni ppm 5 |
|----------------------------|-----------------------------------|------------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| STANDARDS | | | | | | |
| ST04/6369 | | 4.61 | | | | |
| ST04/6369 | | 4.46 | | | | |
| ST04/6369 | | 4.41 | | | | |
| ST04/6369 | | 4.52 | | | | |
| Target Range - Lower Bound | | 4.29 | | | | |
| Upper Bound | | 4.85 | | | | |
| ST18-5347 | | 9.75 | | | | |
| ST18-5347 | | 9.58 | | | | |
| ST18-5347 | | 9.33 | | | | |
| ST18-5347 | | 9.63 | | | | |
| Target Range - Lower Bound | | 9.01 | | | | |
| Upper Bound | | 10.20 | | | | |
| BLANKS | | | | | | |
| BLANK | | <0.01 | | | | |
| BLANK | | <0.01 | | | | |
| BLANK | | <0.01 | | | | |
| BLANK | | <0.01 | | | | |
| BLANK | | <0.01 | | | | |
| BLANK | | <0.01 | | | | |
| BLANK | | <0.01 | | | | |
| BLANK | | <0.01 | | | | |
| BLANK | | <0.01 | | | | |
| Target Range - Lower Bound | | <0.01 | | | | |
| Upper Bound | | 0.02 | | | | |
| BLANK | | | <5 | <10 | <10 | <5 |
| BLANK | | | <5 | 10 | <10 | <5 |
| BLANK | | | <5 | <10 | 10 | 7 |
| BLANK | | | <5 | <10 | <10 | <5 |
| BLANK | | | <5 | 10 | <10 | <5 |
| BLANK | | | <5 | <10 | <10 | <5 |
| Target Range - Lower Bound | | | <5 | <10 | <10 | <5 |
| Upper Bound | | | 10 | 20 | 20 | 10 |



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Page: 4 - A
 Total # Pages: 6 (A)
 Finalized Date: 2-OCT-2012
 Account: STERES

Project: Stellar Res.

QC CERTIFICATE OF ANALYSIS BU12218404

| Sample Description | Method Analyte Units LOR | Au-AA25 Au ppm 0.01 | ME-ICP41a Cu ppm 5 | ME-ICP41a Pb ppm 10 | ME-ICP41a Zn ppm 10 | ME-ICP41a Ni ppm 5 |
|----------------------------|-----------------------------------|------------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| DUPLICATES | | | | | | |
| 573183 | | | 30 | 520 | 450 | 19 |
| DUP | | | 26 | 510 | 430 | 15 |
| Target Range - Lower Bound | | | 22 | 490 | 410 | 11 |
| Upper Bound | | | 34 | 540 | 470 | 23 |
| SS0722 | | | 218 | 30 | 40 | 60 |
| DUP | | | 231 | 20 | 40 | 64 |
| Target Range - Lower Bound | | | 212 | <10 | 30 | 55 |
| Upper Bound | | | 237 | 40 | 50 | 69 |
| SS0724 | | <0.01 | | | | |
| DUP | | <0.01 | | | | |
| Target Range - Lower Bound | | <0.01 | | | | |
| Upper Bound | | 0.02 | | | | |
| SS0737 | | | 56 | 10 | 410 | 303 |
| DUP | | | 55 | 10 | 410 | 304 |
| Target Range - Lower Bound | | | 49 | <10 | 390 | 288 |
| Upper Bound | | | 62 | 20 | 430 | 319 |
| SS0745 | | <0.01 | | | | |
| DUP | | <0.01 | | | | |
| Target Range - Lower Bound | | <0.01 | | | | |
| Upper Bound | | 0.02 | | | | |
| SS0757 | | | 105 | 20 | 30 | 31 |
| DUP | | | 109 | 20 | 30 | 38 |
| Target Range - Lower Bound | | | 98 | <10 | 20 | 28 |
| Upper Bound | | | 116 | 30 | 40 | 41 |
| SS0766 | | <0.01 | | | | |
| DUP | | <0.01 | | | | |
| Target Range - Lower Bound | | <0.01 | | | | |
| Upper Bound | | 0.02 | | | | |
| SS0772 | | | 102 | <10 | 210 | 843 |
| DUP | | | 105 | 10 | 210 | 875 |
| Target Range - Lower Bound | | | 95 | <10 | 190 | 824 |
| Upper Bound | | | 112 | 20 | 230 | 894 |



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Page: 5 - A
 Total # Pages: 6 (A)
 Finalized Date: 2-OCT-2012
 Account: STERES

Project: Stellar Res.

QC CERTIFICATE OF ANALYSIS BU12218404

| Sample Description | Method Analyte Units LOR | Au-AA25 Au ppm 0.01 | ME-ICP41a Cu ppm 5 | ME-ICP41a Pb ppm 10 | ME-ICP41a Zn ppm 10 | ME-ICP41a Ni ppm 5 |
|----------------------------|-----------------------------------|------------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| DUPLICATES | | | | | | |
| SS0787 | | <0.01 | | | | |
| DUP | | <0.01 | | | | |
| Target Range - Lower Bound | | <0.01 | | | | |
| Upper Bound | | 0.02 | | | | |
| SS0792 | | | 110 | 10 | 50 | 153 |
| DUP | | | 112 | 20 | 50 | 160 |
| Target Range - Lower Bound | | | 102 | <10 | 40 | 146 |
| Upper Bound | | | 120 | 20 | 60 | 167 |
| SS0807 | | | 36 | <10 | 50 | 105 |
| DUP | | | 38 | <10 | 50 | 98 |
| Target Range - Lower Bound | | | 31 | <10 | 40 | 93 |
| Upper Bound | | | 43 | 20 | 60 | 110 |
| SS0808 | | <0.01 | | | | |
| DUP | | <0.01 | | | | |
| Target Range - Lower Bound | | <0.01 | | | | |
| Upper Bound | | 0.02 | | | | |
| SS0827 | | | 77 | <10 | 50 | 130 |
| DUP | | | 73 | <10 | 50 | 122 |
| Target Range - Lower Bound | | | 67 | <10 | 40 | 117 |
| Upper Bound | | | 83 | 20 | 60 | 135 |
| SS0829 | | <0.01 | | | | |
| DUP | | <0.01 | | | | |
| Target Range - Lower Bound | | <0.01 | | | | |
| Upper Bound | | 0.02 | | | | |
| SS0842 | | | 58 | 10 | 80 | 90 |
| DUP | | | 57 | 10 | 60 | 83 |
| Target Range - Lower Bound | | | 50 | <10 | 60 | 78 |
| Upper Bound | | | 65 | 20 | 80 | 95 |
| SS0850 | | <0.01 | | | | |
| DUP | | <0.01 | | | | |
| Target Range - Lower Bound | | <0.01 | | | | |
| Upper Bound | | 0.02 | | | | |



32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com

Total # Pages: 6 (A)
Finalized Date: 2-OCT-2012
Account: STERES

Project: Stellar Res.

QC CERTIFICATE OF ANALYSIS BU12218404

| Sample Description | Method Analyte Units LOR | Au-AA25 | ME-ICP41a | ME-ICP41a | ME-ICP41a | ME-ICP41a |
|----------------------------|-----------------------------------|------------|-----------|-----------|-----------|-----------|
| | | Au | Cu | Pb | Zn | Ni |
| | | ppm | ppm | ppm | ppm | ppm |
| | | 0.01 | 5 | 10 | 10 | 5 |
| | | DUPLICATES | | | | |
| SS0862 | | 50 | 10 | 30 | 96 | |
| DUP | | 52 | <10 | 20 | 101 | |
| Target Range - Lower Bound | | 44 | <10 | <10 | 90 | |
| Upper Bound | | 58 | 20 | 40 | 107 | |
| SS0871 | | <0.01 | | | | |
| DUP | | <0.01 | | | | |
| Target Range - Lower Bound | | <0.01 | | | | |
| Upper Bound | | 0.02 | | | | |
| SS0877 | | 716 | 40 | 60 | 102 | |
| DUP | | 721 | 40 | 70 | 109 | |
| Target Range - Lower Bound | | 688 | 30 | 50 | 97 | |
| Upper Bound | | 749 | 50 | 80 | 114 | |
| ORIGINAL | | 0.06 | | | | |
| DUP | | 0.06 | | | | |
| Target Range - Lower Bound | | 0.05 | | | | |
| Upper Bound | | 0.07 | | | | |
| | | | | | | |