



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com

Page: 1
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 20-JUN-2017
This copy reported on 21-JUN-2017
Account: KINEXP

CERTIFICATE BR17112708

Project: Exploration

This report is for 139 Soil samples submitted to our lab in Burnie, TAS, Australia on 6-JUN-2017.

The following have access to data associated with this certificate:

SEAN WESTBROOK

KENT WIGHTON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LEV-01	Waste Disposal Levy
TRA-21	Transfer sample
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
AuME-TL44	50g Trace Au + Multi Element PKG	ICP-MS

To: KINGFISHER EXPLORATION PTY LTD
ATTN: SEAN WESTBROOK
15 RICHARDS AVE
DODGES FERRY TAS 7173

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Shaun Kenny, Brisbane Laboratory Manager

CERTIFICATE OF ANALYSIS BR17112708

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	PUL-QC Pass75um % 0.01	AuME-TL44 Au ppm 0.001	AuME-TL44 Ag ppm 0.01	AuME-TL44 Al % 0.01	AuME-TL44 As ppm 0.1	AuME-TL44 B ppm 10	AuME-TL44 Ba ppm 10	AuME-TL44 Be ppm 0.05	AuME-TL44 Bi ppm 0.01	AuME-TL44 Ca % 0.01	AuME-TL44 Cd ppm 0.01	AuME-TL44 Ce ppm 0.02	AuME-TL44 Co ppm 0.1	AuME-TL44 Cr ppm 1
GS159		1.51		0.004	0.01	2.24	15.9	<10	80	1.38	0.47	0.02	0.01	177.0	42.8	35
GS160		1.23		0.003	<0.01	3.20	2.0	<10	10	0.35	0.27	0.01	<0.01	11.95	5.1	83
GS161		1.09		0.002	0.11	2.92	2.0	<10	10	0.40	0.29	0.07	<0.01	10.50	7.1	91
GS162		1.16		0.003	0.01	4.38	3.4	<10	20	0.97	0.18	0.02	<0.01	13.75	13.2	149
GS163		0.95		0.002	0.02	3.63	1.9	<10	20	0.53	0.22	0.06	0.01	15.70	3.8	99
GS164		1.31		0.002	0.02	2.63	1.8	<10	20	0.44	0.27	0.02	<0.01	44.8	2.7	48
GS165		1.33		0.002	0.02	2.34	1.8	<10	10	0.52	0.17	0.03	<0.01	30.5	4.7	91
GS166		1.14		0.003	0.02	3.74	3.3	<10	50	1.06	0.10	0.01	<0.01	26.6	5.5	156
GS167		1.25		0.001	0.01	2.77	2.4	<10	10	0.74	0.29	0.02	<0.01	31.9	3.3	75
GS168		1.47		0.001	0.02	2.49	12.4	<10	10	1.53	0.26	0.03	0.05	47.8	29.1	104
GS169		1.27		0.002	0.04	2.54	2.4	<10	10	0.55	0.27	0.02	<0.01	27.9	3.7	50
GS170		1.42		0.002	0.02	3.22	2.0	<10	20	0.77	0.12	0.03	<0.01	26.1	9.0	69
GS171		1.55		0.002	0.03	3.16	2.6	<10	40	1.83	0.28	0.01	<0.01	48.4	7.0	61
GS172		1.26		0.001	0.02	2.29	2.1	<10	20	1.13	0.14	0.01	<0.01	35.6	3.3	46
GS173		1.38		0.001	0.02	2.00	1.9	<10	20	0.83	0.22	0.01	0.01	61.5	3.1	34
GS174		1.45		0.002	0.04	2.30	3.7	<10	30	0.68	0.46	0.02	<0.01	42.8	2.4	41
GS175		1.63		0.002	0.01	1.37	2.7	<10	30	0.61	0.20	0.01	<0.01	26.7	1.3	19
GS176		1.96	92.0	0.001	0.01	1.18	5.3	<10	80	0.80	0.24	0.01	<0.01	37.8	4.4	17
GS177		2.10		<0.001	0.01	0.59	5.8	<10	30	0.21	0.10	0.05	<0.01	8.65	1.4	11
GS178		2.18		0.001	0.03	1.44	6.4	<10	50	0.51	0.15	0.02	0.01	29.2	3.1	17
GS179		1.49		0.001	0.01	0.65	7.1	<10	20	0.12	0.13	0.01	<0.01	16.65	0.4	9
GS180		2.13		0.001	<0.01	1.03	2.9	<10	30	0.30	0.13	0.01	<0.01	9.63	2.0	15
GS181		1.25		0.001	0.02	2.14	5.5	<10	60	0.66	0.17	0.01	<0.01	51.3	2.9	28
GS182		1.59		0.001	0.02	2.10	2.8	<10	60	0.51	0.16	0.01	<0.01	67.0	1.9	23
GS183		1.82		0.001	0.01	1.18	4.1	<10	20	0.17	0.14	0.01	<0.01	8.92	0.7	10
GS184		1.45		0.001	0.01	1.70	6.1	<10	40	0.40	0.18	0.01	<0.01	14.85	1.4	22
GS185		1.67		0.001	0.01	1.01	5.8	<10	30	0.25	0.26	0.01	<0.01	28.2	0.6	15
GS186		1.16		0.001	<0.01	0.95	7.2	<10	30	0.27	0.27	0.01	<0.01	23.2	0.6	15
GS187		1.30		0.002	0.02	2.13	10.6	<10	60	1.11	0.38	0.01	<0.01	53.9	10.3	29
GS188		1.51		0.003	0.02	1.91	11.2	<10	50	1.24	0.41	0.01	<0.01	66.2	5.7	26
GS189		1.95		0.002	0.03	2.57	6.2	<10	60	1.65	0.34	<0.01	<0.01	62.6	6.3	32
GS190		1.52		0.001	0.01	1.30	20.5	<10	20	0.39	0.23	0.01	0.01	11.10	3.4	22
GS191		2.44		0.001	0.01	0.90	42.8	<10	20	0.17	0.71	0.01	0.01	12.10	0.6	9
GS192		1.52		0.001	0.01	0.75	80.3	<10	10	0.11	1.34	0.01	<0.01	10.00	0.4	10
GS193		1.63		<0.001	0.01	0.53	2.1	<10	10	0.09	0.05	0.01	0.01	4.82	0.4	5
GS194		2.04		<0.001	0.01	0.24	1.3	<10	10	<0.05	0.04	0.01	<0.01	4.00	0.2	3
GS195		2.15		<0.001	0.01	0.61	1.5	<10	10	0.09	0.06	0.01	<0.01	5.09	0.2	5
GS196		1.94		<0.001	0.01	0.34	0.9	<10	20	0.08	0.06	0.01	<0.01	8.05	0.2	4
GS197		0.97		<0.001	<0.01	0.15	2.3	<10	10	<0.05	0.04	0.01	<0.01	4.62	0.3	3
GS198		1.52		<0.001	0.01	0.57	1.6	<10	10	0.07	0.06	0.01	<0.01	7.32	0.3	6



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Project: Exploration

Page: 2 - B
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-JUN-2017
 Account: KINEXP

CERTIFICATE OF ANALYSIS BR17112708

Sample Description	Method Analyte Units LOR	AuME-TL44 Cs ppm 0.05	AuME-TL44 Cu ppm 0.2	AuME-TL44 Fe % 0.01	AuME-TL44 Ga ppm 0.05	AuME-TL44 Ge ppm 0.05	AuME-TL44 Hf ppm 0.02	AuME-TL44 Hg ppm 0.01	AuME-TL44 In ppm 0.005	AuME-TL44 K % 0.01	AuME-TL44 La ppm 0.2	AuME-TL44 Li ppm 0.1	AuME-TL44 Mg % 0.01	AuME-TL44 Mn ppm 5	AuME-TL44 Mo ppm 0.05	AuME-TL44 Na % 0.01
GS159		2.38	40.9	3.57	7.64	0.14	0.26	0.01	0.033	0.16	66.8	19.5	0.18	326	0.39	0.03
GS160		2.39	26.0	6.50	12.55	<0.05	0.39	0.04	0.054	0.06	6.0	6.9	0.11	42	0.43	0.11
GS161		2.87	22.6	7.48	12.25	<0.05	0.55	0.09	0.063	0.07	5.8	5.1	0.15	10	0.35	0.03
GS162		2.64	55.0	13.80	14.95	0.07	0.69	0.06	0.101	0.05	7.8	8.6	0.10	25	0.41	0.04
GS163		4.23	20.2	5.63	14.45	<0.05	0.65	0.03	0.080	0.10	9.0	10.3	0.10	32	0.34	0.02
GS164		5.00	9.4	3.24	10.05	0.05	0.49	0.03	0.054	0.07	24.5	11.0	0.10	26	0.30	0.08
GS165		2.79	37.4	5.05	8.25	0.05	0.66	0.04	0.061	0.06	14.5	6.8	0.06	29	0.34	0.03
GS166		2.70	47.5	4.09	10.65	0.06	0.81	0.03	0.079	0.04	12.6	18.7	0.06	19	0.17	0.04
GS167		3.96	31.1	4.68	10.20	0.06	0.47	0.04	0.058	0.05	12.2	10.8	0.06	20	0.22	0.06
GS168		3.10	67.5	17.85	8.07	0.13	0.41	0.04	0.064	0.04	16.8	6.8	0.04	381	0.68	0.03
GS169		4.90	16.9	4.63	10.30	0.05	0.45	0.05	0.054	0.08	13.0	10.9	0.10	17	0.28	0.03
GS170		2.30	27.3	3.74	10.30	0.06	0.35	0.04	0.047	0.07	12.6	20.8	0.13	23	0.20	0.09
GS171		4.71	27.0	4.61	11.30	0.09	0.43	0.03	0.058	0.07	22.5	21.3	0.09	17	0.36	0.05
GS172		5.35	15.1	2.97	8.51	0.06	0.36	0.02	0.040	0.06	14.9	10.0	0.08	14	0.34	0.06
GS173		5.32	16.2	3.54	7.74	0.08	0.30	0.02	0.037	0.06	26.2	11.0	0.08	41	0.29	0.04
GS174		3.93	9.3	5.28	9.02	0.07	0.40	0.05	0.062	0.05	19.6	10.4	0.05	41	0.50	0.02
GS175		1.67	6.4	1.82	4.61	<0.05	0.19	0.01	0.020	0.08	15.2	9.6	0.05	14	0.24	0.03
GS176		0.90	10.1	2.62	4.16	0.05	0.19	0.01	0.019	0.09	21.2	9.7	0.06	31	0.31	0.08
GS177		1.37	5.4	1.10	2.23	<0.05	0.10	0.01	0.009	0.14	4.6	8.3	0.10	62	0.23	0.01
GS178		2.02	3.5	2.20	4.23	<0.05	0.17	0.03	0.015	0.15	14.1	11.8	0.11	73	0.43	0.02
GS179		0.50	2.6	1.42	3.16	<0.05	0.12	0.01	0.010	0.08	8.3	4.0	0.01	17	0.33	0.01
GS180		2.13	2.0	1.76	3.43	<0.05	0.24	0.01	0.016	0.14	4.9	9.7	0.11	26	0.30	0.05
GS181		2.49	7.7	2.66	6.72	0.05	0.29	0.03	0.025	0.14	20.7	14.5	0.11	26	0.40	0.02
GS182		2.36	4.7	1.81	6.96	0.08	0.24	0.04	0.025	0.14	31.5	13.8	0.09	27	0.30	0.03
GS183		0.91	1.7	0.94	3.20	<0.05	0.11	0.05	0.012	0.06	4.6	5.9	0.02	18	0.25	0.02
GS184		1.47	4.7	1.94	5.94	<0.05	0.18	0.03	0.025	0.09	7.2	7.8	0.07	16	0.47	0.02
GS185		0.63	6.5	1.19	2.76	<0.05	0.23	0.01	0.019	0.11	14.4	4.8	0.02	48	0.33	0.01
GS186		0.49	7.2	1.27	2.43	<0.05	0.30	0.01	0.018	0.11	12.0	3.6	0.02	54	0.27	0.01
GS187		1.79	27.9	3.67	6.87	0.05	0.22	0.01	0.030	0.15	14.6	12.2	0.07	65	0.56	0.04
GS188		2.72	23.0	3.14	7.23	0.12	0.24	0.02	0.029	0.13	47.4	12.4	0.07	35	0.50	0.04
GS189		2.86	29.6	5.87	7.93	0.15	0.25	0.03	0.029	0.13	54.9	15.8	0.09	29	0.62	0.05
GS190		2.75	8.8	5.14	4.86	<0.05	0.12	0.03	0.019	0.16	6.3	7.8	0.12	97	0.50	0.01
GS191		0.93	2.6	1.18	2.77	<0.05	0.10	0.01	0.021	0.08	6.8	8.0	0.02	25	0.37	0.01
GS192		0.60	5.1	1.63	2.68	<0.05	0.12	0.01	0.026	0.05	5.6	5.5	0.01	14	0.44	0.01
GS193		0.63	1.6	0.35	1.95	<0.05	0.03	0.02	0.005	0.02	2.6	1.3	0.01	11	0.13	0.01
GS194		0.46	2.3	0.16	2.39	<0.05	<0.02	0.02	<0.005	0.02	2.0	0.4	0.01	11	0.10	0.03
GS195		0.42	1.8	0.32	1.25	<0.05	0.10	0.03	0.005	0.04	2.5	3.2	0.01	9	0.13	0.02
GS196		0.72	2.0	0.25	2.25	<0.05	0.04	0.03	0.005	0.03	4.3	0.8	0.01	14	0.18	0.03
GS197		0.21	3.2	0.77	1.25	<0.05	0.07	0.02	<0.005	0.01	2.5	0.5	<0.01	32	0.31	0.02
GS198		0.95	1.9	0.70	3.47	<0.05	0.06	0.03	0.007	0.03	3.8	1.7	0.01	13	0.18	0.02



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Project: Exploration

Page: 2 - C
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-JUN-2017
 Account: KINEXP

CERTIFICATE OF ANALYSIS BR17112708

Sample Description	Method Analyte Units LOR	AuME-TL44 Nb ppm 0.05	AuME-TL44 Ni ppm 0.2	AuME-TL44 P ppm 10	AuME-TL44 Pb ppm 0.2	AuME-TL44 Rb ppm 0.1	AuME-TL44 Re ppm 0.001	AuME-TL44 S % 0.01	AuME-TL44 Sb ppm 0.05	AuME-TL44 Sc ppm 0.1	AuME-TL44 Se ppm 0.2	AuME-TL44 Sn ppm 0.2	AuME-TL44 Sr ppm 0.2	AuME-TL44 Ta ppm 0.01	AuME-TL44 Te ppm 0.01	AuME-TL44 Th ppm 0.2
GS159		0.11	34.3	40	14.0	21.9	<0.001	0.05	0.60	5.4	0.5	0.8	5.6	0.01	0.04	17.3
GS160		<0.05	17.6	30	6.4	9.5	<0.001	0.10	0.13	15.3	0.5	2.0	5.0	<0.01	<0.01	10.3
GS161		0.06	18.3	20	10.3	12.9	<0.001	0.04	0.11	13.7	0.8	3.1	8.9	<0.01	0.01	14.5
GS162		<0.05	32.1	60	11.6	12.7	<0.001	0.05	0.20	17.2	2.0	1.9	6.6	<0.01	0.02	20.1
GS163		0.08	14.3	50	11.2	19.9	<0.001	0.04	0.11	12.6	0.8	2.9	9.3	<0.01	0.01	17.1
GS164		0.21	10.0	30	10.6	18.6	<0.001	0.06	0.11	9.2	0.6	2.8	6.2	<0.01	0.01	24.1
GS165		0.07	12.9	20	9.3	12.1	<0.001	0.04	0.10	11.6	0.5	1.7	5.4	<0.01	0.01	9.8
GS166		<0.05	28.9	30	7.4	9.7	<0.001	0.06	0.05	22.8	0.3	1.3	10.8	<0.01	0.01	5.6
GS167		0.05	11.6	20	11.1	15.0	<0.001	0.11	0.08	12.4	0.6	2.5	5.4	<0.01	0.01	13.6
GS168		0.11	57.4	120	29.5	11.5	0.001	0.08	0.21	12.1	1.0	1.6	6.0	0.01	0.03	11.4
GS169		0.12	10.5	20	11.1	21.8	<0.001	0.05	0.10	10.1	0.7	2.8	4.9	<0.01	<0.01	14.0
GS170		0.08	28.1	30	7.3	17.2	<0.001	0.06	0.07	11.5	0.5	1.0	11.0	<0.01	0.01	5.0
GS171		0.08	22.9	30	12.0	21.4	<0.001	0.08	0.09	11.1	0.5	2.1	5.2	<0.01	0.01	11.9
GS172		0.08	12.1	30	7.1	18.3	<0.001	0.04	0.09	9.9	0.5	1.5	4.5	<0.01	0.01	6.8
GS173		0.18	10.3	30	11.3	18.3	<0.001	0.05	0.07	7.2	0.4	2.1	4.1	<0.01	0.01	11.9
GS174		0.30	6.3	50	20.2	13.1	<0.001	0.05	0.12	9.7	0.6	2.7	8.1	<0.01	0.01	20.3
GS175		0.11	4.0	20	7.9	15.5	<0.001	0.03	0.22	2.1	0.4	0.8	3.7	<0.01	0.01	9.4
GS176		0.15	5.8	20	11.4	14.5	<0.001	0.04	0.28	1.9	0.4	0.5	7.8	<0.01	0.02	8.2
GS177		0.56	4.6	40	5.1	21.6	<0.001	0.01	0.17	0.9	0.2	0.5	8.7	<0.01	0.01	3.8
GS178		0.34	8.8	50	13.7	26.0	<0.001	0.04	0.20	1.3	0.5	0.5	4.7	<0.01	0.01	7.0
GS179		0.29	2.3	30	3.5	8.7	<0.001	0.02	0.19	0.5	0.5	0.4	2.1	<0.01	0.01	3.0
GS180		0.27	5.3	10	8.6	24.4	<0.001	0.02	0.21	1.2	0.5	0.5	3.9	<0.01	0.01	5.4
GS181		0.19	8.5	30	18.6	32.1	<0.001	0.03	0.19	3.6	0.9	0.7	4.9	<0.01	0.01	10.8
GS182		0.12	6.3	30	20.5	29.6	<0.001	0.04	0.13	3.8	0.8	0.8	5.2	<0.01	0.01	11.2
GS183		0.40	3.8	20	8.9	10.2	<0.001	0.03	0.12	0.9	0.5	0.4	2.4	<0.01	<0.01	2.0
GS184		0.06	4.9	20	7.7	18.1	<0.001	0.02	0.19	2.4	0.6	1.0	2.3	<0.01	0.01	7.5
GS185		0.20	2.9	30	5.9	11.5	<0.001	0.02	0.24	1.1	0.4	0.5	3.3	<0.01	0.02	7.9
GS186		0.15	2.8	20	5.1	9.4	<0.001	0.02	0.27	1.2	0.6	0.4	2.5	<0.01	0.02	8.3
GS187		0.17	12.5	20	16.6	22.7	<0.001	0.04	0.38	4.3	0.6	1.1	3.5	<0.01	0.04	12.5
GS188		0.16	13.6	30	12.2	20.6	<0.001	0.04	0.55	4.4	0.6	1.1	3.6	<0.01	0.03	12.8
GS189		0.13	16.2	20	22.5	24.7	<0.001	0.03	0.64	4.8	0.9	0.9	6.2	<0.01	0.04	12.0
GS190		0.83	9.1	90	14.4	23.7	<0.001	0.03	0.48	1.2	1.0	0.5	3.0	<0.01	0.05	5.6
GS191		0.34	2.7	50	6.5	10.1	<0.001	0.02	0.35	0.6	0.6	0.8	2.5	<0.01	0.02	2.8
GS192		0.26	2.0	50	9.3	6.4	<0.001	0.02	0.62	0.4	1.1	0.8	1.9	<0.01	0.02	3.2
GS193		0.13	1.6	40	4.1	3.8	<0.001	0.04	0.13	0.4	0.3	0.2	4.3	<0.01	<0.01	0.8
GS194		0.07	1.1	40	3.9	2.2	<0.001	0.04	0.09	0.3	0.2	0.2	2.7	<0.01	<0.01	0.7
GS195		0.17	1.2	20	3.1	6.3	<0.001	0.03	0.09	0.4	0.3	0.2	1.4	<0.01	<0.01	1.6
GS196		0.22	1.1	20	7.1	4.8	<0.001	0.03	0.08	0.4	<0.2	0.3	3.3	<0.01	<0.01	1.4
GS197		0.17	1.0	10	3.5	1.7	<0.001	0.03	0.10	0.2	<0.2	0.4	1.9	<0.01	<0.01	0.9
GS198		0.26	1.6	30	6.4	4.4	<0.001	0.03	0.07	0.5	0.3	0.4	2.9	<0.01	<0.01	1.4



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Page: 2 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-JUN-2017
 Account: KINEXP

Project: Exploration

CERTIFICATE OF ANALYSIS BR17112708

Sample Description	Method Analyte Units LOR	AuME-TL44 Ti %	AuME-TL44 Ti ppm	AuME-TL44 U ppm	AuME-TL44 V ppm	AuME-TL44 W ppm	AuME-TL44 Y ppm	AuME-TL44 Zn ppm	AuME-TL44 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
GS159		<0.005	0.22	1.93	29	<0.05	38.0	46	9.4
GS160		<0.005	0.09	1.51	86	<0.05	3.44	13	12.9
GS161		<0.005	0.12	2.80	88	<0.05	3.92	18	17.5
GS162		0.006	0.12	2.98	103	<0.05	6.95	47	23.3
GS163		0.005	0.16	4.26	88	<0.05	4.99	15	20.6
GS164		<0.005	0.17	3.02	60	<0.05	16.20	11	15.0
GS165		0.006	0.14	2.07	83	<0.05	16.25	15	23.5
GS166		0.013	0.14	1.59	120	<0.05	18.00	13	30.3
GS167		0.005	0.17	2.60	88	<0.05	18.10	18	14.9
GS168		<0.005	0.12	2.61	105	<0.05	52.9	134	15.7
GS169		<0.005	0.20	2.74	61	<0.05	14.15	20	13.5
GS170		<0.005	0.14	1.10	57	<0.05	14.95	29	12.2
GS171		<0.005	0.26	2.21	72	<0.05	30.2	32	15.2
GS172		<0.005	0.16	1.85	55	<0.05	23.4	14	12.4
GS173		0.005	0.23	2.59	46	<0.05	26.7	23	9.2
GS174		<0.005	0.21	4.27	71	0.06	8.89	11	14.3
GS175		<0.005	0.14	1.17	33	<0.05	6.92	6	7.0
GS176		<0.005	0.12	1.13	27	<0.05	6.81	10	7.7
GS177		0.015	0.14	0.52	13	<0.05	2.45	16	4.5
GS178		<0.005	0.21	0.62	30	<0.05	3.25	14	6.2
GS179		<0.005	0.04	0.23	22	<0.05	1.35	4	4.2
GS180		0.012	0.19	0.50	23	<0.05	1.90	7	7.6
GS181		<0.005	0.29	1.50	37	<0.05	7.85	12	9.9
GS182		<0.005	0.25	2.17	29	<0.05	12.40	9	8.1
GS183		<0.005	0.08	0.30	22	<0.05	1.08	3	3.2
GS184		<0.005	0.13	0.73	30	<0.05	3.70	6	6.4
GS185		0.005	0.06	0.60	18	<0.05	2.23	5	9.3
GS186		0.010	0.05	0.63	18	<0.05	2.29	5	11.4
GS187		<0.005	0.15	2.07	36	<0.05	6.37	17	8.8
GS188		<0.005	0.17	2.30	31	<0.05	22.9	15	8.4
GS189		<0.005	0.18	2.69	44	<0.05	29.2	18	8.6
GS190		0.017	0.15	0.50	44	<0.05	2.66	14	4.9
GS191		<0.005	0.05	0.28	18	<0.05	1.55	3	3.4
GS192		<0.005	0.04	0.22	23	0.05	0.87	2	3.8
GS193		<0.005	0.03	0.19	7	<0.05	0.65	2	0.8
GS194		<0.005	0.03	0.17	2	<0.05	0.45	2	<0.5
GS195		<0.005	0.03	0.21	7	<0.05	0.70	<2	3.3
GS196		0.006	0.03	0.17	7	<0.05	0.81	<2	1.8
GS197		0.006	<0.02	0.08	14	<0.05	0.57	<2	2.7
GS198		0.006	0.02	0.21	14	<0.05	0.70	2	1.8



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Page: 3 - A
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-JUN-2017
 Account: KINEXP

Project: Exploration

CERTIFICATE OF ANALYSIS BR17112708

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	PUL-QC Pass75um % 0.01	AuME-TL44 Au ppm 0.001	AuME-TL44 Ag ppm 0.01	AuME-TL44 Al % 0.01	AuME-TL44 As ppm 0.1	AuME-TL44 B ppm 10	AuME-TL44 Ba ppm 10	AuME-TL44 Be ppm 0.05	AuME-TL44 Bi ppm 0.01	AuME-TL44 Ca % 0.01	AuME-TL44 Cd ppm 0.01	AuME-TL44 Ce ppm 0.02	AuME-TL44 Co ppm 0.1	AuME-TL44 Cr ppm 1
GS199		1.65		0.003	0.02	2.38	1.8	<10	140	1.14	0.19	0.01	0.01	43.8	43.6	69
GS200		1.74		0.002	0.03	2.56	2.7	<10	110	1.56	0.94	0.01	<0.01	126.5	44.6	35
GS201		1.64		0.005	0.01	2.42	15.0	<10	40	0.69	0.46	0.02	<0.01	21.1	4.8	47
GS202		1.82		0.004	0.01	2.64	6.5	<10	30	0.57	0.73	0.01	<0.01	32.8	2.5	52
GS203		1.07		0.005	0.01	2.47	7.6	<10	30	0.45	0.49	0.01	<0.01	20.9	1.3	48
GS204		1.17		0.002	0.01	3.55	6.6	<10	30	0.49	0.26	0.03	<0.01	21.5	2.3	35
GS205		1.18		0.002	0.02	4.68	6.6	<10	50	0.86	0.23	0.01	<0.01	34.7	3.8	37
GS206		1.50		0.003	0.03	6.88	15.0	<10	50	1.03	0.32	0.02	<0.01	40.1	6.3	56
GS207		1.50		0.002	0.02	5.20	18.9	<10	40	1.26	0.34	0.03	<0.01	39.0	3.5	41
GS208		1.96		<0.001	0.01	0.85	1.4	<10	10	0.15	0.07	0.01	<0.01	11.25	0.8	7
GS209		1.93		0.001	0.01	0.99	2.5	<10	10	0.17	0.08	0.02	<0.01	17.50	0.9	8
GS210		1.80		0.002	0.01	2.61	6.1	<10	30	0.96	0.17	0.02	<0.01	46.4	5.3	24
GS211		1.85		0.001	0.02	2.77	10.1	<10	20	0.59	0.16	0.01	<0.01	20.0	5.1	30
GS212		1.85		0.001	0.01	1.34	4.8	<10	20	0.36	0.11	0.01	<0.01	12.20	3.0	13
GS213		1.50		0.001	0.01	2.22	29.0	<10	20	1.32	0.30	0.01	<0.01	19.55	3.1	35
GS214		1.67		0.001	0.01	1.29	5.1	<10	10	0.23	0.09	0.02	<0.01	13.75	0.9	11
GS215		1.51		0.002	<0.01	1.47	33.7	<10	10	0.21	0.10	0.01	<0.01	19.25	0.6	14
GS216		1.81		0.002	0.01	1.50	10.0	<10	20	0.40	0.12	0.03	<0.01	26.5	1.6	12
GS217		1.41		0.001	0.01	1.93	6.4	<10	20	0.51	0.13	0.02	<0.01	21.9	3.0	17
GS218		1.74		0.001	0.01	1.98	8.4	<10	20	0.53	0.14	0.03	<0.01	17.85	1.7	19
GS219		1.59		0.001	<0.01	1.17	19.0	<10	10	0.31	0.08	0.02	<0.01	11.55	0.8	15
GS220		1.93		0.001	0.01	0.60	2.7	<10	10	0.13	0.05	0.01	<0.01	13.90	0.5	5
GS221		1.43		0.001	0.01	1.83	9.0	<10	10	0.26	0.11	0.01	<0.01	14.15	0.9	16
GS222		1.66		<0.001	0.01	0.55	1.1	<10	10	0.06	0.05	0.01	<0.01	13.40	0.6	4
GS223		1.90		0.001	0.01	2.23	9.7	<10	30	0.27	0.17	0.02	0.01	7.32	1.7	20
GS224		1.91		0.001	<0.01	0.62	4.0	<10	10	0.10	0.11	0.02	<0.01	10.00	0.2	9
GS225		2.04		0.001	<0.01	0.64	2.9	<10	10	0.06	0.08	0.01	<0.01	13.25	0.4	8
GS226		1.75		<0.001	0.01	0.34	4.4	<10	10	0.05	0.06	0.01	<0.01	11.30	0.2	5
GS227		1.60	93.0	<0.001	<0.01	0.24	0.4	<10	10	<0.05	0.07	0.01	<0.01	8.71	0.1	5
GS228		1.56		0.001	0.01	3.54	13.1	<10	20	0.27	0.33	0.03	0.01	5.55	1.3	30
GS229		1.60		0.001	<0.01	0.93	2.7	<10	10	0.08	0.10	0.01	<0.01	9.42	0.3	9
GS230		1.47		0.001	<0.01	0.99	5.5	<10	10	0.07	0.09	0.01	<0.01	10.60	0.2	10
GS231		1.26		<0.001	<0.01	0.63	20.5	<10	10	0.14	0.07	0.02	<0.01	7.63	0.2	6
GS232		1.48		<0.001	0.01	0.34	1.1	<10	10	<0.05	0.07	0.06	<0.01	11.05	0.8	5
GS233		1.92		0.001	0.01	1.91	3.6	<10	10	0.19	0.14	0.02	<0.01	11.40	2.7	21
GS234		1.51		0.001	0.01	1.95	5.0	<10	20	0.14	0.14	0.02	<0.01	12.80	2.2	18
GS235		1.43		0.001	0.01	1.08	4.1	<10	10	0.06	0.09	0.02	<0.01	6.13	0.9	12
GS236		2.12		0.001	0.02	0.61	3.3	<10	30	0.10	0.09	0.02	<0.01	16.75	1.6	7
GS237		1.85		0.003	0.01	1.62	32.7	<10	20	0.22	0.44	0.03	<0.01	12.90	1.3	22
GS238		1.90		0.002	0.01	1.54	27.8	<10	20	0.28	0.60	0.03	<0.01	12.80	3.9	37



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Page: 3 - B
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-JUN-2017
 Account: KINEXP

Project: Exploration

CERTIFICATE OF ANALYSIS BR17112708

Sample Description	Method Analyte Units LOR	AuME-TL44 Cs ppm 0.05	AuME-TL44 Cu ppm 0.2	AuME-TL44 Fe % 0.01	AuME-TL44 Ga ppm 0.05	AuME-TL44 Ge ppm 0.05	AuME-TL44 Hf ppm 0.02	AuME-TL44 Hg ppm 0.01	AuME-TL44 In ppm 0.005	AuME-TL44 K % 0.01	AuME-TL44 La ppm 0.2	AuME-TL44 Li ppm 0.1	AuME-TL44 Mg % 0.01	AuME-TL44 Mn ppm 5	AuME-TL44 Mo ppm 0.05	AuME-TL44 Na % 0.01
GS199		2.29	88.2	3.04	6.61	0.08	0.45	0.03	0.042	0.07	26.4	16.2	0.09	747	0.16	0.08
GS200		3.65	32.5	4.23	8.53	0.08	0.33	0.02	0.026	0.20	28.7	36.4	0.43	827	0.52	0.08
GS201		1.23	22.4	4.73	9.40	0.05	0.28	0.02	0.034	0.14	11.2	10.2	0.07	51	0.51	0.04
GS202		1.32	19.9	4.98	10.60	0.05	0.49	0.01	0.040	0.14	17.3	12.1	0.06	43	0.95	0.04
GS203		1.27	8.2	4.68	10.75	0.05	0.45	0.03	0.047	0.09	11.0	10.4	0.06	16	1.02	0.06
GS204		2.07	2.1	3.33	10.75	<0.05	0.28	0.06	0.045	0.09	11.1	18.3	0.09	16	0.78	0.05
GS205		2.60	1.9	4.01	15.95	0.06	0.32	0.19	0.051	0.11	17.7	22.4	0.12	12	0.64	0.08
GS206		2.18	1.6	4.67	16.75	0.08	0.80	0.30	0.079	0.10	21.7	23.2	0.11	8	0.58	0.07
GS207		1.58	1.6	5.42	13.00	0.07	0.87	0.45	0.063	0.05	21.0	13.1	0.06	8	0.33	0.05
GS208		1.05	1.1	0.62	2.75	<0.05	0.09	0.03	0.009	0.03	5.7	5.8	0.02	19	0.11	0.03
GS209		0.92	1.1	0.90	3.15	<0.05	0.11	0.02	0.013	0.02	8.6	7.0	0.02	10	0.12	0.03
GS210		2.54	2.0	4.40	9.91	0.07	0.25	0.06	0.032	0.10	24.4	18.7	0.10	14	0.34	0.11
GS211		0.96	1.6	2.66	4.30	0.05	0.53	0.22	0.041	0.04	9.9	11.5	0.04	34	0.43	0.04
GS212		0.91	1.2	1.89	3.89	<0.05	0.15	0.07	0.018	0.03	6.1	9.0	0.02	54	0.30	0.03
GS213		0.83	1.4	10.35	7.63	0.08	0.48	0.33	0.048	0.03	9.4	6.7	0.02	145	0.90	0.03
GS214		1.10	1.8	2.25	6.07	<0.05	0.13	0.06	0.012	0.02	6.7	8.6	0.02	14	0.21	0.03
GS215		1.24	1.3	1.71	4.40	<0.05	0.17	0.07	0.015	0.03	9.4	4.3	0.02	9	0.16	0.04
GS216		1.24	1.7	1.44	4.35	<0.05	0.20	0.06	0.017	0.04	13.6	10.8	0.03	12	0.22	0.03
GS217		1.34	1.5	1.65	6.76	<0.05	0.26	0.11	0.022	0.05	11.4	11.4	0.04	31	0.20	0.03
GS218		1.06	1.7	2.24	6.93	<0.05	0.26	0.17	0.024	0.04	9.0	8.9	0.03	12	0.27	0.03
GS219		0.84	1.4	3.07	5.64	<0.05	0.12	0.04	0.015	0.02	5.5	4.5	0.01	53	0.20	0.04
GS220		0.56	1.4	0.71	2.66	<0.05	0.06	0.04	0.008	0.01	6.7	2.8	0.01	10	0.10	0.03
GS221		0.83	1.8	3.19	6.90	<0.05	0.23	0.10	0.022	0.02	6.8	6.1	0.01	11	0.27	0.03
GS222		0.67	1.5	0.31	1.90	<0.05	0.07	0.03	0.007	0.02	6.7	3.5	0.01	13	0.11	0.03
GS223		0.94	1.5	2.94	8.75	<0.05	0.25	0.16	0.028	0.04	3.6	11.4	0.01	13	0.53	0.03
GS224		0.52	1.3	1.52	7.28	<0.05	0.08	0.05	0.009	0.01	5.1	1.2	0.01	7	0.14	0.04
GS225		0.67	2.0	1.25	4.31	<0.05	0.07	0.04	0.011	0.02	7.0	2.1	0.02	10	0.13	0.03
GS226		0.52	1.5	1.15	2.57	<0.05	0.04	0.03	0.006	0.01	5.7	0.8	0.01	14	0.14	0.02
GS227		0.41	1.5	0.12	3.06	<0.05	0.02	0.04	0.006	0.02	4.4	0.2	0.01	9	0.10	0.03
GS228		1.76	2.0	4.53	8.53	<0.05	0.42	0.21	0.047	0.04	2.8	11.6	0.02	7	0.69	0.03
GS229		0.89	1.5	1.39	7.58	<0.05	0.10	0.08	0.012	0.02	4.9	3.2	0.02	10	0.20	0.03
GS230		0.59	1.4	1.27	6.25	<0.05	0.12	0.12	0.014	0.02	5.5	2.2	0.01	9	0.18	0.03
GS231		0.59	0.8	2.97	4.60	<0.05	0.04	0.06	0.011	0.01	3.7	0.8	0.01	5	0.14	0.03
GS232		0.92	1.4	0.58	3.07	<0.05	0.04	0.02	<0.005	0.02	5.5	0.5	0.02	20	0.12	0.03
GS233		1.64	2.0	4.24	8.27	<0.05	0.18	0.17	0.023	0.06	6.9	3.3	0.05	12	0.21	0.03
GS234		1.63	1.5	2.56	7.82	<0.05	0.12	0.10	0.021	0.07	7.4	3.7	0.05	12	0.14	0.03
GS235		1.28	1.4	2.30	4.61	<0.05	0.09	0.09	0.012	0.03	3.2	2.3	0.02	8	0.19	0.03
GS236		2.05	3.3	0.48	1.92	<0.05	0.07	0.02	0.006	0.04	8.3	2.0	0.03	16	0.07	0.03
GS237		2.35	3.7	2.20	5.12	<0.05	0.18	0.04	0.022	0.06	6.9	8.0	0.04	24	0.41	0.03
GS238		1.52	11.8	4.57	4.00	<0.05	0.22	0.04	0.031	0.05	6.3	5.7	0.03	88	0.71	0.03



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Project: Exploration

Page: 3 - C
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-JUN-2017
 Account: KINEXP

CERTIFICATE OF ANALYSIS BR17112708

Sample Description	Method Analyte Units LOR	AuME-TL44 Nb ppm 0.05	AuME-TL44 Ni ppm 0.2	AuME-TL44 P ppm 10	AuME-TL44 Pb ppm 0.2	AuME-TL44 Rb ppm 0.1	AuME-TL44 Re ppm 0.001	AuME-TL44 S % 0.01	AuME-TL44 Sb ppm 0.05	AuME-TL44 Sc ppm 0.1	AuME-TL44 Se ppm 0.2	AuME-TL44 Sn ppm 0.2	AuME-TL44 Sr ppm 0.2	AuME-TL44 Ta ppm 0.01	AuME-TL44 Te ppm 0.01	AuME-TL44 Th ppm 0.2
GS199		<0.05	31.1	30	20.3	15.8	<0.001	0.04	0.23	11.9	0.2	0.8	14.7	<0.01	0.02	7.6
GS200		0.18	39.6	40	36.5	32.6	<0.001	0.04	0.44	3.7	0.6	0.7	8.6	<0.01	0.05	14.5
GS201		0.11	12.9	60	17.4	15.0	<0.001	0.06	1.13	3.9	1.3	0.7	7.9	<0.01	0.05	20.6
GS202		0.30	5.8	40	11.7	16.6	<0.001	0.06	0.79	5.1	1.0	1.1	5.2	<0.01	0.05	24.3
GS203		0.21	4.2	20	9.3	13.5	<0.001	0.06	0.89	3.7	1.1	1.1	6.9	<0.01	0.02	21.1
GS204		0.13	9.2	30	11.5	18.7	<0.001	0.05	0.23	4.2	1.1	1.2	4.2	<0.01	0.01	8.5
GS205		0.39	14.5	30	17.3	22.0	<0.001	0.06	0.13	5.4	1.5	1.2	7.5	<0.01	0.01	8.4
GS206		0.67	25.2	40	22.5	19.8	<0.001	0.07	0.16	7.8	3.8	1.2	9.8	<0.01	0.01	13.0
GS207		0.90	20.8	60	32.7	9.9	<0.001	0.10	0.23	5.6	3.3	0.6	21.1	<0.01	0.03	10.7
GS208		0.22	3.5	20	4.8	6.0	<0.001	0.04	0.08	0.6	0.2	0.3	4.1	<0.01	<0.01	2.3
GS209		0.26	4.7	20	7.4	6.1	<0.001	0.04	0.14	0.7	0.3	0.4	4.0	<0.01	<0.01	3.2
GS210		0.18	10.3	20	25.9	21.3	<0.001	0.05	0.20	4.1	0.7	0.9	6.5	<0.01	0.01	6.1
GS211		0.36	17.4	30	15.9	7.4	<0.001	0.06	0.19	3.3	3.1	0.4	5.3	<0.01	0.01	7.7
GS212		0.25	7.0	20	11.4	6.4	<0.001	0.04	0.11	1.1	0.7	0.4	3.2	<0.01	0.01	3.4
GS213		0.44	6.9	30	50.7	6.0	<0.001	0.10	0.26	2.8	4.7	0.4	3.7	<0.01	0.06	7.0
GS214		0.31	3.9	30	14.1	4.4	<0.001	0.06	0.14	0.9	0.5	0.4	5.6	<0.01	0.01	2.7
GS215		0.36	3.5	40	13.0	5.9	<0.001	0.06	0.21	1.3	1.1	0.4	4.1	<0.01	<0.01	4.4
GS216		0.34	6.4	20	10.7	9.6	<0.001	0.04	0.21	1.2	0.8	0.5	8.8	<0.01	<0.01	6.8
GS217		0.39	11.8	30	10.1	10.0	<0.001	0.04	0.11	2.2	0.8	0.6	7.2	<0.01	0.01	5.7
GS218		0.39	7.6	40	9.9	7.1	<0.001	0.06	0.11	2.1	1.1	0.5	11.2	<0.01	0.01	4.0
GS219		0.19	3.2	40	13.6	3.0	<0.001	0.07	0.18	1.1	0.9	0.3	5.7	<0.01	0.01	2.3
GS220		0.21	1.7	20	7.8	1.9	<0.001	0.04	0.12	0.6	0.3	0.2	2.9	<0.01	<0.01	2.4
GS221		0.38	5.8	40	15.8	3.6	<0.001	0.08	0.14	1.5	1.5	0.4	3.5	<0.01	0.01	3.5
GS222		0.26	2.5	10	4.9	3.1	<0.001	0.03	0.10	0.4	<0.2	0.3	1.8	<0.01	<0.01	2.6
GS223		0.44	15.0	30	14.5	4.8	<0.001	0.07	0.10	1.1	1.4	0.6	3.2	<0.01	0.01	3.5
GS224		0.26	1.3	40	7.6	2.0	<0.001	0.07	0.14	0.7	0.7	0.3	5.8	<0.01	<0.01	1.9
GS225		0.25	2.1	90	7.8	3.3	<0.001	0.05	0.15	0.6	0.6	0.3	2.9	<0.01	<0.01	2.4
GS226		0.18	1.0	40	8.9	1.8	<0.001	0.04	0.14	0.3	0.3	0.2	2.6	<0.01	<0.01	2.1
GS227		0.14	0.6	40	4.9	1.6	<0.001	0.05	0.10	0.5	<0.2	0.3	3.3	<0.01	<0.01	1.6
GS228		0.55	10.5	60	12.5	8.4	<0.001	0.08	0.19	1.3	2.6	0.7	2.7	<0.01	0.02	6.4
GS229		0.28	1.8	40	9.1	3.6	<0.001	0.06	0.10	0.7	0.6	0.5	3.0	<0.01	0.01	2.2
GS230		0.24	1.6	50	7.5	2.5	<0.001	0.07	0.09	0.8	0.7	0.3	2.2	<0.01	0.01	2.7
GS231		0.13	0.7	50	14.5	1.7	<0.001	0.07	0.07	0.4	0.6	0.2	3.6	<0.01	<0.01	1.3
GS232		0.17	1.8	90	4.5	4.3	<0.001	0.03	0.05	0.3	<0.2	0.3	6.2	<0.01	<0.01	2.0
GS233		0.25	10.4	20	7.9	9.9	<0.001	0.03	0.07	1.4	0.6	0.7	5.7	<0.01	<0.01	3.6
GS234		0.20	7.2	10	7.2	10.6	<0.001	0.03	0.09	1.0	0.6	0.7	5.6	<0.01	<0.01	2.6
GS235		0.23	4.7	40	6.1	4.3	<0.001	0.05	0.09	0.6	0.5	0.4	3.4	<0.01	<0.01	1.6
GS236		0.09	4.0	10	3.5	6.2	<0.001	0.03	0.10	0.5	<0.2	0.3	4.2	<0.01	<0.01	3.1
GS237		0.17	6.8	30	10.5	13.0	<0.001	0.04	0.20	1.2	0.6	0.8	4.4	<0.01	0.02	6.0
GS238		0.18	12.3	50	10.5	8.8	<0.001	0.04	0.37	1.7	1.9	0.6	4.0	<0.01	0.05	6.0



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Page: 3 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-JUN-2017
 Account: KINEXP

Project: Exploration

CERTIFICATE OF ANALYSIS BR17112708

Sample Description	Method Analyte Units LOR	AuME-TL44 Ti %	AuME-TL44 Ti ppm	AuME-TL44 U ppm	AuME-TL44 V ppm	AuME-TL44 W ppm	AuME-TL44 Y ppm	AuME-TL44 Zn ppm	AuME-TL44 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
GS199		0.006	0.39	1.76	72	<0.05	17.50	18	16.9
GS200		0.016	0.41	1.86	36	<0.05	15.80	54	11.8
GS201		<0.005	0.11	1.78	35	<0.05	2.98	21	12.8
GS202		<0.005	0.12	1.10	47	<0.05	1.62	12	21.0
GS203		<0.005	0.10	0.79	60	<0.05	1.87	6	18.2
GS204		<0.005	0.09	1.06	56	<0.05	3.23	5	10.6
GS205		<0.005	0.13	1.19	74	<0.05	6.57	7	11.8
GS206		<0.005	0.11	1.87	101	<0.05	9.39	6	27.1
GS207		<0.005	0.08	1.42	116	<0.05	8.32	2	24.5
GS208		<0.005	0.05	0.25	12	<0.05	1.13	<2	2.8
GS209		<0.005	0.06	0.32	19	<0.05	1.68	2	3.4
GS210		<0.005	0.15	1.17	55	<0.05	14.20	6	9.0
GS211		<0.005	0.06	1.05	48	<0.05	5.22	3	16.0
GS212		<0.005	0.05	0.44	35	<0.05	2.15	2	5.1
GS213		0.005	0.05	1.14	142	<0.05	5.14	2	14.0
GS214		0.005	0.04	0.39	40	<0.05	1.42	2	3.7
GS215		<0.005	0.05	0.84	31	<0.05	3.99	<2	4.6
GS216		<0.005	0.06	0.59	28	<0.05	4.34	2	5.8
GS217		0.005	0.06	0.67	35	<0.05	3.54	3	7.8
GS218		0.005	0.05	0.58	49	<0.05	3.03	3	7.3
GS219		<0.005	0.04	0.41	58	<0.05	1.44	<2	3.6
GS220		0.006	0.04	0.31	17	<0.05	1.33	<2	2.1
GS221		0.006	0.03	0.52	55	<0.05	1.83	2	6.3
GS222		0.009	0.04	0.24	10	<0.05	1.21	<2	2.3
GS223		<0.005	0.04	0.43	60	<0.05	1.00	2	7.0
GS224		0.005	0.02	0.34	21	<0.05	1.06	<2	2.4
GS225		0.005	0.03	0.36	19	<0.05	1.16	2	2.3
GS226		0.006	0.03	0.23	19	<0.05	0.93	<2	1.5
GS227		0.005	0.02	0.19	3	<0.05	0.74	<2	0.7
GS228		<0.005	0.06	0.43	65	<0.05	0.83	3	12.0
GS229		<0.005	0.03	0.33	27	<0.05	0.94	2	3.1
GS230		<0.005	0.02	0.34	28	<0.05	1.17	<2	3.8
GS231		<0.005	0.03	0.23	42	<0.05	0.64	<2	1.1
GS232		0.005	0.04	0.18	11	<0.05	0.82	2	1.3
GS233		<0.005	0.07	0.38	47	<0.05	3.11	7	5.8
GS234		<0.005	0.09	0.30	41	<0.05	4.02	5	3.5
GS235		<0.005	0.06	0.19	37	<0.05	0.68	3	2.4
GS236		0.006	0.07	0.24	11	<0.05	1.68	8	2.2
GS237		<0.005	0.09	0.55	41	<0.05	1.39	6	6.8
GS238		0.007	0.06	0.65	55	<0.05	2.42	17	8.1



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Page: 4 - A
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-JUN-2017
 Account: KINEXP

Project: Exploration

CERTIFICATE OF ANALYSIS BR17112708

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	PUL-QC Pass75um % 0.01	AuME-TL44 Au ppm 0.001	AuME-TL44 Ag ppm 0.01	AuME-TL44 Al % 0.01	AuME-TL44 As ppm 0.1	AuME-TL44 B ppm 10	AuME-TL44 Ba ppm 10	AuME-TL44 Be ppm 0.05	AuME-TL44 Bi ppm 0.01	AuME-TL44 Ca % 0.01	AuME-TL44 Cd ppm 0.01	AuME-TL44 Ce ppm 0.02	AuME-TL44 Co ppm 0.1	AuME-TL44 Cr ppm 1
GS239		1.54		0.003	0.02	2.57	31.8	<10	20	0.28	2.16	0.02	<0.01	10.35	1.0	33
GS240		1.78		0.003	0.01	0.92	13.0	<10	20	0.14	0.50	0.02	<0.01	20.2	0.5	7
GS241		1.79		0.002	0.02	1.87	8.7	<10	30	0.33	0.33	0.03	<0.01	17.95	1.3	17
GS242		1.41		0.002	0.03	2.89	21.2	<10	30	0.54	0.37	0.02	<0.01	21.7	2.3	27
GS243		1.28		0.001	0.01	0.70	3.3	<10	10	0.09	0.12	0.02	<0.01	10.30	0.3	8
GS244		1.71		0.001	0.01	0.77	5.9	<10	10	0.09	0.13	0.04	<0.01	13.35	0.4	8
GS245		1.45		0.001	0.01	2.27	3.8	<10	40	0.68	0.52	0.04	<0.01	35.8	8.2	29
GS246		1.32		0.002	0.01	2.34	4.5	<10	40	0.51	0.34	0.01	<0.01	45.9	2.9	26
GS247		1.60		0.002	<0.01	1.83	8.8	<10	40	0.54	0.29	0.01	<0.01	23.3	4.3	23
GS248		1.34		0.001	0.01	1.93	5.9	<10	20	0.35	0.19	0.01	<0.01	27.8	2.1	21
GS249		1.40		0.002	0.02	2.15	4.5	<10	40	0.47	0.25	0.02	<0.01	47.7	3.1	26
GS250		1.54		0.001	<0.01	0.75	3.1	<10	10	0.18	0.08	0.01	<0.01	23.1	0.9	9
GS251		1.74		0.001	0.01	2.66	14.5	<10	40	1.00	0.22	0.05	<0.01	17.80	4.5	29
GS252		1.57		<0.001	0.01	0.77	3.8	<10	10	0.18	0.06	0.01	<0.01	9.41	0.5	6
GS253		1.52		0.001	0.01	1.09	5.9	<10	10	0.24	0.09	0.01	<0.01	9.72	0.6	9
GS254		2.20		0.002	0.01	0.93	6.7	<10	20	0.26	0.08	0.01	<0.01	17.90	1.9	10
GS255		1.97		0.001	0.01	0.76	5.3	<10	20	0.24	0.06	0.02	<0.01	11.55	1.2	9
GS256		1.81		0.001	0.01	1.23	6.5	<10	30	0.28	0.06	0.02	<0.01	14.00	1.7	11
GS257		1.29		0.001	0.01	1.06	2.2	<10	20	0.25	0.07	0.02	<0.01	13.80	1.3	11
GS258		1.61		0.001	<0.01	1.98	9.5	<10	20	0.39	0.11	0.02	<0.01	10.15	1.3	16
GS259		1.79		0.002	0.01	1.03	4.6	<10	20	0.15	0.10	0.01	<0.01	16.25	0.9	10
GS260		2.28		0.001	0.01	1.42	5.3	<10	30	0.27	0.13	0.01	<0.01	25.7	1.0	16
GS261		1.75		0.003	0.01	3.72	3.8	<10	30	0.23	0.11	0.01	<0.01	7.75	1.7	67
GS262		1.40		0.002	<0.01	1.12	8.6	<10	20	0.17	0.14	0.01	<0.01	32.6	0.7	13
GS263		1.84		0.003	0.01	0.86	2.3	<10	20	0.20	0.13	0.01	<0.01	30.8	0.7	8
GS264		1.51		0.002	0.01	0.66	1.4	<10	20	0.12	0.11	0.01	<0.01	35.5	0.4	6
GS265		1.56		0.001	0.01	0.25	3.4	<10	10	0.09	0.08	0.01	<0.01	6.62	0.3	4
GS266		1.74		0.002	0.01	1.12	21.0	<10	50	0.55	0.19	0.02	<0.01	32.7	8.2	12
GS267		1.33		<0.001	0.01	0.69	2.5	<10	10	0.09	0.13	0.02	<0.01	19.65	0.3	8
GS268		1.82		<0.001	0.01	0.50	1.1	<10	20	0.10	0.05	0.01	<0.01	11.15	0.6	4
GS269		1.56		<0.001	<0.01	0.88	2.3	<10	10	0.08	0.08	0.02	<0.01	11.00	0.4	7
GS270		1.21		0.008	0.01	5.69	21.1	<10	50	0.30	0.08	0.04	0.01	7.16	1.6	207
GS271		1.20		0.004	0.01	2.19	4.0	<10	20	0.18	0.07	0.05	0.01	8.77	0.9	32
GS272		1.67		0.002	0.01	3.02	6.6	<10	10	0.23	0.07	0.02	<0.01	4.61	1.0	56
GS273		2.06		0.004	0.02	0.98	7.4	<10	20	0.14	0.08	<0.01	<0.01	23.1	0.7	9
GS274		1.50		0.002	0.02	2.50	9.3	<10	20	0.31	0.16	0.03	0.01	15.15	1.9	17
GS275		1.44		0.003	0.01	3.01	26.5	<10	50	0.53	0.22	0.01	<0.01	16.20	4.6	26
GS276		1.50		0.001	0.01	2.42	5.9	<10	40	0.50	0.21	0.01	<0.01	31.6	6.4	22
GS277		1.82		0.001	0.01	1.67	3.2	<10	60	0.42	0.20	0.01	<0.01	26.2	4.9	19
GS278		1.95	94.0	0.003	0.01	1.81	2.3	<10	60	0.99	0.33	0.01	<0.01	46.4	3.9	25



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Project: Exploration

Page: 4 - B
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-JUN-2017
 Account: KINEXP

CERTIFICATE OF ANALYSIS BR17112708

Sample Description	Method Analyte Units LOR	AuME-TL44 Cs ppm 0.05	AuME-TL44 Cu ppm 0.2	AuME-TL44 Fe % 0.01	AuME-TL44 Ga ppm 0.05	AuME-TL44 Ge ppm 0.05	AuME-TL44 Hf ppm 0.02	AuME-TL44 Hg ppm 0.01	AuME-TL44 In ppm 0.005	AuME-TL44 K % 0.01	AuME-TL44 La ppm 0.2	AuME-TL44 Li ppm 0.1	AuME-TL44 Mg % 0.01	AuME-TL44 Mn ppm 5	AuME-TL44 Mo ppm 0.05	AuME-TL44 Na % 0.01
GS239		0.98	1.5	4.60	5.80	<0.05	0.57	0.06	0.050	0.05	4.9	8.3	0.02	12	0.77	0.03
GS240		1.86	3.5	1.08	2.31	<0.05	0.14	0.01	0.013	0.07	10.3	5.8	0.03	40	0.24	0.03
GS241		3.02	2.0	2.19	8.79	<0.05	0.20	0.08	0.022	0.09	8.9	8.8	0.06	19	0.49	0.05
GS242		2.49	2.4	4.39	11.60	0.05	0.37	0.19	0.035	0.08	10.8	11.1	0.05	14	0.44	0.03
GS243		0.83	1.3	1.18	6.40	<0.05	0.05	0.06	0.011	0.02	5.1	1.9	0.01	9	0.14	0.04
GS244		0.96	1.5	0.76	5.93	<0.05	0.04	0.05	0.013	0.03	7.1	1.7	0.02	9	0.11	0.04
GS245		1.13	14.0	4.34	6.17	0.06	0.14	0.02	0.022	0.16	16.0	22.6	0.33	223	0.47	0.04
GS246		1.70	6.2	2.79	7.87	0.07	0.17	0.02	0.029	0.16	23.0	18.1	0.08	41	0.58	0.07
GS247		1.08	7.8	4.90	6.83	0.06	0.23	0.02	0.030	0.10	10.9	12.4	0.07	14	0.59	0.09
GS248		1.71	2.8	3.03	7.75	0.05	0.16	0.03	0.028	0.10	13.4	18.5	0.08	16	0.59	0.08
GS249		1.44	2.7	2.66	7.90	0.06	0.16	0.04	0.030	0.13	23.6	23.5	0.09	28	0.57	0.07
GS250		0.66	1.3	1.01	3.94	<0.05	0.19	0.02	0.014	0.03	10.7	5.8	0.03	12	0.22	0.04
GS251		1.30	1.1	5.43	6.60	0.05	0.17	0.15	0.040	0.04	9.5	23.9	0.07	27	0.29	0.08
GS252		0.51	1.4	1.14	1.57	<0.05	0.04	0.03	0.007	0.02	4.7	2.6	0.02	18	0.11	0.03
GS253		0.75	1.2	2.13	2.47	<0.05	0.07	0.03	0.010	0.03	4.9	4.7	0.01	22	0.13	0.04
GS254		1.06	1.9	1.99	3.14	<0.05	0.10	0.03	0.011	0.06	8.1	4.7	0.05	16	0.10	0.06
GS255		0.82	2.0	1.43	2.51	<0.05	0.06	0.02	0.009	0.05	5.9	4.5	0.04	16	0.10	0.04
GS256		0.94	1.7	1.04	2.70	<0.05	0.03	0.03	0.012	0.04	6.4	6.2	0.03	17	0.12	0.04
GS257		1.09	1.8	0.65	3.38	<0.05	0.02	0.02	0.011	0.05	7.0	5.7	0.04	19	0.13	0.05
GS258		1.14	1.6	1.76	4.88	<0.05	0.11	0.08	0.019	0.05	5.4	8.7	0.04	11	0.18	0.05
GS259		1.33	3.2	1.20	5.62	<0.05	0.09	0.03	0.013	0.07	7.8	6.5	0.04	14	0.24	0.04
GS260		1.06	3.0	1.18	4.19	<0.05	0.13	0.01	0.016	0.11	12.9	8.6	0.05	16	0.30	0.03
GS261		0.99	3.8	1.60	8.71	<0.05	0.87	0.11	0.054	0.06	3.7	13.5	0.03	11	0.27	0.04
GS262		0.70	1.3	1.09	3.74	0.05	0.24	0.01	0.019	0.10	16.4	5.9	0.03	9	0.34	0.03
GS263		0.80	1.2	0.85	2.70	<0.05	0.11	0.01	0.012	0.10	16.5	4.6	0.04	10	0.25	0.04
GS264		0.76	1.4	0.49	2.35	<0.05	0.04	0.01	0.005	0.10	18.7	4.1	0.02	12	0.23	0.02
GS265		0.25	2.7	1.29	1.46	<0.05	0.07	0.01	<0.005	0.02	3.6	0.9	0.01	22	0.40	0.01
GS266		1.06	19.7	2.45	3.88	0.05	0.14	0.02	0.014	0.08	14.3	18.3	0.07	22	0.21	0.05
GS267		0.83	1.1	1.63	3.74	<0.05	0.09	0.02	0.010	0.04	10.1	4.2	0.02	18	0.24	0.02
GS268		0.81	1.6	0.26	2.03	<0.05	0.02	0.03	<0.005	0.04	5.6	3.5	0.01	11	0.12	0.01
GS269		0.81	1.0	0.96	2.42	<0.05	0.07	0.03	0.009	0.03	5.7	3.9	0.02	10	0.19	0.02
GS270		0.67	8.9	2.35	20.3	<0.05	2.44	0.04	0.119	0.11	3.7	7.3	0.06	9	0.32	0.05
GS271		0.83	1.7	0.81	5.63	<0.05	0.29	0.05	0.027	0.05	4.6	16.2	0.04	21	0.42	0.01
GS272		0.48	2.5	1.22	5.66	<0.05	0.77	0.08	0.041	0.03	2.3	10.0	0.02	17	0.40	0.01
GS273		0.78	1.1	0.78	2.81	<0.05	0.15	0.02	0.012	0.08	11.7	6.2	0.03	11	0.19	0.02
GS274		1.61	1.9	0.94	6.46	<0.05	0.18	0.07	0.020	0.10	7.9	20.4	0.05	15	0.29	0.03
GS275		2.64	16.1	4.07	9.54	<0.05	0.23	0.03	0.034	0.17	8.2	26.6	0.12	23	0.68	0.11
GS276		1.68	3.2	2.25	6.72	<0.05	0.22	0.03	0.026	0.16	18.2	17.9	0.10	19	0.31	0.05
GS277		1.28	5.0	2.06	6.09	<0.05	0.17	0.01	0.021	0.13	16.3	18.4	0.09	21	0.41	0.06
GS278		1.55	11.8	2.98	6.84	0.06	0.21	0.01	0.022	0.14	23.4	17.6	0.10	29	0.34	0.03



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Page: 4 - C
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-JUN-2017
 Account: KINEXP

Project: Exploration

CERTIFICATE OF ANALYSIS BR17112708

Sample Description	Method Analyte Units LOR	AuME-TL44 Nb ppm 0.05	AuME-TL44 Ni ppm 0.2	AuME-TL44 P ppm 10	AuME-TL44 Pb ppm 0.2	AuME-TL44 Rb ppm 0.1	AuME-TL44 Re ppm 0.001	AuME-TL44 S % 0.01	AuME-TL44 Sb ppm 0.05	AuME-TL44 Sc ppm 0.1	AuME-TL44 Se ppm 0.2	AuME-TL44 Sn ppm 0.2	AuME-TL44 Sr ppm 0.2	AuME-TL44 Ta ppm 0.01	AuME-TL44 Te ppm 0.01	AuME-TL44 Th ppm 0.2
GS239		0.43	7.5	30	16.5	7.7	<0.001	0.07	0.23	1.6	3.1	0.8	3.2	<0.01	0.03	9.6
GS240		0.61	1.9	40	11.0	11.4	<0.001	0.04	0.16	0.6	0.4	0.8	4.4	<0.01	0.01	6.9
GS241		0.27	5.5	20	10.8	19.3	<0.001	0.04	0.11	2.2	0.8	1.0	6.6	<0.01	0.01	6.2
GS242		0.53	9.1	50	24.5	15.3	<0.001	0.06	0.18	3.2	2.3	0.9	5.8	<0.01	0.02	7.4
GS243		0.21	1.5	50	10.5	3.7	<0.001	0.06	0.08	0.6	0.5	0.4	3.0	<0.01	<0.01	1.9
GS244		0.26	2.4	450	8.7	4.2	<0.001	0.05	0.13	0.7	0.5	0.5	6.8	<0.01	<0.01	2.4
GS245		0.15	19.7	70	18.7	18.8	<0.001	0.04	0.40	2.1	0.6	0.6	6.5	<0.01	0.04	11.7
GS246		0.12	7.4	20	11.8	22.9	<0.001	0.07	0.37	3.5	0.5	1.0	4.0	<0.01	0.01	11.2
GS247		0.05	9.9	20	14.7	13.5	<0.001	0.11	0.52	3.1	0.8	0.7	3.6	<0.01	0.02	9.8
GS248		0.12	7.5	20	13.1	17.5	<0.001	0.06	0.29	2.9	0.8	0.9	3.8	<0.01	0.01	6.7
GS249		0.08	7.4	30	14.8	21.8	<0.001	0.06	0.26	3.9	0.5	0.9	6.5	<0.01	0.01	10.4
GS250		0.09	2.6	10	6.4	4.5	<0.001	0.04	0.15	1.3	0.3	0.4	2.1	<0.01	<0.01	4.7
GS251		0.25	17.4	20	35.9	7.1	<0.001	0.06	0.16	1.6	1.9	0.5	10.4	<0.01	0.02	3.8
GS252		0.15	1.5	40	9.9	3.4	<0.001	0.06	0.12	0.5	0.8	0.2	3.7	<0.01	0.01	1.4
GS253		0.20	2.1	60	15.4	4.7	<0.001	0.08	0.13	0.7	1.1	0.2	3.8	<0.01	0.01	1.6
GS254		0.10	3.5	20	5.8	8.8	<0.001	0.04	0.22	1.9	0.3	0.4	5.3	<0.01	<0.01	3.3
GS255		0.10	3.5	20	5.3	7.5	<0.001	0.04	0.20	1.5	0.2	0.4	5.2	<0.01	<0.01	2.4
GS256		0.14	6.6	100	4.3	5.7	<0.001	0.07	0.31	1.0	0.5	0.3	7.7	<0.01	<0.01	1.5
GS257		0.16	3.9	40	5.6	8.4	<0.001	0.05	0.14	0.9	0.4	0.4	8.0	<0.01	<0.01	1.6
GS258		0.24	6.3	60	16.9	8.5	<0.001	0.08	0.24	1.3	1.2	0.5	8.4	<0.01	0.01	2.3
GS259		0.08	3.4	10	8.1	9.0	<0.001	0.04	0.45	1.4	0.4	0.5	1.8	<0.01	<0.01	2.7
GS260		0.13	3.6	30	8.4	13.9	<0.001	0.04	0.76	1.6	0.3	0.6	2.8	<0.01	<0.01	4.8
GS261		0.09	18.9	20	9.5	7.6	<0.001	0.06	0.22	3.2	0.9	0.8	3.2	<0.01	0.01	9.6
GS262		0.06	2.6	20	8.1	9.1	<0.001	0.04	1.22	1.4	0.4	0.5	2.7	<0.01	0.01	7.8
GS263		0.09	2.0	20	7.4	10.6	<0.001	0.04	0.77	0.8	0.2	0.4	3.1	<0.01	0.01	5.3
GS264		0.16	1.4	30	7.5	10.3	<0.001	0.02	0.47	0.6	<0.2	0.4	3.0	<0.01	<0.01	3.3
GS265		0.12	0.9	10	8.5	2.7	<0.001	0.02	0.47	0.2	0.2	0.3	1.2	<0.01	0.01	1.2
GS266		<0.05	10.8	20	13.9	11.7	<0.001	0.02	0.58	2.1	0.6	0.5	6.9	<0.01	0.01	4.7
GS267		0.43	1.5	30	9.5	6.9	<0.001	0.03	0.14	0.7	0.6	0.4	4.1	<0.01	0.01	2.8
GS268		0.18	1.7	30	4.2	4.3	<0.001	0.02	0.10	0.4	0.2	0.3	3.4	<0.01	<0.01	1.5
GS269		0.26	2.0	60	6.7	5.4	<0.001	0.03	0.16	0.7	0.7	0.3	5.3	<0.01	<0.01	1.9
GS270		<0.05	33.6	30	11.6	7.9	<0.001	0.04	0.27	13.0	0.5	1.6	7.7	<0.01	0.01	29.0
GS271		0.29	12.4	140	5.8	5.8	<0.001	0.02	0.18	1.3	0.5	0.6	11.3	<0.01	<0.01	3.7
GS272		0.17	17.4	50	5.4	3.5	<0.001	0.02	0.19	1.9	0.9	0.5	7.6	<0.01	0.01	7.7
GS273		0.07	2.4	20	6.0	9.3	<0.001	0.02	0.81	1.4	0.4	0.4	1.8	<0.01	<0.01	4.8
GS274		0.52	7.5	50	13.6	16.3	<0.001	0.06	0.36	1.7	0.8	0.8	6.4	<0.01	<0.01	2.5
GS275		0.33	12.9	30	21.6	29.4	<0.001	0.06	1.18	3.5	1.0	1.2	6.0	<0.01	0.02	7.0
GS276		0.22	11.9	20	18.1	23.7	<0.001	0.03	0.73	3.0	0.7	0.8	6.4	<0.01	<0.01	7.1
GS277		0.09	10.0	20	12.3	18.8	<0.001	0.04	0.57	2.7	0.4	0.7	6.5	<0.01	0.01	7.6
GS278		0.12	10.6	30	13.4	19.8	<0.001	0.03	0.62	4.0	0.3	0.7	4.7	<0.01	0.02	11.7



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Page: 4 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-JUN-2017
 Account: KINEXP

Project: Exploration

CERTIFICATE OF ANALYSIS BR17112708

Sample Description	Method Analyte Units LOR	AuME-TL44 Ti %	AuME-TL44 Ti ppm	AuME-TL44 U ppm	AuME-TL44 V ppm	AuME-TL44 W ppm	AuME-TL44 Y ppm	AuME-TL44 Zn ppm	AuME-TL44 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
GS239		<0.005	0.04	0.54	88	<0.05	1.29	2	16.5
GS240		0.005	0.10	0.41	12	<0.05	1.61	3	5.2
GS241		<0.005	0.10	0.70	41	<0.05	2.14	3	8.0
GS242		<0.005	0.11	0.87	82	<0.05	3.53	4	12.3
GS243		<0.005	0.03	0.34	20	<0.05	0.90	<2	1.9
GS244		0.007	0.04	0.31	21	<0.05	1.07	2	1.2
GS245		<0.005	0.10	1.00	32	<0.05	6.82	43	6.7
GS246		<0.005	0.13	1.03	36	<0.05	6.52	10	7.5
GS247		<0.005	0.09	1.37	40	<0.05	3.02	13	9.3
GS248		<0.005	0.11	1.10	43	<0.05	4.38	9	6.2
GS249		<0.005	0.11	1.22	41	<0.05	8.26	6	6.8
GS250		<0.005	0.04	0.60	26	<0.05	3.65	2	7.0
GS251		<0.005	0.06	0.68	86	<0.05	2.53	2	6.0
GS252		<0.005	0.05	0.27	17	<0.05	1.04	<2	1.5
GS253		<0.005	0.07	0.36	32	<0.05	1.07	<2	2.2
GS254		<0.005	0.06	0.61	17	<0.05	3.50	3	4.2
GS255		<0.005	0.05	0.44	16	<0.05	2.57	3	2.9
GS256		<0.005	0.06	0.35	28	<0.05	2.25	2	0.9
GS257		<0.005	0.08	0.43	12	<0.05	1.52	2	0.9
GS258		<0.005	0.10	0.45	46	<0.05	1.46	3	3.6
GS259		<0.005	0.08	0.50	33	<0.05	2.16	4	3.3
GS260		<0.005	0.11	0.53	33	0.06	2.12	5	5.2
GS261		0.007	0.04	0.99	70	<0.05	1.30	3	32.9
GS262		<0.005	0.07	0.46	28	<0.05	2.22	3	9.7
GS263		<0.005	0.06	0.29	22	<0.05	2.00	2	4.2
GS264		<0.005	0.06	0.23	15	<0.05	1.91	2	1.8
GS265		<0.005	<0.02	0.13	28	<0.05	0.67	<2	2.4
GS266		<0.005	0.20	4.29	22	<0.05	6.88	45	5.3
GS267		0.009	0.04	0.26	26	<0.05	1.21	2	2.8
GS268		0.005	0.06	0.27	5	<0.05	1.10	2	1.1
GS269		0.005	0.05	0.26	25	<0.05	0.90	2	2.2
GS270		0.020	0.05	4.83	163	<0.05	1.69	4	82.1
GS271		0.006	0.05	0.35	32	<0.05	0.83	3	10.0
GS272		0.007	0.03	0.59	42	<0.05	0.81	2	24.3
GS273		<0.005	0.10	0.52	22	<0.05	1.50	3	5.8
GS274		<0.005	0.15	0.37	29	<0.05	1.51	6	5.2
GS275		<0.005	0.34	1.35	47	<0.05	2.28	17	8.8
GS276		<0.005	0.22	0.85	35	<0.05	4.38	10	8.4
GS277		<0.005	0.15	0.79	28	<0.05	4.91	10	6.5
GS278		<0.005	0.14	1.58	28	<0.05	9.09	14	9.3



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Page: 5 - A
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-JUN-2017
 Account: KINEXP

Project: Exploration

CERTIFICATE OF ANALYSIS BR17112708

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	PUL-QC Pass75um % 0.01	AuME-TL44 Au ppm 0.001	AuME-TL44 Ag ppm 0.01	AuME-TL44 Al % 0.01	AuME-TL44 As ppm 0.1	AuME-TL44 B ppm 10	AuME-TL44 Ba ppm 10	AuME-TL44 Be ppm 0.05	AuME-TL44 Bi ppm 0.01	AuME-TL44 Ca % 0.01	AuME-TL44 Cd ppm 0.01	AuME-TL44 Ce ppm 0.02	AuME-TL44 Co ppm 0.1	AuME-TL44 Cr ppm 1
GS279		1.94		0.003	<0.01	1.64	4.2	<10	100	0.52	0.12	0.01	<0.01	26.6	2.7	18
GS280		1.54		0.002	0.01	0.74	3.0	<10	20	0.20	0.07	0.01	<0.01	20.2	0.6	6
GS281		1.30		0.001	0.01	0.79	0.9	<10	20	0.09	0.06	0.02	<0.01	4.69	0.4	5
GS282		1.96		0.001	<0.01	1.09	3.1	<10	10	0.15	0.06	0.01	<0.01	6.98	0.4	8
GS283		1.16		0.001	<0.01	0.92	3.7	<10	10	0.19	0.09	0.02	0.01	9.01	0.6	11
GS284		1.71		0.001	0.01	1.37	4.9	<10	50	0.32	0.11	0.01	<0.01	26.3	2.7	14
GS285		1.11		0.001	0.01	0.85	11.8	<10	20	0.20	0.08	0.02	<0.01	7.64	0.7	6
GS286		1.47		0.003	0.02	2.40	11.4	<10	50	0.65	0.26	<0.01	<0.01	60.9	12.0	29
GS287		2.22		0.009	0.03	0.87	13.8	<10	30	0.26	0.07	0.02	<0.01	30.8	2.2	10
GS288		1.93		0.001	0.01	1.33	7.2	<10	90	0.54	0.11	0.02	<0.01	25.1	11.9	14
GS289		1.97		0.001	0.01	1.12	13.9	<10	30	0.43	0.12	0.02	<0.01	18.60	4.4	14
GS290		1.67		0.001	0.01	1.85	1.9	<10	40	0.64	0.17	0.03	<0.01	62.2	5.9	37
GS291		1.66		0.001	0.01	1.30	14.6	<10	20	0.42	0.12	0.02	0.01	10.30	0.9	14
GS292		1.28		0.001	0.01	1.07	1.3	<10	10	0.13	0.07	0.01	0.01	7.88	0.4	7
GS293		1.44		<0.001	0.01	0.83	2.1	<10	20	0.14	0.06	0.02	<0.01	5.49	0.6	6
GS294		1.21		0.001	<0.01	0.83	6.5	<10	10	0.16	0.08	0.01	0.01	6.79	0.5	11
GS295		1.46		0.001	0.01	1.95	13.0	<10	50	0.53	0.13	0.02	<0.01	22.7	4.4	19
GS296		1.71		0.001	0.01	1.20	12.5	<10	40	0.42	0.08	0.04	<0.01	18.35	2.0	13
GS297		1.38		0.003	0.01	1.93	4.4	<10	50	0.59	0.60	0.01	0.01	18.35	3.8	24



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Page: 5 - B
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-JUN-2017
 Account: KINEXP

Project: Exploration

CERTIFICATE OF ANALYSIS BR17112708

Sample Description	Method Analyte Units LOR	AuME-TL44 Cs ppm 0.05	AuME-TL44 Cu ppm 0.2	AuME-TL44 Fe % 0.01	AuME-TL44 Ga ppm 0.05	AuME-TL44 Ge ppm 0.05	AuME-TL44 Hf ppm 0.02	AuME-TL44 Hg ppm 0.01	AuME-TL44 In ppm 0.005	AuME-TL44 K % 0.01	AuME-TL44 La ppm 0.2	AuME-TL44 Li ppm 0.1	AuME-TL44 Mg % 0.01	AuME-TL44 Mn ppm 5	AuME-TL44 Mo ppm 0.05	AuME-TL44 Na % 0.01
GS279		2.90	4.1	2.19	5.24	<0.05	0.31	0.01	0.018	0.19	13.0	17.3	0.14	45	0.23	0.07
GS280		0.82	1.9	0.54	1.82	<0.05	0.05	0.05	0.007	0.05	10.8	4.8	0.02	12	0.12	0.03
GS281		0.86	1.3	0.19	3.62	<0.05	0.02	0.09	<0.005	0.03	2.4	2.7	0.02	10	0.09	0.03
GS282		0.62	1.4	0.69	2.33	<0.05	0.04	0.06	0.009	0.02	3.5	2.8	0.01	10	0.11	0.03
GS283		0.70	1.8	0.35	5.66	<0.05	0.03	0.08	0.013	0.02	4.8	2.3	0.02	14	0.12	0.03
GS284		1.69	1.5	1.93	4.85	<0.05	0.15	0.04	0.015	0.10	13.5	10.1	0.08	23	0.11	0.05
GS285		0.51	1.4	1.08	1.71	<0.05	0.07	0.02	0.008	0.05	4.5	6.2	0.02	11	0.17	0.05
GS286		1.85	11.4	4.14	7.33	0.08	0.35	0.02	0.032	0.18	24.0	27.4	0.09	24	0.62	0.06
GS287		0.66	2.1	0.65	2.37	<0.05	0.11	0.03	0.011	0.07	16.3	5.0	0.05	15	0.09	0.04
GS288		1.26	2.5	3.00	4.03	<0.05	0.07	0.04	0.017	0.08	12.9	13.1	0.06	430	0.24	0.05
GS289		0.84	3.6	5.50	2.98	0.05	0.09	0.02	0.014	0.08	9.3	6.3	0.06	21	0.12	0.04
GS290		1.57	7.0	1.68	5.74	0.07	0.12	0.02	0.023	0.12	30.1	15.6	0.12	36	0.14	0.04
GS291		0.94	1.5	4.88	3.39	<0.05	0.11	0.04	0.016	0.04	5.0	5.0	0.02	8	0.17	0.03
GS292		0.85	1.5	0.31	2.79	<0.05	0.04	0.03	0.010	0.03	4.2	3.3	0.01	10	0.12	0.03
GS293		0.95	1.5	0.40	4.80	<0.05	0.02	0.02	0.007	0.04	2.7	4.1	0.02	11	0.09	0.03
GS294		0.49	1.6	2.27	1.96	<0.05	0.05	0.03	0.011	0.02	3.5	1.2	0.01	34	0.16	0.03
GS295		1.58	1.7	2.36	5.81	<0.05	0.13	0.03	0.023	0.10	12.1	19.1	0.11	17	0.17	0.06
GS296		1.00	1.8	1.79	3.87	<0.05	0.09	0.02	0.015	0.08	10.1	11.8	0.07	32	0.09	0.05
GS297		0.85	10.9	3.63	6.38	<0.05	0.23	0.06	0.030	0.12	11.9	8.8	0.08	15	0.45	0.08



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Page: 5 - C
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-JUN-2017
 Account: KINEXP

Project: Exploration

CERTIFICATE OF ANALYSIS BR17112708

Sample Description	Method Analyte Units LOR	AuME-TL44 Nb ppm 0.05	AuME-TL44 Ni ppm 0.2	AuME-TL44 P ppm 10	AuME-TL44 Pb ppm 0.2	AuME-TL44 Rb ppm 0.1	AuME-TL44 Re ppm 0.001	AuME-TL44 S % 0.01	AuME-TL44 Sb ppm 0.05	AuME-TL44 Sc ppm 0.1	AuME-TL44 Se ppm 0.2	AuME-TL44 Sn ppm 0.2	AuME-TL44 Sr ppm 0.2	AuME-TL44 Ta ppm 0.01	AuME-TL44 Te ppm 0.01	AuME-TL44 Th ppm 0.2
GS279		0.22	7.2	20	12.0	32.0	<0.001	0.06	1.82	2.4	0.2	0.6	7.7	<0.01	<0.01	10.0
GS280		0.23	2.2	40	9.5	8.0	<0.001	0.06	0.24	0.6	0.5	0.2	2.6	<0.01	<0.01	1.5
GS281		0.10	1.9	70	6.4	5.4	<0.001	0.07	0.15	0.5	0.5	0.4	6.4	<0.01	<0.01	0.7
GS282		0.14	1.6	70	8.2	2.5	<0.001	0.07	0.12	0.7	0.8	0.3	2.0	<0.01	<0.01	1.0
GS283		0.13	2.2	120	8.3	3.1	<0.001	0.10	0.12	0.9	0.8	0.4	6.2	<0.01	<0.01	1.2
GS284		0.11	5.0	10	9.5	16.6	<0.001	0.03	0.26	2.2	0.2	0.6	6.3	<0.01	0.01	5.2
GS285		0.16	2.0	40	12.8	8.5	<0.001	0.06	0.21	0.5	0.5	0.3	4.9	<0.01	0.01	1.4
GS286		0.13	13.8	30	17.4	27.1	<0.001	0.07	1.37	5.2	0.6	0.8	3.7	<0.01	0.02	15.4
GS287		0.06	3.4	20	10.0	10.8	<0.001	0.03	0.61	1.5	0.2	0.4	6.2	<0.01	<0.01	4.7
GS288		0.10	6.5	30	8.1	14.2	<0.001	0.04	0.28	2.0	0.4	0.5	6.7	<0.01	0.01	4.3
GS289		0.08	4.8	20	7.8	10.4	<0.001	0.03	0.35	1.5	0.4	0.4	6.1	<0.01	0.01	3.9
GS290		<0.05	11.9	30	13.1	19.3	<0.001	0.02	0.27	5.2	<0.2	0.7	7.6	<0.01	<0.01	7.1
GS291		0.19	2.4	40	20.4	6.5	<0.001	0.07	0.27	1.3	1.4	0.3	4.7	<0.01	0.02	2.2
GS292		0.14	1.5	50	7.5	4.6	<0.001	0.05	0.17	0.7	0.6	0.3	2.8	<0.01	<0.01	1.2
GS293		0.11	2.5	40	5.4	6.2	<0.001	0.04	0.14	0.7	0.2	0.5	5.0	<0.01	<0.01	0.7
GS294		0.20	1.1	130	11.9	2.1	<0.001	0.10	0.22	0.6	1.2	0.2	5.3	<0.01	0.02	1.1
GS295		0.11	7.5	20	9.4	17.6	<0.001	0.04	0.32	2.7	0.6	0.8	9.8	<0.01	0.01	4.8
GS296		0.07	5.3	20	5.7	12.7	<0.001	0.03	0.24	2.4	0.3	0.5	10.1	<0.01	<0.01	3.7
GS297		0.05	9.2	20	19.8	13.8	<0.001	0.11	0.87	2.3	1.0	0.5	4.9	<0.01	0.04	10.0



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Page: 5 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-JUN-2017
 Account: KINEXP

Project: Exploration

CERTIFICATE OF ANALYSIS BR17112708

Sample Description	Method Analyte Units LOR	AuME-TL44 Ti %	AuME-TL44 Ti ppm	AuME-TL44 U ppm	AuME-TL44 V ppm	AuME-TL44 W ppm	AuME-TL44 Y ppm	AuME-TL44 Zn ppm	AuME-TL44 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
GS279		0.005	0.25	1.33	23	<0.05	3.33	8	12.7
GS280		<0.005	0.08	0.29	10	<0.05	2.44	3	1.8
GS281		<0.005	0.05	0.20	2	<0.05	0.52	2	0.5
GS282		<0.005	0.03	0.27	17	<0.05	0.93	<2	1.4
GS283		<0.005	0.03	0.45	5	<0.05	1.28	2	1.3
GS284		<0.005	0.12	0.69	22	<0.05	4.39	5	6.2
GS285		<0.005	0.07	0.26	13	<0.05	1.26	<2	2.4
GS286		<0.005	0.33	3.32	37	<0.05	8.50	52	14.5
GS287		<0.005	0.07	0.62	11	<0.05	3.91	2	5.1
GS288		<0.005	0.12	0.65	31	<0.05	3.38	5	4.0
GS289		<0.005	0.06	0.46	25	<0.05	2.17	8	4.0
GS290		<0.005	0.14	0.98	39	<0.05	7.31	14	4.5
GS291		<0.005	0.06	0.41	51	<0.05	1.32	2	3.6
GS292		<0.005	0.05	0.29	7	<0.05	0.86	<2	1.4
GS293		<0.005	0.06	0.19	6	<0.05	0.75	3	0.7
GS294		<0.005	0.02	0.32	44	<0.05	0.78	<2	1.9
GS295		<0.005	0.12	0.80	31	<0.05	3.96	8	5.6
GS296		<0.005	0.05	0.65	14	<0.05	4.52	4	4.0
GS297		<0.005	0.11	0.82	31	<0.05	3.97	8	9.2



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222

Fax: +61 (7) 3243 7218

www.alsglobal.com

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 20-JUN-2017
Account: KINEXP

Project: Exploration

CERTIFICATE OF ANALYSIS BR17112708

	CERTIFICATE COMMENTS
Applies to Method:	LABORATORY ADDRESSES
	Processed at ALS Brisbane located at 32 Shand Street, Stafford, Brisbane, QLD, Australia. NATA Accreditation does not cover the performance of
	ALS Brisbane Sample Preparation which is processed at 116 Delta Street, Geebung, QLD 4034, Australia
	AuME-TL44
	SPL-21