



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com

Page: 1
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 28-JUN-2017
This copy reported on 10-JUL-2017
Account: KINEXP

QC CERTIFICATE BR17116676

Project: Exploration

This report is for 76 Soil samples submitted to our lab in Burnie, TAS, Australia on 12-JUN-2017.

The following have access to data associated with this certificate:

SEAN WESTBROOK

KENT WIGHTON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
TRA-21	Transfer sample
BAG-01	Bulk Master for Storage
LEV-01	Waste Disposal Levy
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
AuME-TL44	50g Trace Au + Multi Element PKG	ICP-MS

To: KINGFISHER EXPLORATION PTY LTD
ATTN: SEAN WESTBROOK
15 RICHARDS AVE
DODGES FERRY TAS 7173

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Shaun Kenny, Brisbane Laboratory Manager



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Project: Exploration

Page: 2 - A
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-JUN-2017
 Account: KINEXP

QC CERTIFICATE OF ANALYSIS BR17116676

Method Analyte Units LOR	AuME-TL44 Au ppm 0.001	AuME-TL44 Ag ppm 0.01	AuME-TL44 Al % 0.01	AuME-TL44 As ppm 0.1	AuME-TL44 B ppm 10	AuME-TL44 Ba ppm 10	AuME-TL44 Be ppm 0.05	AuME-TL44 Bi ppm 0.01	AuME-TL44 Ca % 0.01	AuME-TL44 Cd ppm 0.01	AuME-TL44 Ce ppm 0.02	AuME-TL44 Co ppm 0.1	AuME-TL44 Cr ppm 1	AuME-TL44 Cs ppm 0.05	AuME-TL44 Cu ppm 0.2
STANDARDS															
MRGeo08	0.004	4.98	2.82	34.6	<10	110	0.87	0.66	1.06	2.24	70.8	18.9	87	10.05	662
MRGeo08	0.004	4.89	2.52	32.9	<10	90	0.70	0.63	0.93	2.13	67.3	17.8	83	9.32	642
MRGeo08	0.004	4.68	2.54	33.8	<10	80	0.76	0.64	0.95	2.21	68.1	17.9	85	9.86	644
Target Range - Lower Bound	0.002	4.00	2.23	29.6	<10	100	0.67	0.60	0.86	2.01	66.2	17.0	79	9.45	587
Upper Bound	0.006	4.92	2.75	36.4	30	160	0.95	0.76	1.08	2.47	81.0	21.0	98	11.65	675
OREAS-904	0.012	0.42	1.14	94.6	10	60	5.90	3.33	0.04	0.06	58.0	80.7	16	0.49	6380
OREAS-904	0.012	0.40	1.05	91.7	10	60	6.06	3.14	0.04	0.05	54.5	76.9	15	0.46	6040
OREAS-904	0.010	0.40	1.15	95.8	10	70	6.66	3.45	0.04	0.05	59.0	80.3	16	0.51	6340
Target Range - Lower Bound	0.012	0.32	1.03	81.8	<10	40	5.84	3.37	0.02	0.04	55.5	73.7	15	0.46	5860
Upper Bound	0.020	0.41	1.28	100.0	30	90	7.24	4.14	0.06	0.08	67.9	90.3	20	0.72	6740
BLANKS															
BLANK	<0.001	<0.01	<0.01	<0.1	<10	<10	<0.05	<0.01	<0.01	<0.01	<0.02	<0.1	<1	<0.05	<0.2
BLANK	<0.001	<0.01	<0.01	<0.1	<10	<10	<0.05	<0.01	<0.01	<0.01	<0.02	<0.1	<1	<0.05	<0.2
BLANK	<0.001	<0.01	<0.01	<0.1	<10	<10	<0.05	<0.01	<0.01	<0.01	<0.02	<0.1	<1	<0.05	<0.2
Target Range - Lower Bound	<0.001	<0.01	<0.01	<0.1	<10	<10	<0.05	<0.01	<0.01	<0.01	<0.02	<0.1	<1	<0.05	<0.2
Upper Bound	0.002	0.02	0.02	0.2	20	20	0.10	0.02	0.02	0.02	0.04	0.2	2	0.10	0.4
DUPLICATES															
GS307	0.002	0.03	2.14	1.7	<10	110	2.26	0.26	0.01	<0.01	55.9	45.5	22	2.12	5.5
DUP	0.001	0.03	2.21	1.5	<10	110	1.85	0.26	0.01	<0.01	59.4	44.7	23	2.31	5.4
Target Range - Lower Bound	<0.001	0.02	2.06	1.4	<10	90	1.90	0.24	<0.01	<0.01	54.7	42.7	20	2.05	5.1
Upper Bound	0.002	0.04	2.29	1.8	20	130	2.21	0.28	0.02	0.02	60.6	47.5	25	2.38	5.8
GS327	0.002	0.01	1.55	5.6	<10	10	0.27	0.11	0.01	0.01	10.95	0.9	16	0.81	0.9
DUP	0.002	0.01	1.67	5.5	<10	10	0.26	0.12	0.01	<0.01	12.25	1.0	17	0.93	1.1
Target Range - Lower Bound	<0.001	<0.01	1.52	5.2	<10	<10	0.20	0.10	<0.01	<0.01	11.00	0.8	15	0.78	0.8
Upper Bound	0.003	0.02	1.70	5.9	20	20	0.33	0.13	0.02	0.02	12.20	1.1	18	0.96	1.2
GS342	0.013	0.03	1.78	54.9	<10	70	0.68	0.20	0.01	0.02	45.4	4.4	23	1.49	5.2
DUP	0.012	0.02	1.86	54.1	<10	70	0.70	0.21	0.01	0.01	48.3	4.5	23	1.52	5.1
Target Range - Lower Bound	0.011	<0.01	1.72	51.7	<10	50	0.61	0.18	<0.01	<0.01	44.5	4.1	21	1.38	4.8
Upper Bound	0.014	0.04	1.92	57.3	20	90	0.77	0.23	0.02	0.02	49.2	4.8	25	1.63	5.5



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Page: 2 - B
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-JUN-2017
 Account: KINEXP

Project: Exploration

QC CERTIFICATE OF ANALYSIS BR17116676

Method Analyte Units LOR	AuME-TL44 Fe %	AuME-TL44 Ga ppm	AuME-TL44 Ge ppm	AuME-TL44 Hf ppm	AuME-TL44 Hg ppm	AuME-TL44 In ppm	AuME-TL44 K %	AuME-TL44 La ppm	AuME-TL44 Li ppm	AuME-TL44 Mg %	AuME-TL44 Mn ppm	AuME-TL44 Mo ppm	AuME-TL44 Na %	AuME-TL44 Nb ppm	AuME-TL44 Ni ppm
Sample Description	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05	0.2
STANDARDS															
MRGeo08	3.71	10.90	0.15	0.58	0.07	0.155	1.31	34.1	34.9	1.17	390	16.10	0.37	1.26	698
MRGeo08	3.57	9.72	0.10	0.59	0.07	0.143	1.26	31.8	33.1	1.14	370	15.50	0.30	2.17	683
MRGeo08	3.59	9.91	0.11	0.61	0.06	0.146	1.27	32.8	32.9	1.14	374	15.75	0.31	2.45	676
Target Range - Lower Bound	3.22	8.73	0.07	0.41	0.03	0.137	1.12	33.6	29.1	1.01	318	13.05	0.27	0.14	622
Upper Bound	3.96	10.80	0.29	0.55	0.09	0.179	1.40	41.5	35.7	1.25	400	16.10	0.35	0.37	761
OREAS-904	6.43	3.07	0.10	0.03	0.04	0.163	0.55	28.3	2.7	0.11	381	2.13	0.01	<0.05	34.0
OREAS-904	6.08	2.86	0.09	0.03	0.04	0.156	0.51	26.0	2.7	0.11	365	2.08	<0.01	<0.05	32.7
OREAS-904	6.38	3.10	0.10	0.03	0.04	0.164	0.56	28.4	2.8	0.12	382	2.24	0.01	<0.05	34.0
Target Range - Lower Bound	5.75	2.57	<0.05	<0.02	<0.01	0.148	0.46	26.8	2.4	0.08	315	1.77	<0.01	<0.05	29.6
Upper Bound	7.05	3.25	0.20	0.06	0.06	0.192	0.58	33.2	3.2	0.14	397	2.27	0.03	0.12	36.6
BLANKS															
BLANK	<0.01	<0.05	<0.05	<0.02	<0.01	<0.005	<0.01	<0.2	<0.1	<0.01	<5	<0.05	<0.01	<0.05	<0.2
BLANK	<0.01	<0.05	<0.05	<0.02	<0.01	<0.005	<0.01	<0.2	<0.1	<0.01	<5	<0.05	<0.01	<0.05	<0.2
BLANK	<0.01	<0.05	<0.05	<0.02	<0.01	<0.005	<0.01	<0.2	<0.1	<0.01	<5	<0.05	<0.01	<0.05	<0.2
Target Range - Lower Bound	<0.01	<0.05	<0.05	<0.02	<0.01	<0.005	<0.01	<0.2	<0.1	<0.01	<5	<0.05	<0.01	<0.05	<0.2
Upper Bound	0.02	0.10	0.10	0.04	0.02	0.010	0.02	0.4	0.2	0.02	10	0.10	0.02	0.10	0.4
DUPLICATES															
GS307	3.62	7.16	0.08	0.14	0.04	0.020	0.19	25.2	52.1	0.12	210	0.20	0.08	0.06	30.0
DUP	3.67	7.44	0.09	0.16	0.03	0.022	0.20	26.6	45.5	0.12	216	0.20	0.08	0.06	29.7
Target Range - Lower Bound	3.45	6.89	<0.05	0.12	0.02	0.015	0.18	24.4	46.3	0.10	197	0.14	0.07	<0.05	28.2
Upper Bound	3.84	7.72	0.10	0.18	0.05	0.027	0.21	27.4	51.3	0.14	229	0.26	0.09	0.10	31.5
GS327	2.92	4.99	<0.05	0.20	0.07	0.020	0.04	5.6	7.6	0.02	19	0.44	0.01	0.24	4.3
DUP	2.96	5.29	<0.05	0.21	0.07	0.020	0.04	6.3	8.5	0.03	21	0.43	0.01	0.28	3.9
Target Range - Lower Bound	2.78	4.83	<0.05	0.17	0.05	0.014	0.03	5.5	7.5	<0.01	14	0.36	<0.01	0.20	3.7
Upper Bound	3.10	5.45	0.10	0.24	0.09	0.026	0.05	6.4	8.6	0.04	26	0.51	0.02	0.32	4.5
GS342	3.65	6.71	0.07	0.26	0.04	0.022	0.12	21.4	17.3	0.10	27	0.48	0.15	0.13	8.8
DUP	3.60	6.97	0.08	0.26	0.04	0.023	0.13	22.9	20.0	0.10	27	0.48	0.15	0.15	9.3
Target Range - Lower Bound	3.43	6.45	<0.05	0.23	0.03	0.016	0.11	20.8	17.6	0.09	21	0.41	0.13	0.08	8.4
Upper Bound	3.82	7.23	0.10	0.29	0.05	0.029	0.14	23.5	19.7	0.12	33	0.55	0.17	0.20	9.7



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Page: 2 - C
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-JUN-2017
 Account: KINEXP

Project: Exploration

QC CERTIFICATE OF ANALYSIS BR17116676

Method Analyte Units LOR	AuME-TL44 P ppm 10	AuME-TL44 Pb ppm 0.2	AuME-TL44 Rb ppm 0.1	AuME-TL44 Re ppm 0.001	AuME-TL44 S % 0.01	AuME-TL44 Sb ppm 0.05	AuME-TL44 Sc ppm 0.1	AuME-TL44 Se ppm 0.2	AuME-TL44 Sn ppm 0.2	AuME-TL44 Sr ppm 0.2	AuME-TL44 Ta ppm 0.01	AuME-TL44 Te ppm 0.01	AuME-TL44 Th ppm 0.2	AuME-TL44 Ti % 0.005	AuME-TL44 Tl ppm 0.02
Sample Description															
STANDARDS															
MRGeo08	1000	1090	143.0	0.008	0.30	2.43	8.1	1.0	3.5	80.3	0.03	0.03	19.9	0.318	0.75
MRGeo08	1000	1060	134.5	0.008	0.30	3.12	6.9	0.9	3.3	64.7	0.02	0.03	19.4	0.300	0.72
MRGeo08	990	1060	136.0	0.009	0.29	3.12	7.0	1.0	3.4	66.6	0.02	0.03	19.6	0.306	0.74
Target Range - Lower Bound		902	132.0	0.005	0.27	2.31	6.7	0.6	2.8	66.6	<0.01	<0.01	19.1	0.277	0.64
Upper Bound		1105	162.0	0.009	0.35	3.24	8.4	1.5	4.0	81.8	0.03	0.04	23.8	0.349	0.92
OREAS-904	900	7.3	18.3	<0.001	0.02	0.78	3.4	2.6	0.5	13.4	<0.01	0.05	6.6	<0.005	0.13
OREAS-904	840	6.8	17.2	<0.001	0.02	0.88	3.2	2.6	0.5	12.6	<0.01	0.03	6.3	<0.005	0.12
OREAS-904	890	7.5	18.7	<0.001	0.03	0.93	3.3	2.7	0.5	14.1	<0.01	0.04	6.7	<0.005	0.12
Target Range - Lower Bound		6.4	16.4	<0.001	<0.01	0.60	2.9	2.3	<0.2	12.5	<0.01	0.02	5.8	<0.005	0.08
Upper Bound		8.2	20.3	0.003	0.06	0.96	3.8	3.4	0.9	15.7	0.02	0.06	7.5	0.013	0.19
BLANKS															
BLANK	<10	<0.2	<0.1	<0.001	<0.01	<0.05	<0.1	<0.2	<0.2	<0.2	<0.01	<0.01	<0.2	<0.005	<0.02
BLANK	<10	<0.2	<0.1	<0.001	<0.01	<0.05	<0.1	<0.2	<0.2	<0.2	<0.01	<0.01	<0.2	<0.005	<0.02
BLANK	<10	<0.2	<0.1	<0.001	<0.01	<0.05	<0.1	<0.2	<0.2	<0.2	<0.01	<0.01	<0.2	<0.005	<0.02
Target Range - Lower Bound	<10	<0.2	<0.1	<0.001	<0.01	<0.05	<0.1	<0.2	<0.2	<0.2	<0.01	<0.01	<0.2	<0.005	<0.02
Upper Bound	20	0.4	0.2	0.002	0.02	0.10	0.2	0.4	0.4	0.4	0.02	0.02	0.4	0.010	0.04
DUPLICATES															
GS307	20	14.1	27.0	<0.001	0.04	0.27	4.0	0.4	1.0	8.6	<0.01	0.01	8.5	<0.005	0.16
DUP	20	14.5	29.9	<0.001	0.04	0.26	4.0	0.3	1.1	9.2	<0.01	<0.01	8.6	<0.005	0.17
Target Range - Lower Bound	<10	13.4	26.9	<0.001	0.03	0.20	3.7	<0.2	0.8	8.3	<0.01	<0.01	7.9	<0.005	0.13
Upper Bound	30	15.2	30.0	0.002	0.05	0.33	4.3	0.4	1.3	9.5	0.02	0.02	9.2	0.010	0.20
GS327	20	15.2	7.0	<0.001	0.03	0.12	1.1	1.2	0.6	1.9	<0.01	0.01	3.5	<0.005	0.06
DUP	20	14.0	8.0	<0.001	0.03	0.13	1.2	1.2	0.7	2.0	<0.01	0.01	3.5	<0.005	0.06
Target Range - Lower Bound	<10	13.7	7.0	<0.001	0.02	0.07	1.0	0.9	0.4	1.7	<0.01	<0.01	3.1	<0.005	0.04
Upper Bound	30	15.5	8.0	0.002	0.04	0.18	1.3	1.5	0.9	2.2	0.02	0.02	3.9	0.010	0.08
GS342	20	12.4	17.5	<0.001	0.04	1.65	3.0	0.9	0.9	6.3	<0.01	0.01	7.4	<0.005	0.17
DUP	30	12.9	19.5	<0.001	0.04	1.52	3.1	0.9	1.0	6.7	<0.01	0.01	7.6	<0.005	0.19
Target Range - Lower Bound	<10	11.8	17.5	<0.001	0.03	1.42	2.8	0.7	0.7	6.0	<0.01	<0.01	6.9	<0.005	0.15
Upper Bound	40	13.5	19.5	0.002	0.05	1.75	3.3	1.1	1.2	7.0	0.02	0.02	8.1	0.010	0.21



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Page: 2 - D
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-JUN-2017
 Account: KINEXP

Project: Exploration

QC CERTIFICATE OF ANALYSIS BR17116676

Sample Description	Method Analyte Units LOR	AuME-TL44 U ppm 0.05	AuME-TL44 V ppm 1	AuME-TL44 W ppm 0.05	AuME-TL44 Y ppm 0.05	AuME-TL44 Zn ppm 2	AuME-TL44 Zr ppm 0.5
STANDARDS							
MRGeo08		5.39	97	2.13	18.45	754	18.7
MRGeo08		5.42	93	2.32	17.25	730	17.1
MRGeo08		5.45	95	2.41	17.70	735	17.9
Target Range - Lower Bound		4.93	88	1.97	16.90	650	13.5
Upper Bound		6.13	109	2.79	20.8	799	19.5
OREAS-904		4.90	19	0.42	15.25	21	1.3
OREAS-904		4.80	18	0.41	14.55	20	1.1
OREAS-904		5.18	20	0.48	15.60	21	0.8
Target Range - Lower Bound		4.63	17	0.34	13.40	17	<0.5
Upper Bound		5.77	23	0.64	16.50	28	2.7
BLANKS							
BLANK		<0.05	<1	<0.05	<0.05	<2	<0.5
BLANK		<0.05	<1	<0.05	<0.05	<2	<0.5
BLANK		<0.05	<1	<0.05	<0.05	<2	<0.5
Target Range - Lower Bound		<0.05	<1	<0.05	<0.05	<2	<0.5
Upper Bound		0.10	2	0.10	0.10	4	1.0
DUPLICATES							
GS307		1.86	35	<0.05	12.65	37	6.5
DUP		1.85	36	<0.05	13.25	39	7.2
Target Range - Lower Bound		1.71	33	<0.05	12.25	34	5.8
Upper Bound		2.00	38	0.10	13.65	42	7.9
GS327		0.42	46	<0.05	1.15	3	6.4
DUP		0.41	47	<0.05	1.21	3	6.7
Target Range - Lower Bound		0.34	43	<0.05	1.07	<2	5.6
Upper Bound		0.49	50	0.10	1.29	4	7.5
GS342		1.53	36	<0.05	12.55	8	9.9
DUP		1.55	35	<0.05	12.65	8	9.8
Target Range - Lower Bound		1.41	33	<0.05	11.90	6	8.6
Upper Bound		1.67	38	0.10	13.30	10	11.1



32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com

Page: 3 - A
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 28-JUN-2017
Account: KINEXP

Project: Exploration

QC CERTIFICATE OF ANALYSIS BR17116676

Sample Description	Method Analyte Units LOR	AuME-TL44	AuME-TL44	AuME-TL44	AuME-TL44	AuME-TL44	AuME-TL44	AuME-TL44	AuME-TL44	AuME-TL44	AuME-TL44	AuME-TL44	AuME-TL44	AuME-TL44	AuME-TL44	AuME-TL44
		Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.001	0.01	0.01	0.1	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05	0.2
		DUPLICATES														
GS362		0.001	0.01	1.87	6.0	<10	90	1.93	0.41	0.01	<0.01	40.1	8.7	29	1.67	42.9
DUP		0.001	0.01	1.96	5.9	<10	90	1.93	0.40	0.01	<0.01	44.0	8.7	28	1.97	41.9
Target Range - Lower Bound		<0.001	<0.01	1.81	5.6	<10	70	1.78	0.37	<0.01	<0.01	39.9	8.2	26	1.68	40.7
Upper Bound		0.002	0.02	2.02	6.3	20	110	2.08	0.44	0.02	0.02	44.2	9.2	31	1.96	44.1

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com

Page: 3 - B
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 28-JUN-2017
Account: KINEXP

Project: Exploration

QC CERTIFICATE OF ANALYSIS BR17116676

Sample Description	Method Analyte Units LOR	AuME-TL44	AuME-TL44	AuME-TL44	AuME-TL44	AuME-TL44	AuME-TL44	AuME-TL44	AuME-TL44	AuME-TL44	AuME-TL44	AuME-TL44	AuME-TL44	AuME-TL44	AuME-TL44	AuME-TL44
		Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
		%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05	0.2
		DUPLICATES														
GS362		8.21	5.93	0.08	0.27	0.05	0.022	0.11	16.3	19.2	0.09	86	0.38	0.08	0.07	16.6
DUP		7.86	6.41	0.08	0.26	0.06	0.023	0.13	17.8	23.9	0.09	81	0.36	0.07	0.08	16.9
Target Range - Lower Bound		7.62	5.81	<0.05	0.23	0.04	0.016	0.10	16.0	20.4	0.08	74	0.30	0.06	<0.05	15.7
Upper Bound		8.45	6.53	0.10	0.30	0.07	0.029	0.14	18.1	22.7	0.10	93	0.44	0.09	0.10	17.8



32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com

Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 28-JUN-2017
Account: KINEXP

Project: Exploration

QC CERTIFICATE OF ANALYSIS BR17116676

Sample Description	Method Analyte Units LOR	AuME-TL44	AuME-TL44	AuME-TL44	AuME-TL44	AuME-TL44	AuME-TL44	AuME-TL44	AuME-TL44	AuME-TL44	AuME-TL44	AuME-TL44	AuME-TL44	AuME-TL44	AuME-TL44	AuME-TL44
		P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
		ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005	0.02
		DUPLICATES														
GS362		60	23.9	16.5	<0.001	0.05	1.09	4.5	0.8	0.8	8.2	<0.01	0.06	9.6	<0.005	0.10
DUP		60	23.5	19.8	<0.001	0.04	1.01	4.7	0.7	0.9	8.5	<0.01	0.06	9.7	<0.005	0.11
Target Range - Lower Bound		50	22.3	17.1	<0.001	0.03	0.92	4.3	0.5	0.6	7.7	<0.01	0.05	9.0	<0.005	0.08
Upper Bound		70	25.1	19.2	0.002	0.06	1.18	4.9	1.0	1.1	9.0	0.02	0.07	10.3	0.010	0.13

***** See Appendix Page for comments regarding this certificate *****



32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com

Finalized Date: 28-JUN-2017
Account: KINEXP

Project: Exploration

QC CERTIFICATE OF ANALYSIS BR17116676

Sample Description	Method Analyte Units LOR	AuME - TL44	AuME - TL44	AuME - TL44	AuME - TL44	AuME - TL44	AuME - TL44
		U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm
		0.05	1	0.05	0.05	2	0.5
		DUPLICATES					
GS362		3.10	49	<0.05	8.15	37	13.3
DUP		3.05	47	<0.05	8.27	35	13.0
Target Range - Lower Bound		2.87	45	<0.05	7.75	32	11.7
Upper Bound		3.28	51	0.10	8.67	40	14.6

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 28-JUN-2017
Account: KINEXP

Project: Exploration

QC CERTIFICATE OF ANALYSIS BR17116676

	CERTIFICATE COMMENTS							
Applies to Method:	LABORATORY ADDRESSES							
	Processed at ALS Brisbane located at 32 Shand Street, Stafford, Brisbane, QLD, Australia. NATA Accreditation does not cover the performance of ALS Brisbane Sample Preparation which is processed at 116 Delta Street, Geebung, QLD 4034, Australia							
	<table><tr><td>AuME-TL44</td><td>BAG-01</td><td>LEV-01</td><td>PUL-32</td></tr><tr><td>PUL-QC</td><td>SPL-21</td><td>TRA-21</td><td>WEI-21</td></tr></table>	AuME-TL44	BAG-01	LEV-01	PUL-32	PUL-QC	SPL-21	TRA-21
AuME-TL44	BAG-01	LEV-01	PUL-32					
PUL-QC	SPL-21	TRA-21	WEI-21					