



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate
Accreditation No: 825, Corporate Site No: 818.

CERTIFICATE BU17058823

Project: 29-3-17

This report is for 68 Crushed Rock samples submitted to our lab in Burnie, TAS, Australia on 30-MAR-2017.

The following have access to data associated with this certificate:

SEAN WESTBROOK

KENT WIGHTON

To: KINGFISHER EXPLORATION PTY LTD
ATTN: SEAN WESTBROOK
15 RICHARDS AVE
DODGES FERRY TAS 7173

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Page: 1

Total # Pages: 3 (A - D)

Plus Appendix Pages

Finalized Date: 13-APR-2017

This copy reported on 18-APR-2017

Account: KINEXP

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LEV-01	Waste Disposal Levy
BAG-01	Bulk Master for Storage
CRU-21	Crush entire sample >70% -6 mm
PUL-32	Pulverize 1000g to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS61	48 element four acid ICP-MS
Au-AA26	Ore Grade Au 50g FA AA finish AAS

Signature:

Shaun Kenny, Brisbane Laboratory Manager



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate
 Accreditation No: 825, Corporate Site No: 818.

Project: 29-3-17

Page: 2 - A
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 13-APR-2017
 Account: KINEXP

CERTIFICATE OF ANALYSIS BU17058823

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
GR050		4.59	<0.01	1.62	1.81	2.5	170	2.55	24.6	0.01	3.22	7.75	0.5	3	12.95	38.6
GR051		3.28	<0.01													
GR052		2.79	<0.01													
GR053		2.69	<0.01													
GR054		2.25	<0.01													
GR055		1.16	<0.01													
GR056		1.93	<0.01													
GR057		2.53	<0.01	0.03	4.11	34.2	250	2.22	0.22	0.09	0.04	42.2	1.0	6	9.26	2.7
GR058		1.69	<0.01	0.05	5.87	15.7	290	3.37	0.21	0.20	0.17	60.2	1.3	5	12.95	1.7
GR059		3.31	<0.01	0.04	6.29	7.8	630	4.22	0.34	0.20	<0.02	65.9	5.9	43	20.3	7.9
GR060		3.20	<0.01	0.03	6.76	3.3	400	7.61	0.43	0.07	<0.02	60.6	5.2	39	29.6	3.6
GR061		2.85	<0.01													
GR062		2.71	<0.01													
GR063		2.66	<0.01	0.02	1.77	12.4	280	0.56	0.06	0.05	<0.02	26.0	1.3	17	3.72	3.5
GR064		3.03	<0.01	0.02	2.48	10.8	380	0.88	0.06	0.05	0.02	30.3	1.4	22	3.46	4.3
GR065		2.53	<0.01	0.07	6.34	11.0	110	3.85	3.71	0.11	<0.02	11.45	0.7	5	15.00	5.8
GR066		3.51	<0.01	0.02	6.85	1.3	90	8.16	0.27	0.23	<0.02	17.90	0.9	5	20.2	2.2
GR067		2.15	<0.01	0.04	7.30	31.8	170	20.6	1.24	0.28	<0.02	32.5	2.6	11	22.4	4.2
GR068		3.50	<0.01	0.03	6.72	6.9	150	5.95	0.81	0.25	<0.02	38.7	1.2	4	18.40	1.7
GR069		2.13	<0.01													
GR070		2.46	0.10													
GR071		1.80	<0.01													
GR072		2.07	<0.01													
GR073		2.20	<0.01													
GR074		1.84	<0.01													
GR075		2.43	0.20													
GR076		2.71	<0.01													
GR077		2.88	<0.01													
GR078		1.50	0.07													
GR079		3.42	<0.01													
GR080		3.48	<0.01													
GR081		3.01	<0.01													
GR082		3.23	19.65	8.03	1.95	97400	450	0.35	340	0.02	<0.02	20.2	0.8	56	0.58	190.0
GR083		2.27	5.23	1.32	1.23	59500	80	0.20	236	0.02	0.02	21.5	0.6	32	0.40	72.7
GR084		3.19	3.49													
GR085		2.61	0.35													
GR086		2.14	0.39													
GR087		1.07	1.00	0.56	0.99	64000	190	0.22	53.0	0.03	<0.02	19.60	6.8	23	0.20	73.7
GR088		3.03	0.27	0.11	1.24	499	30	0.26	31.8	0.03	<0.02	9.57	0.5	32	0.16	102.0
GR089		3.04	0.02													



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate
Accreditation No: 825, Corporate Site No: 818.

Project: 29-3-17

Page: 2 - B
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 13-APR-2017
Account: KINEXP

CERTIFICATE OF ANALYSIS BU17058823

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
GR050 GR051 GR052 GR053 GR054		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
GR055 GR056 GR057 GR058 GR059		0.85	10.50	<0.05	0.9	1.940	0.52	3.3	229	0.02	258	0.76	0.03	8.9	1.7	30
GR060 GR061 GR062 GR063 GR064		1.29	12.35	0.07	2.3	0.035	3.00	19.5	34.7	0.04	138	0.54	0.72	5.5	3.3	200
		1.51	19.45	0.10	2.6	0.060	3.72	27.5	53.6	0.07	160	0.55	1.17	9.5	2.2	390
		3.03	20.9	0.12	2.5	0.096	2.83	32.4	41.2	0.51	267	0.52	1.16	13.1	15.0	390
GR065 GR066 GR067 GR068 GR069		2.26	26.3	0.11	2.6	0.229	3.05	30.7	73.2	0.46	266	0.40	0.80	15.8	14.4	180
		1.49	4.98	0.05	2.9	0.012	1.04	13.5	11.8	0.08	232	0.57	0.26	5.8	3.3	90
		1.42	7.29	0.07	3.3	0.017	1.25	14.5	10.2	0.13	121	1.44	0.48	7.0	4.1	130
GR070 GR071 GR072 GR073 GR074		1.04	28.8	0.05	1.9	1.200	2.26	6.0	41.7	0.04	132	0.36	2.47	12.4	1.9	460
		1.10	29.4	0.08	2.5	0.133	4.19	8.1	69.4	0.06	182	0.43	1.93	12.1	2.1	440
		1.90	28.2	0.13	2.7	0.192	4.60	15.1	99.0	0.15	277	0.71	1.99	16.9	5.3	800
		1.49	26.4	0.13	1.9	0.137	4.25	16.7	71.9	0.06	298	0.80	1.87	12.2	2.4	330
GR075 GR076 GR077 GR078 GR079																
GR080 GR081 GR082 GR083 GR084		7.52	6.05	0.17	2.9	0.201	0.29	11.0	3.3	0.14	83	0.81	0.06	2.4	5.2	60
		4.96	4.47	0.10	2.7	0.053	0.23	11.7	2.0	0.14	104	0.78	0.05	2.2	2.0	60
GR085 GR086 GR087 GR088 GR089		5.67	3.75	0.10	1.7	0.041	0.12	10.4	1.8	0.16	131	0.90	0.05	2.6	4.2	40
		3.59	4.75	0.05	1.4	0.065	0.09	5.0	2.0	0.20	110	0.70	0.07	1.2	1.2	40



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate
 Accreditation No: 825, Corporate Site No: 818.

Project: 29-3-17

Page: 2 - C
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 13-APR-2017
 Account: KINEXP

CERTIFICATE OF ANALYSIS BU17058823

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	U	
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1
GR050		31.9	145.0	<0.002	0.03	0.29	1.7	<1	169.0	13.2	2.80	<0.05	4.58	0.010	1.15	1.6
GR051																
GR052																
GR053																
GR054																
GR055																
GR056																
GR057		22.9	230	<0.002	0.01	0.27	1.8	1	4.7	35.7	0.83	<0.05	11.75	0.061	1.37	1.7
GR058		28.3	315	<0.002	0.01	0.26	3.1	1	8.1	47.8	1.24	<0.05	16.45	0.096	1.80	2.5
GR059		21.4	240	<0.002	0.01	0.16	8.5	1	11.8	112.0	2.60	<0.05	12.00	0.256	1.20	2.7
GR060		12.8	356	<0.002	0.01	0.27	10.8	1	33.6	44.5	3.22	<0.05	10.15	0.255	1.63	2.7
GR061																
GR062																
GR063		10.0	70.9	<0.002	<0.01	0.30	2.2	<1	3.2	67.3	0.40	<0.05	5.59	0.167	0.37	1.3
GR064		9.8	81.3	<0.002	<0.01	0.25	3.5	<1	2.5	70.5	0.50	<0.05	5.81	0.197	0.40	1.2
GR065		10.1	313	<0.002	<0.01	0.19	1.2	<1	23.2	61.7	6.77	<0.05	2.75	0.025	1.36	2.7
GR066		24.1	411	<0.002	<0.01	0.10	3.6	<1	12.9	28.8	2.76	<0.05	6.64	0.048	2.21	3.8
GR067		27.2	480	<0.002	<0.01	0.19	5.3	1	21.0	47.2	4.48	<0.05	10.80	0.105	2.63	11.1
GR068		22.6	421	<0.002	<0.01	0.18	3.2	1	13.2	33.2	1.70	<0.05	12.25	0.071	2.32	3.8
GR069																
GR070																
GR071																
GR072																
GR073																
GR074																
GR075																
GR076																
GR077																
GR078																
GR079																
GR080																
GR081																
GR082		14.8	13.9	<0.002	0.03	29.4	13.9	20	8.7	12.1	0.18	5.15	12.65	0.089	0.17	2.0
GR083		13.6	10.7	<0.002	0.02	39.9	6.9	4	8.0	11.5	0.17	2.86	5.35	0.073	0.10	1.0
GR084																
GR085																
GR086																
GR087		7.3	5.6	<0.002	1.92	38.0	2.5	4	4.9	10.9	0.20	1.44	5.78	0.067	0.04	0.7
GR088		4.6	3.8	<0.002	0.01	3.62	2.5	4	5.5	13.9	0.09	0.51	4.24	0.049	0.02	0.9
GR089																



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate
 Accreditation No: 825, Corporate Site No: 818.

Project: 29-3-17

Page: 2 - D
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 13-APR-2017
 Account: KINEXP

CERTIFICATE OF ANALYSIS BU17058823

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
GR050 GR051 GR052 GR053 GR054		3	3.2	6.4	79	15.6
GR055 GR056 GR057 GR058 GR059		5 10 45	1.9 2.9 6.7	10.3 15.4 11.1	17 30 44	60.9 73.8 81.8
GR060 GR061 GR062 GR063 GR064		55 18 22	15.6 1.8 2.1	8.3 4.7 7.1	44 13 14	78.8 102.0 116.0
GR065 GR066 GR067 GR068 GR069		4 5 12 4	10.9 6.5 9.3 4.6	4.9 9.2 18.3 11.3	16 32 66 40	33.5 46.9 65.3 44.4
GR070 GR071 GR072 GR073 GR074						
GR075 GR076 GR077 GR078 GR079						
GR080 GR081 GR082 GR083 GR084		36 15	8.9 8.0	4.2 4.6	10 7	92.9 91.2
GR085 GR086 GR087 GR088 GR089		14 35	8.9 6.6	5.1 2.7	8 8	55.3 46.4



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate
 Accreditation No: 825, Corporate Site No: 818.

Project: 29-3-17

Page: 3 - A
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 13-APR-2017
 Account: KINEXP

CERTIFICATE OF ANALYSIS BU17058823

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA26 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.01	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
GR090		2.78	0.63													
GR091		Not Recvd														
GR092		2.87	<0.01													
GR093		2.76	0.09													
GR094		2.78	0.44	1.42	0.82	9060	30	0.16	63.7	0.02	<0.02	5.03	0.8	10	0.13	20.5
GR095		1.67	0.02	0.03	1.17	33.3	10	0.23	2.04	0.04	<0.02	10.95	0.6	9	0.07	1.7
GR096		2.37	0.39	0.79	0.27	4620	60	0.08	50.3	0.01	<0.02	7.28	0.8	8	0.13	56.0
GR097		2.04	<0.01													
GR098		1.40	0.01													
GR099		2.45	<0.01													
GR100		2.81	0.07													
GR101		3.03	<0.01													
GR102		2.23	<0.01													
GR103		2.91	0.01													
GR104		2.38	<0.01													
GR105		3.40	<0.01													
GR106		2.30	<0.01													
GR107		1.40	<0.01													
GR108		3.50	<0.01	0.01	0.92	12.8	60	0.17	0.23	0.01	<0.02	4.51	0.9	11	0.81	2.9
GR109		2.51	<0.01	0.03	2.13	4.9	120	0.46	0.14	0.01	<0.02	10.80	2.0	23	1.44	5.5
GR110		1.70	<0.01													
GR111		2.33	<0.01													
GR112		2.33	<0.01													
GR113		2.39	<0.01													
GR114		2.71	<0.01													
GR115		2.90	<0.01													
GR116		2.53	0.03													
GR117		3.55	<0.01	0.70	4.64	3.6	20	4.80	20.6	0.01	0.67	13.10	0.7	2	39.3	12.5



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate
 Accreditation No: 825, Corporate Site No: 818.

Project: 29-3-17

Page: 3 - B
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 13-APR-2017
 Account: KINEXP

CERTIFICATE OF ANALYSIS BU17058823

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
GR090																
GR091																
GR092																
GR093																
GR094		1.74	2.77	<0.05	0.5	0.010	0.06	2.9	1.3	0.16	115	0.72	0.05	0.5	2.3	20
GR095		1.20	4.46	<0.05	0.5	0.006	0.01	5.4	1.8	0.24	123	0.51	0.08	1.4	1.8	20
GR096		1.29	1.25	<0.05	0.5	0.009	0.07	4.2	1.3	0.03	108	0.71	0.01	0.8	1.6	20
GR097																
GR098																
GR099																
GR100																
GR101																
GR102																
GR103																
GR104																
GR105																
GR106																
GR107																
GR108		1.19	2.30	<0.05	0.9	0.007	0.40	2.9	2.3	0.04	122	0.56	0.01	1.9	3.9	60
GR109		1.62	6.21	<0.05	2.5	0.017	0.56	6.3	5.8	0.14	166	0.70	0.02	5.3	6.5	100
GR110																
GR111																
GR112																
GR113																
GR114																
GR115																
GR116																
GR117		1.71	29.4	0.06	1.0	0.714	2.32	5.2	372	0.02	952	0.44	0.06	19.5	0.9	30



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate
 Accreditation No: 825, Corporate Site No: 818.

Project: 29-3-17

Page: 3 - C
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 13-APR-2017
 Account: KINEXP

CERTIFICATE OF ANALYSIS BU17058823

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
GR090 GR091 GR092 GR093 GR094		9.9	2.9	<0.002	0.32	6.03	1.1	1	2.4	12.0	<0.05	0.83	0.71	0.027	0.02	0.2
GR095 GR096 GR097 GR098 GR099		1.9 8.2	0.9 3.5	<0.002 <0.002	<0.01 0.16	0.46 4.85	1.5 0.6	<1 <1	2.1 1.7	18.3 3.6	0.12 0.06	<0.05 0.81	0.97 0.99	0.052 0.022	<0.02 0.02	0.2 0.2
GR100 GR101 GR102 GR103 GR104																
GR105 GR106 GR107 GR108 GR109		3.6 5.9	22.3 32.1	<0.002 <0.002	<0.01 <0.01	0.15 0.23	1.4 3.5	<1 <1	0.5 1.4	11.6 7.8	0.14 0.43	<0.05 <0.05	2.35 6.92	0.056 0.155	0.13 0.13	0.5 1.3
GR110 GR111 GR112 GR113 GR114																
GR115 GR116 GR117		14.6	720	<0.002	<0.01	0.10	4.5	<1	234	5.1	7.54	<0.05	5.68	0.011	4.05	1.8



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate
Accreditation No: 825, Corporate Site No: 818.

Project: 29-3-17

Page: 3 - D
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 13-APR-2017
Account: KINEXP

CERTIFICATE OF ANALYSIS BU17058823

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
GR090 GR091 GR092 GR093 GR094		8	1.2	1.0	6	15.0
GR095 GR096 GR097 GR098 GR099		14 4	4.7 4.9	1.5 1.6	8 3	16.7 18.2
GR100 GR101 GR102 GR103 GR104						
GR105 GR106 GR107 GR108 GR109		10 26	0.4 0.8	2.0 4.3	5 14	31.3 86.3
GR110 GR111 GR112 GR113 GR114						
GR115 GR116 GR117		1	11.7	7.9	100	13.5



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate
 Accreditation No: 825, Corporate Site No: 818.

Project: 29-3-17

Page: Appendix 1
 Total # Appendix Pages: 1
 Finalized Date: 13-APR-2017
 Account: KINEXP

CERTIFICATE OF ANALYSIS BU17058823

	CERTIFICATE COMMENTS
	<p>ANALYTICAL COMMENTS</p> <p>Applies to Method: REE's may not be totally soluble in this method. ME-MS61</p> <p>ACCREDITATION COMMENTS</p> <p>Applies to Method: NATA Accredited. Corporate Accreditation No: 825, Corporate Site No: 818. The Technical Signatory is David Jones, ICPMS Supervising Chemist. ME-MS61</p> <p>LABORATORY ADDRESSES</p> <p>Applies to Method: Processed at ALS Townsville located at 14-15 Desma Court, Bohle, Townsville, QLD, Australia. Au-AA26</p> <p>Applies to Method: Processed at ALS Brisbane located at 32 Shand Street, Stafford, Brisbane, QLD, Australia. NATA Accreditation does not cover the performance of ALS Brisbane Sample Preparation which is processed at 116 Delta Street, Geebung, QLD 4034, Australia ME-MS61</p> <p>Applies to Method: Processed at ALS Burnie located at 39 River Road, Burnie, TAS, Australia. BAG-01 CRU-21 LEV-01 PUL-32 WEI-21</p>