


KING ISLAND SPECIAL PEAR SHAPE 7617-1-NE

GEOPEKO



SCALE 1:25 000



LOCATION INDEX

7618 -II-SW	7618 -II-SE	7718 -III-SW
7617 -I-NW	7617 -I-NE	7717 -IV-NW
7617 -I-SW	7617 -I-SE	7717 -IV-SW

INTEGRATED SURVEY GRID
ZONE 55/1

GRASSY

AIRBORNE GEOPHYSICAL SURVEY

Total Magnetic Intensity

FLIGHT DATA

Nominal traverse line separation: 150m
Nominal tieline separation: 1.5km
Nominal data spacing along flight lines: 70m
Nominal terrain clearance: 50m onshore - 15 m offshore
Navigation and recovery using Motorola Mini-Ranger MRS-3
Aircraft: Austirex Nomad N 22 B
Magnetometer Type: Varian V-85 in stinger


Survey Date: August 1980

MAP DATA

Contour Interval: 20nT
IGRF subtracted prior to contouring

Survey data flown and compiled by Austirex International Ltd
Project management by GeoPeKo geophysical group

DRAWING NO: 5 897 S/B



Plan 41

E.L. 21/1/80
Total Magnetic Intensity
Pear Shape 7617-1-NE
1:25000
N 5897 S/B