



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

QC CERTIFICATE PH18150701

Project: THOMAS CREEK

P.O. No.: SSF004

This report is for 31 Drill Core samples submitted to our lab in Perth, WA, Australia
on 18-JUN-2018.

The following have access to data associated with this certificate:

ANDY RUST

Page: 1

Total # Pages: 3 (A - D)

Plus Appendix Pages

Finalized Date: 11-JUL-2018

This copy reported on 12-JUL-2018

Account: ACCELE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LEV-01	Waste Disposal Levy
TRSPEC-20	Spectral Scan VNIR and SWIR
CRU-31	Fine crushing - 70% <2mm
SPLIT-D	Create D Split
CRU-QC	Crushing QC Test
SAM-COR01	Sample Core from Boxes - Regular
LOG-22	Sample login - Rcd w/o BarCode
CRU-21	Crush entire sample >70% -6 mm
PUL-23	Pulv Sample - Split/Retain
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS61	48 element four acid ICP-MS
Au-AA25	Ore Grade Au 30g FA AA finish AAS

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Cameron Brosnan, Laboratory Manager, Perth



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

Project: THOMAS CREEK

Page: 2 - A
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 11-JUL-2018
Account: ACCELE

QC CERTIFICATE OF ANALYSIS PH18150701

Sample Description	Method Analyte Units LOD	Au-AA25 Au ppm 0.01	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
STANDARDS																
G312-10		25.4														
Target Range - Lower Bound		23.4														
Upper Bound		26.4														
G914-10		10.50														
Target Range - Lower Bound		9.63														
Upper Bound		10.90														
GBM908-10			2.96	7.12	61.4	1130	1.37	1.23	3.87	1.61	103.5	26.7	138	3.47	3630	5.65
Target Range - Lower Bound			2.60	6.40	50.2	930	1.27	1.12	3.33	1.53	99.0	24.0	125	3.44	3350	4.98
Upper Bound			3.20	7.84	61.8	1280	1.66	1.39	4.10	1.91	121.0	29.6	155	4.32	3850	6.10
JK-17		2.00														
Target Range - Lower Bound		1.87														
Upper Bound		2.13														
LEA-16		0.55														
Target Range - Lower Bound		0.46														
Upper Bound		0.54														
MRGeo08			4.12	7.86	29.8	1140	3.25	0.61	2.71	2.13	76.8	20.0	91	12.45	622	4.08
Target Range - Lower Bound			4.00	6.64	29.5	920	2.98	0.60	2.35	2.00	66.2	17.7	81	11.20	587	3.55
Upper Bound			4.92	8.14	36.5	1270	3.76	0.76	2.90	2.48	81.0	21.9	102	13.80	675	4.37
OREAS 24b			0.08	8.16	8.2	780	2.67	0.75	1.12	0.04	87.9	17.1	119	11.25	39.7	4.67
Target Range - Lower Bound			0.05	7.02	7.3	600	2.25	0.60	0.94	<0.02	76.8	14.3	105	9.58	35.1	3.94
Upper Bound			0.10	8.60	9.4	830	2.86	0.76	1.18	0.09	93.8	17.8	131	11.80	40.9	4.84
BLANKS																
BLANK		0.01														
BLANK		0.01														
Target Range - Lower Bound		<0.01														
Upper Bound		0.02														
BLANK			0.01	<0.01	<0.2	<10	<0.05	0.01	<0.01	<0.02	0.01	<0.1	1	<0.05	0.2	<0.01
Target Range - Lower Bound			<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	<0.2	<0.01
Upper Bound			0.02	0.02	0.4	20	0.10	0.02	0.02	0.04	0.02	0.2	2	0.10	0.4	0.02



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

Project: THOMAS CREEK

Page: 2 - B
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 11-JUL-2018
Account: ACCELE

QC CERTIFICATE OF ANALYSIS PH18150701

Sample Description	Method Analyte Units LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
STANDARDS																
G312-10																
Target Range - Lower Bound																
Upper Bound																
G914-10																
Target Range - Lower Bound																
Upper Bound																
GBM908-10		21.7	0.14	3.6	0.075	2.18	51.9	8.4	1.87	809	63.2	2.20	10.2	2240	980	2030
Target Range - Lower Bound		18.65	0.13	3.3	0.064	1.87	49.0	9.8	1.61	715	57.9	1.93	9.5	2020	880	1845
Upper Bound		22.9	0.35	4.3	0.092	2.31	61.0	12.4	1.99	885	70.9	2.38	11.9	2470	1100	2250
JK-17																
Target Range - Lower Bound																
Upper Bound																
LEA-16																
Target Range - Lower Bound																
Upper Bound																
MRGeo08		18.50	0.12	2.9	0.173	3.33	36.8	33.3	1.39	561	13.75	2.06	19.8	691	1060	1090
Target Range - Lower Bound		17.50	<0.05	2.8	0.155	2.79	31.1	29.5	1.17	497	13.65	1.76	19.0	622	930	971
Upper Bound		21.5	0.27	3.6	0.201	3.43	39.1	36.5	1.45	619	16.75	2.18	23.4	760	1160	1185
OREAS 24b		21.1	0.13	3.9	0.080	3.06	43.9	57.5	1.67	458	3.82	0.87	14.9	61.6	730	22.0
Target Range - Lower Bound		18.05	<0.05	3.4	0.063	2.52	37.7	48.4	1.39	391	3.46	0.70	13.0	53.8	610	20.3
Upper Bound		22.2	0.26	4.4	0.091	3.10	47.1	59.6	1.72	489	4.34	0.88	16.2	66.2	770	25.9
BLANKS																
BLANK																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK		<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	<10	<0.5
Target Range - Lower Bound		<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	<10	<0.5
Upper Bound		0.10	0.10	0.2	0.010	0.02	1.0	0.4	0.02	10	0.10	0.02	0.2	0.4	20	1.0



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

Project: THOMAS CREEK

Page: 2 - C
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 11-JUL-2018
Account: ACCELE

QC CERTIFICATE OF ANALYSIS PH18150701

Sample Description	Method Analyte Units LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
STANDARDS																
G312-10																
Target Range - Lower Bound																
Upper Bound																
G914-10																
Target Range - Lower Bound																
Upper Bound																
GBM908-10		174.5	<0.002	0.38	1.51	19.0	1	2.9	297	0.72	0.06	17.35	0.667	1.21	2.1	145
Target Range - Lower Bound		153.0	<0.002	0.33	1.40	17.0	<1	2.7	258	0.68	<0.05	16.55	0.591	1.00	2.0	123
Upper Bound		187.0	0.006	0.43	2.01	21.0	3	3.9	316	0.97	0.16	20.3	0.733	1.40	2.6	153
JK-17																
Target Range - Lower Bound																
Upper Bound																
LEA-16																
Target Range - Lower Bound																
Upper Bound																
MRGeo08		209	0.008	0.31	4.06	12.7	1	3.6	314	1.43	<0.05	20.7	0.492	1.03	5.8	113
Target Range - Lower Bound		173.5	0.005	0.27	3.89	11.1	<1	3.5	277	1.39	<0.05	17.90	0.443	0.89	4.9	97
Upper Bound		212	0.013	0.35	5.39	13.7	4	4.7	339	1.81	0.14	21.9	0.553	1.25	6.2	121
OREAS 24b		173.5	<0.002	0.21	0.90	16.5	1	4.1	128.5	1.08	<0.05	17.20	0.455	0.85	2.8	114
Target Range - Lower Bound		147.5	<0.002	0.17	0.76	13.7	<1	3.6	111.5	0.99	<0.05	14.75	0.387	0.71	2.7	96
Upper Bound		180.5	0.006	0.23	1.15	16.9	3	4.9	136.5	1.33	0.10	18.05	0.484	1.01	3.5	120
BLANKS																
BLANK																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK		<0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.01	<0.005	<0.02	<0.1	<1
Target Range - Lower Bound		<0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.01	<0.005	<0.02	<0.1	<1
Upper Bound		0.2	0.004	0.02	0.10	0.2	2	0.4	0.4	0.10	0.10	0.02	0.010	0.04	0.2	2



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

Project: THOMAS CREEK

Page: 2 - D
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 11-JUL-2018
Account: ACCELE

QC CERTIFICATE OF ANALYSIS PH18150701

Sample Description	Method Analyte Units LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
STANDARDS					
G312-10					
Target Range - Lower Bound					
Upper Bound					
G914-10					
Target Range - Lower Bound					
Upper Bound					
GBM908-10		3.4	37.4	1080	141.0
Target Range - Lower Bound		2.9	35.2	939	117.5
Upper Bound		4.1	43.2	1150	160.5
JK-17					
Target Range - Lower Bound					
Upper Bound					
LEA-16					
Target Range - Lower Bound					
Upper Bound					
MRGeo08		4.4	26.6	812	101.5
Target Range - Lower Bound		4.1	23.8	722	92.2
Upper Bound		5.8	29.3	886	126.0
OREAS 24b		3.2	20.6	112	142.0
Target Range - Lower Bound		3.0	18.3	93	113.5
Upper Bound		4.3	22.5	118	154.5
BLANKS					
BLANK					
BLANK					
Target Range - Lower Bound					
Upper Bound					
BLANK		<0.1	<0.1	<2	<0.5
Target Range - Lower Bound		<0.1	<0.1	<2	<0.5
Upper Bound		0.2	0.2	4	1.0



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

Project: THOMAS CREEK

Page: 3 - A
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 11-JUL-2018
Account: ACCELE

QC CERTIFICATE OF ANALYSIS PH18150701

Method Analyte Units LOD	Au-AA25 Au ppm 0.01	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
Sample Description															
ORIGINAL	0.37														
DUP	0.40														
Target Range - Lower Bound	0.36														
Upper Bound	0.41														
ORIGINAL	0.22														
DUP	0.25														
Target Range - Lower Bound	0.21														
Upper Bound	0.26														
TCD 190		0.03	7.82	5.7	480	0.97	0.05	4.41	<0.02	24.7	34.3	189	1.00	227	4.74
DUP		0.02	7.29	5.3	450	0.89	0.04	4.17	0.02	24.4	31.7	176	0.96	217	4.46
Target Range - Lower Bound		<0.01	7.17	5.0	420	0.83	0.03	4.07	<0.02	23.3	31.3	172	0.88	214	4.36
Upper Bound		0.04	7.94	6.0	510	1.03	0.06	4.51	0.04	25.8	34.8	193	1.08	230	4.84
TCD 200	0.01														
DUP	0.01														
Target Range - Lower Bound	<0.01														
Upper Bound	0.02														
TCD 210		0.03	7.42	4.6	360	0.94	0.04	5.10	0.02	23.8	41.8	208	1.13	108.0	5.66
DUP		0.03	7.27	4.6	360	0.92	0.04	5.02	<0.02	24.0	41.1	210	1.14	104.0	5.55
Target Range - Lower Bound		0.02	6.97	4.2	320	0.83	0.03	4.80	<0.02	22.7	39.3	198	1.03	102.0	5.31
Upper Bound		0.04	7.72	5.0	400	1.03	0.05	5.32	0.04	25.1	43.6	220	1.24	110.0	5.90
TCD 220	<0.01														
DUP	0.01														
Target Range - Lower Bound	<0.01														
Upper Bound	0.02														
ORIGINAL	1.11														
DUP	1.05														
Target Range - Lower Bound	1.02														
Upper Bound	1.14														



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

Project: THOMAS CREEK

Page: 3 - B
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 11-JUL-2018
Account: ACCELE

QC CERTIFICATE OF ANALYSIS PH18150701

Method Analyte Units LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
Sample Description															
ORIGINAL DUP Target Range - Lower Bound Upper Bound	DUPLICATES														
ORIGINAL DUP Target Range - Lower Bound Upper Bound															
TCD 190 DUP Target Range - Lower Bound Upper Bound	12.50 12.65 11.90 13.25	0.14 0.13 0.08 0.19	1.0 1.0 0.9 1.2	0.060 0.057 0.051 0.066	2.26 2.14 2.08 2.32	8.5 8.4 7.5 9.4	12.4 11.4 11.1 12.7	5.53 5.16 5.07 5.62	577 546 528 595	0.12 0.11 0.06 0.17	1.92 1.80 1.76 1.96	6.3 6.1 5.8 6.6	171.5 164.0 159.0 176.5	1210 1130 1100 1240	3.1 3.0 2.4 3.7
TCD 200 DUP Target Range - Lower Bound Upper Bound															
TCD 210 DUP Target Range - Lower Bound Upper Bound	12.30 12.30 11.65 12.95	0.10 0.13 0.06 0.17	1.0 1.0 0.9 1.2	0.062 0.063 0.054 0.071	1.66 1.63 1.55 1.74	7.8 7.9 7.0 8.7	10.5 10.4 9.7 11.2	5.39 5.27 5.05 5.61	715 705 670 751	0.16 0.18 0.11 0.23	2.15 2.13 2.02 2.26	6.5 6.4 6.0 6.9	133.5 130.0 125.0 138.5	1270 1250 1190 1330	7.2 7.0 6.2 8.0
TCD 220 DUP Target Range - Lower Bound Upper Bound															
ORIGINAL DUP Target Range - Lower Bound Upper Bound															



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

Project: THOMAS CREEK

Page: 3 - C
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 11-JUL-2018
Account: ACCELE

QC CERTIFICATE OF ANALYSIS PH18150701

Sample Description	Method Analyte Units LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
ORIGINAL DUP Target Range - Lower Bound Upper Bound		DUPLICATES														
ORIGINAL DUP Target Range - Lower Bound Upper Bound																
TCD 190 DUP Target Range - Lower Bound Upper Bound		101.0 99.2 95.0 105.0	<0.002 0.002 <0.002 0.004	0.52 0.51 0.48 0.55	0.39 0.39 0.31 0.47	44.5 42.1 41.0 45.6	1 1 <1 2	2.1 2.0 1.7 2.4	247 232 227 252	0.41 0.40 0.33 0.48	<0.05 <0.05 <0.05 0.10	13.40 13.55 12.80 14.15	0.309 0.290 0.280 0.319	0.21 0.20 0.17 0.24	1.1 1.1 0.9 1.3	122 115 112 125
TCD 200 DUP Target Range - Lower Bound Upper Bound																
TCD 210 DUP Target Range - Lower Bound Upper Bound		90.2 90.0 85.5 94.7	0.002 0.002 <0.002 0.004	0.60 0.59 0.56 0.63	0.39 0.38 0.31 0.46	35.7 34.5 33.2 37.0	1 1 <1 2	1.9 1.9 1.6 2.2	253 251 239 265	0.39 0.39 0.32 0.46	<0.05 <0.05 <0.05 0.10	11.50 11.50 10.90 12.10	0.334 0.327 0.309 0.352	0.16 0.15 0.12 0.19	1.1 1.1 0.9 1.3	138 136 129 145
TCD 220 DUP Target Range - Lower Bound Upper Bound																
ORIGINAL DUP Target Range - Lower Bound Upper Bound																



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

Project: THOMAS CREEK

Page: 3 - D
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 11-JUL-2018
Account: ACCELE

QC CERTIFICATE OF ANALYSIS PH18150701

Sample Description	Method Analyte Units LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
ORIGINAL DUP Target Range - Lower Bound Upper Bound		DUPLICATES			
ORIGINAL DUP Target Range - Lower Bound Upper Bound					
TCD 190 DUP Target Range - Lower Bound Upper Bound		0.5 0.5 0.4 0.6	17.6 17.1 16.4 18.3	29 27 25 31	38.2 36.7 34.1 40.8
TCD 200 DUP Target Range - Lower Bound Upper Bound					
TCD 210 DUP Target Range - Lower Bound Upper Bound		0.5 0.5 0.4 0.6	18.0 18.1 17.0 19.1	22 21 18 25	39.8 37.7 35.3 42.2
TCD 220 DUP Target Range - Lower Bound Upper Bound					
ORIGINAL DUP Target Range - Lower Bound Upper Bound					



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

Project: THOMAS CREEK

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 11-JUL-2018
Account: ACCELE

QC CERTIFICATE OF ANALYSIS PH18150701

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method:

REE's may not be totally soluble in this method.
ME-MS61

ACCREDITATION COMMENTS

Applies to Method:

NATA Accreditation covers the performance of this service but does not cover the performance of ALS Perth Sample Preparation. Corporate Accreditation No: 825, Corporate Site No: 23001. The Technical Signatory is Wendy Wong, Senior QC Chemist
Au-AA25 ME-MS61

LABORATORY ADDRESSES

Applies to Method:

Processed at ALS Perth located at 31 Denninup Way, Malaga, Australia. Processed at ALS Perth Sample Preparation at 79 Distinction Road, Wangara, WA, Australia

Au-AA25	BAG-01	CRU-21	CRU-31
CRU-QC	LEV-01	LOG-22	ME-MS61
PUL-23	PUL-QC	SAM-COR01	SPL-21
SPLIT-D	TRSPEC-20	WEI-21	