



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

CERTIFICATE AD18167696

Project: Henrietta

This report is for 57 Soil samples submitted to our lab in Adelaide, SA, Australia on
29-JUN-2018.

The following have access to data associated with this certificate:

ROBERT REID
ANDY RUST

PETER REID

ROBERT REID

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| LOG-22 | Sample login - Rcd w/o BarCode |
| PUL-QC | Pulverizing QC Test |
| LEV-01 | Waste Disposal Levy |
| PUL-23 | Pulv Sample - Split/Retain |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION |
|-----------|-------------------------------|
| ME-MS61 | 48 element four acid ICP-MS |
| PGM-ICP23 | Pt, Pd, Au 30g FA ICP ICP-AES |

Page: 1

Total # Pages: 3 (A - D)

Plus Appendix Pages

Finalized Date: 24-JUL-2018

This copy reported on 1-AUG-2018

Account: ACCELE

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Cameron Brosnan, Laboratory Manager, Perth



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

Project: Henrietta

Page: 2 - A
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 24-JUL-2018
Account: ACCELE

CERTIFICATE OF ANALYSIS AD18167696

| Sample Description | Method Analyte Units LOD | WEI-21 Recvd Wt. kg 0.02 | PGM-ICP23 Au ppm 0.001 | PGM-ICP23 Pt ppm 0.005 | PGM-ICP23 Pd ppm 0.001 | ME-MS61 Ag ppm 0.01 | ME-MS61 Al % 0.01 | ME-MS61 As ppm 0.2 | ME-MS61 Ba ppm 10 | ME-MS61 Be ppm 0.05 | ME-MS61 Bi ppm 0.01 | ME-MS61 Ca % 0.01 | ME-MS61 Cd ppm 0.02 | ME-MS61 Ce ppm 0.01 | ME-MS61 Co ppm 0.1 | ME-MS61 Cr ppm 1 |
|--------------------|-----------------------------------|-----------------------------------|---------------------------------|---------------------------------|---------------------------------|------------------------------|----------------------------|-----------------------------|----------------------------|------------------------------|------------------------------|----------------------------|------------------------------|------------------------------|-----------------------------|---------------------------|
| YH0001 | | 0.35 | 0.001 | <0.005 | <0.001 | 0.01 | 8.58 | 4.3 | 2200 | 1.83 | 0.05 | 0.23 | <0.02 | 143.5 | 16.5 | 76 |
| YH0002 | | 0.38 | 0.001 | <0.005 | <0.001 | 0.02 | 8.51 | 2.7 | 370 | 1.82 | 0.04 | 0.36 | 0.05 | 60.6 | 68.8 | 169 |
| YH0003 | | 0.37 | 0.001 | <0.005 | <0.001 | <0.01 | 7.97 | 5.1 | 550 | 2.00 | 0.08 | 0.16 | 0.03 | 88.2 | 34.5 | 130 |
| YH0004 | | 0.36 | 0.002 | <0.005 | 0.001 | 0.18 | 10.85 | 10.4 | 550 | 2.22 | 0.18 | 0.03 | <0.02 | 108.0 | 4.5 | 277 |
| YH0005 | | 0.42 | 0.001 | <0.005 | 0.001 | 0.02 | 7.89 | 13.5 | 160 | 0.93 | 0.15 | 0.02 | <0.02 | 68.3 | 4.0 | 638 |
| YH0006 | | 0.27 | 0.001 | 0.005 | 0.010 | 0.02 | 9.92 | 15.1 | 70 | 0.74 | 0.17 | 0.02 | <0.02 | 62.1 | 13.6 | 245 |
| YH0007 | | 0.26 | 0.003 | <0.005 | 0.006 | 0.03 | 10.95 | 12.0 | 60 | 0.54 | 0.25 | 0.03 | <0.02 | 22.7 | 11.4 | 429 |
| YH0008 | | 0.26 | 0.002 | <0.005 | 0.006 | 0.02 | 8.70 | 21.0 | 60 | 0.59 | 0.17 | 0.02 | <0.02 | 47.4 | 20.8 | 2100 |
| YH0009 | | 0.51 | 0.001 | <0.005 | <0.001 | 0.01 | 0.19 | 0.7 | 10 | 0.06 | 0.05 | 0.02 | <0.02 | 4.43 | 2.0 | 1020 |
| YH0010 | | 0.26 | 0.001 | <0.005 | <0.001 | 0.01 | 0.24 | 1.3 | 10 | 0.08 | 0.05 | 0.03 | <0.02 | 3.61 | 2.2 | 830 |
| YH0011 | | 0.20 | 0.001 | <0.005 | <0.001 | 0.02 | 2.73 | 5.2 | 40 | 0.39 | 0.11 | 0.02 | <0.02 | 35.3 | 2.7 | 747 |
| YH0012 | | 0.32 | 0.001 | <0.005 | <0.001 | 0.01 | 3.75 | 2.1 | 30 | 0.56 | 0.11 | 0.02 | <0.02 | 95.9 | 8.6 | 209 |
| YH0013 | | 0.24 | 0.001 | <0.005 | <0.001 | 0.01 | 4.39 | 4.5 | 30 | 0.48 | 0.14 | 0.02 | <0.02 | 83.2 | 6.1 | 225 |
| YH0014 | | 0.38 | 0.002 | <0.005 | <0.001 | 0.03 | 6.25 | 59.9 | 150 | 0.79 | 0.13 | 0.01 | <0.02 | 110.5 | 3.1 | 273 |
| YH0015 | | 0.45 | 0.002 | <0.005 | <0.001 | 0.01 | 1.02 | 400 | 10 | 0.17 | 0.06 | 0.01 | 0.02 | 3.43 | 52.7 | 5430 |
| YH0016 | | 0.27 | 0.001 | <0.005 | <0.001 | 0.02 | 2.37 | 20.7 | 50 | 0.44 | 0.13 | 0.01 | <0.02 | 70.1 | 4.1 | 1800 |
| YH0017 | | 0.21 | <0.001 | <0.005 | <0.001 | 0.03 | 5.31 | 32.4 | 40 | 0.60 | 0.19 | 0.02 | <0.02 | 93.9 | 6.9 | 561 |
| YH0018 | | 0.24 | <0.001 | <0.005 | <0.001 | 0.04 | 4.82 | 8.0 | 50 | 0.67 | 0.18 | 0.02 | <0.02 | 133.5 | 2.6 | 229 |
| YH0019 | | 0.24 | 0.001 | <0.005 | <0.001 | 0.02 | 3.50 | 6.7 | 30 | 0.44 | 0.11 | 0.02 | <0.02 | 99.6 | 3.3 | 243 |
| YH0020 | | 0.29 | <0.001 | <0.005 | <0.001 | 0.04 | 5.70 | 3.2 | 140 | 0.90 | 0.10 | 0.03 | <0.02 | 87.6 | 27.4 | 260 |
| YH0021 | | 0.22 | 0.004 | <0.005 | <0.001 | 0.01 | 7.76 | 7.0 | 180 | 1.22 | 0.22 | 0.02 | <0.02 | 95.5 | 22.3 | 205 |
| YH0022 | | 0.21 | <0.001 | <0.005 | <0.001 | 0.02 | 0.22 | 2.9 | 10 | 0.09 | 0.02 | 0.02 | <0.02 | 4.65 | 2.0 | 1270 |
| YH0023 | | 0.35 | 0.001 | <0.005 | <0.001 | 0.02 | 5.53 | 25.7 | 210 | 0.84 | 0.17 | 0.02 | <0.02 | 140.5 | 3.6 | 207 |
| YH0024 | | 0.28 | 0.001 | <0.005 | <0.001 | 0.02 | 5.82 | 20.9 | 110 | 0.59 | 0.20 | 0.02 | <0.02 | 105.5 | 9.6 | 221 |
| YH0025 | | 0.34 | <0.001 | <0.005 | <0.001 | 0.02 | 7.50 | 1.6 | 330 | 1.79 | 0.06 | 0.12 | 0.04 | 70.9 | 33.9 | 120 |
| YH0026 | | 0.32 | 0.001 | <0.005 | <0.001 | 0.03 | 5.89 | 4.9 | 370 | 1.23 | 0.07 | 0.89 | 0.02 | 57.1 | 41.6 | 160 |
| YH0027 | | 0.19 | 0.001 | <0.005 | 0.001 | 0.06 | 9.03 | 6.9 | 170 | 0.82 | 0.06 | 0.01 | <0.02 | 2.12 | 36.5 | 128 |
| YH0028 | | 0.22 | <0.001 | <0.005 | <0.001 | 0.01 | 8.53 | 0.6 | 450 | 2.23 | 0.19 | 0.02 | <0.02 | 110.0 | 1.4 | 52 |
| YH0029 | | 0.21 | 0.001 | <0.005 | <0.001 | 0.09 | 9.70 | 2.4 | 2350 | 1.33 | 0.08 | 0.04 | <0.02 | 136.5 | 13.9 | 97 |
| YH0030 | | 0.32 | 0.003 | <0.005 | <0.001 | 0.02 | 5.61 | 1.4 | 230 | 0.66 | 0.06 | 0.28 | <0.02 | 45.9 | 35.0 | 209 |
| YH0031 | | 0.31 | 0.004 | <0.005 | <0.001 | 0.02 | 8.09 | 14.6 | 280 | 1.43 | 0.22 | 0.04 | <0.02 | 94.4 | 19.1 | 207 |
| YH0032 | | 0.24 | <0.001 | <0.005 | <0.001 | 0.02 | 0.38 | 2.7 | 20 | 0.23 | 0.02 | 0.02 | <0.02 | 23.8 | 2.5 | 996 |
| YH0033 | | 0.24 | 0.002 | <0.005 | 0.004 | 0.15 | 1.24 | 7.4 | 20 | 0.12 | 0.04 | 0.06 | 0.22 | 5.90 | 96.2 | 8060 |
| YH0034 | | 0.22 | <0.001 | <0.005 | <0.001 | 0.01 | 0.12 | 0.8 | 10 | 0.10 | 0.02 | 0.10 | <0.02 | 3.64 | 4.6 | 3140 |
| YH0035 | | 0.40 | 0.001 | <0.005 | <0.001 | 0.03 | 1.06 | 31.2 | 20 | 0.11 | 0.08 | 0.01 | 0.03 | 5.29 | 128.5 | 6130 |
| YH0036 | | 0.30 | 0.007 | 0.015 | 0.004 | 0.10 | 8.67 | 6.0 | 40 | 0.26 | 0.02 | 0.02 | <0.02 | 26.2 | 73.0 | >10000 |
| YH0037 | | 0.37 | 0.001 | <0.005 | <0.001 | 0.03 | 4.77 | 8.3 | 40 | 0.50 | 0.16 | 0.02 | <0.02 | 72.0 | 14.7 | 412 |
| YH0038 | | 0.27 | 0.001 | <0.005 | <0.001 | 0.04 | 6.70 | 1.9 | 140 | 1.21 | 0.08 | 0.18 | 0.03 | 58.4 | 34.3 | 295 |
| YH0039 | | 0.28 | 0.002 | <0.005 | 0.002 | 0.04 | 8.64 | 5.3 | 180 | 2.37 | 0.31 | 0.01 | 0.11 | 55.6 | 3.7 | 154 |
| YH0040 | | 0.33 | 0.001 | <0.005 | <0.001 | 0.04 | 4.43 | 1.1 | 50 | 0.36 | 0.08 | 0.02 | <0.02 | 16.95 | 10.7 | 115 |



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

Project: Henrietta

Page: 2 - B
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 24-JUL-2018
Account: ACCELE

CERTIFICATE OF ANALYSIS AD18167696

| Sample Description | Method Analyte Units LOD | ME-MS61 Cs ppm 0.05 | ME-MS61 Cu ppm 0.2 | ME-MS61 Fe % 0.01 | ME-MS61 Ga ppm 0.05 | ME-MS61 Ge ppm 0.05 | ME-MS61 Hf ppm 0.1 | ME-MS61 In ppm 0.005 | ME-MS61 K % 0.01 | ME-MS61 La ppm 0.5 | ME-MS61 Li ppm 0.2 | ME-MS61 Mg % 0.01 | ME-MS61 Mn ppm 5 | ME-MS61 Mo ppm 0.05 | ME-MS61 Na % 0.01 | ME-MS61 Nb ppm 0.1 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|----------------------------|------------------------------|------------------------------|-----------------------------|-------------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|---------------------------|------------------------------|----------------------------|-----------------------------|
| YH0001 | | 9.40 | 18.0 | 8.88 | 20.9 | 0.17 | 8.6 | 0.080 | 4.80 | 60.7 | 40.0 | 0.94 | 358 | 0.51 | 0.59 | 20.5 |
| YH0002 | | 5.98 | 34.6 | 9.89 | 25.8 | 0.09 | 2.6 | 0.109 | 1.77 | 28.3 | 72.7 | 2.31 | 614 | 0.32 | 0.09 | 29.2 |
| YH0003 | | 8.63 | 17.5 | 5.94 | 23.6 | 0.11 | 4.1 | 0.092 | 2.87 | 39.8 | 51.0 | 1.20 | 926 | 0.49 | 0.24 | 22.6 |
| YH0004 | | 14.95 | 33.1 | 2.09 | 30.6 | 0.15 | 4.6 | 0.127 | 4.59 | 43.1 | 50.6 | 0.95 | 37 | 0.28 | 0.07 | 37.2 |
| YH0005 | | 10.10 | 25.5 | 5.81 | 22.8 | 0.10 | 3.5 | 0.093 | 1.95 | 30.5 | 35.7 | 0.90 | 128 | 1.50 | 0.05 | 24.5 |
| YH0006 | | 8.74 | 98.4 | 9.98 | 24.0 | 0.13 | 4.0 | 0.097 | 0.31 | 26.0 | 36.4 | 1.01 | 309 | 1.66 | 0.05 | 20.2 |
| YH0007 | | 1.84 | 125.0 | 12.55 | 32.9 | 0.36 | 4.9 | 0.146 | 0.16 | 9.0 | 42.3 | 0.82 | 513 | 3.47 | 0.06 | 36.9 |
| YH0008 | | 3.44 | 93.2 | 13.85 | 25.2 | 0.16 | 3.4 | 0.121 | 0.23 | 21.2 | 41.0 | 0.90 | 634 | 1.94 | 0.04 | 22.7 |
| YH0009 | | 0.17 | 2.7 | 0.75 | 0.74 | <0.05 | 0.9 | <0.005 | 0.04 | 2.0 | 5.4 | 0.07 | 94 | 0.61 | 0.01 | 4.0 |
| YH0010 | | 0.18 | 5.1 | 1.36 | 1.00 | <0.05 | 0.9 | 0.005 | 0.03 | 1.7 | 6.7 | 0.08 | 147 | 1.01 | 0.01 | 5.2 |
| YH0011 | | 1.61 | 8.1 | 2.70 | 10.25 | <0.05 | 2.7 | 0.036 | 0.24 | 16.5 | 10.1 | 0.19 | 165 | 3.03 | 0.03 | 15.9 |
| YH0012 | | 0.91 | 20.4 | 4.99 | 14.10 | 0.10 | 4.5 | 0.065 | 0.11 | 42.4 | 16.9 | 0.63 | 261 | 0.96 | 0.04 | 38.7 |
| YH0013 | | 1.59 | 24.4 | 5.80 | 15.65 | 0.09 | 4.3 | 0.064 | 0.11 | 36.5 | 15.7 | 0.50 | 152 | 1.84 | 0.04 | 33.1 |
| YH0014 | | 5.33 | 28.7 | 6.95 | 22.6 | 0.11 | 3.4 | 0.101 | 0.85 | 49.5 | 27.3 | 0.35 | 46 | 1.40 | 0.03 | 34.4 |
| YH0015 | | 0.10 | 30.9 | 34.0 | 8.65 | 0.08 | 0.4 | 0.019 | 0.01 | 1.3 | 2.0 | 0.18 | 624 | 3.39 | 0.01 | 2.6 |
| YH0016 | | 3.26 | 5.3 | 5.56 | 12.45 | 0.07 | 3.1 | 0.043 | 0.44 | 31.6 | 9.1 | 0.16 | 137 | 2.44 | 0.05 | 28.5 |
| YH0017 | | 2.67 | 30.6 | 8.59 | 17.15 | 0.09 | 4.1 | 0.075 | 0.27 | 41.2 | 18.4 | 0.30 | 156 | 2.09 | 0.03 | 32.9 |
| YH0018 | | 3.24 | 17.3 | 4.86 | 18.55 | 0.12 | 5.5 | 0.072 | 0.25 | 59.0 | 22.7 | 0.22 | 105 | 2.46 | 0.04 | 52.6 |
| YH0019 | | 1.35 | 17.8 | 5.48 | 12.50 | 0.10 | 4.4 | 0.053 | 0.13 | 45.4 | 14.7 | 0.26 | 201 | 1.39 | 0.03 | 40.9 |
| YH0020 | | 1.44 | 59.7 | 8.74 | 19.60 | 0.10 | 5.5 | 0.088 | 0.58 | 38.5 | 34.0 | 2.02 | 609 | 0.92 | 0.33 | 37.4 |
| YH0021 | | 3.35 | 40.1 | 8.02 | 25.6 | 0.10 | 4.8 | 0.105 | 1.13 | 43.0 | 43.3 | 1.66 | 244 | 1.37 | 0.53 | 32.5 |
| YH0022 | | 0.15 | 4.4 | 1.56 | 1.04 | <0.05 | 0.9 | 0.005 | 0.03 | 2.1 | 3.1 | 0.09 | 161 | 0.83 | 0.02 | 5.2 |
| YH0023 | | 6.81 | 18.1 | 5.81 | 20.9 | 0.14 | 4.0 | 0.090 | 0.93 | 60.9 | 34.8 | 0.36 | 91 | 1.33 | 0.04 | 40.7 |
| YH0024 | | 5.75 | 25.4 | 6.83 | 22.5 | 0.11 | 4.4 | 0.095 | 0.39 | 47.0 | 41.5 | 0.82 | 196 | 1.62 | 0.08 | 36.6 |
| YH0025 | | 9.97 | 45.4 | 6.54 | 21.8 | 0.08 | 3.4 | 0.103 | 1.71 | 32.1 | 45.8 | 2.45 | 461 | 0.22 | 0.45 | 23.2 |
| YH0026 | | 1.16 | 66.5 | 7.10 | 16.65 | 0.07 | 4.2 | 0.073 | 1.26 | 33.0 | 46.2 | 2.79 | 778 | 0.64 | 1.15 | 23.0 |
| YH0027 | | 1.29 | 73.4 | 12.75 | 21.4 | 0.06 | 3.2 | 0.090 | 0.62 | 0.8 | 44.2 | 2.23 | 883 | 0.78 | 0.03 | 21.2 |
| YH0028 | | 13.45 | 2.4 | 1.02 | 23.1 | 0.10 | 4.4 | 0.067 | 3.93 | 48.0 | 23.2 | 0.52 | 57 | 0.48 | 0.09 | 14.7 |
| YH0029 | | 3.38 | 79.7 | 5.54 | 23.8 | 0.17 | 9.7 | 0.096 | 4.92 | 61.0 | 28.4 | 1.13 | 240 | 0.50 | 0.48 | 22.1 |
| YH0030 | | 4.67 | 64.5 | 8.15 | 19.05 | 0.06 | 4.7 | 0.083 | 0.75 | 18.4 | 44.3 | 2.76 | 724 | 0.42 | 0.51 | 31.6 |
| YH0031 | | 3.28 | 42.6 | 12.35 | 29.2 | 0.16 | 4.9 | 0.127 | 0.98 | 39.0 | 87.4 | 2.66 | 399 | 0.94 | 0.39 | 28.3 |
| YH0032 | | 0.38 | 3.8 | 1.32 | 1.73 | <0.05 | 1.4 | 0.007 | 0.06 | 10.6 | 5.9 | 0.11 | 142 | 0.81 | 0.02 | 13.3 |
| YH0033 | | 0.29 | 123.5 | 4.20 | 3.39 | <0.05 | 0.6 | 0.030 | 0.03 | 2.3 | 4.0 | 12.40 | 633 | 0.02 | 0.02 | 2.4 |
| YH0034 | | 0.16 | 1.9 | 1.37 | 0.88 | <0.05 | 1.3 | <0.005 | 0.02 | 1.6 | 8.6 | 0.12 | 170 | 1.29 | 0.02 | 10.0 |
| YH0035 | | 0.12 | 3.5 | 41.0 | 8.05 | 1.10 | 0.5 | 0.020 | 0.02 | 2.2 | 1.7 | 0.14 | 1030 | 5.30 | 0.01 | 2.3 |
| YH0036 | | 0.46 | 62.0 | 3.68 | 3.02 | 0.05 | 0.6 | 0.016 | 0.03 | 9.1 | 3.2 | 0.54 | 176 | 0.43 | 0.04 | 1.4 |
| YH0037 | | 2.17 | 22.2 | 9.38 | 21.7 | 0.09 | 5.2 | 0.084 | 0.16 | 34.2 | 29.4 | 0.77 | 255 | 1.79 | 0.06 | 38.7 |
| YH0038 | | 2.35 | 33.4 | 7.31 | 21.4 | 0.11 | 3.9 | 0.070 | 0.81 | 26.4 | 50.2 | 2.63 | 331 | 0.30 | 1.09 | 22.7 |
| YH0039 | | 8.00 | 172.5 | 3.41 | 26.3 | 0.12 | 5.0 | 0.116 | 1.35 | 37.7 | 38.5 | 0.29 | 98 | 1.37 | 0.03 | 19.8 |
| YH0040 | | 1.81 | 17.7 | 3.32 | 15.90 | <0.05 | 3.9 | 0.052 | 0.34 | 8.1 | 17.1 | 0.27 | 575 | 0.65 | 0.03 | 20.7 |



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

Project: Henrietta

Page: 2 - C
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 24-JUL-2018
Account: ACCELE

CERTIFICATE OF ANALYSIS AD18167696

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Ni | P | Pb | Rb | Re | S | Sb | Sc | Se | Sn | Sr | Ta | Te | Th |
| | | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % |
| | | 0.2 | 10 | 0.5 | 0.1 | 0.002 | 0.01 | 0.05 | 0.1 | 1 | 0.2 | 0.2 | 0.05 | 0.05 | 0.01 |
| YH0001 | | 27.3 | 1420 | 24.4 | 229 | <0.002 | 0.03 | 0.58 | 25.2 | 1 | 2.7 | 190.5 | 1.10 | <0.05 | 34.1 |
| YH0002 | | 173.5 | 1710 | 6.0 | 72.6 | <0.002 | 0.01 | 0.93 | 35.6 | <1 | 2.8 | 25.1 | 1.86 | <0.05 | 4.80 |
| YH0003 | | 82.9 | 700 | 3.9 | 126.5 | <0.002 | 0.16 | 1.61 | 24.6 | <1 | 3.6 | 17.5 | 1.46 | <0.05 | 10.35 |
| YH0004 | | 86.0 | 460 | 12.1 | 182.5 | <0.002 | 0.03 | 4.19 | 48.0 | <1 | 4.0 | 11.4 | 2.32 | <0.05 | 7.94 |
| YH0005 | | 79.7 | 90 | 6.6 | 98.1 | <0.002 | 0.02 | 9.29 | 20.3 | 2 | 3.2 | 10.0 | 1.54 | <0.05 | 7.40 |
| YH0006 | | 133.0 | 280 | 11.5 | 32.3 | <0.002 | 0.06 | 7.31 | 34.9 | 4 | 3.0 | 9.4 | 1.35 | <0.05 | 10.40 |
| YH0007 | | 238 | 430 | 15.7 | 4.1 | <0.002 | 0.08 | 8.66 | 22.1 | 7 | 4.2 | 10.1 | 2.34 | 0.06 | 13.60 |
| YH0008 | | 305 | 240 | 13.6 | 13.0 | <0.002 | 0.07 | 10.05 | 28.0 | 6 | 2.7 | 9.6 | 1.39 | 0.06 | 11.40 |
| YH0009 | | 16.6 | 20 | 1.4 | 1.4 | <0.002 | 0.01 | 7.65 | 1.0 | <1 | 0.4 | 3.4 | 0.19 | <0.05 | 0.96 |
| YH0010 | | 16.0 | 20 | 1.5 | 1.3 | <0.002 | 0.01 | 10.25 | 1.2 | <1 | 0.5 | 3.7 | 0.25 | <0.05 | 1.01 |
| YH0011 | | 26.3 | 100 | 5.4 | 16.8 | <0.002 | 0.02 | 3.23 | 7.0 | 1 | 1.9 | 5.9 | 0.94 | <0.05 | 3.52 |
| YH0012 | | 34.6 | 100 | 6.0 | 5.8 | <0.002 | 0.02 | 0.67 | 13.2 | 1 | 3.4 | 6.8 | 2.35 | <0.05 | 6.96 |
| YH0013 | | 30.4 | 160 | 9.3 | 6.2 | <0.002 | 0.02 | 0.61 | 13.2 | 3 | 2.9 | 8.7 | 2.11 | <0.05 | 7.35 |
| YH0014 | | 82.2 | 140 | 12.8 | 65.4 | <0.002 | 0.03 | 11.55 | 19.2 | 2 | 3.5 | 9.4 | 2.11 | <0.05 | 7.76 |
| YH0015 | | 213 | 500 | 8.4 | 0.6 | <0.002 | 0.10 | 40.3 | 1.7 | 1 | 0.5 | 2.1 | 0.16 | 0.11 | 0.84 |
| YH0016 | | 26.8 | 80 | 8.2 | 24.1 | <0.002 | 0.02 | 5.32 | 9.8 | 2 | 2.6 | 8.3 | 1.33 | <0.05 | 6.53 |
| YH0017 | | 53.3 | 200 | 10.7 | 18.5 | <0.002 | 0.04 | 4.33 | 15.7 | 3 | 3.2 | 9.8 | 2.11 | <0.05 | 8.63 |
| YH0018 | | 23.5 | 150 | 9.9 | 20.6 | <0.002 | 0.02 | 2.03 | 16.8 | 2 | 4.7 | 11.5 | 3.36 | <0.05 | 10.80 |
| YH0019 | | 20.9 | 150 | 9.0 | 8.9 | <0.002 | 0.03 | 1.26 | 12.5 | 2 | 3.0 | 7.3 | 2.52 | <0.05 | 7.38 |
| YH0020 | | 89.6 | 370 | 4.4 | 21.5 | <0.002 | 0.03 | 0.51 | 24.4 | 2 | 3.5 | 18.0 | 2.40 | <0.05 | 8.28 |
| YH0021 | | 117.0 | 340 | 7.7 | 52.3 | <0.002 | 0.03 | 1.00 | 26.3 | 2 | 4.0 | 18.0 | 2.04 | <0.05 | 9.29 |
| YH0022 | | 14.3 | 40 | 1.5 | 1.0 | <0.002 | 0.01 | 23.0 | 1.1 | <1 | 0.4 | 4.8 | 0.23 | <0.05 | 0.94 |
| YH0023 | | 35.1 | 130 | 9.0 | 84.7 | <0.002 | 0.02 | 5.33 | 18.1 | 1 | 4.1 | 12.6 | 2.57 | <0.05 | 9.43 |
| YH0024 | | 46.6 | 140 | 9.6 | 32.8 | <0.002 | 0.02 | 4.38 | 19.2 | 2 | 3.9 | 12.4 | 2.36 | <0.05 | 8.26 |
| YH0025 | | 86.6 | 580 | 5.6 | 72.3 | <0.002 | 0.02 | 0.84 | 24.4 | <1 | 3.3 | 24.3 | 1.45 | <0.05 | 7.86 |
| YH0026 | | 103.0 | 950 | 5.9 | 38.3 | <0.002 | 0.08 | 0.71 | 24.8 | <1 | 2.5 | 44.1 | 1.44 | <0.05 | 4.68 |
| YH0027 | | 82.7 | 500 | 23.6 | 6.2 | <0.002 | 0.04 | 0.38 | 28.4 | 2 | 2.1 | 3.1 | 1.27 | <0.05 | 1.54 |
| YH0028 | | 6.0 | 100 | 8.2 | 192.5 | <0.002 | 0.01 | 0.40 | 14.7 | <1 | 4.2 | 14.4 | 1.03 | <0.05 | 9.09 |
| YH0029 | | 33.9 | 1090 | 47.6 | 233 | <0.002 | 0.05 | 1.00 | 27.4 | 1 | 2.4 | 113.5 | 1.17 | <0.05 | 40.0 |
| YH0030 | | 95.8 | 710 | 6.1 | 19.2 | <0.002 | 0.02 | 0.60 | 22.0 | <1 | 2.6 | 31.2 | 1.88 | <0.05 | 5.24 |
| YH0031 | | 111.5 | 820 | 61.1 | 44.9 | <0.002 | 0.03 | 2.13 | 32.4 | 2 | 3.6 | 16.4 | 1.81 | <0.05 | 8.43 |
| YH0032 | | 14.5 | 50 | 2.0 | 2.2 | <0.002 | 0.01 | 30.1 | 2.6 | <1 | 1.3 | 5.6 | 0.74 | <0.05 | 2.22 |
| YH0033 | | 2030 | 50 | 5.2 | 1.5 | <0.002 | 0.14 | 5.84 | 12.1 | 1 | 0.3 | 4.5 | 0.14 | <0.05 | 1.29 |
| YH0034 | | 20.8 | 10 | 1.1 | 0.8 | <0.002 | <0.01 | 7.95 | 1.5 | <1 | 1.0 | 7.2 | 0.56 | <0.05 | 1.63 |
| YH0035 | | 347 | 210 | 8.7 | 1.1 | <0.002 | 0.04 | 4.61 | 1.5 | 1 | 0.5 | 3.2 | 0.17 | 0.11 | 1.00 |
| YH0036 | | 1440 | 120 | 42.2 | 1.8 | <0.002 | 0.05 | 5.70 | 54.0 | 4 | 0.2 | 4.9 | 0.10 | <0.05 | 1.24 |
| YH0037 | | 67.4 | 210 | 8.9 | 8.7 | <0.002 | 0.03 | 3.58 | 16.1 | 3 | 3.5 | 10.3 | 2.74 | <0.05 | 8.58 |
| YH0038 | | 105.0 | 920 | 6.5 | 36.0 | <0.002 | 0.02 | 0.90 | 23.7 | <1 | 2.2 | 31.9 | 1.51 | <0.05 | 5.07 |
| YH0039 | | 39.8 | 770 | 63.9 | 78.7 | <0.002 | 0.01 | 5.89 | 42.0 | <1 | 3.8 | 7.0 | 1.49 | <0.05 | 10.35 |
| YH0040 | | 46.4 | 110 | 3.0 | 33.4 | <0.002 | 0.01 | 0.81 | 7.7 | <1 | 1.8 | 5.4 | 1.47 | <0.05 | 3.80 |



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

Project: Henrietta

Page: 2 - D
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 24-JUL-2018
Account: ACCELE

CERTIFICATE OF ANALYSIS AD18167696

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | PUL-QC |
|--------------------|-----------------------------------|-------------|------------|----------|------------|------------|----------|---------------|
| | | Ti | U | V | W | Y | Zn | Zr |
| | | ppm 0.02 | ppm 0.1 | ppm 1 | ppm 0.1 | ppm 0.1 | ppm 2 | ppm 0.5 |
| | | | | | | | | Pass75um % |
| | | | | | | | | 0.01 |
| YH0001 | | 1.17 | 4.7 | 121 | 1.8 | 41.5 | 54 | 357 |
| YH0002 | | 0.23 | 1.0 | 280 | 1.2 | 23.4 | 155 | 116.0 |
| YH0003 | | 0.62 | 2.0 | 138 | 1.1 | 21.0 | 57 | 154.0 |
| YH0004 | | 1.02 | 1.8 | 303 | 2.0 | 35.0 | 22 | 182.0 |
| YH0005 | | 0.45 | 1.6 | 309 | 1.6 | 16.5 | 16 | 134.0 |
| YH0006 | | 0.35 | 2.6 | 343 | 2.0 | 20.8 | 50 | 134.5 |
| YH0007 | | 0.07 | 3.1 | 324 | 2.5 | 8.9 | 72 | 189.0 |
| YH0008 | | 0.13 | 2.4 | 307 | 1.5 | 11.6 | 64 | 123.0 |
| YH0009 | | <0.02 | 0.4 | 12 | 0.4 | 2.7 | 16 | 35.1 |
| YH0010 | | <0.02 | 0.4 | 14 | 1.6 | 3.7 | 22 | 34.1 |
| YH0011 | | 0.08 | 1.1 | 107 | 0.7 | 9.5 | 14 | 99.9 |
| YH0012 | | 0.03 | 1.6 | 155 | 1.4 | 16.8 | 32 | 171.5 |
| YH0013 | | 0.05 | 1.7 | 183 | 1.1 | 14.8 | 57 | 163.0 |
| YH0014 | | 0.24 | 1.5 | 257 | 1.8 | 14.4 | 21 | 135.0 |
| YH0015 | | <0.02 | 0.3 | 327 | 0.3 | 1.5 | 217 | 15.3 |
| YH0016 | | 0.11 | 1.6 | 192 | 1.6 | 10.2 | 33 | 122.0 |
| YH0017 | | 0.10 | 1.8 | 197 | 1.3 | 15.3 | 32 | 151.5 |
| YH0018 | | 0.11 | 2.1 | 204 | 2.5 | 19.6 | 18 | 195.5 |
| YH0019 | | 0.05 | 1.6 | 164 | 1.3 | 14.3 | 27 | 165.0 |
| YH0020 | | 0.09 | 1.8 | 214 | 1.4 | 22.6 | 79 | 205 |
| YH0021 | | 0.21 | 2.1 | 259 | 1.6 | 21.1 | 68 | 191.5 |
| YH0022 | | <0.02 | 0.4 | 17 | 0.9 | 2.8 | 67 | 34.2 |
| YH0023 | | 0.31 | 1.9 | 199 | 1.9 | 17.1 | 18 | 156.0 |
| YH0024 | | 0.17 | 2.0 | 215 | 1.8 | 16.8 | 31 | 167.0 |
| YH0025 | | 0.27 | 1.6 | 210 | 0.9 | 19.2 | 83 | 129.5 |
| YH0026 | | 0.16 | 1.1 | 184 | 0.9 | 28.6 | 65 | 155.5 |
| YH0027 | | 0.09 | 0.9 | 252 | 0.5 | 2.4 | 109 | 114.5 |
| YH0028 | | 0.86 | 3.0 | 94 | 2.5 | 17.4 | 9 | 159.0 |
| YH0029 | | 1.33 | 5.3 | 216 | 2.0 | 31.9 | 46 | 384 |
| YH0030 | | 0.09 | 1.3 | 221 | 1.0 | 18.1 | 83 | 179.5 |
| YH0031 | | 0.19 | 1.8 | 269 | 1.0 | 21.2 | 125 | 198.0 |
| YH0032 | | 0.02 | 0.6 | 32 | 1.0 | 5.9 | 33 | 50.1 |
| YH0033 | | 0.04 | 0.4 | 61 | 0.3 | 3.9 | 1200 | 22.1 |
| YH0034 | | <0.02 | 0.6 | 25 | 1.4 | 3.9 | 37 | 50.4 |
| YH0035 | | 0.02 | 0.3 | 286 | 0.4 | 2.7 | 134 | 19.0 |
| YH0036 | | 0.02 | 0.8 | 52 | 0.9 | 7.5 | 119 | 21.9 |
| YH0037 | | 0.07 | 2.1 | 194 | 1.5 | 17.5 | 41 | 184.0 |
| YH0038 | | 0.17 | 1.1 | 156 | 1.8 | 19.0 | 78 | 105.0 |
| YH0039 | | 0.32 | 2.7 | 244 | 1.1 | 24.5 | 117 | 168.5 |
| YH0040 | | 0.08 | 1.0 | 99 | 1.2 | 8.9 | 62 | 138.0 |



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

Project: Henrietta

Page: 3 - A
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 24-JUL-2018
Account: ACCELE

CERTIFICATE OF ANALYSIS AD18167696

| Sample Description | Method Analyte Units LOD | WEI-21 Recvd Wt. kg 0.02 | PGM-ICP23 Au ppm 0.001 | PGM-ICP23 Pt ppm 0.005 | PGM-ICP23 Pd ppm 0.001 | ME-MS61 Ag ppm 0.01 | ME-MS61 Al % 0.01 | ME-MS61 As ppm 0.2 | ME-MS61 Ba ppm 10 | ME-MS61 Be ppm 0.05 | ME-MS61 Bi ppm 0.01 | ME-MS61 Ca % 0.01 | ME-MS61 Cd ppm 0.02 | ME-MS61 Ce ppm 0.01 | ME-MS61 Co ppm 0.1 | ME-MS61 Cr ppm 1 |
|--------------------|-----------------------------------|-----------------------------------|---------------------------------|---------------------------------|---------------------------------|------------------------------|----------------------------|-----------------------------|----------------------------|------------------------------|------------------------------|----------------------------|------------------------------|------------------------------|-----------------------------|---------------------------|
| YH0041 | | 0.35 | 0.001 | <0.005 | <0.001 | 0.03 | 4.52 | 1.4 | 220 | 0.68 | 0.06 | 0.10 | 0.03 | 54.2 | 24.6 | 183 |
| YH0042 | | 0.28 | 0.001 | <0.005 | <0.001 | 0.06 | 7.50 | 22.0 | 2740 | 3.60 | 0.11 | 0.47 | 0.08 | >500 | 55.6 | 67 |
| YH0043 | | 0.30 | <0.001 | <0.005 | <0.001 | 0.02 | 5.88 | 1.4 | 190 | 0.68 | 0.11 | 0.02 | <0.02 | 60.5 | 34.3 | 210 |
| YH0044 | | 0.37 | 0.001 | <0.005 | <0.001 | <0.01 | 6.92 | 10.4 | 550 | 1.61 | 0.44 | 0.02 | <0.02 | 82.2 | 8.9 | 199 |
| YH0045 | | 0.48 | 0.002 | <0.005 | <0.001 | 0.02 | 0.79 | 9.7 | 10 | 0.10 | 0.06 | 0.01 | 0.02 | 9.67 | 154.5 | 6780 |
| YH0046 | | 0.51 | 0.001 | <0.005 | <0.001 | 0.02 | 2.59 | 29.1 | 130 | 0.89 | 0.10 | 0.01 | <0.02 | 7.68 | 99.5 | 7980 |
| YH0047 | | 0.45 | 0.001 | <0.005 | <0.001 | 0.02 | 0.84 | 65.1 | 20 | 0.06 | 0.07 | 0.01 | 0.02 | 4.69 | 150.5 | 9010 |
| YH0048 | | 0.37 | 0.002 | <0.005 | <0.001 | 0.02 | 4.52 | 7.0 | 30 | 0.58 | 0.10 | 0.01 | <0.02 | 59.3 | 7.7 | 573 |
| YH0049 | | 0.42 | 0.001 | <0.005 | <0.001 | 0.08 | 0.44 | 2.6 | 10 | 0.12 | 0.04 | 0.01 | <0.02 | 18.30 | 4.4 | 721 |
| YH0050 | | 0.33 | 0.001 | <0.005 | <0.001 | 0.02 | 8.75 | 1.5 | 280 | 1.50 | 0.09 | 0.02 | 0.09 | 88.2 | 27.5 | 181 |
| YHS001 | | 3.21 | 0.001 | <0.005 | <0.001 | 0.03 | 3.35 | 33.9 | 140 | 0.72 | 0.04 | 0.07 | 0.02 | 27.9 | 51.3 | >10000 |
| YHS002 | | 2.62 | 0.001 | <0.005 | <0.001 | 0.02 | 3.02 | 3.3 | 110 | 0.91 | 0.04 | 0.21 | 0.04 | 20.7 | 29.9 | 125 |
| YHS003 | | 2.32 | 0.002 | <0.005 | <0.001 | 0.03 | 1.54 | 10.5 | 100 | 0.33 | 0.02 | 0.04 | 0.03 | 16.50 | 11.4 | 772 |
| HS001 | | 2.53 | 0.001 | 0.006 | 0.003 | 0.03 | 4.93 | 24.9 | 210 | 0.70 | 0.07 | 0.55 | 0.07 | 17.95 | 60.9 | 3130 |
| HS002 | | 1.83 | 0.001 | 0.009 | 0.004 | 0.03 | 4.10 | 25.3 | 140 | 0.28 | 0.04 | 1.15 | 0.41 | 5.43 | 118.5 | 5280 |
| HS003 | | 2.06 | 0.001 | <0.005 | <0.001 | 0.03 | 4.67 | 12.7 | 150 | 0.96 | 0.05 | 0.24 | 0.06 | 34.4 | 30.0 | 324 |
| HS004 | | 1.32 | 0.002 | <0.005 | <0.001 | 0.05 | 0.35 | 8.9 | 10 | 0.09 | 0.03 | 0.02 | 0.02 | 0.96 | 240 | 2350 |



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

Project: Henrietta

Page: 3 - C
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 24-JUL-2018
Account: ACCELE

CERTIFICATE OF ANALYSIS AD18167696

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|--------------------|-----------------------------------|------------|-----------|------------|------------|--------------|-----------|-------------|------------|----------|------------|------------|-------------|-------------|-------------|------------|
| | | Ni | P | Pb | Rb | Re | S | Sb | Sc | Se | Sn | Sr | Ta | Te | Th | Ti |
| | | ppm 0.2 | ppm 10 | ppm 0.5 | ppm 0.1 | ppm 0.002 | % 0.01 | ppm 0.05 | ppm 0.1 | ppm 1 | ppm 0.2 | ppm 0.2 | ppm 0.05 | ppm 0.05 | ppm 0.01 | % 0.005 |
| YH0041 | | 60.0 | 800 | 7.1 | 30.9 | <0.002 | 0.02 | 0.78 | 17.9 | <1 | 2.2 | 18.9 | 1.75 | <0.05 | 4.61 | 1.210 |
| YH0042 | | 83.3 | 3070 | 26.4 | 324 | <0.002 | 0.23 | 0.79 | 27.1 | <1 | 2.4 | 367 | 1.01 | <0.05 | 29.2 | 0.730 |
| YH0043 | | 92.0 | 200 | 3.9 | 15.2 | <0.002 | 0.02 | 0.39 | 23.1 | <1 | 1.9 | 9.3 | 1.32 | <0.05 | 5.33 | 0.914 |
| YH0044 | | 53.1 | 190 | 5.5 | 126.5 | <0.002 | 0.02 | 1.68 | 21.6 | 2 | 3.1 | 9.7 | 1.57 | 0.05 | 8.51 | 0.971 |
| YH0045 | | 1430 | 240 | 5.3 | 1.7 | <0.002 | 0.03 | 1.74 | 3.9 | 1 | 0.4 | 4.1 | 0.25 | <0.05 | 1.18 | 0.170 |
| YH0046 | | 654 | 440 | 7.4 | 13.6 | <0.002 | 0.13 | 6.16 | 3.2 | 1 | 0.5 | 13.4 | 0.20 | 0.07 | 3.18 | 0.203 |
| YH0047 | | 1260 | 160 | 4.6 | 1.4 | <0.002 | 0.04 | 21.0 | 4.5 | 1 | 0.4 | 3.8 | 0.17 | 0.05 | 1.01 | 0.115 |
| YH0048 | | 53.3 | 190 | 5.4 | 8.9 | <0.002 | 0.03 | 4.47 | 11.1 | 4 | 2.1 | 7.8 | 1.35 | <0.05 | 6.83 | 0.935 |
| YH0049 | | 36.8 | 40 | 2.7 | 2.7 | <0.002 | 0.01 | 11.20 | 2.3 | <1 | 0.9 | 3.6 | 0.53 | <0.05 | 1.75 | 0.478 |
| YH0050 | | 84.6 | 370 | 4.7 | 57.3 | <0.002 | 0.01 | 0.93 | 35.4 | <1 | 2.8 | 20.3 | 2.19 | <0.05 | 6.03 | 1.760 |
| YHS001 | | 316 | 350 | 5.6 | 43.6 | <0.002 | 0.03 | 4.86 | 8.5 | 1 | 1.0 | 7.7 | 0.53 | <0.05 | 2.48 | 0.413 |
| YHS002 | | 63.6 | 750 | 10.5 | 18.4 | <0.002 | 0.01 | 0.29 | 12.1 | <1 | 0.9 | 32.5 | 0.62 | <0.05 | 1.85 | 0.562 |
| YHS003 | | 30.7 | 220 | 7.6 | 14.2 | <0.002 | 0.15 | 1.23 | 5.1 | <1 | 0.7 | 7.6 | 0.41 | <0.05 | 1.47 | 0.304 |
| HS001 | | 257 | 330 | 17.1 | 39.5 | <0.002 | 0.01 | 5.52 | 17.2 | 1 | 0.6 | 34.3 | 0.28 | <0.05 | 3.70 | 0.174 |
| HS002 | | 889 | 190 | 13.1 | 6.5 | <0.002 | 0.01 | 7.93 | 22.6 | <1 | 0.3 | 46.9 | 0.05 | <0.05 | 0.47 | 0.076 |
| HS003 | | 58.9 | 690 | 14.8 | 25.3 | <0.002 | 0.02 | 1.99 | 19.0 | <1 | 1.5 | 22.5 | 1.00 | <0.05 | 4.40 | 0.671 |
| HS004 | | 1890 | 50 | 2.5 | 0.5 | <0.002 | 0.02 | 1.16 | 5.3 | <1 | <0.2 | 1.8 | <0.05 | <0.05 | 0.11 | 0.016 |

***** See Appendix Page for comments regarding this certificate *****

| | CERTIFICATE COMMENTS |
|--------------------|--|
| | ANALYTICAL COMMENTS |
| Applies to Method: | REE's may not be totally soluble in this method. ME-MS61 |
| | ACCREDITATION COMMENTS |
| Applies to Method: | NATA Accreditation covers the performance of this service but does not cover the performance of ALS Perth Sample Preparation. Corporate Accreditation No: 825, Corporate Site No: 23001. The Technical Signatory is Wendy Wong, Senior QC Chemist ME-MS61 |
| | LABORATORY ADDRESSES |
| Applies to Method: | Processed at ALS Perth located at 31 Denninup Way, Malaga, Australia. Processed at ALS Perth Sample Preparation at 79 Distinction Road, Wangara, WA, Australia ME-MS61 PGM-ICP23 |
| Applies to Method: | Processed at ALS Adelaide located at Unit 1, 1 Burma Road, Pooraka, Adelaide, SA, Australia. LEV-01 LOG-22 PUL-23 PUL-QC WEI-21 |