



**Dr. Joe Xie**

**AUSTRALIAN HUALONG Pty Ltd**

1 Fowler Street  
Zeehan  
Tasmania 7469  
Australia

*Lab Ref*      BT088064

*Client Ref*    **1345-1463**

*Project*       \*

*Cost Code*

*Status*        Final

*Received*     24/04/19

*Reported*    22/05/19

*Samples*     119

*First Sample* 1345

*Last Sample* 1463

*Pages*        14

*Copy*

*Notes*

*Authorised by*

Wayne Taylor

Laboratory Manager

*On behalf of:*

*The results in this analytical report pertain to the samples provided to this laboratory for preparation and/or analysis as requested by the client. This document is issued by the company subject to its General Conditions of Services ([www.sgs.com/generalconditions](http://www.sgs.com/generalconditions)). Attention is drawn to the limitations of liability, indemnification and justifications issues established therein.*



Lab Ref BT088064  
 Client Ref **1345-1463**  
 Project \*  
 Reported 22/05/19  
 Status Final  
 Page Page 2 of 14

## ANALYTICAL REPORT

Scheme	XRF75E	XRF75E	XRF75E	XRF75E	XRF75E	XRF75E
Units	%	%	%	%	%	%
Detection Limit	0.01	0.01	0.1	0.1	0.01	0.1
Upper Limit	90	90	90	90	20	50
	Sn	As	Fe	S	Mn	MgO
1345	<0.01	<0.01	62.6	<0.1	1.21	<0.1
1346	0.02	0.01	31.0	3.0	6.84	1.4
1347	<0.01	<0.01	3.9	1.3	0.29	2.8
1348	<0.01	0.01	23.6	4.8	5.51	3.5
1349	<0.01	<0.01	11.9	5.1	1.36	7.2
1350	<0.01	<0.01	24.7	0.9	5.78	2.7
1351	<0.01	<0.01	26.9	1.0	6.05	3.6
1352	<0.01	0.01	1.0	<0.1	0.10	0.1
1353	<0.01	0.01	23.3	0.6	4.90	3.3
1354	<0.01	<0.01	28.6	0.9	7.05	2.9
1355	<0.01	<0.01	35.3	0.5	5.28	0.6
1356	<0.01	<0.01	37.6	0.6	8.36	1.2
1357	<0.01	<0.01	32.9	0.6	7.56	1.0
1358	<0.01	<0.01	37.2	0.3	8.53	1.1
1359	<0.01	<0.01	32.6	0.2	8.27	1.6
1360	<0.01	0.01	17.5	8.4	0.26	2.0
1361	<0.01	<0.01	32.5	0.5	8.94	1.9
1362	<0.01	0.01	26.8	0.2	7.80	2.4
1363	<0.01	<0.01	32.3	0.2	7.08	0.9
1364	<0.01	0.01	34.3	0.4	6.68	0.5
1365	<0.01	0.01	35.5	<0.1	9.73	1.8
1366	<0.01	<0.01	32.6	0.2	8.67	0.9
1367	<0.01	<0.01	23.4	0.4	5.10	0.6
1368	<0.01	<0.01	17.0	1.1	10.19	0.4
1369	<0.01	0.01	35.9	1.1	7.95	<0.1
1370	<0.01	0.01	37.5	1.3	6.47	0.2
1371	<0.01	0.01	37.6	0.8	5.34	<0.1
1372	<0.01	0.02	37.3	0.8	6.12	<0.1
1373	<0.01	<0.01	39.0	1.4	3.08	<0.1
1374	<0.01	0.02	41.5	1.2	3.18	<0.1
1375	<0.01	<0.01	38.4	0.7	3.11	<0.1
1376	<0.01	<0.01	40.5	1.2	3.32	0.2
1377	<0.01	<0.01	24.2	0.5	3.42	0.6
1378	<0.01	0.01	1.1	<0.1	0.07	<0.1
1379	0.01	0.01	22.0	0.3	4.33	0.8
1380	0.10	0.02	22.1	0.3	7.07	1.2
1381	<0.01	<0.01	20.7	0.6	5.70	2.9
1382	<0.01	<0.01	10.3	1.4	2.39	7.7

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref BT088064  
Client Ref **1345-1463**  
Project \*  
Reported 22/05/19  
Status Final  
Page Page 3 of 14

## ANALYTICAL REPORT

	XRF75E % 0.01 90 Sn	XRF75E % 0.01 90 As	XRF75E % 0.1 90 Fe	XRF75E % 0.1 90 S	XRF75E % 0.01 20 Mn	XRF75E % 0.1 50 MgO
1383	<0.01	<0.01	4.9	11.7	0.09	1.1
1384	<0.01	<0.01	<0.1	3.7	0.02	0.6
1385	<0.01	<0.01	<0.1	9.5	<0.01	0.8
1386	<0.01	<0.01	<0.1	0.1	<0.01	<0.1
1387	<0.01	0.03	1.5	10.1	<0.01	0.9
1388	<0.01	<0.01	1.6	9.4	<0.01	0.7
1389	<0.01	<0.01	3.2	5.4	<0.01	0.2
1390	<0.01	<0.01	0.2	3.5	0.02	0.6
1391	<0.01	0.02	12.4	8.5	0.10	1.8
1392	<0.01	<0.01	5.4	2.6	1.73	5.6
1393	<0.01	<0.01	2.2	0.9	1.00	9.4
1394	<0.01	<0.01	23.6	0.8	6.19	2.3
1395	<0.01	<0.01	15.5	1.3	4.80	2.1
1396	<0.01	0.01	11.9	3.7	3.57	2.4
1397	<0.01	0.01	16.1	3.4	6.64	2.2
1398	<0.01	<0.01	24.9	0.4	7.65	3.8
1399	<0.01	0.01	14.8	4.2	4.24	5.3
1400	0.02	0.02	17.8	1.2	6.32	5.1
1401	<0.01	<0.01	27.5	2.5	8.24	3.2
1402	<0.01	<0.01	16.7	1.1	4.70	1.5
1403	<0.01	0.02	24.7	1.3	8.41	2.2
1404	<0.01	<0.01	22.3	1.1	6.94	3.9
1405	0.02	<0.01	22.9	1.1	7.48	2.2
1406	<0.01	0.01	23.5	4.3	6.80	1.9
1407	<0.01	<0.01	32.9	0.3	9.33	2.0
1408	<0.01	0.01	3.8	<0.1	0.16	0.1
1409	<0.01	<0.01	33.0	<0.1	9.79	1.8
1410	<0.01	<0.01	34.4	<0.1	10.09	1.8
1411	<0.01	<0.01	8.8	1.2	1.19	5.7
1412	<0.01	0.01	21.0	0.9	6.35	3.6
1413	<0.01	0.01	24.4	0.8	7.57	3.5
1414	<0.01	<0.01	26.7	2.2	7.68	1.8
1415	<0.01	<0.01	25.0	3.5	7.49	1.6
1416	<0.01	<0.01	29.9	0.7	8.81	1.6
1417	<0.01	<0.01	26.8	0.4	9.09	1.7
1418	<0.01	0.03	12.0	8.3	0.28	1.9
1419	<0.01	0.01	12.8	1.3	3.10	5.7
1420	<0.01	<0.01	5.9	5.2	2.39	4.5
1421	<0.01	0.01	24.4	2.3	7.98	2.1

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref BT088064  
 Client Ref **1345-1463**  
 Project \*  
 Reported 22/05/19  
 Status Final  
 Page Page 4 of 14

## ANALYTICAL REPORT

	XRF75E % 0.01 90 Sn	XRF75E % 0.01 90 As	XRF75E % 0.1 90 Fe	XRF75E % 0.1 90 S	XRF75E % 0.01 20 Mn	XRF75E % 0.1 50 MgO
1422	<0.01	<0.01	18.5	6.4	4.89	2.2
1423	<0.01	<0.01	18.1	5.3	5.21	2.3
1424	<0.01	0.01	14.3	1.5	4.20	4.8
1425	<0.01	0.01	10.4	3.2	3.63	5.3
1426	<0.01	0.01	17.0	1.2	4.68	3.5
1427	<0.01	<0.01	7.1	1.0	2.10	3.8
1428	<0.01	<0.01	10.3	1.5	2.86	6.2
1429	<0.01	0.02	14.1	2.3	4.08	5.3
1430	<0.01	<0.01	13.6	2.0	3.87	5.3
1431	<0.01	<0.01	18.0	1.1	4.86	4.9
1432	<0.01	<0.01	2.1	<0.1	0.04	<0.1
1433	<0.01	<0.01	31.2	2.3	8.09	1.4
1434	<0.01	<0.01	35.2	0.2	8.03	1.1
1435	<0.01	<0.01	12.8	0.8	1.87	0.9
1436	<0.01	<0.01	18.5	0.3	3.73	0.6
1437	<0.01	<0.01	0.7	<0.1	0.13	<0.1
1438	0.02	0.02	8.4	0.2	0.86	0.8
1439	<0.01	0.01	10.9	0.1	1.21	1.0
1440	<0.01	<0.01	2.6	<0.1	0.70	1.2
1441	<0.01	0.01	13.3	8.5	0.14	2.0
1442	<0.01	<0.01	1.5	0.3	0.14	1.2
1443	<0.01	<0.01	18.8	0.3	5.43	0.7
1444	<0.01	<0.01	0.4	0.2	0.07	1.4
1445	<0.01	<0.01	8.9	1.3	9.09	0.8
1446	<0.01	0.02	12.5	0.6	2.93	1.0
1447	<0.01	<0.01	12.2	0.3	12.27	0.6
1448	<0.01	<0.01	21.4	0.1	8.48	0.6
1449	<0.01	<0.01	30.8	0.2	11.30	<0.1
1450	<0.01	<0.01	27.5	<0.1	>20.00	<0.1
1451	<0.01	<0.01	61.9	<0.1	0.63	<0.1
1452	<0.01	0.02	54.8	<0.1	1.38	<0.1
1453	<0.01	<0.01	30.4	0.3	0.64	0.5
1454	<0.01	<0.01	38.7	<0.1	4.65	<0.1
1455	<0.01	<0.01	34.4	<0.1	0.33	0.4
1456	<0.01	<0.01	26.1	<0.1	3.38	0.4
1457	<0.01	0.01	27.0	0.5	8.89	0.2
1458	<0.01	<0.01	0.6	0.1	0.06	<0.1
1459	<0.01	<0.01	27.6	0.5	11.42	<0.1
1460	<0.01	<0.01	22.9	1.0	13.71	0.2

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref BT088064  
Client Ref **1345-1463**  
Project \*  
Reported 22/05/19  
Status Final  
Page Page 5 of 14

### ANALYTICAL REPORT

	XRF75E % 0.01 90 Sn	XRF75E % 0.01 90 As	XRF75E % 0.1 90 Fe	XRF75E % 0.1 90 S	XRF75E % 0.01 20 Mn	XRF75E % 0.1 50 MgO
1461	<0.01	<0.01	24.3	0.5	12.31	1.9
1462	<0.01	0.02	14.2	7.7	0.12	2.0
1463	<0.01	<0.01	28.4	0.1	11.17	2.1

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref BT088064  
 Client Ref **1345-1463**  
 Project \*  
 Reported 22/05/19  
 Status Final  
 Page Page 6 of 14

## ANALYTICAL REPORT

Scheme	XRF75E	XRF75E	XRF75E	XRF75E	XRF75E	AAS40Q
Units	%	%	%	%	%	PPM
Detection Limit	0.1	0.01	0.01	0.01	0.01	2
Upper Limit	50	5	50	5	5	200
	Ca	WO3	Cu	Pb	Zn	Ag
1345	<0.1	<0.01	<0.01	3.73	0.10	9
1346	0.5	<0.01	0.04	>5.00	0.66	32
1347	25.5	<0.01	<0.01	1.13	0.25	9
1348	6.4	<0.01	<0.01	0.32	0.12	<2
1349	13.3	<0.01	<0.01	0.04	0.09	<2
1350	5.0	<0.01	<0.01	0.05	0.09	<2
1351	7.2	<0.01	<0.01	0.60	1.00	8
1352	0.1	<0.01	<0.01	0.02	<0.01	<2
1353	7.8	<0.01	<0.01	0.21	0.55	5
1354	4.5	<0.01	<0.01	0.30	0.84	4
1355	0.6	<0.01	<0.01	0.05	0.21	<2
1356	1.0	<0.01	<0.01	0.10	1.19	<2
1357	0.6	<0.01	<0.01	0.08	0.65	<2
1358	0.9	<0.01	<0.01	0.03	0.63	<2
1359	1.2	<0.01	<0.01	0.18	0.58	<2
1360	4.5	<0.01	0.28	1.15	2.60	21
1361	0.6	0.02	<0.01	0.25	0.11	<2
1362	3.1	<0.01	<0.01	0.05	0.27	<2
1363	0.5	<0.01	<0.01	0.15	0.47	<2
1364	0.6	<0.01	<0.01	0.07	0.33	<2
1365	0.4	<0.01	<0.01	0.07	0.17	<2
1366	0.7	<0.01	<0.01	0.42	0.80	3
1367	0.6	<0.01	<0.01	1.07	0.43	40
1368	1.7	<0.01	<0.01	4.68	1.95	34
1369	2.0	<0.01	<0.01	3.61	1.41	32
1370	1.9	<0.01	<0.01	4.72	1.17	29
1371	1.6	<0.01	<0.01	3.82	1.19	18
1372	1.9	0.01	<0.01	3.11	1.58	22
1373	1.1	<0.01	0.01	>5.00	0.77	62
1374	1.2	<0.01	<0.01	>5.00	0.69	36
1375	0.9	<0.01	<0.01	3.82	0.81	21
1376	0.7	<0.01	<0.01	>5.00	0.98	75
1377	1.0	<0.01	<0.01	1.79	1.10	28
1378	<0.1	<0.01	<0.01	0.10	0.01	<2
1379	0.8	<0.01	<0.01	1.83	0.87	26
1380	1.8	<0.01	<0.01	1.17	1.35	13
1381	5.3	<0.01	<0.01	1.91	1.48	4
1382	12.9	<0.01	<0.01	0.14	0.59	<2

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref BT088064  
 Client Ref **1345-1463**  
 Project \*  
 Reported 22/05/19  
 Status Final  
 Page Page 7 of 14

## ANALYTICAL REPORT

	XRF75E % 0.1 50 Ca	XRF75E % 0.01 5 WO3	XRF75E % 0.01 50 Cu	XRF75E % 0.01 5 Pb	XRF75E % 0.01 5 Zn	AAS40Q PPM 2 200 Ag
1383	0.2	<0.01	<0.01	0.46	4.62	7
1384	0.1	<0.01	<0.01	0.32	2.43	14
1385	<0.1	<0.01	<0.01	0.30	>5.00	13
1386	<0.1	<0.01	<0.01	0.01	0.08	<2
1387	<0.1	<0.01	<0.01	0.43	4.14	19
1388	<0.1	<0.01	<0.01	1.43	4.81	44
1389	<0.1	<0.01	<0.01	0.56	1.77	16
1390	<0.1	<0.01	<0.01	0.89	1.95	33
1391	4.0	<0.01	0.26	1.14	2.58	21
1392	10.0	<0.01	<0.01	0.46	1.85	5
1393	16.4	<0.01	<0.01	0.15	0.82	3
1394	5.1	<0.01	<0.01	0.10	1.83	2
1395	13.4	<0.01	<0.01	0.09	1.83	<2
1396	4.9	<0.01	<0.01	0.57	3.41	6
1397	4.4	<0.01	<0.01	0.62	4.85	7
1398	9.3	<0.01	<0.01	0.22	1.99	<2
1399	9.1	<0.01	<0.01	0.23	2.30	3
1400	10.0	<0.01	0.03	0.30	4.60	7
1401	4.8	<0.01	<0.01	1.59	4.99	11
1402	2.2	<0.01	<0.01	0.71	2.82	19
1403	3.9	<0.01	<0.01	0.72	3.68	6
1404	7.2	<0.01	<0.01	0.34	3.63	<2
1405	4.3	<0.01	<0.01	0.11	2.67	<2
1406	1.0	<0.01	0.02	>5.00	1.07	86
1407	0.7	<0.01	<0.01	0.45	0.20	3
1408	<0.1	<0.01	<0.01	0.05	0.05	<2
1409	0.7	<0.01	<0.01	0.24	0.11	<2
1410	0.6	<0.01	<0.01	0.09	0.15	<2
1411	10.1	<0.01	<0.01	0.39	0.12	2
1412	4.8	<0.01	<0.01	0.38	0.66	3
1413	5.6	0.02	<0.01	1.80	0.51	14
1414	0.5	<0.01	0.04	>5.00	0.05	102
1415	0.7	<0.01	0.01	>5.00	1.87	131
1416	0.4	<0.01	<0.01	3.56	0.06	32
1417	0.6	<0.01	<0.01	1.80	0.14	13
1418	4.1	<0.01	0.25	1.37	2.48	22
1419	10.1	<0.01	<0.01	0.97	0.19	9
1420	13.2	0.01	<0.01	1.72	>5.00	10
1421	3.5	<0.01	0.01	2.59	2.15	18

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref BT088064  
 Client Ref **1345-1463**  
 Project \*  
 Reported 22/05/19  
 Status Final  
 Page Page 8 of 14

## ANALYTICAL REPORT

	XRF75E % 0.1 50 Ca	XRF75E % 0.01 5 WO3	XRF75E % 0.01 50 Cu	XRF75E % 0.01 5 Pb	XRF75E % 0.01 5 Zn	AAS40Q PPM 2 200 Ag
1422	2.6	<0.01	0.09	>5.00	2.04	>200
1423	4.3	<0.01	0.03	>5.00	2.98	148
1424	13.3	<0.01	<0.01	1.95	1.05	15
1425	15.6	0.01	<0.01	0.80	4.54	8
1426	10.8	<0.01	<0.01	0.74	0.77	3
1427	15.8	<0.01	<0.01	0.41	0.44	2
1428	15.7	<0.01	<0.01	0.40	0.48	3
1429	13.5	<0.01	0.01	>5.00	1.75	64
1430	13.2	0.01	<0.01	0.91	2.93	13
1431	12.4	<0.01	<0.01	1.63	1.29	13
1432	<0.1	<0.01	<0.01	0.04	0.01	<2
1433	0.5	<0.01	<0.01	0.96	3.95	6
1434	0.5	<0.01	<0.01	0.32	0.85	<2
1435	0.2	<0.01	<0.01	2.37	0.84	36
1436	0.3	<0.01	<0.01	1.44	0.63	12
1437	<0.1	<0.01	<0.01	0.03	0.02	<2
1438	<0.1	<0.01	<0.01	1.89	0.58	24
1439	0.1	<0.01	<0.01	1.70	0.29	48
1440	<0.1	<0.01	<0.01	1.19	0.33	30
1441	3.8	<0.01	0.26	1.18	2.51	21
1442	0.1	<0.01	<0.01	1.56	0.14	17
1443	0.5	<0.01	<0.01	1.14	0.87	81
1444	<0.1	<0.01	<0.01	0.86	0.06	84
1445	0.4	<0.01	<0.01	1.62	1.52	3
1446	0.2	<0.01	<0.01	1.88	0.57	43
1447	0.6	<0.01	<0.01	2.49	0.64	26
1448	0.2	<0.01	<0.01	3.47	0.70	34
1449	0.1	<0.01	0.01	>5.00	1.02	46
1450	0.1	<0.01	<0.01	>5.00	1.12	27
1451	<0.1	<0.01	0.01	1.80	0.74	37
1452	<0.1	<0.01	<0.01	4.43	1.09	45
1453	<0.1	<0.01	<0.01	4.35	1.08	126
1454	<0.1	<0.01	<0.01	>5.00	0.98	27
1455	<0.1	<0.01	<0.01	4.85	0.81	39
1456	0.2	<0.01	<0.01	4.18	0.79	27
1457	0.6	<0.01	<0.01	2.40	0.99	16
1458	<0.1	<0.01	0.01	0.05	0.09	<2
1459	0.9	<0.01	<0.01	1.03	1.38	3
1460	1.3	<0.01	<0.01	1.91	2.10	2

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.





Lab Ref BT088064  
Client Ref **1345-1463**  
Project \*  
Reported 22/05/19  
Status Final  
Page Page 9 of 14

### ANALYTICAL REPORT

	XRF75E % 0.1 50 Ca	XRF75E % 0.01 5 WO3	XRF75E % 0.01 50 Cu	XRF75E % 0.01 5 Pb	XRF75E % 0.01 5 Zn	AAS40Q PPM 2 200 Ag
1461	4.1	<0.01	<0.01	0.81	2.03	<2
1462	4.5	<0.01	0.26	1.08	2.56	22
1463	5.3	0.01	<0.01	0.39	1.77	<2

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref BT088064  
 Client Ref **1345-1463**  
 Project \*  
 Reported 22/05/19  
 Status Final  
 Page Page 10 of 14

## ANALYTICAL REPORT

Scheme	AAS40Q	AAS43B	AAS43B	AAS43B
Units	PPM	%	%	PPM
Detection Limit	2	0.01	0.01	50
Upper Limit	200	40	100	40000
	Ag(R)	Pb	Zn	Ag
1345				
1346		13.1		
1347				
1348	<2			
1349				
1350				
1351				
1352				
1353				
1354				
1355				
1356				
1357				
1358				
1359				
1360	20			
1361				
1362				
1363				
1364				
1365				
1366				
1367				
1368				
1369				
1370				
1371				
1372				
1373		6.88		
1374		5.28		
1375				
1376		5.03		
1377				
1378				
1379				
1380				
1381				
1382				

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref BT088064  
 Client Ref **1345-1463**  
 Project \*  
 Reported 22/05/19  
 Status Final  
 Page Page 11 of 14

### ANALYTICAL REPORT

	AAS40Q PPM 2 200 Ag(R)	AAS43B % 0.01 40 Pb	AAS43B % 0.01 100 Zn	AAS43B PPM 50 40000 Ag
1383				
1384				
1385			4.50	
1386				
1387	19			
1388	41			
1389				
1390				
1391				
1392				
1393				
1394				
1395				
1396				
1397				
1398				
1399				
1400	6			
1401			4.68	
1402				
1403				
1404				
1405				
1406	92	12.0		
1407				
1408				
1409				
1410				
1411				
1412				
1413				
1414		11.4		110
1415		15.0		140
1416				
1417				
1418				
1419				
1420			7.38	
1421				

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref BT088064  
 Client Ref **1345-1463**  
 Project \*  
 Reported 22/05/19  
 Status Final  
 Page Page 12 of 14

## ANALYTICAL REPORT

	AAS40Q PPM 2 200 Ag(R)	AAS43B % 0.01 40 Pb	AAS43B % 0.01 100 Zn	AAS43B PPM 50 40000 Ag
1422		31.6		420
1423		18.5		150
1424				
1425				
1426				
1427				
1428				
1429	69	6.05		
1430				
1431				
1432	<2			
1433				
1434				
1435				
1436				
1437				
1438				
1439				
1440				
1441				
1442				
1443				
1444				
1445				
1446				
1447				
1448	36			
1449		8.98		
1450		7.82		
1451				
1452	46			
1453				120
1454		4.98		
1455				
1456				
1457				
1458				
1459				
1460				

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



Lab Ref BT088064  
Client Ref **1345-1463**  
Project \*  
Reported 22/05/19  
Status Final  
Page Page 13 of 14

### ANALYTICAL REPORT

	AAS40Q PPM 2 200 Ag(R)	AAS43B % 0.01 40 Pb	AAS43B % 0.01 100 Zn	AAS43B PPM 50 40000 Ag
1461				
1462				
1463				

- not analysed / -- element not determined / I.S. insufficient sample / L.N.R. listed not received

Results are not intended for commercial settlement purposes.



*Lab Ref*      BT088064  
*Client Ref*    **1345-1463**  
*Project*        \*  
*Reported*      22/05/19  
*Status*         Final  
*Page*            Page 14 of 14

#### **DESCRIPTION**

AAS40Q : AAS after DIG40Q  
AAS43B : AAS after DIG43B  
CRU20 : Coarse Crushing, 6mm  
CRU22 : Crush >3.5kg, 10 Mesh (2mm), Per kg  
DIG40Q : 4 Acid Digest 0.2g-20ml  
DIG43B : 4 Acid Digest 0.25g-500ml  
DRY10 : Sample Drying, 105°C, <3.5kg  
PUL45 : Pulv, Cr Steel, 75µm, 250g  
SPL26 : Riffle Splitting, Per kg  
XRF75E : Pressed Powder XRF (2g+12g diluent)