

| Drill Core Recovery | | | | | |
|---------------------|--------|--------|----------|----------|-----------|
| Hole_ID | From | To | Interval | Measured | Recovery% |
| BS001 | 0.00 | 1.80 | 1.80 | 1.20 | 66.67 |
| BS001 | 1.80 | 2.80 | 1.00 | 0.20 | 20.00 |
| BS001 | 2.80 | 4.80 | 2.00 | 1.60 | 80.00 |
| BS001 | 4.80 | 7.90 | 3.10 | 3.10 | 100.00 |
| BS001 | 7.90 | 9.70 | 1.80 | 1.80 | 100.00 |
| BS001 | 9.70 | 10.50 | 0.80 | 0.80 | 100.00 |
| BS001 | 10.50 | 11.60 | 1.10 | 1.00 | 90.91 |
| BS001 | 11.60 | 14.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 14.60 | 17.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 17.60 | 20.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 20.60 | 23.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 23.60 | 26.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 26.60 | 29.60 | 3.00 | 2.80 | 93.33 |
| BS001 | 29.60 | 31.50 | 1.90 | 1.80 | 94.74 |
| BS001 | 31.50 | 32.60 | 1.10 | 1.10 | 100.00 |
| BS001 | 32.60 | 35.60 | 3.00 | 2.90 | 96.67 |
| BS001 | 35.60 | 38.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 38.60 | 41.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 41.60 | 44.60 | 3.00 | 2.85 | 95.00 |
| BS001 | 44.60 | 47.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 47.60 | 50.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 50.60 | 53.60 | 3.00 | 2.95 | 98.33 |
| BS001 | 53.60 | 56.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 56.60 | 59.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 59.60 | 62.60 | 3.00 | 3.05 | 101.67 |
| BS001 | 62.60 | 65.60 | 3.00 | 2.95 | 98.33 |
| BS001 | 65.60 | 68.60 | 3.00 | 2.90 | 96.67 |
| BS001 | 68.60 | 71.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 71.60 | 74.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 74.60 | 77.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 77.60 | 80.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 80.60 | 83.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 83.60 | 86.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 86.60 | 89.60 | 3.00 | 3.05 | 101.67 |
| BS001 | 89.60 | 92.60 | 3.00 | 2.90 | 96.67 |
| BS001 | 92.60 | 95.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 95.60 | 98.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 98.60 | 101.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 101.60 | 104.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 104.60 | 107.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 107.60 | 110.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 110.60 | 113.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 113.60 | 116.60 | 3.00 | 2.95 | 98.33 |
| BS001 | 116.60 | 119.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 119.60 | 122.60 | 3.00 | 3.00 | 100.00 |

| Drill Core Recovery | | | | | |
|---------------------|--------|--------|----------|----------|-----------|
| Hole_ID | From | To | Interval | Measured | Recovery% |
| BS001 | 122.60 | 125.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 125.60 | 128.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 128.60 | 131.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 131.60 | 134.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 134.60 | 137.60 | 3.00 | 2.95 | 98.33 |
| BS001 | 137.60 | 140.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 140.60 | 143.30 | 2.70 | 3.00 | 111.11 |
| BS001 | 143.30 | 146.60 | 3.30 | 3.00 | 90.91 |
| BS001 | 146.60 | 149.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 149.60 | 152.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 152.60 | 155.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 155.60 | 158.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 158.60 | 161.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 161.60 | 164.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 164.60 | 167.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 167.60 | 170.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 170.60 | 173.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 173.60 | 176.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 176.60 | 179.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 179.60 | 182.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 182.60 | 185.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 185.60 | 188.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 188.60 | 191.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 191.60 | 194.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 194.60 | 197.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 197.60 | 200.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 200.60 | 203.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 203.60 | 206.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 206.60 | 209.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 209.60 | 212.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 212.60 | 215.60 | 3.00 | 2.90 | 96.67 |
| BS001 | 215.60 | 218.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 218.60 | 221.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 221.60 | 224.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 224.60 | 227.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 227.60 | 230.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 230.60 | 233.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 233.60 | 236.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 236.60 | 239.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 239.60 | 242.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 242.60 | 245.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 245.60 | 248.60 | 3.00 | 3.00 | 100.00 |
| BS001 | 248.60 | 250.50 | 1.90 | 1.90 | 100.00 |
| | | | 250.50 | 247.65 | 98.9% |
| Run average | | | 2.85 | | |