



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **TINONE RESOURCES CORPORATION**
1001-1030 WEST GEORGIA ST
VANCOUVER BC V6E 2Y3
CANADA

Page: 1
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 18-DEC-2020
This copy reported on 23-DEC-2020
Account: TINONE

CERTIFICATE BR20281264

Project: Panama Project

This report is for 190 Soil samples submitted to our lab in Burnie, TAS, Australia on 1-DEC-2020.

The following have access to data associated with this certificate:

RUSSELL FULTON

STUART SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
LEV-01	Waste Disposal Levy
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
AuME-ST43	25g Super Trace Au + Multi Element PKG

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: HYP-PKG being run under BR20283906.

Signature:

Shaun Kenny, Brisbane Laboratory Manager



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **TINONE RESOURCES CORPORATION**
1001-1030 WEST GEORGIA ST
VANCOUVER BC V6E 2Y3
CANADA

Page: 2 - A
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-DEC-2020
 Account: TINONE

Project: Panama Project

CERTIFICATE OF ANALYSIS BR20281264

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	AuME-ST43 Au ppm 0.0001	AuME-ST43 Ag ppm 0.001	AuME-ST43 Al % 0.01	AuME-ST43 As ppm 0.01	AuME-ST43 B ppm 10	AuME-ST43 Ba ppm 0.5	AuME-ST43 Be ppm 0.01	AuME-ST43 Bi ppm 0.001	AuME-ST43 Ca % 0.01	AuME-ST43 Cd ppm 0.001	AuME-ST43 Ce ppm 0.003	AuME-ST43 Co ppm 0.001	AuME-ST43 Cr ppm 0.01	AuME-ST43 Cs ppm 0.005
RG119901		0.93	0.0015	0.027	1.81	5.09	<10	22.1	0.29	0.416	0.03	0.008	39.4	2.47	30.8	2.78
RG119902		0.95	0.0034	0.020	3.84	28.2	<10	31.0	0.55	1.080	0.03	<0.001	22.4	2.57	50.4	2.34
RG119903		0.95	0.0023	0.019	1.69	19.10	<10	15.9	0.19	0.744	0.02	<0.001	23.8	0.523	23.4	1.185
RG119904		0.95	0.0015	0.079	0.65	46.9	<10	13.0	0.08	1.600	0.03	0.002	21.6	0.224	13.85	0.404
RG119905		0.94	0.0041	0.027	1.14	8.99	<10	8.9	0.15	0.317	0.01	<0.001	21.9	0.341	25.0	0.447
RG119906		0.86	0.0019	0.014	2.37	9.86	<10	15.3	0.23	0.700	0.04	<0.001	22.6	0.433	41.9	0.899
RG119907		0.94	0.0018	0.016	2.10	1.56	<10	22.7	0.28	0.287	0.01	<0.001	33.8	0.949	30.6	1.770
RG119908		0.91	0.0009	0.011	1.59	0.54	<10	36.5	0.64	0.204	0.01	0.002	86.8	5.08	22.7	2.60
RG119909		0.93	0.0008	0.021	1.42	0.66	<10	45.5	0.37	0.318	0.04	<0.001	56.1	4.10	27.7	3.31
RG119910		0.94	0.0008	0.022	1.45	4.54	<10	29.3	0.32	0.363	0.01	<0.001	38.4	1.215	28.6	2.12
RG119911		0.89	0.0060	0.030	4.31	10.65	<10	33.9	0.91	0.537	0.01	<0.001	31.5	4.32	66.6	4.99
RG119912		0.93	0.0006	0.016	0.70	0.26	<10	20.3	0.16	0.168	0.01	<0.001	71.2	0.951	7.78	2.10
RG119913		0.87	0.0009	0.014	1.27	1.59	<10	25.5	0.22	0.199	0.06	0.002	33.5	1.860	18.70	3.07
RG119914		0.94	0.0017	0.015	2.28	8.22	<10	17.2	0.42	0.464	0.03	0.001	19.75	1.670	39.8	3.01
RG119915		0.87	0.0008	0.013	1.28	3.96	<10	15.1	0.19	0.498	0.04	<0.001	13.75	0.865	25.9	1.585
RG119916		0.88	0.0022	0.008	2.06	8.76	<10	18.0	0.23	0.735	0.01	<0.001	16.60	1.665	42.0	1.960
RG119917		0.98	0.0028	0.013	3.16	11.85	<10	15.8	0.29	0.627	0.01	<0.001	13.90	0.585	52.7	1.910
RG119918		0.90	0.0015	0.021	2.18	6.78	<10	14.4	0.21	0.404	0.01	0.001	12.95	1.000	36.1	2.23
RG119919		0.95	0.0003	0.042	0.89	1.80	<10	18.4	0.12	0.174	0.06	0.005	11.10	1.465	19.35	1.225
RG119920		0.93	0.0004	0.017	1.09	0.76	<10	27.7	0.18	0.214	0.05	0.006	23.7	1.145	21.6	1.635
RG119921		0.95	0.0007	0.022	2.05	2.78	<10	30.4	0.34	0.315	0.05	0.006	28.8	2.12	32.5	2.56
RG119922		0.94	0.0013	0.022	1.30	7.38	<10	17.7	0.15	0.233	0.01	0.002	25.0	0.475	19.85	1.235
RG119923		0.95	0.0008	0.039	1.33	3.73	<10	20.9	0.28	0.386	0.04	0.003	42.3	0.514	31.5	0.478
RG119924		0.95	0.0004	0.015	1.06	3.35	<10	12.8	0.12	0.297	0.04	<0.001	33.3	0.234	22.6	0.428
RG119925		0.87	0.0066	0.025	3.89	20.8	<10	25.0	0.41	0.720	0.01	<0.001	15.50	0.692	55.1	1.350
RG119926		0.89	0.0005	0.005	0.39	1.69	<10	4.5	0.02	0.151	0.01	0.003	27.8	0.186	4.01	0.887
RG119927		0.93	0.0029	0.016	1.29	14.05	<10	12.5	0.12	0.546	0.01	<0.001	31.7	0.424	16.35	1.365
RG119928		0.90	0.0017	0.017	1.11	6.86	<10	15.8	0.13	0.323	0.02	0.002	28.0	0.358	15.70	0.922
RG119929		0.94	0.0324	0.025	2.68	22.4	<10	21.1	0.27	0.561	0.02	<0.001	24.2	0.406	40.2	0.710
RG119930		0.95	0.0009	0.015	0.62	7.73	<10	8.4	0.07	0.288	<0.01	0.003	34.7	0.168	16.80	0.400
RG119931		0.92	0.0027	0.015	2.05	24.9	<10	23.0	0.16	0.609	0.02	<0.001	13.60	0.300	26.5	0.566
RG119932		0.77	0.0335	0.024	2.44	49.0	<10	33.2	0.17	0.464	0.04	<0.001	27.2	0.350	46.1	0.594
RG119933		0.92	0.0013	0.017	1.52	6.31	<10	10.2	0.14	0.273	<0.01	0.001	21.3	0.425	19.35	0.601
RG119934		0.91	0.0028	0.027	4.10	16.70	<10	24.1	0.61	0.465	0.02	0.004	17.35	1.220	56.9	2.50
RG119935		0.91	0.0008	0.026	2.13	5.11	<10	17.6	0.21	0.291	0.01	<0.001	37.5	1.340	32.1	2.25
RG119936		0.91	0.0008	0.024	0.96	3.60	<10	13.1	0.09	0.138	0.03	0.003	22.0	0.561	16.50	1.175
RG119937		0.91	0.0010	0.018	2.37	12.45	<10	18.7	0.19	0.176	0.02	0.001	22.8	0.538	38.0	1.290
RG119938		0.93	0.0021	0.013	1.82	7.66	<10	19.0	0.14	0.125	0.03	<0.001	26.8	0.388	29.8	0.540
RG119939		0.92	0.0002	0.010	0.68	3.62	<10	10.0	0.06	0.199	0.01	<0.001	19.55	0.209	19.50	0.855
RG119940		0.67	0.0010	0.014	2.81	12.55	<10	18.9	0.23	0.273	0.01	0.001	25.4	0.685	58.7	1.180

Comments: HYP-PKG being run under BR20283906.



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **TINONE RESOURCES CORPORATION**
1001-1030 WEST GEORGIA ST
VANCOUVER BC V6E 2Y3
CANADA

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 18-DEC-2020
Account: TINONE

Project: Panama Project

CERTIFICATE OF ANALYSIS BR20281264

Sample Description	Method Analyte Units LOD	AuME-ST43 Cu ppm 0.01	AuME-ST43 Fe % 0.001	AuME-ST43 Ga ppm 0.004	AuME-ST43 Ge ppm 0.005	AuME-ST43 Hf ppm 0.002	AuME-ST43 Hg ppm 0.004	AuME-ST43 In ppm 0.005	AuME-ST43 K % 0.01	AuME-ST43 La ppm 0.002	AuME-ST43 Li ppm 0.1	AuME-ST43 Mg % 0.01	AuME-ST43 Mn ppm 0.1	AuME-ST43 Mo ppm 0.01	AuME-ST43 Na % 0.001	AuME-ST43 Nb ppm 0.002
RG119901		14.80	2.70	6.72	0.053	0.146	0.054	0.031	0.14	19.15	10.9	0.11	110.5	0.51	0.007	1.635
RG119902		25.2	3.90	12.10	0.043	0.354	0.129	0.060	0.11	11.15	22.3	0.09	102.5	0.85	0.008	0.961
RG119903		10.05	2.12	5.83	0.038	0.081	0.072	0.029	0.04	12.25	7.4	0.03	36.8	0.52	0.007	0.483
RG119904		7.75	1.320	2.65	0.032	0.037	0.021	0.015	0.02	11.15	2.3	0.01	17.3	0.33	0.004	0.224
RG119905		8.48	2.15	4.53	0.040	0.128	0.085	0.023	0.02	10.90	2.8	0.01	20.8	0.47	0.003	0.377
RG119906		12.60	4.12	9.09	0.045	0.207	0.042	0.048	0.05	11.45	9.1	0.03	37.2	1.18	0.007	0.730
RG119907		11.75	2.88	7.33	0.048	0.107	0.068	0.034	0.07	17.30	12.1	0.04	47.9	0.56	0.007	0.981
RG119908		11.60	1.680	4.72	0.075	0.048	0.055	0.020	0.10	33.4	10.6	0.09	277	0.38	0.008	0.509
RG119909		19.85	2.17	5.29	0.063	0.042	0.029	0.021	0.25	27.6	8.4	0.20	553	0.50	0.003	0.920
RG119910		16.55	2.26	6.07	0.048	0.125	0.023	0.033	0.09	19.20	5.5	0.07	91.1	0.59	0.003	0.756
RG119911		36.3	4.93	13.15	0.052	0.403	0.160	0.065	0.16	15.40	32.7	0.15	75.9	0.96	0.010	3.08
RG119912		3.46	0.600	2.92	0.075	0.005	0.042	0.007	0.06	35.7	5.6	0.04	106.0	0.15	0.002	0.609
RG119913		9.24	1.650	4.69	0.046	0.053	0.047	0.017	0.09	16.85	7.8	0.08	336	0.41	0.007	1.315
RG119914		20.7	4.08	9.36	0.045	0.134	0.061	0.043	0.05	8.78	9.3	0.03	179.0	1.02	0.007	1.760
RG119915		14.50	2.29	5.31	0.033	0.081	0.054	0.026	0.07	6.20	4.7	0.06	63.3	0.49	<0.001	1.410
RG119916		27.3	3.12	7.04	0.042	0.349	0.050	0.036	0.13	7.06	7.2	0.14	39.7	0.90	<0.001	2.54
RG119917		19.90	4.45	10.10	0.043	0.414	0.066	0.062	0.03	5.97	10.3	0.02	19.0	1.76	<0.001	1.055
RG119918		15.05	3.39	8.33	0.039	0.151	0.070	0.046	0.06	6.25	8.6	0.04	66.5	1.37	0.005	1.490
RG119919		10.20	1.920	3.71	0.032	0.053	0.065	0.016	0.07	5.59	3.1	0.07	374	0.39	0.007	0.653
RG119920		12.50	2.11	4.05	0.046	0.071	0.049	0.018	0.05	11.60	5.1	0.05	268	0.38	0.009	0.905
RG119921		20.8	3.03	7.19	0.053	0.192	0.047	0.029	0.12	14.30	10.6	0.11	162.5	0.75	0.010	1.460
RG119922		5.51	2.10	5.09	0.046	0.088	0.040	0.023	0.04	12.75	7.1	0.02	38.9	0.75	0.008	0.861
RG119923		27.0	4.29	5.56	0.075	0.077	0.040	0.027	0.04	21.5	4.2	0.02	150.0	0.45	0.006	0.528
RG119924		7.27	2.25	5.24	0.056	0.076	0.023	0.018	0.04	17.00	2.6	0.02	76.8	0.49	0.007	0.547
RG119925		13.80	4.32	10.10	0.049	0.498	0.097	0.071	0.05	7.92	19.8	0.02	17.5	2.80	0.007	0.780
RG119926		1.51	0.660	2.28	0.044	0.005	0.041	0.007	0.01	13.80	1.5	0.01	22.1	0.15	0.003	0.399
RG119927		5.54	1.910	5.03	0.055	0.056	0.073	0.020	0.03	15.95	8.6	0.01	24.1	0.37	0.005	0.948
RG119928		3.83	1.830	4.80	0.033	0.049	0.055	0.016	0.02	14.20	4.4	0.02	22.6	0.34	0.005	0.766
RG119929		26.1	3.23	7.32	0.055	0.401	0.119	0.047	0.02	12.10	7.8	0.02	30.2	1.19	0.006	0.574
RG119930		12.80	1.770	3.19	0.054	0.074	0.012	0.012	0.02	16.90	0.4	0.01	9.1	0.36	0.005	0.263
RG119931		4.36	2.06	8.54	0.023	0.181	0.091	0.036	0.02	6.52	5.9	0.01	9.7	0.78	0.004	0.381
RG119932		4.85	2.49	8.18	0.034	0.372	0.073	0.037	0.03	11.20	8.6	0.01	20.0	0.55	0.009	0.526
RG119933		3.91	1.470	3.86	0.037	0.128	0.069	0.019	0.02	10.75	4.7	0.01	15.8	0.31	0.005	0.504
RG119934		33.7	5.13	12.10	0.058	0.608	0.138	0.062	0.06	8.44	14.2	0.04	63.5	1.66	0.011	2.10
RG119935		10.40	3.00	7.57	0.046	0.102	0.090	0.032	0.08	17.20	13.4	0.05	100.0	0.84	0.007	2.00
RG119936		5.28	1.320	3.86	0.026	0.024	0.050	0.015	0.04	10.65	5.8	0.02	133.0	0.35	0.004	0.761
RG119937		3.46	2.82	7.78	0.036	0.217	0.067	0.039	0.04	11.25	12.9	0.02	49.4	0.75	0.004	0.900
RG119938		2.00	2.20	6.11	0.040	0.179	0.039	0.033	0.03	12.80	10.9	0.02	10.5	0.52	0.001	0.467
RG119939		5.14	1.460	3.42	0.027	0.074	0.011	0.014	0.02	9.25	2.5	0.01	24.5	0.47	0.004	0.825
RG119940		10.90	4.16	9.51	0.043	0.512	0.033	0.041	0.05	11.55	10.8	0.04	24.6	0.96	0.007	1.280

Comments: HYP-PKG being run under BR20283906.

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **TINONE RESOURCES CORPORATION**
1001-1030 WEST GEORGIA ST
VANCOUVER BC V6E 2Y3
CANADA

Page: 2 - C
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-DEC-2020
 Account: TINONE

Project: Panama Project

CERTIFICATE OF ANALYSIS BR20281264

Sample Description	Method Analyte Units LOD	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43
		Ni	P	Pb	Pd	Pt	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm 0.04	% 0.001	ppm 0.005	ppm 0.001	ppm 0.001	ppm 0.005	ppm 0.001	% 0.01	ppm 0.005	ppm 0.005	ppm 0.1	ppm 0.01	ppm 0.01	ppm 0.005	ppm 0.01
RG119901		8.56	0.009	8.64	0.001	0.001	26.0	<0.001	0.01	0.384	1.430	0.6	1.20	5.38	<0.005	0.03
RG119902		12.35	0.009	11.65	<0.001	0.001	24.2	<0.001	0.02	0.407	2.41	1.3	2.16	5.74	<0.005	0.05
RG119903		3.43	0.007	7.66	0.001	<0.001	12.40	<0.001	0.01	0.450	0.993	0.7	1.06	3.76	<0.005	0.03
RG119904		1.10	0.005	4.69	<0.001	<0.001	4.93	<0.001	0.01	0.461	0.443	0.5	0.60	4.14	<0.005	0.04
RG119905		1.53	0.008	10.50	<0.001	<0.001	3.21	<0.001	0.02	0.465	1.175	0.8	0.85	2.43	<0.005	0.02
RG119906		3.07	0.007	7.69	<0.001	0.001	10.30	<0.001	0.02	0.700	1.305	0.9	1.43	5.15	<0.005	0.05
RG119907		5.90	0.007	9.40	<0.001	<0.001	16.75	<0.001	0.01	0.306	1.445	0.4	1.15	4.01	<0.005	0.02
RG119908		9.23	0.008	8.16	<0.001	0.001	26.3	<0.001	0.03	0.190	4.14	0.2	0.80	3.43	<0.005	0.02
RG119909		12.45	0.008	10.80	<0.001	<0.001	39.0	<0.001	0.03	0.236	1.860	0.2	0.85	7.84	<0.005	0.03
RG119910		5.35	0.006	9.60	<0.001	<0.001	16.20	<0.001	0.03	0.322	1.510	0.3	0.99	4.94	<0.005	0.04
RG119911		19.50	0.011	25.9	<0.001	0.001	23.4	<0.001	0.05	0.526	4.42	1.4	2.21	5.68	<0.005	0.05
RG119912		2.79	0.006	5.41	<0.001	<0.001	19.70	<0.001	0.03	0.103	0.690	0.1	0.56	2.73	<0.005	0.01
RG119913		5.40	0.011	8.84	<0.001	0.001	23.0	<0.001	0.02	0.274	0.914	0.3	0.86	8.76	<0.005	0.02
RG119914		5.47	0.011	11.55	0.001	0.001	17.65	<0.001	0.02	0.642	2.42	0.8	1.62	4.21	<0.005	0.04
RG119915		3.86	0.008	5.42	<0.001	<0.001	11.75	<0.001	0.01	0.335	0.760	0.5	1.01	4.05	<0.005	0.02
RG119916		6.07	0.009	7.62	0.001	0.001	13.90	<0.001	0.02	0.424	1.900	1.0	1.33	3.69	<0.005	0.03
RG119917		3.62	0.007	10.60	0.001	0.001	7.83	<0.001	0.02	0.553	2.48	1.0	1.78	1.75	<0.005	0.04
RG119918		4.55	0.009	10.00	<0.001	<0.001	15.00	<0.001	0.01	0.433	1.230	0.7	1.37	2.50	<0.005	0.03
RG119919		4.57	0.011	5.21	<0.001	<0.001	12.90	<0.001	0.01	0.178	0.514	0.4	0.53	7.74	<0.005	0.02
RG119920		4.03	0.012	9.87	0.001	0.001	12.05	<0.001	0.02	0.182	1.110	0.5	0.65	14.35	<0.005	0.01
RG119921		8.77	0.010	11.05	0.001	0.001	22.4	<0.001	0.02	0.231	1.685	0.4	1.18	15.65	<0.005	0.02
RG119922		2.36	0.006	6.16	<0.001	<0.001	7.56	<0.001	0.01	0.262	0.797	0.4	0.87	4.19	<0.005	0.01
RG119923		2.32	0.008	10.75	<0.001	0.001	6.42	<0.001	0.02	0.911	1.965	0.7	0.68	5.64	<0.005	0.05
RG119924		1.67	0.006	5.97	<0.001	<0.001	6.77	<0.001	0.01	0.625	0.716	0.3	0.77	4.31	<0.005	0.03
RG119925		5.03	0.009	15.55	0.001	0.001	14.25	<0.001	0.03	1.670	1.800	1.5	1.77	4.19	<0.005	0.06
RG119926		0.60	0.004	3.22	<0.001	<0.001	5.61	<0.001	0.01	0.084	0.278	0.1	0.36	1.20	<0.005	<0.01
RG119927		2.66	0.008	5.61	<0.001	<0.001	8.45	<0.001	0.01	0.216	0.764	0.9	0.94	3.47	<0.005	0.02
RG119928		2.47	0.008	4.13	<0.001	<0.001	6.80	<0.001	0.01	0.230	0.559	0.6	0.78	4.33	<0.005	0.02
RG119929		3.99	0.006	11.85	<0.001	0.001	4.74	<0.001	0.02	0.595	1.755	1.3	0.97	3.35	<0.005	0.05
RG119930		0.99	0.004	4.19	<0.001	0.001	4.84	<0.001	0.01	0.610	0.782	0.3	0.47	1.91	<0.005	0.02
RG119931		2.11	0.005	7.63	<0.001	<0.001	3.18	<0.001	0.02	0.265	1.425	0.9	1.18	4.12	<0.005	0.05
RG119932		3.64	0.008	11.80	<0.001	0.001	3.76	<0.001	0.02	0.444	1.460	1.1	1.28	9.50	<0.005	0.05
RG119933		1.76	0.005	4.71	<0.001	<0.001	5.00	<0.001	0.02	0.231	0.739	0.4	0.69	1.80	<0.005	0.01
RG119934		6.45	0.015	28.1	0.002	0.001	15.70	<0.001	0.03	1.090	4.06	1.6	1.91	6.19	<0.005	0.05
RG119935		6.60	0.013	10.40	<0.001	<0.001	19.00	<0.001	0.02	0.485	1.300	0.8	1.31	4.28	<0.005	0.03
RG119936		3.10	0.011	5.10	<0.001	<0.001	8.66	<0.001	0.01	0.305	0.493	0.4	0.75	5.37	<0.005	0.01
RG119937		3.46	0.011	11.25	<0.001	<0.001	7.91	<0.001	0.02	0.649	1.140	0.9	1.38	6.81	<0.005	0.02
RG119938		3.54	0.006	9.38	<0.001	0.001	3.48	<0.001	0.01	0.647	1.085	0.7	0.92	5.29	<0.005	0.01
RG119939		1.13	0.004	3.55	<0.001	<0.001	5.54	<0.001	0.01	0.369	0.728	0.4	0.64	3.36	<0.005	0.01
RG119940		3.29	0.007	9.92	<0.001	0.001	6.94	<0.001	0.02	0.912	2.44	1.1	1.59	5.88	<0.005	0.03

Comments: HYP-PKG being run under BR20283906.

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **TINONE RESOURCES CORPORATION**
1001-1030 WEST GEORGIA ST
VANCOUVER BC V6E 2Y3
CANADA

Page: 2 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-DEC-2020
 Account: TINONE

Project: Panama Project

CERTIFICATE OF ANALYSIS BR20281264

Sample Description	Method Analyte Units LOD	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43
		Th	Ti	Ti	U	V	W	Y	Zn
		ppm 0.002	% 0.001	ppm 0.002	ppm 0.005	ppm 0.1	ppm 0.001	ppm 0.003	ppm 0.1
RG119901		9.73	0.006	0.145	0.607	39.2	1.400	1.970	26.7
RG119902		16.65	0.001	0.165	1.055	67.1	0.105	1.555	23.3
RG119903		8.01	0.001	0.091	0.552	35.3	0.422	1.465	7.2
RG119904		4.67	0.001	0.031	0.295	18.2	0.822	1.140	2.6
RG119905		11.45	0.002	0.051	0.715	29.0	1.205	1.245	3.9
RG119906		16.10	0.001	0.083	0.622	53.7	0.114	1.335	9.1
RG119907		9.55	0.002	0.110	0.692	43.0	0.090	1.640	12.3
RG119908		9.97	0.009	0.205	1.005	25.6	0.140	5.44	27.5
RG119909		10.50	0.017	0.166	0.773	30.1	0.121	2.85	34.4
RG119910		10.25	0.002	0.101	0.612	38.1	0.114	1.935	17.1
RG119911		17.45	0.006	0.345	1.275	72.2	0.113	2.52	44.9
RG119912		6.26	0.006	0.094	0.589	11.3	0.098	3.21	11.3
RG119913		5.10	0.004	0.106	0.496	24.5	0.186	1.630	16.0
RG119914		9.28	0.004	0.179	1.010	53.8	0.130	1.105	16.1
RG119915		5.71	0.005	0.077	0.451	33.1	0.375	0.619	11.1
RG119916		11.25	0.013	0.123	0.875	46.9	0.179	1.050	19.1
RG119917		15.85	0.001	0.114	1.200	68.7	0.166	0.749	4.4
RG119918		9.09	0.003	0.108	0.724	54.1	0.255	0.773	12.6
RG119919		2.54	0.005	0.079	0.336	26.5	0.384	0.727	11.8
RG119920		5.63	0.003	0.079	0.589	30.2	0.141	1.350	9.0
RG119921		10.20	0.004	0.115	0.791	44.1	0.171	2.14	20.5
RG119922		6.43	0.002	0.046	0.414	31.2	0.128	1.140	7.5
RG119923		11.45	0.001	0.027	0.636	36.5	0.137	2.64	19.1
RG119924		7.65	0.001	0.030	0.440	28.8	0.068	1.885	7.7
RG119925		19.95	<0.001	0.126	0.851	68.3	0.083	1.110	5.6
RG119926		2.32	0.003	0.023	0.264	10.6	0.081	1.190	4.0
RG119927		5.45	0.003	0.048	0.398	28.7	0.190	1.665	5.8
RG119928		4.38	0.002	0.044	0.410	27.3	0.131	1.495	5.3
RG119929		22.5	0.001	0.081	1.090	49.4	0.058	1.495	5.6
RG119930		8.73	0.002	0.045	0.382	22.9	0.050	1.940	9.1
RG119931		9.90	0.001	0.030	0.473	46.6	0.135	1.245	3.0
RG119932		14.20	0.001	0.033	0.633	48.9	0.146	1.965	5.6
RG119933		6.15	0.002	0.036	0.348	22.6	0.095	1.150	6.0
RG119934		17.60	0.001	0.141	1.855	64.8	0.104	1.580	16.0
RG119935		8.12	0.004	0.123	0.638	45.8	0.787	1.800	15.0
RG119936		3.07	0.004	0.054	0.318	23.2	1.175	1.040	8.1
RG119937		11.85	0.001	0.064	0.792	47.1	0.174	1.215	6.0
RG119938		11.35	0.001	0.031	0.489	38.3	0.187	1.410	2.1
RG119939		5.36	0.005	0.025	0.347	22.5	0.202	0.904	2.8
RG119940		15.85	0.003	0.070	0.873	57.6	0.707	1.415	7.2

Comments: HYP-PKG being run under BR20283906.

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **TINONE RESOURCES CORPORATION**
1001-1030 WEST GEORGIA ST
VANCOUVER BC V6E 2Y3
CANADA

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 18-DEC-2020
Account: TINONE

Project: Panama Project

CERTIFICATE OF ANALYSIS BR20281264

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	AuME-ST43 Au ppm 0.0001	AuME-ST43 Ag ppm 0.001	AuME-ST43 Al % 0.01	AuME-ST43 As ppm 0.01	AuME-ST43 B ppm 10	AuME-ST43 Ba ppm 0.5	AuME-ST43 Be ppm 0.01	AuME-ST43 Bi ppm 0.001	AuME-ST43 Ca % 0.01	AuME-ST43 Cd ppm 0.001	AuME-ST43 Ce ppm 0.003	AuME-ST43 Co ppm 0.001	AuME-ST43 Cr ppm 0.01	AuME-ST43 Cs ppm 0.005
RG119941		0.54	0.0032	0.017	2.56	3.67	<10	20.1	0.34	0.355	0.01	0.006	32.9	0.572	36.6	1.400
RG119942		0.64	0.0064	0.023	2.85	3.13	<10	19.0	0.37	0.493	0.01	0.004	44.5	1.655	52.9	1.700
RG119943		0.70	0.0016	0.037	2.63	2.31	<10	24.8	0.39	0.635	0.01	0.003	39.4	1.740	41.5	5.82
RG119944		0.61	0.0008	0.017	1.57	1.81	<10	11.5	0.26	1.080	0.02	0.006	30.2	0.590	30.8	1.135
RG119945		0.69	0.0016	0.014	1.68	0.88	<10	10.6	0.21	0.366	<0.01	0.003	30.7	0.275	52.9	0.701
RG119946		0.64	0.0023	0.019	3.25	20.5	<10	21.7	0.24	0.458	0.01	<0.001	29.0	0.526	74.4	1.330
RG119947		0.56	0.0011	0.021	1.88	1.62	<10	12.5	0.22	0.369	0.03	0.002	29.9	1.200	35.7	1.315
RG119948		0.63	0.0002	0.010	0.56	0.36	<10	5.8	0.04	0.143	<0.01	0.002	35.4	0.220	6.27	0.797
RG119949		0.61	0.0028	0.009	1.95	2.30	<10	18.6	0.21	0.271	0.01	<0.001	24.8	0.552	32.0	1.070
RG119950		0.70	0.0003	0.010	1.08	0.72	<10	13.0	0.10	0.175	0.02	<0.001	26.7	0.317	16.15	0.582
RG119951		0.58	0.0008	0.020	0.89	1.62	<10	22.9	0.20	0.241	0.08	0.002	47.1	0.470	25.2	0.885
RG119952		0.60	0.0019	0.012	1.28	5.64	<10	9.5	0.17	0.122	<0.01	0.003	29.6	0.359	18.30	1.625
RG119953		0.66	0.0019	0.013	1.46	2.97	<10	12.0	0.13	0.277	0.01	<0.001	18.30	0.345	20.5	1.040
RG119954		0.61	0.0053	0.007	0.69	5.63	<10	7.0	0.10	0.114	0.01	<0.001	13.80	0.179	21.6	0.342
RG119955		0.53	0.0157	0.024	2.30	9.20	<10	15.3	0.24	0.479	<0.01	<0.001	26.0	0.443	30.9	1.060
RG119956		0.78	0.0053	0.029	2.09	2.27	<10	22.1	0.27	0.481	0.02	0.003	33.3	1.075	28.3	1.750
RG119957		0.44	0.0033	0.022	2.10	9.47	<10	19.5	0.31	0.316	0.01	0.003	31.3	1.780	34.7	2.38
RG119958		0.61	0.0016	0.028	1.81	22.9	<10	16.3	0.22	0.288	0.01	0.001	21.1	0.545	32.9	1.120
RG119959		0.52	0.0020	0.036	2.12	92.6	<10	19.4	0.23	0.329	0.01	<0.001	16.15	0.423	54.5	0.905
RG119960		0.58	0.0002	0.014	0.27	0.53	<10	4.9	0.03	0.076	<0.01	0.005	13.85	0.204	4.02	0.561
RG119961		0.62	0.0003	0.016	0.67	7.65	<10	13.1	0.09	0.142	0.01	0.001	29.2	0.640	18.45	1.385
RG119962		0.46	0.0048	0.021	4.20	30.2	<10	23.0	0.34	0.551	0.01	<0.001	21.5	0.929	62.9	2.14
RG119963		0.51	0.0020	0.041	1.31	10.45	<10	14.1	0.13	0.285	0.01	0.009	19.30	0.746	25.0	1.920
RG119964		0.65	0.0008	0.024	1.09	1.61	<10	14.9	0.19	0.330	0.01	0.005	17.60	3.40	22.8	2.35
RG119965		0.59	0.0020	0.027	0.73	7.49	<10	13.6	0.08	0.334	0.02	0.006	14.70	0.488	16.95	1.405
RG119966		0.71	0.0016	0.025	1.17	4.17	<10	10.2	0.12	0.308	0.01	0.005	26.2	0.736	23.4	1.670
RG119967		0.64	0.0016	0.018	1.72	2.56	<10	21.5	0.25	0.326	0.01	0.001	35.6	2.12	25.1	2.59
RG119968		0.52	0.0014	0.017	1.69	0.50	<10	18.2	0.30	0.383	0.01	<0.001	27.4	1.275	28.2	1.915
RG119969		0.54	0.0013	0.015	1.68	0.73	<10	16.7	0.18	0.388	0.01	<0.001	22.7	0.889	27.9	1.465
RG119970		0.49	0.0005	0.013	1.30	0.69	<10	15.6	0.20	0.299	0.04	0.002	14.20	0.999	22.3	1.330
RG119971		0.37	0.0012	0.010	1.58	0.80	<10	13.3	0.16	0.525	0.01	<0.001	20.5	0.348	33.8	0.681
RG119972		0.56	0.0009	0.011	0.85	0.56	<10	9.2	0.18	0.365	<0.01	<0.001	26.1	0.273	40.3	0.378
RG119973		0.72	0.0003	0.014	0.84	0.57	<10	14.6	0.12	0.280	0.02	0.002	34.0	0.714	21.5	0.777
RG119974		0.61	0.0003	0.015	1.05	0.26	<10	13.6	0.15	0.194	<0.01	<0.001	36.6	0.501	15.35	1.360
RG119975		0.59	0.0004	0.033	1.11	0.52	<10	19.4	0.33	0.172	0.01	0.001	30.8	2.84	18.90	2.27
RG119976		0.68	0.0010	0.018	1.47	0.70	<10	15.8	0.32	0.275	0.01	0.002	15.10	0.359	29.6	0.768
RG119977		0.65	0.0007	0.012	1.04	1.00	<10	14.5	0.15	0.185	0.01	0.002	21.4	0.436	17.15	0.871
RG119978		0.51	0.0007	0.014	1.65	0.94	<10	14.9	0.17	0.234	0.01	<0.001	13.50	0.358	29.7	0.542
RG119979		0.54	0.0006	0.008	0.98	1.06	<10	16.0	0.11	0.257	0.03	<0.001	12.45	0.189	25.0	0.249
RG119980		0.52	0.0023	0.015	2.63	6.93	<10	16.6	0.33	0.417	0.01	<0.001	4.21	0.372	33.5	0.832

Comments: HYP-PKG being run under BR20283906.

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **TINONE RESOURCES CORPORATION**
1001-1030 WEST GEORGIA ST
VANCOUVER BC V6E 2Y3
CANADA

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 18-DEC-2020
Account: TINONE

Project: Panama Project

CERTIFICATE OF ANALYSIS BR20281264

Sample Description	Method Analyte Units LOD	AuME-ST43 Cu ppm 0.01	AuME-ST43 Fe % 0.001	AuME-ST43 Ga ppm 0.004	AuME-ST43 Ge ppm 0.005	AuME-ST43 Hf ppm 0.002	AuME-ST43 Hg ppm 0.004	AuME-ST43 In ppm 0.005	AuME-ST43 K % 0.01	AuME-ST43 La ppm 0.002	AuME-ST43 Li ppm 0.1	AuME-ST43 Mg % 0.01	AuME-ST43 Mn ppm 0.1	AuME-ST43 Mo ppm 0.01	AuME-ST43 Na % 0.001	AuME-ST43 Nb ppm 0.002
RG119941		12.05	2.66	6.51	0.044	0.285	0.066	0.038	0.03	16.00	12.9	0.02	32.9	1.03	0.006	1.015
RG119942		20.9	4.23	9.54	0.062	0.315	0.061	0.036	0.07	20.4	15.0	0.05	52.0	1.27	0.005	1.125
RG119943		23.4	3.02	9.03	0.052	0.221	0.091	0.045	0.09	17.55	24.9	0.09	72.3	1.35	0.005	0.934
RG119944		27.1	3.27	6.11	0.045	0.168	0.079	0.035	0.03	14.30	7.7	0.02	110.5	0.96	0.004	0.749
RG119945		11.50	3.54	6.50	0.048	0.405	0.065	0.026	0.02	14.00	7.0	0.01	8.6	0.61	0.003	0.607
RG119946		12.00	4.57	10.45	0.046	0.446	0.059	0.051	0.03	13.10	14.3	0.02	40.5	16.00	0.007	1.030
RG119947		15.05	3.40	8.23	0.049	0.152	0.065	0.030	0.06	14.25	7.4	0.04	91.5	0.68	0.005	1.660
RG119948		2.01	0.790	3.32	0.041	0.010	0.051	0.011	0.02	18.00	2.5	0.01	23.0	0.26	0.003	0.327
RG119949		10.65	2.95	7.34	0.039	0.114	0.066	0.036	0.03	12.45	8.6	0.02	26.8	0.55	0.005	0.609
RG119950		2.49	1.760	4.58	0.037	0.065	0.035	0.020	0.02	13.35	3.9	0.02	31.0	0.34	0.004	0.490
RG119951		11.35	2.07	4.33	0.053	0.062	0.023	0.017	0.05	23.8	2.5	0.03	190.5	0.19	0.009	0.923
RG119952		4.23	2.07	4.45	0.042	0.068	0.063	0.022	0.02	13.90	6.6	0.01	22.6	0.43	0.003	0.968
RG119953		3.66	2.29	6.45	0.030	0.084	0.044	0.027	0.02	9.33	7.6	0.01	23.1	0.69	0.005	0.568
RG119954		4.19	1.870	3.49	0.025	0.212	0.019	0.014	0.01	6.54	1.9	0.01	12.7	0.35	0.003	0.443
RG119955		14.80	2.87	6.39	0.042	0.163	0.050	0.032	0.04	13.30	11.2	0.03	22.2	1.27	0.006	0.554
RG119956		12.40	2.82	7.05	0.046	0.114	0.047	0.032	0.06	16.35	11.9	0.04	65.6	0.68	0.009	1.285
RG119957		14.80	2.71	6.80	0.045	0.123	0.086	0.026	0.07	14.80	10.2	0.06	126.5	0.78	0.005	1.140
RG119958		8.39	2.76	6.35	0.039	0.142	0.033	0.029	0.04	10.65	8.8	0.02	37.8	1.18	0.006	0.693
RG119959		3.13	4.26	8.15	0.041	0.372	0.035	0.045	0.02	8.79	8.6	0.02	13.4	0.89	0.006	0.793
RG119960		1.74	0.620	2.06	0.017	0.009	0.014	0.005	0.01	7.14	0.3	<0.01	15.5	0.20	0.004	0.256
RG119961		5.48	1.600	4.03	0.032	0.096	0.010	0.013	0.08	13.05	1.6	0.06	31.9	0.30	0.004	1.720
RG119962		9.16	4.45	11.15	0.041	0.490	0.087	0.068	0.03	7.85	14.5	0.03	23.8	1.22	0.009	1.755
RG119963		10.85	2.60	5.28	0.034	0.089	0.083	0.027	0.06	8.83	7.5	0.05	71.2	1.27	0.008	1.715
RG119964		15.70	2.95	5.52	0.034	0.030	0.051	0.016	0.14	8.52	7.2	0.28	254	0.70	0.006	1.510
RG119965		11.75	2.10	4.43	0.026	0.047	0.052	0.017	0.04	7.42	1.3	0.02	61.6	1.70	0.005	0.775
RG119966		13.80	2.68	5.51	0.031	0.049	0.066	0.022	0.06	12.70	4.9	0.03	98.0	1.28	0.006	1.385
RG119967		15.35	2.25	5.25	0.034	0.048	0.117	0.019	0.07	13.75	17.0	0.07	158.5	0.74	0.005	1.040
RG119968		16.25	3.08	6.40	0.035	0.096	0.046	0.025	0.08	12.40	12.1	0.06	93.7	0.52	0.007	0.752
RG119969		14.50	2.69	6.69	0.029	0.133	0.091	0.023	0.04	10.55	9.9	0.03	93.8	0.54	0.006	0.482
RG119970		11.75	2.48	5.24	0.026	0.079	0.041	0.020	0.05	6.79	8.6	0.04	51.0	0.50	0.002	0.622
RG119971		13.45	3.13	6.11	0.030	0.162	0.025	0.027	0.03	9.85	6.9	0.01	24.9	0.89	0.005	0.456
RG119972		10.55	3.51	5.60	0.038	0.243	0.012	0.021	0.03	12.70	2.5	0.01	28.2	0.22	0.007	0.683
RG119973		6.77	2.11	4.51	0.052	0.040	0.021	0.015	0.08	16.45	1.7	0.05	34.4	0.31	0.011	0.948
RG119974		5.01	1.670	4.14	0.049	0.030	0.043	0.017	0.05	17.95	6.5	0.02	62.7	0.31	0.006	0.725
RG119975		5.94	1.770	4.51	0.047	0.027	0.034	0.014	0.12	15.30	8.5	0.19	93.1	0.28	0.006	0.903
RG119976		8.08	2.72	5.28	0.033	0.106	0.067	0.026	0.03	7.69	6.4	0.01	22.0	0.46	0.005	0.654
RG119977		5.72	1.750	3.86	0.029	0.040	0.058	0.016	0.03	9.10	4.6	0.01	42.9	0.41	0.005	0.554
RG119978		5.01	2.88	5.41	0.023	0.111	0.056	0.026	0.04	6.62	7.5	0.02	33.0	0.44	0.005	0.508
RG119979		6.13	2.52	4.43	0.022	0.134	0.026	0.018	0.03	6.24	3.2	0.02	10.4	0.42	0.008	0.384
RG119980		10.55	3.49	7.57	0.017	0.287	0.066	0.051	0.03	2.00	6.5	0.01	10.2	1.06	0.009	0.497

Comments: HYP-PKG being run under BR20283906.

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **TINONE RESOURCES CORPORATION**
1001-1030 WEST GEORGIA ST
VANCOUVER BC V6E 2Y3
CANADA

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 18-DEC-2020
Account: TINONE

Project: Panama Project

CERTIFICATE OF ANALYSIS BR20281264

Sample Description	Method Analyte Units LOD	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43
		Ni	P	Pb	Pd	Pt	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm 0.04	% 0.001	ppm 0.005	ppm 0.001	ppm 0.001	ppm 0.005	ppm 0.001	% 0.01	ppm 0.005	ppm 0.005	ppm 0.1	ppm 0.01	ppm 0.01	ppm 0.005	ppm 0.01
RG119941		3.70	0.010	13.55	<0.001	0.001	12.15	<0.001	0.02	0.436	1.575	0.7	0.88	2.73	<0.005	0.03
RG119942		5.98	0.016	13.90	<0.001	0.001	15.75	<0.001	0.02	0.381	3.03	1.1	1.28	5.57	<0.005	0.04
RG119943		8.74	0.010	14.05	0.001	0.001	28.9	<0.001	0.02	0.253	3.29	0.6	1.28	3.19	<0.005	0.06
RG119944		2.55	0.012	9.80	<0.001	0.001	10.30	<0.001	0.02	0.540	1.685	0.8	0.79	3.91	<0.005	0.14
RG119945		1.92	0.009	11.55	0.001	0.002	5.52	<0.001	0.02	0.311	2.80	0.6	0.75	1.75	<0.005	0.03
RG119946		3.56	0.009	18.85	<0.001	0.001	9.28	<0.001	0.02	0.588	4.22	0.9	1.63	3.61	<0.005	0.04
RG119947		3.27	0.016	8.02	<0.001	0.001	12.95	<0.001	0.02	0.351	1.700	0.6	1.25	5.68	<0.005	0.03
RG119948		0.79	0.006	4.14	<0.001	<0.001	6.38	<0.001	0.01	0.125	0.337	0.1	0.44	1.13	<0.005	0.01
RG119949		3.69	0.007	7.50	<0.001	<0.001	8.40	<0.001	0.01	0.447	1.360	0.5	0.88	2.72	<0.005	0.02
RG119950		1.79	0.004	4.35	<0.001	<0.001	4.69	<0.001	0.01	0.164	0.547	0.2	0.67	3.19	<0.005	0.01
RG119951		2.29	0.011	9.49	<0.001	<0.001	9.25	<0.001	0.01	0.409	1.660	0.3	0.76	8.65	<0.005	0.02
RG119952		1.29	0.010	6.53	<0.001	<0.001	7.30	<0.001	0.02	0.254	1.445	0.4	0.76	1.73	<0.005	0.01
RG119953		1.91	0.005	3.60	<0.001	<0.001	6.97	<0.001	0.01	0.306	0.592	0.3	0.90	2.58	<0.005	0.01
RG119954		0.92	0.004	7.06	<0.001	0.001	2.48	<0.001	0.01	0.332	1.260	0.5	0.53	2.76	<0.005	0.02
RG119955		2.39	0.005	8.02	<0.001	<0.001	9.85	<0.001	0.01	0.580	1.470	0.6	0.96	2.21	<0.005	0.04
RG119956		4.45	0.013	9.70	<0.001	<0.001	17.25	<0.001	0.02	0.498	1.310	0.4	1.07	6.11	<0.005	0.02
RG119957		6.69	0.009	11.35	0.001	<0.001	20.9	<0.001	0.02	0.484	2.20	0.8	1.06	2.49	<0.005	0.03
RG119958		2.60	0.006	8.85	<0.001	0.001	9.53	<0.001	0.01	0.799	0.990	0.7	1.14	3.05	<0.005	0.03
RG119959		2.18	0.006	8.52	0.001	0.001	5.37	<0.001	0.02	1.075	2.77	0.9	1.63	2.83	<0.005	0.04
RG119960		1.22	0.003	2.99	<0.001	<0.001	2.20	<0.001	0.01	0.092	0.261	0.1	0.39	1.11	<0.005	<0.01
RG119961		2.33	0.007	5.50	<0.001	<0.001	18.85	<0.001	0.01	0.426	1.565	0.3	0.72	5.21	<0.005	0.01
RG119962		5.53	0.011	11.60	<0.001	0.001	10.55	<0.001	0.03	0.991	2.88	1.3	2.17	2.35	<0.005	0.04
RG119963		3.69	0.016	9.91	<0.001	<0.001	18.20	<0.001	0.03	0.537	0.812	0.8	0.88	2.98	<0.005	0.03
RG119964		8.87	0.016	8.40	<0.001	<0.001	28.8	<0.001	0.02	0.324	0.958	0.4	0.67	3.22	<0.005	0.03
RG119965		2.11	0.017	8.88	<0.001	<0.001	10.95	<0.001	0.02	0.483	0.440	0.5	0.87	3.18	<0.005	0.04
RG119966		2.54	0.013	9.13	<0.001	0.001	12.60	<0.001	0.02	0.429	0.751	0.4	0.89	2.43	<0.005	0.02
RG119967		6.36	0.012	10.75	<0.001	<0.001	19.90	<0.001	0.02	0.360	1.155	0.5	0.70	2.63	<0.005	0.03
RG119968		4.14	0.010	10.95	0.001	<0.001	16.85	<0.001	0.01	0.311	1.275	0.2	0.77	2.95	<0.005	0.03
RG119969		2.74	0.008	8.23	0.001	0.001	11.80	<0.001	0.02	0.611	0.813	0.5	0.74	2.84	<0.005	0.03
RG119970		2.82	0.008	5.39	<0.001	0.001	11.85	<0.001	0.01	0.336	0.699	0.4	0.62	4.78	<0.005	0.02
RG119971		1.77	0.004	6.78	<0.001	0.001	7.71	<0.001	0.02	0.640	0.893	0.3	0.69	1.98	<0.005	0.05
RG119972		1.76	0.005	6.01	0.001	0.001	4.65	<0.001	0.01	0.384	1.935	0.3	0.63	1.84	<0.005	0.03
RG119973		2.54	0.009	7.34	<0.001	0.001	10.70	<0.001	0.01	0.220	0.721	0.3	0.56	4.00	<0.005	0.02
RG119974		2.08	0.006	6.46	<0.001	<0.001	15.15	<0.001	0.01	0.148	0.629	0.2	0.61	1.34	<0.005	0.02
RG119975		8.92	0.008	5.76	<0.001	<0.001	22.7	<0.001	0.02	0.132	0.824	0.2	0.60	2.34	<0.005	0.02
RG119976		2.13	0.010	10.35	<0.001	0.001	8.56	<0.001	0.02	0.364	1.015	0.4	0.65	1.77	<0.005	0.04
RG119977		1.56	0.008	7.73	<0.001	0.001	9.47	<0.001	0.02	0.314	1.120	0.2	0.58	2.08	<0.005	0.03
RG119978		1.95	0.006	5.16	<0.001	<0.001	7.01	<0.001	0.01	0.311	0.720	0.3	0.72	2.42	<0.005	0.01
RG119979		1.22	0.004	4.23	<0.001	0.001	4.39	<0.001	0.01	0.361	0.803	0.3	0.57	6.12	<0.005	0.01
RG119980		2.79	0.004	10.80	0.001	0.001	6.88	<0.001	0.04	0.664	1.385	0.5	1.07	1.68	<0.005	0.04

Comments: HYP-PKG being run under BR20283906.

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **TINONE RESOURCES CORPORATION**
1001-1030 WEST GEORGIA ST
VANCOUVER BC V6E 2Y3
CANADA

Page: 3 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-DEC-2020
 Account: TINONE

Project: Panama Project

CERTIFICATE OF ANALYSIS BR20281264

Sample Description	Method Analyte Units LOD	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43
		Th	Ti	Ti	U	V	W	Y	Zn
		ppm 0.002	% 0.001	ppm 0.002	ppm 0.005	ppm 0.1	ppm 0.001	ppm 0.003	ppm 0.1
RG119941		13.90	0.002	0.090	0.750	36.7	0.156	1.990	7.2
RG119942		16.20	0.002	0.117	1.115	50.9	0.205	2.22	11.1
RG119943		12.20	0.003	0.193	1.240	56.7	0.113	2.54	21.3
RG119944		12.40	0.001	0.108	0.905	32.8	0.174	1.730	6.6
RG119945		18.35	0.002	0.070	0.941	38.5	0.115	1.580	3.8
RG119946		16.95	0.001	0.103	1.075	69.9	0.119	1.150	5.6
RG119947		8.78	0.002	0.079	0.734	42.6	0.199	1.520	7.7
RG119948		3.48	0.002	0.030	0.345	18.0	0.044	1.545	4.5
RG119949		9.99	0.001	0.053	0.650	43.2	0.106	1.450	7.5
RG119950		4.77	0.002	0.026	0.345	27.7	0.075	1.280	4.0
RG119951		8.75	0.005	0.047	0.683	23.5	0.080	2.31	7.5
RG119952		5.26	0.002	0.094	0.632	23.4	0.137	1.380	4.3
RG119953		4.70	0.001	0.043	0.329	40.9	0.063	0.960	5.1
RG119954		8.44	0.003	0.026	0.441	20.3	0.722	0.702	3.4
RG119955		10.35	0.001	0.090	0.644	38.8	0.165	1.675	7.2
RG119956		8.72	0.002	0.097	0.712	39.0	0.222	1.910	10.4
RG119957		11.25	0.003	0.138	0.990	40.3	0.076	2.36	15.6
RG119958		9.53	0.001	0.071	0.578	41.6	0.525	1.100	6.2
RG119959		16.30	0.001	0.155	0.865	53.4	0.525	0.800	3.2
RG119960		1.115	0.005	0.010	0.173	12.4	0.420	0.621	1.8
RG119961		5.19	0.018	0.060	0.380	22.7	0.670	1.320	6.3
RG119962		17.40	0.001	0.147	1.080	70.8	0.222	0.989	6.1
RG119963		4.39	0.006	0.097	0.655	34.7	0.536	0.957	10.5
RG119964		3.29	0.016	0.156	0.433	31.8	0.377	1.465	22.6
RG119965		2.43	0.003	0.067	0.395	32.6	0.350	0.752	5.3
RG119966		4.75	0.003	0.096	0.571	34.5	0.224	1.415	7.9
RG119967		7.52	0.003	0.158	0.724	26.8	0.149	1.830	23.3
RG119968		9.31	0.002	0.128	0.707	33.5	0.092	1.370	12.2
RG119969		11.70	0.001	0.090	0.614	31.6	0.093	1.120	10.7
RG119970		5.80	0.001	0.084	0.522	29.0	0.150	1.095	8.0
RG119971		10.45	0.001	0.056	0.498	33.4	0.089	1.070	6.3
RG119972		13.05	0.006	0.029	0.697	32.0	0.136	1.305	9.8
RG119973		7.04	0.004	0.046	0.447	21.8	0.205	1.430	6.3
RG119974		5.86	0.002	0.067	0.451	22.3	0.153	1.670	7.0
RG119975		5.63	0.006	0.160	0.433	22.7	0.224	1.750	19.2
RG119976		9.02	0.001	0.094	0.740	33.0	0.629	0.983	4.7
RG119977		5.11	0.001	0.067	0.579	22.9	0.254	1.090	5.8
RG119978		7.79	0.001	0.055	0.401	36.0	0.143	0.595	5.3
RG119979		8.51	0.001	0.034	0.340	30.0	0.213	0.715	3.8
RG119980		16.05	0.001	0.077	0.649	48.5	0.305	0.862	4.5

Comments: HYP-PKG being run under BR20283906.

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **TINONE RESOURCES CORPORATION**
1001-1030 WEST GEORGIA ST
VANCOUVER BC V6E 2Y3
CANADA

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 18-DEC-2020
Account: TINONE

Project: Panama Project

CERTIFICATE OF ANALYSIS BR20281264

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	AuME-ST43 Au ppm 0.0001	AuME-ST43 Ag ppm 0.001	AuME-ST43 Al % 0.01	AuME-ST43 As ppm 0.01	AuME-ST43 B ppm 10	AuME-ST43 Ba ppm 0.5	AuME-ST43 Be ppm 0.01	AuME-ST43 Bi ppm 0.001	AuME-ST43 Ca % 0.01	AuME-ST43 Cd ppm 0.001	AuME-ST43 Ce ppm 0.003	AuME-ST43 Co ppm 0.001	AuME-ST43 Cr ppm 0.01	AuME-ST43 Cs ppm 0.005
RG119981		0.57	0.0034	0.018	3.82	6.94	<10	18.6	0.43	0.461	0.01	<0.001	5.41	0.732	51.9	2.04
RG119982		0.75	0.0014	0.013	1.97	8.86	<10	23.1	0.18	0.257	0.02	0.003	12.80	0.585	39.3	1.730
RG119983		0.80	0.0005	0.018	0.90	0.74	<10	14.4	0.10	0.186	0.01	0.003	7.43	0.463	15.40	0.851
RG119984		0.95	0.0009	0.019	1.07	0.92	<10	10.8	0.12	0.262	0.01	0.003	6.66	0.651	18.80	0.759
RG119985		0.79	0.0014	0.019	1.75	1.67	<10	13.7	0.18	0.337	0.01	<0.001	14.20	0.692	32.9	1.240
RG119986		0.72	0.0007	0.010	0.95	2.71	<10	13.3	0.18	0.192	<0.01	0.005	23.7	1.360	19.10	1.805
RG119987		0.83	0.0004	0.010	1.29	1.46	<10	19.1	0.15	0.254	0.01	<0.001	23.8	0.868	20.1	1.015
RG119988		0.64	0.0006	0.014	1.41	3.32	<10	17.7	0.24	0.226	0.02	<0.001	25.9	0.599	18.35	1.065
RG119989		0.91	0.0012	0.015	1.09	3.16	<10	11.8	0.14	0.230	0.01	<0.001	25.3	0.274	17.90	0.474
RG119990		0.94	0.0033	0.028	2.01	16.55	<10	20.7	0.28	0.298	0.01	<0.001	40.2	0.304	32.6	0.511
RG119991		0.77	0.0003	0.013	0.71	1.21	<10	12.8	0.07	0.099	0.01	0.001	19.50	0.340	12.05	0.496
RG119992		0.94	0.0014	0.009	1.22	4.25	<10	17.2	0.14	0.167	<0.01	<0.001	32.1	0.438	14.60	1.025
RG119993		0.83	0.0005	0.009	0.83	0.19	<10	20.6	0.12	0.149	<0.01	<0.001	20.4	0.410	10.85	1.000
RG119994		0.97	0.0009	0.019	1.53	0.27	<10	29.8	0.25	0.273	0.02	<0.001	21.9	0.697	23.1	1.485
RG119995		0.76	0.0009	0.015	2.21	0.42	<10	32.1	0.35	0.445	0.04	0.001	19.10	1.020	34.2	1.015
RG119996		0.94	0.0016	0.021	2.86	0.77	<10	25.8	0.30	0.528	0.04	<0.001	20.9	1.240	40.4	1.815
RG119997		0.89	0.0011	0.034	1.82	0.32	<10	30.6	0.35	0.324	0.01	0.002	37.3	1.435	27.0	4.91
RG119998		0.86	0.0010	0.016	2.50	0.59	<10	19.4	0.25	0.442	0.02	<0.001	13.20	0.940	44.0	2.09
RG119999		0.72	0.0028	0.025	2.42	1.43	<10	17.6	0.22	0.410	0.04	<0.001	8.43	0.714	43.1	0.887
RG120000		0.79	0.0028	0.023	2.57	1.73	<10	22.8	0.29	0.452	0.02	<0.001	14.90	0.795	49.7	1.620
RG120001		0.91	0.0045	0.029	1.61	2.63	<10	18.0	0.26	1.015	0.02	0.006	33.2	2.01	27.3	1.590
RG120002		0.77	0.0008	0.012	1.07	0.24	<10	20.4	0.21	0.247	0.02	<0.001	39.3	0.732	20.1	1.735
RG120003		0.90	0.0008	0.017	1.22	0.58	<10	31.5	0.28	0.261	0.05	0.004	38.3	1.945	27.2	1.710
RG120004		0.91	0.0009	0.018	1.39	0.43	<10	27.7	0.35	0.232	0.02	0.001	32.0	1.200	21.2	2.22
RG120005		0.74	0.0009	0.009	1.25	0.44	<10	19.9	0.29	0.279	0.03	0.002	15.80	1.060	23.8	1.075
RG120006		0.80	0.0009	0.006	0.78	0.13	<10	10.4	0.10	0.321	0.01	<0.001	7.83	0.192	19.05	0.233
RG120007		0.66	0.0018	0.020	1.98	1.67	<10	21.5	0.26	0.323	0.01	<0.001	12.20	0.441	38.4	0.812
RG120008		0.92	0.0011	0.022	3.71	3.52	<10	24.5	0.29	0.370	0.01	<0.001	13.80	0.736	47.3	1.150
RG120009		0.92	0.0014	0.019	1.99	5.50	<10	18.1	0.28	0.311	0.01	<0.001	29.5	1.790	34.4	1.890
RG120010		0.86	0.0037	0.023	1.87	10.90	<10	18.5	0.22	0.241	0.01	0.005	21.7	0.407	27.5	1.135
RG120011		0.66	0.0013	0.022	1.32	5.65	<10	19.3	0.19	0.232	0.02	0.001	13.20	0.515	19.80	1.755
RG120012		0.74	0.0314	0.033	4.09	20.4	<10	26.7	0.33	0.465	0.01	<0.001	22.1	1.220	54.6	3.28
RG120013		0.67	0.0034	0.041	2.18	9.48	<10	18.1	0.25	0.326	0.02	0.007	13.15	0.664	22.6	1.360
RG120014		0.76	0.0005	0.012	0.87	0.58	<10	13.1	0.15	0.273	0.02	<0.001	9.43	0.280	25.7	0.500
RG120015		0.67	0.0007	0.010	1.04	0.86	<10	15.4	0.15	0.342	0.07	<0.001	8.13	0.180	22.1	0.368
RG120016		0.62	0.0021	0.014	2.55	6.21	<10	25.2	0.34	0.452	0.03	<0.001	10.20	0.458	46.0	0.646
RG120017		0.67	0.0008	0.017	1.36	5.38	<10	16.5	0.14	0.180	0.01	<0.001	7.18	0.288	23.4	0.921
RG120018		0.69	0.0013	0.026	2.14	7.79	<10	19.3	0.23	0.233	0.03	0.001	9.54	0.471	30.3	2.37
RG120019		0.79	0.0006	0.016	0.69	1.76	<10	9.6	0.09	0.085	0.01	0.005	14.40	0.182	8.87	0.773
RG120020		0.84	0.0005	0.012	0.73	1.81	<10	10.7	0.07	0.107	0.01	0.016	12.35	0.282	9.78	1.140

Comments: HYP-PKG being run under BR20283906.

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **TINONE RESOURCES CORPORATION**
1001-1030 WEST GEORGIA ST
VANCOUVER BC V6E 2Y3
CANADA

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 18-DEC-2020
Account: TINONE

Project: Panama Project

CERTIFICATE OF ANALYSIS BR20281264

Sample Description	Method Analyte Units LOD	AuME-ST43 Cu ppm 0.01	AuME-ST43 Fe % 0.001	AuME-ST43 Ga ppm 0.004	AuME-ST43 Ge ppm 0.005	AuME-ST43 Hf ppm 0.002	AuME-ST43 Hg ppm 0.004	AuME-ST43 In ppm 0.005	AuME-ST43 K % 0.01	AuME-ST43 La ppm 0.002	AuME-ST43 Li ppm 0.1	AuME-ST43 Mg % 0.01	AuME-ST43 Mn ppm 0.1	AuME-ST43 Mo ppm 0.01	AuME-ST43 Na % 0.001	AuME-ST43 Nb ppm 0.002
RG119981		12.10	5.31	10.65	0.029	0.551	0.094	0.071	0.03	2.88	13.0	0.02	15.5	1.06	0.011	1.640
RG119982		5.43	3.38	7.00	0.024	0.172	0.048	0.038	0.04	5.47	8.4	0.04	27.2	0.66	0.006	1.815
RG119983		4.67	1.960	3.47	0.017	0.063	0.057	0.014	0.05	3.49	3.5	0.03	40.2	0.37	0.007	0.683
RG119984		3.36	2.48	4.73	0.016	0.057	0.039	0.018	0.04	3.07	3.4	0.04	33.4	0.48	0.006	0.743
RG119985		5.75	3.54	7.13	0.030	0.140	0.058	0.029	0.05	7.09	8.7	0.04	42.8	0.63	0.006	0.888
RG119986		4.90	1.600	4.09	0.034	0.008	0.059	0.017	0.05	11.65	5.2	0.07	44.1	0.46	0.004	1.190
RG119987		6.75	2.35	5.29	0.032	0.030	0.062	0.027	0.05	11.25	7.9	0.03	91.8	0.54	0.004	0.785
RG119988		7.65	2.00	5.24	0.034	0.033	0.046	0.024	0.04	12.45	8.1	0.02	40.1	0.55	0.007	0.429
RG119989		7.47	1.750	4.11	0.032	0.080	0.038	0.019	0.05	12.70	4.2	0.02	20.4	0.43	0.007	0.313
RG119990		3.24	2.92	6.48	0.054	0.212	0.045	0.042	0.04	20.1	12.4	0.02	20.0	3.76	0.009	0.663
RG119991		1.35	1.060	2.55	0.022	0.036	0.015	0.009	0.03	9.43	3.2	0.02	40.6	0.28	0.006	0.372
RG119992		4.25	1.350	3.67	0.040	0.084	0.021	0.014	0.05	15.60	5.3	0.02	26.0	0.49	0.008	0.338
RG119993		3.64	1.370	3.05	0.029	0.041	0.014	0.012	0.04	10.10	3.9	0.03	91.9	0.28	0.007	0.502
RG119994		6.87	2.47	5.26	0.035	0.107	0.032	0.022	0.07	10.75	7.7	0.04	103.0	0.43	0.013	0.551
RG119995		11.50	3.63	7.36	0.038	0.184	0.041	0.031	0.07	9.11	9.0	0.04	96.7	0.58	0.012	0.945
RG119996		14.20	4.24	8.99	0.044	0.179	0.057	0.035	0.09	9.42	16.7	0.05	104.5	0.76	0.013	1.005
RG119997		11.65	1.230	6.58	0.058	0.103	0.041	0.025	0.08	22.2	24.6	0.06	72.0	0.27	0.007	0.834
RG119998		13.90	4.18	9.10	0.043	0.168	0.075	0.040	0.07	7.05	12.3	0.03	127.5	0.87	0.008	1.045
RG119999		16.75	3.93	8.31	0.032	0.342	0.123	0.039	0.07	3.51	9.2	0.04	50.5	0.85	0.012	1.300
RG120000		22.0	4.01	9.42	0.043	0.291	0.099	0.038	0.07	7.31	11.0	0.04	98.2	0.85	0.008	1.025
RG120001		23.4	2.65	6.43	0.044	0.097	0.126	0.025	0.06	11.65	9.0	0.04	143.5	0.73	0.006	0.825
RG120002		9.16	1.940	4.53	0.048	0.029	0.037	0.017	0.05	18.50	5.2	0.03	136.0	0.33	0.007	0.525
RG120003		10.35	2.29	4.79	0.051	0.082	0.034	0.019	0.09	17.95	6.1	0.06	225	0.34	0.009	0.756
RG120004		12.45	1.850	4.13	0.047	0.060	0.059	0.018	0.05	15.40	7.3	0.04	73.1	0.31	0.008	0.397
RG120005		18.40	2.70	5.03	0.035	0.073	0.054	0.023	0.04	6.31	6.5	0.03	68.9	0.41	0.008	0.664
RG120006		7.17	2.19	3.99	0.026	0.081	0.014	0.016	0.04	3.93	1.0	0.01	13.1	0.36	0.009	0.404
RG120007		10.20	3.30	7.44	0.037	0.187	0.038	0.032	0.06	6.13	5.2	0.03	37.9	0.56	0.011	0.795
RG120008		11.35	3.90	8.51	0.041	0.351	0.078	0.043	0.05	6.33	12.3	0.03	38.6	0.96	0.008	1.070
RG120009		12.60	3.47	6.65	0.053	0.125	0.077	0.033	0.09	12.50	7.9	0.09	53.2	0.79	0.007	1.390
RG120010		7.58	2.25	4.53	0.044	0.235	0.083	0.037	0.03	9.78	5.6	0.01	30.8	2.19	0.007	0.476
RG120011		6.58	2.80	5.64	0.037	0.064	0.051	0.020	0.04	6.47	8.3	0.04	58.8	0.41	0.006	1.055
RG120012		18.40	4.52	9.49	0.057	0.515	0.135	0.051	0.06	9.30	17.1	0.05	58.8	0.77	0.005	2.87
RG120013		17.25	2.62	5.64	0.038	0.116	0.159	0.033	0.05	5.11	10.6	0.02	61.7	1.08	0.006	0.810
RG120014		7.26	2.79	4.87	0.032	0.062	0.033	0.020	0.04	4.29	2.5	0.02	47.2	0.35	0.005	0.556
RG120015		12.00	2.41	4.37	0.033	0.056	0.027	0.025	0.04	3.74	2.9	0.02	31.6	0.33	0.008	0.292
RG120016		13.60	4.56	8.64	0.051	0.296	0.082	0.060	0.04	4.74	6.3	0.03	14.0	1.82	0.007	0.635
RG120017		1.48	2.42	5.35	0.034	0.089	0.023	0.027	0.03	3.41	4.0	0.02	19.6	0.80	0.010	0.527
RG120018		7.31	3.13	6.71	0.039	0.192	0.086	0.034	0.04	4.14	6.2	0.02	34.0	0.98	0.010	1.130
RG120019		2.73	1.040	2.14	0.029	0.048	0.063	0.011	0.02	6.60	1.2	0.01	6.9	0.25	0.007	0.407
RG120020		3.69	1.320	2.97	0.025	0.037	0.051	0.016	0.02	5.99	2.1	0.01	13.8	0.32	0.005	0.430

Comments: HYP-PKG being run under BR20283906.

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **TINONE RESOURCES CORPORATION**
1001-1030 WEST GEORGIA ST
VANCOUVER BC V6E 2Y3
CANADA

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 18-DEC-2020
Account: TINONE

Project: Panama Project

CERTIFICATE OF ANALYSIS BR20281264

Sample Description	Method Analyte Units LOD	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43
		Ni	P	Pb	Pd	Pt	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm 0.04	% 0.001	ppm 0.005	ppm 0.001	ppm 0.001	ppm 0.005	ppm 0.001	% 0.01	ppm 0.005	ppm 0.005	ppm 0.1	ppm 0.01	ppm 0.01	ppm 0.005	ppm 0.01
RG119981		4.37	0.006	10.65	<0.001	0.002	9.63	<0.001	0.03	0.940	1.790	1.1	1.82	1.95	<0.005	0.03
RG119982		3.39	0.008	7.68	<0.001	0.001	8.19	<0.001	0.01	0.566	0.854	0.8	1.31	3.57	<0.005	0.03
RG119983		1.78	0.008	5.16	<0.001	0.002	13.10	<0.001	0.02	0.278	0.324	0.3	0.62	2.93	<0.005	0.01
RG119984		2.24	0.007	5.16	<0.001	<0.001	8.87	<0.001	0.01	0.290	0.358	0.4	0.81	2.21	<0.005	0.02
RG119985		2.91	0.008	7.19	<0.001	<0.001	11.50	<0.001	0.02	0.308	0.906	0.7	1.00	1.82	<0.005	0.02
RG119986		4.31	0.009	7.32	<0.001	<0.001	9.98	<0.001	0.02	0.215	0.687	0.4	0.59	1.43	<0.005	0.01
RG119987		2.72	0.008	7.82	<0.001	<0.001	12.80	<0.001	0.01	0.436	0.833	0.3	0.84	2.26	<0.005	0.01
RG119988		2.22	0.007	7.81	<0.001	<0.001	10.75	<0.001	0.01	0.493	0.915	0.3	0.81	4.37	<0.005	0.01
RG119989		1.47	0.005	6.49	<0.001	<0.001	7.45	<0.001	0.01	0.646	0.649	0.3	0.63	2.35	<0.005	0.01
RG119990		3.56	0.007	11.25	<0.001	0.001	7.77	<0.001	0.02	3.99	0.961	0.9	1.12	3.86	<0.005	0.03
RG119991		1.03	0.004	3.22	<0.001	<0.001	5.63	<0.001	0.01	0.319	0.374	0.1	0.54	5.06	<0.005	0.01
RG119992		1.57	0.004	4.77	<0.001	<0.001	12.90	<0.001	0.01	0.591	0.701	0.3	0.69	2.46	<0.005	0.01
RG119993		1.14	0.003	4.36	<0.001	<0.001	14.40	<0.001	<0.01	0.249	0.636	0.1	0.58	2.42	<0.005	<0.01
RG119994		2.27	0.006	7.85	<0.001	<0.001	21.6	<0.001	0.01	0.367	1.115	0.1	0.83	5.82	<0.005	0.01
RG119995		3.68	0.010	11.30	<0.001	0.001	13.55	<0.001	0.02	0.486	1.685	0.3	1.03	9.35	<0.005	0.01
RG119996		5.00	0.012	8.78	0.001	<0.001	17.65	<0.001	0.02	0.479	1.805	0.4	1.14	9.21	<0.005	0.02
RG119997		7.88	0.006	11.25	<0.001	0.001	22.8	<0.001	0.02	0.140	1.925	0.2	0.83	3.25	<0.005	0.03
RG119998		3.94	0.009	10.85	0.001	0.001	19.45	<0.001	0.02	0.359	2.38	0.2	1.44	4.27	<0.005	0.02
RG119999		3.37	0.011	11.55	0.001	0.001	10.90	<0.001	0.03	0.419	1.505	0.8	1.14	5.46	<0.005	0.03
RG120000		4.67	0.010	12.75	0.002	0.001	15.85	<0.001	0.02	0.463	1.475	0.8	1.16	4.78	<0.005	0.05
RG120001		6.70	0.012	11.35	0.001	<0.001	13.15	<0.001	0.02	0.440	1.160	0.7	0.82	4.25	<0.005	0.06
RG120002		2.50	0.008	8.02	0.001	<0.001	15.70	<0.001	0.01	0.268	0.885	0.1	0.59	3.53	<0.005	0.02
RG120003		4.20	0.013	7.62	0.001	<0.001	18.30	<0.001	0.01	0.418	1.275	0.2	0.60	7.09	<0.005	0.03
RG120004		4.20	0.006	9.68	<0.001	<0.001	17.45	<0.001	0.01	0.217	1.195	0.3	0.56	3.63	<0.005	0.01
RG120005		5.66	0.007	5.22	<0.001	<0.001	8.83	<0.001	0.01	0.370	0.878	0.3	0.59	5.04	<0.005	0.03
RG120006		0.97	0.003	5.47	<0.001	<0.001	4.54	<0.001	0.01	0.258	0.752	0.1	0.48	2.71	<0.005	0.01
RG120007		2.33	0.005	8.13	0.001	<0.001	9.12	<0.001	0.02	0.447	1.625	0.3	1.22	4.27	<0.005	0.03
RG120008		4.12	0.011	13.25	<0.001	0.001	12.65	<0.001	0.02	0.620	1.845	0.8	1.29	3.24	<0.005	0.03
RG120009		6.34	0.011	11.15	<0.001	<0.001	21.6	<0.001	0.02	0.517	1.855	0.8	0.98	3.10	<0.005	0.04
RG120010		2.81	0.009	11.85	0.001	<0.001	12.20	<0.001	0.02	1.645	0.910	0.9	0.68	2.34	<0.005	0.03
RG120011		2.27	0.016	9.73	<0.001	<0.001	11.90	<0.001	0.02	0.677	1.395	0.5	0.94	3.93	<0.005	0.02
RG120012		6.08	0.015	10.05	0.001	0.001	14.00	<0.001	0.03	0.865	3.94	1.3	1.63	3.89	<0.005	0.06
RG120013		2.60	0.016	11.80	0.001	<0.001	10.60	<0.001	0.04	0.853	1.080	1.1	0.82	3.28	<0.005	0.04
RG120014		1.01	0.009	9.70	<0.001	<0.001	6.46	<0.001	0.01	0.334	1.420	0.3	0.57	3.87	<0.005	0.02
RG120015		1.16	0.007	5.44	<0.001	<0.001	5.33	<0.001	0.01	0.370	0.507	0.3	0.49	9.15	<0.005	0.02
RG120016		3.12	0.006	10.60	<0.001	<0.001	8.11	<0.001	0.02	0.937	1.355	0.8	1.22	6.21	<0.005	0.05
RG120017		1.39	0.005	5.13	<0.001	<0.001	6.70	<0.001	0.01	0.561	0.469	0.5	1.05	3.43	<0.005	0.02
RG120018		2.34	0.009	8.54	0.001	<0.001	10.15	<0.001	0.03	0.957	0.979	0.7	1.32	4.60	<0.005	0.03
RG120019		0.94	0.009	5.35	<0.001	<0.001	4.90	<0.001	0.01	0.243	0.860	0.3	0.41	2.16	<0.005	0.01
RG120020		1.28	0.010	4.54	<0.001	<0.001	7.22	<0.001	0.01	0.238	0.465	0.3	0.46	2.89	<0.005	0.01

Comments: HYP-PKG being run under BR20283906.

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **TINONE RESOURCES CORPORATION**
1001-1030 WEST GEORGIA ST
VANCOUVER BC V6E 2Y3
CANADA

Page: 4 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 18-DEC-2020
Account: TINONE

Project: Panama Project

CERTIFICATE OF ANALYSIS BR20281264

Sample Description	Method Analyte Units LOD	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43
		Th	Ti	Ti	U	V	W	Y	Zn
		ppm 0.002	% 0.001	ppm 0.002	ppm 0.005	ppm 0.1	ppm 0.001	ppm 0.003	ppm 0.1
RG119981		22.6	0.002	0.118	1.095	65.2	0.348	0.949	5.4
RG119982		8.68	0.004	0.071	0.395	47.6	0.627	0.512	5.3
RG119983		2.59	0.002	0.067	0.250	24.8	0.370	0.429	4.4
RG119984		3.62	0.002	0.055	0.292	31.1	0.381	0.397	4.5
RG119985		9.37	0.001	0.077	0.530	39.8	0.254	0.829	6.0
RG119986		2.49	0.008	0.078	0.580	26.5	0.304	1.355	10.5
RG119987		5.50	0.002	0.065	0.417	30.0	0.262	1.225	11.0
RG119988		5.44	0.001	0.069	0.439	27.4	0.143	1.245	9.4
RG119989		7.78	0.001	0.044	0.295	22.5	0.114	1.030	6.8
RG119990		12.10	0.001	0.063	0.436	35.0	0.311	1.660	7.8
RG119991		4.12	0.003	0.025	0.202	15.5	0.369	0.751	4.9
RG119992		6.78	0.002	0.068	0.310	22.4	0.270	1.225	6.8
RG119993		3.92	0.005	0.069	0.270	17.1	0.045	0.832	5.4
RG119994		8.88	0.001	0.095	0.476	29.7	0.150	0.839	5.8
RG119995		13.65	0.002	0.077	0.913	41.0	0.208	0.922	5.3
RG119996		14.70	0.002	0.122	0.920	49.6	0.098	1.115	8.4
RG119997		11.75	0.003	0.236	1.010	23.2	0.037	4.39	22.2
RG119998		15.65	0.002	0.187	1.120	52.5	0.052	0.803	7.5
RG119999		16.30	0.001	0.093	0.965	49.1	0.188	0.593	6.0
RG120000		19.55	0.002	0.104	0.998	48.6	0.149	1.050	10.3
RG120001		8.94	0.001	0.137	0.847	28.9	0.557	2.31	17.2
RG120002		7.99	0.002	0.105	0.682	23.3	0.111	1.935	6.5
RG120003		9.02	0.002	0.127	0.727	25.5	0.293	1.890	10.6
RG120004		8.90	0.001	0.131	0.691	22.1	0.383	1.985	7.5
RG120005		9.56	0.002	0.098	0.687	29.8	1.165	2.52	13.7
RG120006		7.15	0.002	0.034	0.245	22.4	0.042	0.586	6.9
RG120007		12.50	0.002	0.079	0.674	40.5	0.067	0.995	6.3
RG120008		16.45	0.001	0.113	0.905	53.9	0.197	0.948	6.3
RG120009		10.20	0.003	0.129	0.699	42.8	0.345	2.13	15.0
RG120010		16.35	0.001	0.105	0.764	31.7	0.574	1.505	4.3
RG120011		5.22	0.001	0.106	0.559	31.7	0.488	0.793	6.5
RG120012		18.85	0.004	0.158	1.735	54.9	0.204	1.590	10.8
RG120013		7.24	0.001	0.111	0.795	34.4	0.207	1.165	7.6
RG120014		9.77	0.002	0.034	0.576	28.0	0.187	0.547	3.9
RG120015		10.10	0.001	0.034	0.393	24.7	0.364	0.515	4.3
RG120016		19.25	0.001	0.080	0.682	55.5	0.190	0.651	4.5
RG120017		5.86	0.001	0.048	0.273	38.0	0.253	0.330	2.4
RG120018		8.00	0.002	0.076	0.709	44.1	0.216	0.564	3.4
RG120019		1.885	0.002	0.054	0.448	13.0	0.242	0.794	1.4
RG120020		1.670	0.002	0.046	0.263	18.2	0.330	0.584	3.3

Comments: HYP-PKG being run under BR20283906.

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **TINONE RESOURCES CORPORATION**
1001-1030 WEST GEORGIA ST
VANCOUVER BC V6E 2Y3
CANADA

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 18-DEC-2020
Account: TINONE

Project: Panama Project

CERTIFICATE OF ANALYSIS BR20281264

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	AuME-ST43 Au ppm 0.0001	AuME-ST43 Ag ppm 0.001	AuME-ST43 Al % 0.01	AuME-ST43 As ppm 0.01	AuME-ST43 B ppm 10	AuME-ST43 Ba ppm 0.5	AuME-ST43 Be ppm 0.01	AuME-ST43 Bi ppm 0.001	AuME-ST43 Ca % 0.01	AuME-ST43 Cd ppm 0.001	AuME-ST43 Ce ppm 0.003	AuME-ST43 Co ppm 0.001	AuME-ST43 Cr ppm 0.01	AuME-ST43 Cs ppm 0.005
RG120021		0.70	0.0004	0.023	0.33	12.95	<10	10.6	0.12	0.085	0.02	0.008	25.4	0.467	10.85	0.644
RG120022		0.74	0.0073	0.046	4.46	19.85	<10	32.5	0.59	0.428	0.02	0.004	57.9	3.15	44.4	1.970
RG120023		0.96	0.0008	0.019	2.09	0.26	<10	31.5	0.41	0.321	0.01	0.002	46.1	2.92	23.5	2.28
RG120024		0.76	0.0006	0.036	1.83	0.19	<10	30.6	0.38	0.266	0.03	0.001	24.5	4.27	21.3	2.05
RG120025		0.85	0.0006	0.014	1.53	0.33	<10	20.9	0.27	0.378	0.01	0.002	13.95	1.965	24.8	1.660
RG120026		0.66	0.0013	0.014	0.83	0.31	<10	30.1	0.19	0.252	0.18	0.011	19.85	1.260	14.50	0.856
RG120027		0.85	0.0070	0.020	2.85	0.53	<10	30.2	0.53	0.326	0.02	0.002	27.4	2.70	40.3	1.805
RG120028		0.70	0.0006	0.014	0.96	0.19	<10	21.5	0.27	0.208	0.01	0.006	18.60	3.10	23.7	2.24
RG120029		0.73	0.0002	0.007	0.45	0.14	<10	15.0	0.14	0.202	0.02	0.003	14.50	0.952	8.63	0.676
RG120030		0.90	0.0008	0.007	0.80	0.24	<10	16.8	0.18	0.217	0.01	0.001	46.2	0.546	14.50	0.545
RG120031		0.67	0.0018	0.010	2.31	0.64	<10	20.8	0.33	0.315	0.01	<0.001	41.1	0.802	36.7	2.13
RG120032		0.76	0.0003	0.010	1.34	0.14	<10	28.7	0.25	0.197	0.02	0.002	56.0	1.150	15.95	2.49
RG120033		0.79	0.0007	0.013	2.38	3.06	<10	23.0	0.33	0.333	0.02	0.001	10.15	1.035	36.8	1.460
RG120034		0.89	0.0010	0.019	1.87	1.14	<10	30.4	0.50	0.266	0.01	0.010	35.0	2.21	29.7	1.190
RG120035		0.93	0.0003	0.010	1.13	0.30	<10	9.2	0.11	0.221	<0.01	<0.001	12.65	0.466	19.15	0.888
RG120036		0.76	0.0013	0.012	1.69	6.39	<10	22.5	0.23	0.361	0.02	0.003	17.65	1.080	35.1	1.270
RG120037		0.59	0.0011	0.009	1.29	0.99	<10	14.0	0.24	0.242	0.01	<0.001	13.45	0.633	31.8	1.140
RG120038		0.84	0.0007	0.014	2.17	4.96	<10	26.1	0.24	0.358	0.02	0.002	7.38	0.425	32.9	1.060
RG120039		0.87	0.0011	0.014	1.79	2.77	<10	20.9	0.24	0.201	0.01	<0.001	11.80	0.590	26.6	1.605
RG120040		0.72	0.0020	0.070	1.37	6.94	<10	22.4	0.38	0.189	<0.01	0.013	28.1	1.525	18.35	3.63
RG120041		0.62	0.0038	0.035	1.24	2.35	<10	19.9	0.26	0.217	0.01	0.007	29.0	1.685	23.7	2.12
RG120042		0.86	0.0012	0.011	0.99	1.53	<10	14.0	0.16	0.198	0.01	0.003	19.95	1.360	17.70	1.290
RG120043		0.84	0.0023	0.042	1.27	2.51	<10	18.7	0.17	0.255	0.01	0.004	16.10	0.837	18.00	1.715
RG120044		0.71	0.0107	0.018	2.54	2.35	<10	24.2	0.39	0.415	0.02	0.008	15.40	1.670	29.5	1.965
RG120045		0.76	0.0065	0.022	1.08	1.33	<10	16.0	0.18	0.236	0.02	0.004	17.60	0.955	17.00	0.873
RG120046		0.71	0.0091	0.023	3.25	2.14	<10	24.1	0.47	0.510	0.01	0.002	20.8	0.973	41.5	1.820
RG120047		0.85	0.0028	0.017	3.61	20.5	<10	18.8	0.31	0.438	0.02	<0.001	14.65	0.557	50.2	1.470
RG120048		0.91	0.0064	0.004	0.12	0.27	<10	5.3	0.02	0.062	0.01	0.002	6.87	0.097	1.74	0.294
RG120049		0.84	0.0011	0.009	0.64	1.69	<10	13.2	0.10	0.145	0.04	0.003	7.79	0.276	15.30	0.375
RG120050		1.02	0.0019	0.001	0.58	2.62	<10	12.6	0.12	0.165	0.01	<0.001	6.03	0.187	9.26	0.339
RG120051		0.83	0.0002	0.003	0.47	0.10	<10	14.4	0.13	0.206	0.01	0.003	5.36	0.524	11.45	0.437
RG120052		0.83	0.0011	0.005	0.72	0.12	<10	17.0	0.19	0.231	0.01	0.001	6.09	0.743	10.45	1.210
RG120053		0.75	0.0016	0.002	0.79	0.31	<10	15.1	0.12	0.247	0.01	0.003	3.52	0.303	18.20	0.563
RG120054		0.96	0.0010	0.001	0.55	0.08	<10	12.9	0.15	0.203	0.01	0.002	9.07	0.286	6.79	1.005
RG120055		0.64	0.0004	0.002	0.87	0.07	<10	20.4	0.20	0.190	0.01	0.002	6.64	0.813	8.02	1.325
RG120056		0.98	0.0011	0.005	2.11	0.40	<10	40.1	0.50	0.310	0.02	<0.001	13.00	0.971	26.5	2.21
RG120057		0.84	0.0025	0.016	2.80	7.29	<10	42.7	0.70	0.413	0.03	0.001	24.1	1.865	37.1	2.55
RG120058		0.78	0.0018	0.004	1.80	1.49	<10	31.1	0.40	0.353	0.01	<0.001	37.5	0.678	25.1	1.320
RG120059		0.82	0.0009	0.012	1.56	0.09	<10	40.7	0.40	0.220	0.02	0.002	41.9	0.811	19.05	2.08
RG120060		0.73	0.0025	0.015	2.57	0.57	<10	44.9	0.49	0.379	0.01	<0.001	29.9	1.345	33.4	3.45

Comments: HYP-PKG being run under BR20283906.

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **TINONE RESOURCES CORPORATION**
1001-1030 WEST GEORGIA ST
VANCOUVER BC V6E 2Y3
CANADA

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 18-DEC-2020
Account: TINONE

Project: Panama Project

CERTIFICATE OF ANALYSIS BR20281264

Sample Description	Method Analyte Units LOD	AuME-ST43 Cu ppm 0.01	AuME-ST43 Fe % 0.001	AuME-ST43 Ga ppm 0.004	AuME-ST43 Ge ppm 0.005	AuME-ST43 Hf ppm 0.002	AuME-ST43 Hg ppm 0.004	AuME-ST43 In ppm 0.005	AuME-ST43 K % 0.01	AuME-ST43 La ppm 0.002	AuME-ST43 Li ppm 0.1	AuME-ST43 Mg % 0.01	AuME-ST43 Mn ppm 0.1	AuME-ST43 Mo ppm 0.01	AuME-ST43 Na % 0.001	AuME-ST43 Nb ppm 0.002
RG120021		18.95	1.400	2.71	0.041	0.006	0.018	0.010	0.04	12.45	0.2	0.01	14.3	0.19	0.005	0.411
RG120022		39.4	3.58	8.78	0.048	0.436	0.241	0.053	0.06	8.36	16.7	0.05	62.6	1.59	0.010	1.140
RG120023		12.60	2.18	5.69	0.051	0.073	0.064	0.019	0.06	15.50	16.4	0.06	217	0.37	0.008	0.529
RG120024		15.35	2.28	5.73	0.047	0.064	0.051	0.018	0.09	14.55	18.5	0.20	265	0.39	0.009	0.589
RG120025		16.70	2.54	5.44	0.044	0.135	0.029	0.018	0.08	7.67	11.7	0.07	55.7	0.33	0.006	0.783
RG120026		11.15	1.660	3.49	0.039	0.022	0.019	0.014	0.11	9.67	3.7	0.06	250	0.26	0.015	0.563
RG120027		34.7	3.57	9.31	0.057	0.217	0.047	0.036	0.07	10.65	19.8	0.06	70.0	0.44	0.008	0.489
RG120028		11.35	2.42	4.75	0.052	0.016	0.018	0.013	0.12	10.50	11.8	0.13	168.5	0.23	0.008	0.959
RG120029		6.14	1.170	2.38	0.031	0.011	0.015	0.006	0.05	7.11	2.1	0.04	46.4	0.13	0.006	0.568
RG120030		11.65	1.860	3.56	0.064	0.095	0.024	0.012	0.04	22.1	3.3	0.02	27.2	0.18	0.006	0.292
RG120031		26.9	2.84	7.40	0.061	0.326	0.022	0.035	0.06	18.85	15.0	0.03	33.0	0.61	0.007	0.743
RG120032		8.24	1.520	4.13	0.072	0.081	0.019	0.016	0.08	28.1	12.0	0.05	73.2	0.28	0.010	0.412
RG120033		16.40	3.26	7.24	0.042	0.235	0.028	0.035	0.06	4.56	11.2	0.03	61.5	0.59	0.005	1.225
RG120034		10.30	2.64	5.22	0.044	0.114	0.070	0.026	0.04	9.25	7.3	0.02	79.4	0.52	0.008	0.686
RG120035		4.19	2.23	4.71	0.035	0.046	0.027	0.018	0.03	6.19	3.3	0.01	45.8	0.44	0.007	0.685
RG120036		12.50	3.62	7.30	0.040	0.117	0.062	0.029	0.04	6.72	6.4	0.02	305	1.07	0.007	0.957
RG120037		7.60	3.62	5.48	0.039	0.103	0.016	0.021	0.05	6.53	3.8	0.03	34.1	0.40	0.005	0.916
RG120038		10.85	3.25	8.00	0.034	0.173	0.047	0.037	0.06	3.71	8.1	0.03	57.1	0.78	0.010	0.866
RG120039		5.50	2.45	5.34	0.031	0.110	0.088	0.031	0.04	4.94	7.1	0.02	71.1	0.51	0.006	0.852
RG120040		4.21	1.920	4.54	0.038	0.044	0.162	0.017	0.06	10.80	11.0	0.06	32.0	0.44	0.006	1.580
RG120041		8.56	1.800	4.37	0.036	0.059	0.068	0.021	0.06	9.76	7.6	0.07	45.7	0.46	0.006	0.827
RG120042		6.74	2.31	3.95	0.039	0.028	0.061	0.016	0.05	9.93	6.3	0.07	54.8	0.49	0.005	0.900
RG120043		8.01	2.02	4.52	0.033	0.046	0.094	0.020	0.04	7.47	9.7	0.03	92.7	0.53	0.003	0.814
RG120044		14.15	3.17	6.77	0.041	0.218	0.183	0.033	0.06	6.62	15.4	0.07	99.5	0.73	0.009	1.100
RG120045		11.05	1.980	3.90	0.029	0.066	0.092	0.018	0.05	7.06	4.2	0.03	119.5	0.70	0.005	0.866
RG120046		14.85	4.14	9.03	0.048	0.284	0.152	0.047	0.05	8.08	11.8	0.03	62.7	1.65	0.008	1.695
RG120047		18.65	4.96	10.30	0.050	0.344	0.093	0.052	0.04	5.76	15.4	0.02	35.1	7.18	0.005	1.180
RG120048		1.57	0.220	1.280	0.020	0.002	0.013	<0.005	0.01	3.26	0.1	<0.01	6.8	0.14	<0.001	0.111
RG120049		4.04	1.220	2.49	0.020	0.034	0.030	0.013	0.02	3.74	2.2	0.02	27.4	0.39	0.006	0.237
RG120050		4.11	1.250	2.32	0.019	0.030	0.028	0.010	0.02	2.87	2.0	0.01	15.0	0.37	0.004	0.164
RG120051		4.58	1.460	2.28	0.018	0.030	0.012	0.007	0.05	2.39	2.4	0.02	17.3	0.15	0.007	0.392
RG120052		10.55	1.330	2.69	0.023	0.051	0.017	0.009	0.04	3.34	5.5	0.03	25.7	0.21	0.005	0.202
RG120053		8.61	1.970	3.40	0.024	0.127	0.019	0.015	0.04	1.675	2.1	0.01	15.5	0.32	0.004	0.217
RG120054		4.41	0.880	1.785	0.019	0.040	0.010	0.006	0.02	4.02	2.8	0.01	12.3	0.15	0.004	0.141
RG120055		4.10	0.990	2.61	0.017	0.042	0.015	0.011	0.04	3.06	6.6	0.02	33.6	0.18	0.008	0.328
RG120056		11.85	2.54	6.19	0.030	0.192	0.037	0.028	0.08	5.33	12.1	0.04	38.9	0.40	0.013	0.553
RG120057		33.7	3.41	8.28	0.048	0.192	0.037	0.039	0.07	9.44	12.8	0.05	77.1	0.52	0.012	0.443
RG120058		15.90	2.23	6.07	0.059	0.088	0.027	0.029	0.06	19.20	11.6	0.04	20.2	0.54	0.008	0.214
RG120059		10.85	1.640	4.35	0.056	0.093	0.028	0.020	0.07	21.1	10.2	0.03	55.0	0.26	0.007	0.407
RG120060		18.95	2.95	8.27	0.050	0.223	0.033	0.042	0.06	13.90	16.4	0.05	51.6	0.85	0.012	0.509

Comments: HYP-PKG being run under BR20283906.

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **TINONE RESOURCES CORPORATION**
1001-1030 WEST GEORGIA ST
VANCOUVER BC V6E 2Y3
CANADA

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 18-DEC-2020
Account: TINONE

Project: Panama Project

CERTIFICATE OF ANALYSIS BR20281264

Sample Description	Method Analyte Units LOD	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43
		Ni	P	Pb	Pd	Pt	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm 0.04	% 0.001	ppm 0.005	ppm 0.001	ppm 0.001	ppm 0.005	ppm 0.001	% 0.01	ppm 0.005	ppm 0.005	ppm 0.1	ppm 0.01	ppm 0.01	ppm 0.005	ppm 0.01
RG120021		1.86	0.010	2.70	<0.001	<0.001	3.26	<0.001	0.02	0.502	0.996	0.1	0.50	4.93	<0.005	0.02
RG120022		11.75	0.017	20.4	0.001	0.001	17.30	<0.001	0.03	1.255	2.75	1.7	1.13	5.70	<0.005	0.06
RG120023		6.22	0.008	9.87	<0.001	<0.001	23.5	<0.001	0.01	0.342	1.500	0.2	0.73	3.27	<0.005	0.02
RG120024		10.95	0.009	6.53	<0.001	<0.001	20.5	<0.001	0.02	0.438	1.125	0.2	0.62	5.27	<0.005	0.02
RG120025		5.98	0.006	7.53	<0.001	<0.001	15.45	<0.001	0.01	0.366	0.867	0.2	0.57	3.28	<0.005	0.01
RG120026		3.74	0.017	5.71	<0.001	<0.001	12.15	<0.001	0.01	0.257	0.763	0.2	0.51	19.05	<0.005	0.02
RG120027		8.06	0.009	15.80	0.001	<0.001	19.20	<0.001	0.02	0.333	4.62	0.3	1.06	5.48	<0.005	0.03
RG120028		9.17	0.006	10.25	<0.001	<0.001	27.6	<0.001	0.01	0.253	1.075	0.1	0.43	3.45	<0.005	0.02
RG120029		2.47	0.004	3.12	0.001	<0.001	8.15	<0.001	0.01	0.212	0.402	0.2	0.33	3.53	<0.005	0.01
RG120030		1.84	0.005	5.08	<0.001	<0.001	9.41	<0.001	0.01	0.442	0.781	0.1	0.48	3.19	<0.005	0.01
RG120031		4.43	0.006	13.10	<0.001	<0.001	18.05	<0.001	0.02	0.388	2.64	0.3	0.94	3.04	<0.005	0.02
RG120032		3.31	0.006	6.62	<0.001	<0.001	25.7	<0.001	0.01	0.227	1.120	0.1	0.67	5.77	<0.005	0.01
RG120033		3.89	0.008	10.05	0.001	<0.001	17.95	<0.001	0.02	0.445	1.885	0.4	1.04	4.95	<0.005	0.02
RG120034		4.23	0.010	12.10	0.001	<0.001	15.60	<0.001	0.02	0.337	1.990	0.4	0.68	2.88	<0.005	0.02
RG120035		1.84	0.006	6.25	<0.001	<0.001	10.95	<0.001	0.01	0.341	0.790	0.1	0.80	1.62	<0.005	0.01
RG120036		3.26	0.014	10.60	0.001	0.001	14.45	<0.001	0.02	0.999	1.800	0.5	1.02	4.84	<0.005	0.04
RG120037		2.56	0.013	8.31	<0.001	0.001	9.63	<0.001	0.01	0.367	2.77	0.4	0.79	2.94	<0.005	0.03
RG120038		2.48	0.007	9.63	<0.001	<0.001	15.15	<0.001	0.02	0.633	1.280	0.5	1.22	4.95	<0.005	0.04
RG120039		3.15	0.008	10.20	<0.001	0.001	17.35	<0.001	0.02	0.573	1.195	0.5	0.93	2.63	<0.005	0.03
RG120040		7.17	0.020	7.84	<0.001	<0.001	14.90	<0.001	0.03	0.282	1.170	0.8	0.57	2.00	<0.005	0.02
RG120041		6.94	0.007	8.25	<0.001	<0.001	17.45	<0.001	0.02	0.282	1.595	0.4	0.54	2.00	<0.005	0.03
RG120042		4.40	0.009	7.11	<0.001	<0.001	13.70	<0.001	0.01	0.274	0.688	0.3	0.52	3.68	<0.005	0.03
RG120043		3.52	0.010	6.68	<0.001	<0.001	15.15	<0.001	0.01	0.287	0.732	0.4	0.66	2.26	<0.005	0.02
RG120044		6.26	0.018	10.85	0.001	<0.001	17.00	<0.001	0.03	0.381	1.495	0.8	0.92	3.38	<0.005	0.05
RG120045		3.17	0.014	8.25	<0.001	<0.001	12.35	<0.001	0.02	0.264	0.890	0.4	0.62	3.30	<0.005	0.02
RG120046		5.50	0.013	19.45	<0.001	0.001	15.15	<0.001	0.03	0.643	2.93	0.9	1.32	2.38	<0.005	0.06
RG120047		3.99	0.012	14.25	<0.001	0.001	8.69	<0.001	0.02	1.335	2.55	1.7	1.40	4.28	<0.005	0.07
RG120048		0.84	0.002	1.515	<0.001	<0.001	1.025	<0.001	<0.01	0.077	0.150	<0.1	0.27	2.49	<0.005	<0.01
RG120049		3.68	0.005	3.54	<0.001	<0.001	4.35	<0.001	0.01	0.290	0.304	0.2	0.46	4.66	<0.005	0.01
RG120050		0.84	0.002	3.65	<0.001	<0.001	4.95	<0.001	<0.01	0.422	0.373	0.2	0.38	2.08	<0.005	0.01
RG120051		1.52	0.003	4.65	<0.001	<0.001	5.89	<0.001	0.01	0.232	0.606	0.1	0.26	1.72	<0.005	0.01
RG120052		2.33	0.003	4.09	<0.001	<0.001	12.65	<0.001	0.01	0.230	0.432	0.2	0.32	2.20	<0.005	0.02
RG120053		0.99	0.002	4.40	0.001	<0.001	7.66	<0.001	<0.01	0.425	0.564	0.2	0.37	2.19	<0.005	0.02
RG120054		0.73	0.002	3.25	<0.001	<0.001	7.84	<0.001	<0.01	0.147	0.267	0.1	0.23	1.44	<0.005	0.01
RG120055		1.33	0.003	4.89	<0.001	<0.001	14.25	<0.001	0.01	0.210	0.521	0.2	0.40	2.39	<0.005	0.01
RG120056		3.63	0.004	11.20	<0.001	<0.001	26.0	<0.001	0.01	0.319	1.870	0.2	0.90	5.33	<0.005	0.03
RG120057		6.29	0.006	18.00	<0.001	0.001	24.6	<0.001	0.01	0.478	3.00	0.4	1.06	6.28	<0.005	0.02
RG120058		3.05	0.004	8.53	<0.001	<0.001	18.10	<0.001	0.01	0.347	1.485	0.2	0.83	3.65	<0.005	0.03
RG120059		3.02	0.006	9.38	0.001	<0.001	26.2	<0.001	0.01	0.239	1.430	0.2	0.74	5.12	<0.005	0.02
RG120060		4.73	0.005	13.00	<0.001	0.001	30.5	<0.001	0.01	0.285	2.67	0.2	2.14	5.22	<0.005	0.03

Comments: HYP-PKG being run under BR20283906.



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **TINONE RESOURCES CORPORATION**
1001-1030 WEST GEORGIA ST
VANCOUVER BC V6E 2Y3
CANADA

Page: 5 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-DEC-2020
 Account: TINONE

Project: Panama Project

CERTIFICATE OF ANALYSIS BR20281264

Sample Description	Method Analyte Units LOD	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43
		Th	Ti	Ti	U	V	W	Y	Zn
		ppm 0.002	% 0.001	ppm 0.002	ppm 0.005	ppm 0.1	ppm 0.001	ppm 0.003	ppm 0.1
RG120021		6.16	0.007	0.016	0.581	18.0	0.184	1.785	11.1
RG120022		22.6	0.001	0.185	1.925	50.5	0.099	2.75	17.9
RG120023		10.30	0.002	0.176	0.838	26.6	0.068	3.24	17.3
RG120024		8.33	0.001	0.152	0.637	24.4	0.089	2.88	29.1
RG120025		11.45	0.002	0.125	0.626	28.5	0.112	1.585	17.8
RG120026		5.66	0.004	0.062	0.440	19.1	0.091	1.465	14.1
RG120027		23.5	0.001	0.448	1.505	39.8	0.019	1.820	20.3
RG120028		8.35	0.010	0.151	0.600	21.5	0.058	2.68	22.8
RG120029		4.07	0.005	0.060	0.294	13.6	0.059	1.065	11.1
RG120030		13.35	0.002	0.048	0.914	15.5	0.061	2.61	9.1
RG120031		15.30	0.001	0.161	0.854	37.6	0.044	2.30	8.9
RG120032		9.56	0.002	0.137	0.569	21.5	0.027	2.83	9.8
RG120033		12.25	0.002	0.096	0.770	36.5	0.053	1.070	13.4
RG120034		11.50	0.001	0.139	0.951	30.8	0.144	2.67	9.1
RG120035		5.83	0.002	0.055	0.383	32.2	0.096	0.695	5.2
RG120036		10.45	0.001	0.113	0.926	40.6	0.173	0.925	7.7
RG120037		9.87	0.003	0.133	0.684	31.5	0.142	1.045	5.6
RG120038		11.50	0.001	0.067	0.590	44.2	0.152	0.576	7.9
RG120039		8.33	0.001	0.068	0.501	33.3	0.230	0.696	7.9
RG120040		2.50	0.005	0.214	1.130	24.1	0.282	2.19	15.9
RG120041		8.11	0.004	0.120	0.794	26.6	0.146	1.520	18.2
RG120042		4.92	0.004	0.085	0.393	23.8	0.339	1.180	12.4
RG120043		6.02	0.002	0.128	0.469	25.3	0.126	1.170	13.2
RG120044		13.40	0.001	0.154	1.290	36.2	0.215	1.485	15.2
RG120045		4.43	0.002	0.080	0.541	23.5	0.336	0.949	9.1
RG120046		19.45	0.001	0.141	1.745	49.0	0.197	1.580	8.8
RG120047		21.4	0.001	0.109	1.410	58.2	0.412	0.901	6.2
RG120048		0.440	0.005	0.006	0.076	8.0	0.203	0.315	1.2
RG120049		2.52	0.001	0.021	0.218	16.6	0.239	0.429	3.9
RG120050		3.92	0.001	0.031	0.243	14.7	0.292	0.403	2.4
RG120051		5.75	0.002	0.038	0.416	13.8	0.317	0.532	3.4
RG120052		5.64	0.001	0.089	0.351	12.9	0.153	0.835	6.3
RG120053		10.20	0.001	0.047	0.303	21.1	0.246	0.342	3.7
RG120054		3.78	0.001	0.061	0.226	10.2	0.160	0.481	3.2
RG120055		3.33	0.001	0.082	0.198	13.0	0.075	0.599	9.3
RG120056		14.10	0.001	0.156	0.634	33.4	0.109	1.080	8.7
RG120057		18.45	0.001	0.163	1.160	38.5	0.103	1.440	11.8
RG120058		10.70	0.001	0.123	0.476	28.7	0.055	2.02	11.0
RG120059		9.26	0.001	0.115	0.525	23.2	0.076	1.945	7.6
RG120060		13.15	0.001	0.170	0.819	47.3	0.099	1.540	9.9

Comments: HYP-PKG being run under BR20283906.

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **TINONE RESOURCES CORPORATION**
1001-1030 WEST GEORGIA ST
VANCOUVER BC V6E 2Y3
CANADA

Page: 6 - A
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-DEC-2020
 Account: TINONE

Project: Panama Project

CERTIFICATE OF ANALYSIS BR20281264

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	AuME-ST43 Au ppm 0.0001	AuME-ST43 Ag ppm 0.001	AuME-ST43 Al % 0.01	AuME-ST43 As ppm 0.01	AuME-ST43 B ppm 10	AuME-ST43 Ba ppm 0.5	AuME-ST43 Be ppm 0.01	AuME-ST43 Bi ppm 0.001	AuME-ST43 Ca % 0.01	AuME-ST43 Cd ppm 0.001	AuME-ST43 Ce ppm 0.003	AuME-ST43 Co ppm 0.001	AuME-ST43 Cr ppm 0.01	AuME-ST43 Cs ppm 0.005
RG120061		0.73	0.0058	0.023	2.48	4.50	<10	33.3	0.26	0.254	0.01	0.002	38.8	0.769	33.1	1.575
RG120062		0.96	0.0012	0.012	1.31	1.80	<10	19.6	0.18	0.187	0.01	0.002	33.5	1.230	19.45	2.27
RG120063		0.86	0.0009	0.012	1.92	2.48	<10	16.5	0.20	0.296	0.01	0.002	11.50	0.926	33.7	2.17
RG120064		0.76	0.0015	0.010	1.92	2.08	<10	15.3	0.14	0.282	0.01	0.002	14.30	0.744	29.4	1.150
RG120065		0.76	0.0034	0.009	1.25	1.84	<10	28.2	0.26	0.221	0.01	0.005	29.9	2.10	21.2	3.47
RG120066		0.84	0.0008	0.012	1.91	1.43	<10	19.4	0.18	0.263	0.01	<0.001	13.15	0.668	27.4	0.880
RG120067		0.74	0.0009	0.004	1.56	2.55	<10	17.3	0.19	0.281	0.01	<0.001	20.6	0.389	27.1	0.485
RG120068		0.86	0.0008	0.012	1.97	8.42	<10	29.6	0.53	0.396	0.01	0.003	27.1	0.194	21.8	0.461
RG120069		0.87	0.0005	0.010	1.06	2.95	<10	16.1	0.12	0.184	0.01	0.001	30.7	0.201	14.65	0.699
RG120070		0.81	0.0088	0.006	1.95	9.23	<10	18.4	0.18	0.222	0.01	0.001	12.40	0.437	21.3	0.796
RG120071		0.78	0.0058	0.022	2.47	7.55	<10	22.7	0.25	0.301	0.02	0.018	14.85	0.415	24.0	0.923
RG120072		0.94	0.0075	0.016	2.16	8.56	<10	21.2	0.24	0.359	0.01	0.003	9.82	0.637	28.0	1.130
RG120073		0.76	0.0076	0.025	2.05	0.58	<10	35.1	0.37	0.390	0.03	0.012	19.00	1.500	31.0	1.640
RG120074		0.74	0.0062	0.015	1.17	0.60	<10	22.9	0.31	0.328	0.05	0.002	20.6	0.457	30.4	0.768
RG120075		0.84	0.0549	0.023	3.29	2.98	<10	22.1	0.43	0.487	0.04	0.001	25.9	0.957	50.5	1.125
RG120076		0.95	0.0066	0.014	1.46	25.7	<10	19.1	0.22	0.263	0.02	<0.001	13.90	0.459	22.0	0.721
RG120077		0.96	0.0022	0.007	0.55	0.46	<10	5.2	0.06	0.093	0.01	<0.001	14.15	0.214	8.32	0.651
RG120078		0.83	0.0137	0.018	1.25	3.31	<10	22.0	0.17	0.221	0.04	0.007	19.55	0.334	21.2	0.775
RG120079		0.83	0.0061	0.011	1.95	8.35	<10	26.8	0.37	0.308	0.01	0.003	13.20	1.855	23.6	2.43
RG120080		0.95	0.0014	0.013	1.82	0.19	<10	26.4	0.37	0.314	0.02	0.002	12.45	0.881	28.0	1.035
RG120081		0.89	0.0028	0.012	1.96	0.11	<10	25.4	0.22	0.350	<0.01	<0.001	25.8	0.632	32.8	1.445
RG120082		0.82	0.0154	0.012	1.58	0.12	<10	36.0	0.36	0.376	0.03	0.005	17.70	0.832	18.30	1.940
RG120083		0.96	0.0023	0.017	1.91	0.22	<10	44.2	0.61	0.398	0.01	<0.001	45.9	1.160	28.9	1.805
RG120084		0.88	0.0038	0.014	1.31	7.28	<10	25.1	0.23	0.285	0.02	0.004	11.65	0.370	25.0	1.030
RG120085		0.95	0.0035	0.006	1.04	1.47	<10	19.9	0.19	0.226	0.02	0.009	28.6	0.322	18.10	0.831
RG120086		0.82	0.0022	0.014	1.02	1.86	<10	29.3	0.48	0.246	0.02	0.007	18.75	3.21	25.0	2.09
RG120087		0.94	0.0011	0.010	0.68	0.08	<10	16.0	0.13	0.163	<0.01	0.003	45.5	0.499	10.25	0.926
RG120088		0.91	0.0096	0.012	1.23	6.41	<10	11.8	0.08	0.146	<0.01	0.002	21.2	0.450	23.9	1.480
RG120089		0.93	0.0048	0.013	1.51	3.75	<10	12.2	0.15	0.102	0.01	0.001	11.25	0.326	19.35	1.665
RG120090		0.95	0.0065	0.015	1.08	5.35	<10	17.3	0.12	0.173	<0.01	0.001	14.80	0.496	20.2	2.13

Comments: HYP-PKG being run under BR20283906.

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **TINONE RESOURCES CORPORATION**
1001-1030 WEST GEORGIA ST
VANCOUVER BC V6E 2Y3
CANADA

Page: 6 - B
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-DEC-2020
 Account: TINONE

Project: Panama Project

CERTIFICATE OF ANALYSIS BR20281264

Sample Description	Method Analyte Units LOD	AuME-ST43 Cu ppm 0.01	AuME-ST43 Fe % 0.001	AuME-ST43 Ga ppm 0.004	AuME-ST43 Ge ppm 0.005	AuME-ST43 Hf ppm 0.002	AuME-ST43 Hg ppm 0.004	AuME-ST43 In ppm 0.005	AuME-ST43 K % 0.01	AuME-ST43 La ppm 0.002	AuME-ST43 Li ppm 0.1	AuME-ST43 Mg % 0.01	AuME-ST43 Mn ppm 0.1	AuME-ST43 Mo ppm 0.01	AuME-ST43 Na % 0.001	AuME-ST43 Nb ppm 0.002
RG120061		11.55	3.17	7.93	0.052	0.210	0.063	0.031	0.06	14.50	8.4	0.04	57.4	0.59	0.010	1.470
RG120062		4.29	2.24	5.18	0.055	0.027	0.073	0.018	0.07	16.55	7.7	0.06	93.4	0.43	0.003	1.360
RG120063		10.45	3.43	7.68	0.042	0.092	0.068	0.032	0.06	5.35	11.1	0.03	124.5	0.74	0.006	1.425
RG120064		8.48	3.37	7.43	0.050	0.087	0.065	0.034	0.05	7.22	10.0	0.03	56.3	0.67	0.006	1.120
RG120065		10.20	1.940	4.90	0.061	0.043	0.045	0.019	0.08	14.90	11.7	0.08	74.9	0.48	0.007	0.870
RG120066		8.26	2.66	6.48	0.048	0.073	0.050	0.028	0.06	6.70	9.7	0.02	98.2	0.58	0.005	0.731
RG120067		6.93	2.84	5.92	0.050	0.127	0.028	0.023	0.05	10.60	5.1	0.02	29.9	0.54	0.005	0.641
RG120068		7.09	1.220	3.62	0.051	0.118	0.076	0.032	0.05	14.05	12.0	0.02	6.5	0.70	0.010	0.283
RG120069		4.53	1.670	3.67	0.051	0.050	0.033	0.016	0.03	15.50	4.3	0.02	12.1	0.56	0.007	0.346
RG120070		4.15	1.780	5.74	0.037	0.144	0.050	0.025	0.02	6.22	8.4	0.01	12.5	0.47	0.004	0.474
RG120071		12.35	2.10	5.88	0.032	0.116	0.062	0.035	0.05	7.21	14.7	0.03	17.7	0.76	0.013	0.337
RG120072		13.45	2.55	6.26	0.026	0.116	0.049	0.032	0.04	3.76	11.3	0.03	52.9	0.95	0.009	0.568
RG120073		15.40	3.02	6.99	0.042	0.080	0.076	0.027	0.06	9.15	11.3	0.04	366	0.57	0.003	0.861
RG120074		11.65	2.82	4.77	0.044	0.074	0.044	0.019	0.06	10.25	4.1	0.03	122.0	0.31	0.009	0.685
RG120075		19.35	4.49	9.02	0.059	0.526	0.104	0.043	0.05	10.90	11.6	0.04	25.3	1.02	0.008	1.305
RG120076		8.19	2.57	4.53	0.032	0.140	0.028	0.019	0.03	7.46	7.0	0.03	29.7	4.01	0.008	0.320
RG120077		1.87	0.800	2.22	0.021	0.032	0.019	0.007	0.02	7.28	2.7	0.01	22.6	0.36	0.005	0.245
RG120078		8.45	1.960	3.48	0.037	0.167	0.021	0.017	0.04	10.30	6.9	0.03	28.6	0.65	0.007	0.434
RG120079		17.55	2.29	5.31	0.031	0.149	0.030	0.024	0.07	7.12	14.9	0.06	50.2	0.79	0.006	0.399
RG120080		11.55	2.58	5.87	0.034	0.158	0.035	0.028	0.07	5.64	10.6	0.04	45.2	0.43	0.007	0.457
RG120081		13.10	2.33	3.08	0.033	0.157	0.025	0.023	0.06	12.15	7.8	0.04	19.1	0.38	0.008	0.195
RG120082		13.10	1.500	4.16	0.035	0.100	0.017	0.019	0.07	7.96	10.5	0.04	72.8	0.69	0.008	0.366
RG120083		13.10	2.39	5.48	0.044	0.145	0.033	0.026	0.06	14.40	11.3	0.05	46.1	0.48	0.011	0.357
RG120084		7.58	2.15	4.46	0.031	0.152	0.022	0.022	0.05	5.97	6.4	0.02	41.1	0.38	0.008	0.318
RG120085		6.17	1.720	3.18	0.047	0.118	0.011	0.020	0.05	14.35	6.6	0.02	21.4	0.26	0.008	0.241
RG120086		17.30	2.65	4.37	0.036	0.109	0.019	0.014	0.06	5.84	6.3	0.04	119.0	0.20	0.010	0.585
RG120087		2.44	1.140	2.42	0.054	0.041	0.017	0.010	0.04	22.0	3.1	0.03	52.6	0.19	0.009	0.316
RG120088		5.11	2.27	5.40	0.041	0.029	0.063	0.023	0.03	8.92	6.3	0.02	88.8	0.52	0.003	1.005
RG120089		2.97	1.640	3.28	0.028	0.175	0.120	0.021	0.02	4.48	6.0	0.01	14.5	0.32	0.005	1.015
RG120090		7.65	2.12	4.23	0.035	0.069	0.031	0.014	0.04	6.05	3.9	0.03	19.6	0.32	0.005	1.365

Comments: HYP-PKG being run under BR20283906.

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **TINONE RESOURCES CORPORATION**
1001-1030 WEST GEORGIA ST
VANCOUVER BC V6E 2Y3
CANADA

Page: 6 - C
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-DEC-2020
 Account: TINONE

Project: Panama Project

CERTIFICATE OF ANALYSIS BR20281264

Sample Description	Method Analyte Units LOD	AuME-ST43 Ni ppm 0.04	AuME-ST43 P % 0.001	AuME-ST43 Pb ppm 0.005	AuME-ST43 Pd ppm 0.001	AuME-ST43 Pt ppm 0.001	AuME-ST43 Rb ppm 0.005	AuME-ST43 Re ppm 0.001	AuME-ST43 S % 0.01	AuME-ST43 Sb ppm 0.005	AuME-ST43 Sc ppm 0.005	AuME-ST43 Se ppm 0.1	AuME-ST43 Sn ppm 0.01	AuME-ST43 Sr ppm 0.01	AuME-ST43 Ta ppm 0.005	AuME-ST43 Te ppm 0.01
RG120061		4.15	0.010	13.40	<0.001	<0.001	13.20	<0.001	0.02	0.432	1.720	0.4	1.39	6.56	<0.005	0.04
RG120062		4.38	0.011	7.59	<0.001	<0.001	15.95	<0.001	0.01	0.264	1.125	0.3	0.80	3.42	<0.005	0.03
RG120063		5.07	0.012	8.99	<0.001	<0.001	19.40	<0.001	0.02	0.472	1.095	0.5	1.26	3.47	<0.005	0.04
RG120064		4.11	0.012	8.85	0.001	<0.001	12.35	<0.001	0.02	0.328	0.900	0.6	0.98	2.69	<0.005	0.04
RG120065		6.91	0.012	8.92	<0.001	<0.001	17.85	<0.001	0.03	0.326	2.01	0.3	0.59	3.19	<0.005	0.02
RG120066		3.45	0.010	7.84	<0.001	<0.001	14.50	<0.001	0.02	0.474	1.090	0.3	0.95	3.57	<0.005	0.04
RG120067		2.56	0.007	10.15	0.001	0.001	10.40	<0.001	0.02	0.476	1.175	0.4	0.82	3.53	<0.005	0.02
RG120068		3.04	0.008	12.90	<0.001	<0.001	7.09	<0.001	0.02	0.734	1.210	0.8	0.55	5.14	<0.005	0.05
RG120069		1.42	0.007	5.05	0.001	<0.001	8.97	<0.001	0.01	0.382	0.569	0.4	0.62	3.98	<0.005	0.01
RG120070		3.02	0.005	4.36	<0.001	<0.001	6.25	<0.001	0.02	0.263	0.985	0.7	0.81	2.16	<0.005	0.04
RG120071		3.45	0.007	5.67	0.001	<0.001	10.00	<0.001	0.02	0.472	1.060	0.6	0.84	5.05	<0.005	0.03
RG120072		3.18	0.008	7.54	<0.001	<0.001	13.00	<0.001	0.02	0.447	1.230	0.5	0.89	2.84	<0.005	0.04
RG120073		5.27	0.014	9.65	0.001	<0.001	17.40	<0.001	0.02	0.387	1.515	0.4	0.89	5.65	<0.005	0.04
RG120074		2.80	0.011	10.80	<0.001	<0.001	8.72	<0.001	0.02	0.525	1.415	0.4	0.54	6.31	<0.005	0.04
RG120075		6.28	0.011	12.65	<0.001	0.002	9.42	<0.001	0.04	0.551	2.36	1.3	0.98	6.05	<0.005	0.06
RG120076		2.30	0.005	5.91	<0.001	<0.001	8.17	<0.001	0.01	0.483	1.235	0.5	0.65	3.88	<0.005	0.03
RG120077		0.91	0.002	1.795	<0.001	<0.001	4.12	<0.001	0.01	0.123	0.306	0.1	0.45	1.63	<0.005	<0.01
RG120078		1.30	0.008	4.27	0.001	<0.001	9.47	<0.001	0.02	0.529	0.842	0.3	0.59	6.09	<0.005	0.02
RG120079		6.00	0.003	7.96	0.001	<0.001	18.90	<0.001	0.01	0.630	1.460	0.4	0.78	3.26	<0.005	0.02
RG120080		2.76	0.006	7.20	0.001	0.001	15.80	<0.001	0.01	0.368	1.590	0.2	0.77	4.93	<0.005	0.01
RG120081		2.74	0.004	7.55	0.001	<0.001	15.90	<0.001	0.01	0.338	1.855	0.1	0.68	2.38	<0.005	0.01
RG120082		1.88	0.005	9.09	<0.001	<0.001	21.1	<0.001	0.01	0.239	1.405	0.1	0.69	7.19	<0.005	0.01
RG120083		3.64	0.006	12.00	<0.001	<0.001	22.5	<0.001	0.01	0.368	2.29	0.2	0.71	5.66	<0.005	0.02
RG120084		1.42	0.005	10.15	0.001	0.001	16.20	<0.001	0.01	0.597	1.345	0.3	0.66	4.84	<0.005	0.02
RG120085		0.94	0.005	11.15	<0.001	<0.001	12.60	<0.001	0.01	0.398	1.750	0.3	0.48	5.99	<0.005	0.01
RG120086		3.52	0.008	8.35	0.001	0.001	17.40	<0.001	0.01	0.483	3.06	0.3	0.48	4.15	<0.005	0.01
RG120087		1.34	0.004	4.05	0.001	<0.001	13.25	<0.001	0.01	0.186	0.650	0.2	0.46	1.99	<0.005	0.01
RG120088		2.58	0.010	6.34	0.001	<0.001	10.20	<0.001	0.01	0.278	0.625	0.8	0.93	2.65	<0.005	0.03
RG120089		2.44	0.010	4.48	0.001	<0.001	5.33	<0.001	0.02	0.189	0.822	0.8	0.65	2.48	<0.005	0.01
RG120090		2.74	0.008	3.57	<0.001	<0.001	9.24	<0.001	0.01	0.305	0.918	0.5	0.78	2.07	<0.005	0.02

Comments: HYP-PKG being run under BR20283906.

***** See Appendix Page for comments regarding this certificate *****



Page: 6 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 18-DEC-2020
Account: TINONE

Project: Panama Project

CERTIFICATE OF ANALYSIS BR20281264

Comments: HYP-PKG being run under BR20283906.

***** See Appendix Page for comments regarding this certificate *****



Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 18-DEC-2020
Account: TINONE

Project: Panama Project

CERTIFICATE OF ANALYSIS BR20281264

	CERTIFICATE COMMENTS
Applies to Method:	LABORATORY ADDRESSES
	Processed at ALS Brisbane located at 32 Shand Street, Stafford, Brisbane, QLD, Australia. Processed at ALS Brisbane Sample Preparation at 23 Pineapple Street, Zillmere, QLD, 4034, Australia
	AuME-ST43
	LEV-01
	LOG-21
	SCR-41
	WEI-21