



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **TINONE RESOURCES CORPORATION**
1001-1030 WEST GEORGIA ST
VANCOUVER BC V6E 2Y3
CANADA

Page: 1
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 20-JAN-2021
This copy reported on 25-JAN-2021
Account: TINONE

CERTIFICATE BR20296775

Project: Panama Project

This report is for 163 Soil samples submitted to our lab in Burnie, TAS, Australia on 9-DEC-2020.

The following have access to data associated with this certificate:

RUSSELL FULTON

STUART SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LEV-01	Waste Disposal Levy
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
AuME-ST43	25g Super Trace Au + Multi Element PKG

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Cameron Brosnan, Laboratory Manager, Perth



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **TINONE RESOURCES CORPORATION**
1001-1030 WEST GEORGIA ST
VANCOUVER BC V6E 2Y3
CANADA

Page: 2 - A
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-JAN-2021
 Account: TINONE

Project: Panama Project

CERTIFICATE OF ANALYSIS BR20296775

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	AuME-ST43 Au ppm 0.0001	AuME-ST43 Ag ppm 0.001	AuME-ST43 Al % 0.01	AuME-ST43 As ppm 0.01	AuME-ST43 B ppm 2	AuME-ST43 Ba ppm 0.05	AuME-ST43 Be ppm 0.005	AuME-ST43 Bi ppm 0.0005	AuME-ST43 Ca % 0.01	AuME-ST43 Cd ppm 0.001	AuME-ST43 Ce ppm 0.001	AuME-ST43 Co ppm 0.001	AuME-ST43 Cr ppm 0.01	AuME-ST43 Cs ppm 0.001
RG120091		0.85	0.0047	0.007	1.38	1.76	<2	14.80	0.156	0.112	0.01	0.005	18.15	0.909	21.0	1.885
RG120092		0.97	0.0012	0.015	0.86	2.50	<2	14.10	0.153	0.137	0.03	0.006	11.35	0.464	19.60	0.671
RG120093		0.96	0.0031	0.009	0.59	2.48	<2	9.17	0.089	0.224	0.01	0.006	8.80	0.579	13.85	1.090
RG120094		0.86	0.0045	0.011	1.83	1.00	<2	29.7	0.255	0.278	0.02	<0.001	13.65	0.601	28.2	0.911
RG120095		0.95	0.0007	0.009	0.78	0.36	<2	23.0	0.207	0.197	0.01	<0.001	9.47	0.360	13.05	0.300
RG120096		0.94	0.0010	0.009	0.65	6.05	<2	14.80	0.136	0.200	0.01	0.002	46.3	0.091	8.30	0.463
RG120097		0.93	0.0093	0.018	2.09	4.34	<2	21.5	0.261	0.223	0.01	0.001	28.7	0.426	21.1	0.775
RG120098		0.90	0.0211	0.019	1.84	3.70	<2	18.75	0.178	0.263	0.01	0.005	30.5	0.423	20.5	0.746
RG120099		0.88	0.0051	0.018	0.79	1.50	<2	12.85	0.125	0.183	0.01	0.002	44.5	0.273	12.80	0.443
RG120100		0.85	0.0048	0.017	1.78	0.84	<2	25.4	0.409	0.268	0.01	0.006	22.2	1.580	24.1	1.240
RG120101		0.83	0.0060	0.007	1.05	0.21	<2	18.05	0.191	0.293	0.01	0.002	15.30	0.541	20.4	0.553
RG120102		0.92	0.0027	0.008	0.90	0.04	<2	24.8	0.211	0.189	0.02	<0.001	27.8	1.140	12.90	1.005
RG120103		0.73	0.0061	0.005	1.26	0.04	<2	35.7	0.331	0.172	0.01	<0.001	20.4	1.160	12.45	1.870
RG120104		0.88	0.0052	0.011	0.80	0.31	<2	18.70	0.222	0.288	0.02	0.008	12.40	0.955	18.55	0.651
RG120105		0.93	0.0033	0.011	1.29	0.34	<2	22.7	0.246	0.362	0.01	0.013	32.7	1.100	20.7	1.875
RG120106		0.73	0.0022	0.015	1.11	0.36	<2	41.8	0.308	0.210	0.01	0.005	15.30	1.290	16.40	1.405
RG120107		0.79	0.0011	0.011	1.96	0.08	<2	43.6	0.444	0.313	0.01	<0.001	15.40	0.842	21.1	2.37
RG120108		0.90	0.0024	0.011	1.36	0.21	<2	23.3	0.334	0.352	0.01	0.003	4.46	0.508	34.6	0.893
RG120109		0.86	0.0066	0.013	1.25	0.15	<2	26.7	0.290	0.296	<0.01	0.002	9.46	0.416	20.6	0.836
RG120110		0.92	0.0007	0.018	1.40	0.67	<2	33.5	0.256	0.262	0.02	0.004	8.56	0.526	23.3	0.914
RG120111		0.92	0.0037	0.022	2.36	3.79	<2	35.0	0.345	0.377	0.02	0.011	7.26	0.573	41.3	0.943
RG120112		0.88	0.0037	0.012	1.98	1.08	<2	24.8	0.310	0.357	0.01	<0.001	12.65	0.516	31.5	1.350
RG120113		0.92	0.0029	0.009	1.34	2.76	<2	19.15	0.160	0.286	0.01	0.003	24.3	0.315	24.6	1.195
RG120114		0.94	0.0006	0.030	0.81	1.06	<2	23.7	0.170	0.188	0.02	<0.001	9.50	0.688	12.55	0.847
RG120115		0.92	0.0224	0.015	0.83	3.29	<2	17.25	0.110	0.121	0.02	0.003	8.86	0.343	10.80	0.488
RG120116		0.86	0.0252	0.011	1.38	8.41	<2	14.25	0.118	0.253	0.01	<0.001	19.15	0.304	19.25	0.741
RG120117		0.86	0.0126	0.021	0.80	6.73	<2	15.30	0.149	0.0756	0.01	0.001	29.4	0.241	18.55	0.479
RG120118		0.94	0.0022	0.012	1.82	5.03	<2	23.8	0.172	0.0959	0.02	<0.001	42.1	1.075	41.6	1.425
RG120119		0.87	0.0016	0.014	0.74	2.13	<2	27.6	0.095	0.0518	0.01	0.001	27.9	0.950	20.1	1.295
RG120120		0.86	0.0041	0.012	3.45	10.70	<2	19.55	0.184	0.116	0.02	<0.001	21.1	0.703	44.0	1.655
RG120121		0.95	0.0015	0.016	0.81	0.88	<2	11.85	0.075	0.0864	<0.01	0.001	20.6	0.208	20.3	0.698
RG120122		0.90	0.0002	0.013	0.72	0.48	<2	21.4	0.182	0.115	0.02	0.002	12.80	0.300	12.65	0.469
RG120123		0.94	0.0019	0.016	1.45	1.82	<2	17.95	0.208	0.260	<0.01	0.001	13.45	0.531	26.1	0.996
RG120124		0.91	0.0056	0.015	1.80	14.00	<2	19.70	0.230	0.413	0.01	0.002	59.9	0.282	24.5	0.931
RG120125		0.97	0.0093	0.010	0.36	1.94	<2	11.65	0.065	0.141	<0.01	<0.001	36.3	0.303	10.65	0.229
RG120126		0.91	0.0019	0.008	0.08	0.17	<2	12.70	0.044	0.0958	0.01	0.002	10.50	0.185	4.12	0.574
RG120127		0.84	0.0057	0.012	0.99	1.11	<2	21.7	0.310	0.207	<0.01	<0.001	27.7	0.759	17.55	0.564
RG120128		0.96	0.0373	0.008	2.69	0.76	<2	27.5	0.422	0.413	0.01	<0.001	23.6	1.965	34.8	1.075
RG120129		0.92	0.0025	0.006	1.29	0.15	<2	19.75	0.251	0.313	0.01	<0.001	24.7	0.769	22.4	0.762
RG120130		0.94	0.0085	0.007	2.24	0.52	<2	30.2	0.380	0.391	<0.01	0.002	23.0	1.075	33.5	1.025



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **TINONE RESOURCES CORPORATION**
1001-1030 WEST GEORGIA ST
VANCOUVER BC V6E 2Y3
CANADA

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 20-JAN-2021
Account: TINONE

Project: Panama Project

CERTIFICATE OF ANALYSIS BR20296775

Sample Description	Method Analyte Units LOD	AuME-ST43 Cu ppm 0.01	AuME-ST43 Fe % 0.001	AuME-ST43 Ga ppm 0.004	AuME-ST43 Ge ppm 0.005	AuME-ST43 Hf ppm 0.002	AuME-ST43 Hg ppm 0.002	AuME-ST43 In ppm 0.005	AuME-ST43 K % 0.01	AuME-ST43 La ppm 0.002	AuME-ST43 Li ppm 0.1	AuME-ST43 Mg % 0.01	AuME-ST43 Mn ppm 0.1	AuME-ST43 Mo ppm 0.002	AuME-ST43 Na % 0.001	AuME-ST43 Nb ppm 0.002
RG120091		4.30	1.700	3.70	0.015	0.106	0.037	0.020	0.03	8.01	8.2	0.02	27.0	0.424	0.001	0.724
RG120092		11.70	2.16	4.31	0.014	0.036	0.027	0.018	0.04	5.70	1.6	0.02	142.0	0.519	<0.001	0.864
RG120093		6.00	1.860	3.91	0.008	0.012	0.019	0.010	0.06	4.37	0.8	0.04	34.5	0.391	0.002	1.015
RG120094		12.20	3.07	5.64	0.020	0.076	0.064	0.026	0.05	6.84	8.1	0.03	117.5	0.531	0.003	0.294
RG120095		6.20	1.540	2.90	0.009	0.033	0.022	0.011	0.05	4.73	2.1	0.02	26.3	0.221	0.007	0.347
RG120096		3.32	1.610	1.290	0.039	0.053	0.013	0.014	0.04	23.8	4.2	0.01	4.5	1.395	<0.001	0.038
RG120097		4.66	1.600	4.68	0.027	0.132	0.048	0.025	0.03	14.15	7.8	0.02	14.2	0.417	0.005	0.346
RG120098		5.26	1.820	4.71	0.029	0.109	0.054	0.024	0.03	15.15	8.4	0.01	24.5	0.453	0.005	0.370
RG120099		9.09	1.440	2.94	0.042	0.046	0.015	0.013	0.04	22.1	3.6	0.01	11.2	0.498	0.004	0.200
RG120100		10.55	2.59	5.54	0.026	0.103	0.040	0.023	0.07	9.98	10.3	0.04	65.4	0.550	0.005	0.454
RG120101		9.96	2.03	3.82	0.019	0.083	0.020	0.017	0.04	7.41	4.0	0.02	28.7	0.277	0.005	0.188
RG120102		6.31	1.310	2.75	0.029	0.043	0.015	0.012	0.05	13.70	4.5	0.03	55.3	0.168	0.004	0.292
RG120103		5.57	1.160	3.23	0.017	0.041	0.011	0.013	0.05	10.20	6.5	0.03	55.0	0.180	0.006	0.273
RG120104		12.60	2.09	3.73	0.013	0.064	0.016	0.017	0.04	5.75	3.0	0.02	28.7	0.265	0.004	0.382
RG120105		9.27	2.20	4.43	0.032	0.107	0.017	0.019	0.05	16.35	6.9	0.02	51.6	0.368	0.006	0.368
RG120106		6.27	1.690	3.55	0.015	0.053	0.031	0.013	0.07	7.27	5.8	0.04	78.3	0.298	0.008	0.624
RG120107		8.52	2.22	5.32	0.020	0.086	0.020	0.023	0.07	7.48	10.5	0.04	33.1	0.335	0.011	0.294
RG120108		10.95	3.20	5.19	0.017	0.276	0.016	0.018	0.04	2.32	5.2	0.02	15.5	0.239	0.008	0.245
RG120109		10.35	1.840	3.68	0.014	0.092	0.017	0.017	0.04	4.01	5.5	0.02	18.7	0.404	0.003	0.191
RG120110		4.65	2.44	4.70	0.015	0.125	0.022	0.022	0.05	4.48	5.8	0.03	33.2	0.416	0.009	0.523
RG120111		8.39	3.80	7.65	0.017	0.294	0.034	0.038	0.05	4.03	7.8	0.04	19.4	0.669	0.005	0.454
RG120112		7.80	2.77	5.79	0.020	0.193	0.023	0.026	0.06	5.25	8.6	0.03	22.2	0.410	0.005	0.311
RG120113		5.44	2.10	4.08	0.027	0.131	0.016	0.021	0.04	11.85	6.3	0.02	13.3	0.309	0.004	0.220
RG120114		5.78	1.380	3.42	0.012	0.017	0.028	0.014	0.04	3.93	3.0	0.02	82.4	0.262	0.002	0.339
RG120115		2.83	0.990	2.96	0.011	0.018	0.019	0.012	0.03	4.49	2.2	0.02	15.8	0.250	0.001	0.205
RG120116		1.30	1.630	4.17	0.021	0.061	0.040	0.021	0.02	9.69	5.5	0.02	10.5	0.407	0.002	0.161
RG120117		1.90	1.870	2.53	0.029	0.113	0.035	0.011	0.03	13.20	3.3	0.01	6.2	0.262	0.003	0.166
RG120118		3.44	2.65	5.57	0.035	0.461	0.026	0.024	0.10	14.35	6.2	0.10	23.5	0.416	0.008	0.545
RG120119		1.55	1.230	2.90	0.029	0.149	0.015	0.011	0.08	12.70	2.2	0.07	18.7	0.216	0.002	0.670
RG120120		3.06	3.09	9.64	0.029	0.403	0.048	0.035	0.05	9.44	8.3	0.04	23.7	0.673	0.003	0.655
RG120121		2.41	1.630	3.90	0.024	0.102	0.019	0.015	0.02	10.35	3.1	0.01	13.7	0.242	0.002	0.266
RG120122		3.53	1.280	2.86	0.017	0.031	0.015	0.010	0.04	6.39	2.9	0.02	28.0	0.330	0.002	0.351
RG120123		13.90	2.56	4.63	0.020	0.128	0.021	0.023	0.04	5.77	6.7	0.02	49.9	0.388	0.004	0.161
RG120124		16.10	2.41	4.82	0.060	0.186	0.106	0.038	0.05	30.0	10.9	0.02	9.6	1.450	0.009	0.131
RG120125		2.85	0.840	1.435	0.029	0.038	0.007	0.009	0.03	17.85	0.9	0.01	7.3	0.341	0.001	0.142
RG120126		1.19	0.116	1.285	0.010	0.007	0.004	<0.005	0.02	5.10	<0.1	0.01	5.2	0.181	0.001	0.086
RG120127		9.05	2.16	3.68	0.025	0.074	0.035	0.013	0.04	12.85	3.6	0.01	31.8	0.306	0.003	0.260
RG120128		25.3	3.53	6.41	0.025	0.177	0.035	0.033	0.05	9.29	10.6	0.03	37.0	0.416	0.004	0.244
RG120129		13.20	2.21	4.00	0.025	0.085	0.015	0.020	0.04	12.05	5.9	0.02	37.3	0.375	0.002	0.161
RG120130		17.10	3.35	6.75	0.025	0.147	0.021	0.033	0.05	10.40	10.2	0.03	31.6	0.431	0.004	0.192



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **TINONE RESOURCES CORPORATION**
1001-1030 WEST GEORGIA ST
VANCOUVER BC V6E 2Y3
CANADA

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 20-JAN-2021
Account: TINONE

Project: Panama Project

CERTIFICATE OF ANALYSIS BR20296775

Sample Description	Method Analyte Units LOD	AuME-ST43 Ni ppm 0.02	AuME-ST43 P % 0.0005	AuME-ST43 Pb ppm 0.005	AuME-ST43 Pd ppm 0.001	AuME-ST43 Pt ppm 0.001	AuME-ST43 Rb ppm 0.005	AuME-ST43 Re ppm 0.0002	AuME-ST43 S % 0.002	AuME-ST43 Sb ppm 0.002	AuME-ST43 Sc ppm 0.005	AuME-ST43 Se ppm 0.002	AuME-ST43 Sn ppm 0.01	AuME-ST43 Sr ppm 0.01	AuME-ST43 Ta ppm 0.005	AuME-ST43 Te ppm 0.001
RG120091		5.08	0.0055	5.15	<0.001	<0.001	10.95	<0.0002	0.011	0.209	1.105	0.312	0.59	2.43	<0.005	0.007
RG120092		2.94	0.0089	4.06	<0.001	<0.001	7.77	<0.0002	0.012	0.283	0.813	0.342	0.51	5.62	<0.005	0.016
RG120093		2.59	0.0068	3.99	<0.001	<0.001	10.95	<0.0002	0.010	0.357	0.519	0.175	0.52	4.08	<0.005	0.014
RG120094		3.89	0.0070	8.21	<0.001	<0.001	10.90	<0.0002	0.014	0.225	1.325	0.294	0.69	4.79	<0.005	0.013
RG120095		1.73	0.0043	5.07	<0.001	<0.001	5.66	<0.0002	0.007	0.152	0.845	0.125	0.41	4.15	<0.005	0.003
RG120096		0.95	0.0061	4.78	<0.001	<0.001	5.25	<0.0002	0.002	1.755	0.617	0.421	0.20	4.62	<0.005	0.019
RG120097		3.07	0.0072	7.82	<0.001	<0.001	7.93	<0.0002	0.016	0.278	1.285	0.399	0.79	3.87	<0.005	0.013
RG120098		2.60	0.0081	4.76	<0.001	<0.001	7.84	<0.0002	0.018	0.249	0.789	0.416	0.70	3.57	<0.005	0.020
RG120099		1.62	0.0053	3.25	<0.001	<0.001	7.98	<0.0002	0.010	0.220	0.698	0.134	0.41	3.47	<0.005	0.010
RG120100		5.87	0.0079	6.18	<0.001	<0.001	12.20	<0.0002	0.016	0.215	1.230	0.286	0.66	4.50	<0.005	0.018
RG120101		2.09	0.0045	4.11	<0.001	<0.001	9.23	<0.0002	0.010	0.188	0.790	0.145	0.38	2.64	<0.005	0.016
RG120102		2.65	0.0036	4.56	<0.001	<0.001	13.25	<0.0002	0.007	0.178	0.767	0.050	0.42	4.03	<0.005	0.003
RG120103		2.16	0.0028	5.74	<0.001	<0.001	18.45	<0.0002	0.007	0.166	1.095	0.060	0.53	2.99	<0.005	0.001
RG120104		1.90	0.0050	5.69	<0.001	<0.001	7.42	<0.0002	0.011	0.221	1.205	0.079	0.44	2.97	<0.005	0.007
RG120105		2.97	0.0045	5.99	<0.001	<0.001	17.20	<0.0002	0.014	0.367	1.065	0.110	0.54	3.29	<0.005	0.007
RG120106		2.90	0.0065	6.82	<0.001	<0.001	19.20	<0.0002	0.013	0.292	1.000	0.109	0.54	4.14	<0.005	0.005
RG120107		2.26	0.0038	11.50	<0.001	<0.001	26.2	<0.0002	0.013	0.411	1.640	0.078	0.86	3.44	<0.005	0.002
RG120108		2.51	0.0044	12.80	0.001	<0.001	10.10	<0.0002	0.013	0.363	1.575	0.261	0.47	2.44	<0.005	0.010
RG120109		1.44	0.0037	8.06	<0.001	<0.001	13.05	<0.0002	0.007	0.288	1.100	0.114	0.44	1.92	<0.005	0.008
RG120110		1.78	0.0074	9.16	0.001	<0.001	13.65	<0.0002	0.010	0.430	1.270	0.163	0.78	6.82	<0.005	0.011
RG120111		2.78	0.0092	17.75	0.001	<0.001	12.30	<0.0002	0.014	0.640	4.44	0.555	1.08	7.27	<0.005	0.031
RG120112		1.95	0.0050	13.50	<0.001	<0.001	18.25	<0.0002	0.010	0.436	3.27	0.260	0.76	3.42	<0.005	0.019
RG120113		1.26	0.0042	6.13	<0.001	<0.001	13.15	<0.0002	0.007	0.411	1.220	0.251	0.53	3.14	<0.005	0.015
RG120114		1.70	0.0067	6.12	<0.001	<0.001	10.75	<0.0002	0.008	0.274	0.730	0.130	0.53	3.77	<0.005	0.008
RG120115		1.33	0.0055	4.53	<0.001	<0.001	6.52	<0.0002	0.005	0.218	0.472	0.162	0.54	4.82	<0.005	0.005
RG120116		1.57	0.0038	7.49	<0.001	<0.001	5.55	<0.0002	0.006	0.220	1.010	0.441	0.80	3.18	<0.005	0.013
RG120117		1.12	0.0065	6.33	<0.001	<0.001	5.82	<0.0002	0.009	0.270	0.934	0.428	0.43	4.97	<0.005	0.007
RG120118		4.44	0.0079	7.85	<0.001	0.001	12.45	<0.0002	0.013	0.342	2.98	0.619	0.79	5.80	<0.005	0.014
RG120119		3.28	0.0067	3.84	<0.001	<0.001	11.85	<0.0002	0.007	0.208	1.430	0.254	0.49	9.45	<0.005	0.005
RG120120		2.89	0.0071	10.20	<0.001	<0.001	7.77	<0.0002	0.019	0.295	1.985	0.863	1.45	6.63	<0.005	0.011
RG120121		0.77	0.0038	4.72	<0.001	<0.001	5.17	<0.0002	0.008	0.184	0.527	0.252	0.50	2.53	<0.005	0.007
RG120122		1.05	0.0041	3.97	<0.001	<0.001	7.12	<0.0002	0.005	0.170	0.541	0.102	0.42	5.01	<0.005	0.004
RG120123		2.17	0.0039	6.27	<0.001	<0.001	13.90	<0.0002	0.007	0.461	1.300	0.225	0.57	2.48	<0.005	0.012
RG120124		2.45	0.0070	13.65	<0.001	<0.001	9.55	<0.0002	0.020	1.625	1.095	0.646	0.53	4.23	<0.005	0.030
RG120125		0.97	0.0036	2.66	<0.001	<0.001	4.22	<0.0002	0.005	0.339	0.313	0.074	0.28	2.69	<0.005	0.015
RG120126		0.40	0.0020	1.945	<0.001	<0.001	2.05	<0.0002	0.004	0.105	0.188	0.010	0.38	3.47	<0.005	<0.001
RG120127		2.85	0.0047	4.55	<0.001	<0.001	8.38	<0.0002	0.008	0.205	1.020	0.186	0.40	1.89	<0.005	0.013
RG120128		5.87	0.0053	8.33	0.001	<0.001	11.10	<0.0002	0.018	0.185	1.695	0.414	0.68	2.84	<0.005	0.018
RG120129		2.08	0.0035	5.85	<0.001	<0.001	11.40	<0.0002	0.007	0.189	1.095	0.095	0.50	2.88	<0.005	0.005
RG120130		3.42	0.0036	8.52	0.001	<0.001	11.75	<0.0002	0.015	0.310	1.995	0.213	0.81	1.70	<0.005	0.009



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **TINONE RESOURCES CORPORATION**
1001-1030 WEST GEORGIA ST
VANCOUVER BC V6E 2Y3
CANADA

Page: 2 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-JAN-2021
 Account: TINONE

Project: Panama Project

CERTIFICATE OF ANALYSIS BR20296775

Sample Description	Method Analyte Units LOD	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43
		Th	Ti	Ti	U	V	W	Y	Zn
		ppm 0.0005	% 0.0001	ppm 0.0005	ppm 0.0005	ppm 0.05	ppm 0.001	ppm 0.001	ppm 0.1
RG120091		5.68	0.0028	0.0684	0.320	22.7	0.412	1.305	7.0
RG120092		7.62	0.0022	0.0385	0.586	21.3	0.172	1.340	10.8
RG120093		3.64	0.0052	0.0656	0.388	21.2	0.168	0.727	8.2
RG120094		11.85	0.0007	0.0886	0.619	32.8	0.048	0.720	9.0
RG120095		5.20	0.0017	0.0360	0.377	15.05	0.026	0.720	6.3
RG120096		6.77	0.0002	0.0571	0.320	8.07	0.284	2.73	2.3
RG120097		9.14	0.0007	0.0567	0.623	29.3	0.104	1.460	4.3
RG120098		8.02	0.0010	0.0533	0.450	27.2	0.132	1.345	5.4
RG120099		7.18	0.0011	0.0440	0.344	17.40	0.058	1.495	6.8
RG120100		12.70	0.0013	0.0940	0.760	28.7	0.131	2.34	13.6
RG120101		12.80	0.0011	0.0578	0.453	19.30	0.078	1.060	8.5
RG120102		5.98	0.0024	0.0725	0.349	14.45	0.033	1.480	12.5
RG120103		5.97	0.0021	0.122	0.302	15.55	0.026	1.135	11.7
RG120104		11.00	0.0034	0.0491	0.552	20.1	0.068	1.400	17.2
RG120105		10.40	0.0021	0.103	0.540	23.3	0.096	2.32	19.2
RG120106		6.45	0.0031	0.0833	0.454	19.70	0.088	1.575	10.6
RG120107		11.70	0.0013	0.171	0.464	28.8	0.035	0.795	5.8
RG120108		25.0	0.0022	0.0832	0.846	27.5	0.073	0.667	7.3
RG120109		10.25	0.0010	0.0787	0.434	19.70	0.064	0.722	6.0
RG120110		8.78	0.0012	0.0836	0.444	31.0	0.077	0.529	3.9
RG120111		21.2	0.0009	0.112	1.005	46.4	0.071	0.518	4.0
RG120112		16.75	0.0010	0.140	0.866	32.0	0.058	0.641	4.3
RG120113		11.85	0.0009	0.0864	0.469	23.5	0.074	0.894	3.9
RG120114		3.87	0.0013	0.0526	0.358	17.60	0.125	0.984	10.3
RG120115		3.60	0.0011	0.0283	0.243	16.85	0.247	0.810	5.4
RG120116		6.84	0.0010	0.0460	0.395	29.0	0.083	1.065	2.9
RG120117		8.59	0.0010	0.0494	0.454	17.00	0.889	1.085	1.8
RG120118		15.45	0.0053	0.0971	0.864	35.0	2.66	1.085	8.2
RG120119		6.57	0.0080	0.0763	0.408	17.60	0.755	1.635	6.7
RG120120		14.25	0.0027	0.0686	0.803	50.7	0.401	0.969	4.8
RG120121		9.30	0.0016	0.0414	0.279	22.4	0.105	0.825	2.3
RG120122		3.92	0.0014	0.0335	0.263	14.95	0.131	0.765	5.9
RG120123		15.15	0.0016	0.0863	0.537	23.9	0.060	0.940	9.3
RG120124		20.7	0.0003	0.0924	0.482	22.6	0.235	2.42	4.6
RG120125		4.51	0.0016	0.0188	0.193	11.45	0.309	1.470	4.9
RG120126		1.290	0.0029	0.0063	0.0900	7.14	0.582	0.935	1.1
RG120127		9.73	0.0020	0.0656	0.651	19.00	0.063	1.730	10.2
RG120128		22.6	0.0008	0.146	1.235	34.5	0.038	2.90	13.6
RG120129		12.10	0.0012	0.0748	0.506	23.8	0.031	1.440	8.7
RG120130		22.4	0.0014	0.114	0.860	37.1	0.024	1.505	10.8



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **TINONE RESOURCES CORPORATION**
1001-1030 WEST GEORGIA ST
VANCOUVER BC V6E 2Y3
CANADA

Page: 3 - A
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-JAN-2021
 Account: TINONE

Project: Panama Project

CERTIFICATE OF ANALYSIS BR20296775

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	AuME-ST43 Au ppm 0.0001	AuME-ST43 Ag ppm 0.001	AuME-ST43 Al % 0.01	AuME-ST43 As ppm 0.01	AuME-ST43 B ppm 2	AuME-ST43 Ba ppm 0.05	AuME-ST43 Be ppm 0.005	AuME-ST43 Bi ppm 0.0005	AuME-ST43 Ca % 0.01	AuME-ST43 Cd ppm 0.001	AuME-ST43 Ce ppm 0.001	AuME-ST43 Co ppm 0.001	AuME-ST43 Cr ppm 0.01	AuME-ST43 Cs ppm 0.001
RG120131		0.79	0.0024	0.003	0.97	0.05	<2	24.9	0.265	0.286	0.01	0.001	7.75	0.736	14.95	0.756
RG120132		0.88	0.0083	0.019	1.43	0.56	<2	21.1	0.481	0.192	0.01	0.002	18.00	3.74	35.6	1.055
RG120133		0.92	0.0043	0.010	1.67	0.41	<2	34.9	0.397	0.380	0.01	0.001	32.3	2.17	23.3	2.34
RG120134		0.90	0.0007	0.006	0.82	0.03	<2	12.70	0.126	0.209	<0.01	0.001	9.56	0.534	13.15	0.610
RG120135		0.94	0.0047	0.005	1.05	0.26	<2	11.45	0.246	0.294	<0.01	0.003	15.10	0.418	36.2	0.670
RG120136		0.91	0.0017	0.015	1.61	0.16	<2	26.4	0.378	0.324	0.01	0.006	5.87	0.561	26.8	0.774
RG120137		0.92	0.0002	0.006	0.49	0.05	<2	12.35	0.088	0.163	<0.01	0.002	16.65	0.459	6.67	0.471
RG120138		0.73	0.0008	0.010	1.54	0.51	<2	23.9	0.215	0.266	0.03	0.011	7.21	0.362	22.8	0.591
RG120139		0.92	<0.0001	0.006	0.70	0.07	<2	22.6	0.187	0.194	0.01	0.004	5.37	0.313	12.10	0.436
RG120140		0.83	0.0006	0.012	0.66	3.09	<2	13.85	0.159	0.293	0.01	<0.001	7.16	0.745	20.7	0.498
RG120141		0.86	0.0011	0.013	1.46	4.42	<2	25.8	0.222	0.320	0.02	<0.001	20.5	0.449	26.0	0.521
RG120142		0.73	0.0029	0.014	3.04	7.51	<2	22.2	0.235	0.228	0.04	<0.001	4.95	0.697	36.9	0.971
RG120143		0.90	0.0009	0.013	0.67	0.93	<2	8.64	0.074	0.0603	0.05	0.001	8.07	0.228	8.44	0.636
RG120144		0.95	0.0070	0.017	1.14	4.22	<2	13.85	0.124	0.135	0.04	<0.001	14.45	0.301	20.4	0.675
RG120145		0.91	0.0029	0.006	0.34	2.42	<2	5.97	0.051	0.0670	0.01	<0.001	16.85	0.099	10.50	0.395
RG120146		0.77	0.0079	0.011	1.70	2.33	<2	18.60	0.161	0.155	0.03	<0.001	7.87	0.365	26.7	0.657
RG120147		0.90	0.0085	0.010	3.14	3.89	<2	25.3	0.387	0.168	0.01	0.005	18.15	0.804	31.4	0.764
RG120148		0.94	0.0015	0.005	0.76	2.91	<2	12.75	0.095	0.115	0.02	0.002	6.81	0.175	11.00	0.370
RG120149		0.89	0.0001	0.011	0.10	0.14	<2	6.42	0.021	0.0568	0.01	<0.001	8.66	0.389	4.08	0.552
RG120150		0.94	0.0006	0.005	1.05	0.53	<2	19.35	0.170	0.184	0.02	0.003	12.65	0.365	13.60	0.509
RG120151		0.95	0.0004	0.006	0.85	0.55	<2	14.85	0.152	0.173	0.01	0.001	12.15	0.342	11.45	0.856
RG120152		0.95	0.0009	0.007	1.13	0.40	<2	15.75	0.156	0.147	0.01	<0.001	9.84	0.640	13.85	0.952
RG120153		0.90	0.0102	0.019	3.71	11.70	<2	23.1	0.252	0.340	0.03	<0.001	10.05	0.740	42.7	1.225
RG120154		0.91	0.0033	0.013	0.80	1.05	<2	24.5	0.462	0.129	0.01	0.007	27.9	4.94	8.41	1.845
RG120155		0.91	0.0115	0.031	1.13	3.01	<2	28.4	0.620	0.197	0.01	0.007	69.1	6.48	13.75	4.45
RG120156		0.95	0.0170	0.015	2.25	0.76	<2	28.4	0.406	0.389	0.01	0.001	20.9	0.980	36.4	1.125
RG120157		0.95	0.0071	0.010	3.30	2.23	<2	37.7	0.435	0.501	0.01	<0.001	35.6	1.045	56.8	1.065
RG120158		0.95	0.0030	0.007	2.17	0.26	<2	34.5	0.379	0.366	0.01	0.005	14.10	0.898	30.6	1.230
RG120159		0.94	0.0105	0.007	1.81	0.58	<2	23.4	0.325	0.357	0.01	<0.001	7.12	0.472	29.6	0.896
RG120160		0.93	0.0060	0.011	1.81	0.56	<2	31.2	0.394	0.288	0.01	<0.001	15.60	0.678	28.2	1.075
RG120161		0.96	0.0097	0.007	1.14	0.09	<2	19.25	0.183	0.210	<0.01	<0.001	17.75	0.654	15.60	0.991
RG120162		0.98	0.0009	0.010	1.22	0.10	<2	17.40	0.225	0.253	<0.01	<0.001	9.54	0.436	19.00	0.839
RG120163		0.93	0.0016	0.007	1.43	0.25	<2	20.1	0.322	0.286	0.01	0.008	12.40	0.802	26.7	1.295
RG120164		0.93	0.0012	0.013	1.40	0.16	<2	22.8	0.235	0.331	0.01	<0.001	11.20	0.428	30.1	0.470
RG120165		0.93	0.0011	0.010	1.63	0.17	<2	21.6	0.309	0.332	<0.01	<0.001	11.05	0.395	26.2	0.600
RG120166		0.90	0.0009	0.007	0.80	1.82	<2	13.00	0.100	0.218	<0.01	<0.001	14.20	0.288	15.00	0.592
RG120167		0.90	0.0011	0.013	1.31	2.68	<2	21.9	0.204	0.272	0.02	<0.001	9.37	0.426	16.85	0.647
RG120168		0.91	0.0021	0.007	0.67	2.85	<2	11.20	0.070	0.179	0.01	<0.001	9.26	0.179	9.87	0.774
RG120169		0.92	0.133	0.027	2.30	8.02	<2	23.8	0.194	0.312	0.01	<0.001	5.84	0.385	34.0	0.968
RG120170		0.90	0.0101	0.018	3.73	7.63	<2	23.6	0.267	0.258	0.02	<0.001	13.95	0.878	50.2	1.550



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **TINONE RESOURCES CORPORATION**
1001-1030 WEST GEORGIA ST
VANCOUVER BC V6E 2Y3
CANADA

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 20-JAN-2021
Account: TINONE

Project: Panama Project

CERTIFICATE OF ANALYSIS BR20296775

Sample Description	Method Analyte Units LOD	AuME-ST43 Cu ppm 0.01	AuME-ST43 Fe % 0.001	AuME-ST43 Ga ppm 0.004	AuME-ST43 Ge ppm 0.005	AuME-ST43 Hf ppm 0.002	AuME-ST43 Hg ppm 0.002	AuME-ST43 In ppm 0.005	AuME-ST43 K % 0.01	AuME-ST43 La ppm 0.002	AuME-ST43 Li ppm 0.1	AuME-ST43 Mg % 0.01	AuME-ST43 Mn ppm 0.1	AuME-ST43 Mo ppm 0.002	AuME-ST43 Na % 0.001	AuME-ST43 Nb ppm 0.002
RG120131		10.05	1.720	3.12	0.011	0.065	0.017	0.013	0.04	3.77	5.0	0.02	27.3	0.187	<0.001	0.208
RG120132		23.6	4.30	5.41	0.025	0.192	0.021	0.020	0.05	4.72	6.2	0.02	42.2	0.370	0.005	0.164
RG120133		23.5	2.63	5.18	0.035	0.131	0.021	0.022	0.05	15.85	13.2	0.03	65.0	0.323	0.003	0.214
RG120134		2.58	1.640	2.91	0.011	0.054	0.013	0.012	0.04	4.54	3.4	0.01	36.7	0.211	0.002	0.212
RG120135		9.03	2.95	4.50	0.020	0.289	0.027	0.018	0.03	7.28	2.4	0.01	8.0	0.211	0.002	0.208
RG120136		12.05	3.15	4.94	0.014	0.126	0.034	0.020	0.04	2.55	6.4	0.02	30.2	0.348	0.004	0.271
RG120137		1.25	0.860	1.940	0.017	0.021	0.013	0.009	0.03	8.53	1.5	0.01	42.6	0.155	0.004	0.328
RG120138		6.97	3.04	4.66	0.016	0.216	0.041	0.023	0.06	4.59	5.3	0.03	28.8	0.424	0.009	0.764
RG120139		2.52	1.650	2.47	0.011	0.040	0.019	0.009	0.04	2.95	2.6	0.01	24.8	0.146	0.004	0.347
RG120140		13.40	2.48	3.84	0.014	0.032	0.010	0.013	0.06	3.27	0.8	0.02	59.8	0.281	0.005	0.730
RG120141		13.55	2.51	4.70	0.028	0.124	0.022	0.030	0.05	10.35	5.8	0.03	31.0	0.385	0.004	0.266
RG120142		3.00	4.45	10.95	0.020	0.298	0.163	0.056	0.03	2.65	8.5	0.04	10.5	0.816	<0.001	0.331
RG120143		0.98	0.880	2.11	0.010	0.028	0.024	0.012	0.02	4.04	2.3	0.02	79.7	0.239	0.004	0.133
RG120144		0.92	1.680	3.45	0.020	0.105	0.034	0.019	0.03	6.92	6.2	0.03	9.2	0.435	0.005	0.148
RG120145		0.78	1.210	2.33	0.016	0.094	0.015	0.007	0.02	8.14	0.4	0.01	3.7	0.152	0.002	0.234
RG120146		3.93	2.60	4.75	0.014	0.170	0.032	0.023	0.04	4.15	6.4	0.02	22.8	0.542	0.005	0.399
RG120147		5.21	2.49	5.33	0.022	0.323	0.116	0.032	0.03	8.07	7.5	0.02	71.2	0.532	0.009	0.571
RG120148		2.92	0.970	2.37	0.010	0.048	0.014	0.015	0.03	3.33	3.8	0.02	11.9	0.356	0.003	0.117
RG120149		0.69	0.101	1.650	0.008	0.009	0.002	<0.005	0.01	4.27	<0.1	0.01	5.9	0.170	<0.001	0.113
RG120150		4.39	1.400	3.17	0.014	0.056	0.020	0.016	0.03	6.29	4.6	0.02	41.4	0.334	0.004	0.282
RG120151		2.43	1.200	2.82	0.015	0.040	0.013	0.015	0.03	6.01	4.2	0.02	34.8	0.349	0.006	0.187
RG120152		4.00	1.340	3.17	0.010	0.055	0.018	0.016	0.04	4.85	6.7	0.02	49.9	0.252	0.006	0.239
RG120153		5.52	3.04	8.96	0.023	0.278	0.055	0.053	0.05	5.07	13.4	0.04	18.7	0.748	0.008	0.234
RG120154		3.60	0.800	2.09	0.025	0.018	0.028	0.010	0.03	14.75	7.7	0.02	111.0	0.254	0.005	0.196
RG120155		10.15	1.370	3.01	0.054	0.041	0.038	0.016	0.04	27.6	12.3	0.02	100.5	0.384	0.005	0.328
RG120156		13.60	4.19	7.35	0.028	0.153	0.032	0.033	0.06	8.11	10.6	0.04	36.7	0.575	0.007	0.248
RG120157		23.8	5.20	8.96	0.032	0.304	0.037	0.043	0.06	8.83	10.2	0.04	20.9	0.720	0.008	0.203
RG120158		14.60	2.84	6.03	0.025	0.125	0.025	0.033	0.06	7.10	10.3	0.04	42.8	0.641	0.010	0.236
RG120159		13.60	3.20	5.29	0.012	0.171	0.017	0.023	0.05	3.48	6.9	0.03	21.3	0.595	0.007	0.219
RG120160		10.05	3.34	5.15	0.020	0.113	0.020	0.020	0.05	7.78	8.1	0.03	61.2	0.428	0.006	0.331
RG120161		4.05	1.860	3.14	0.017	0.057	0.017	0.014	0.04	8.44	5.2	0.02	68.4	0.269	0.005	0.271
RG120162		5.53	2.00	3.74	0.010	0.068	0.013	0.015	0.04	4.84	6.0	0.02	40.0	0.312	0.005	0.345
RG120163		9.47	2.79	4.55	0.015	0.155	0.027	0.021	0.04	5.71	7.0	0.03	29.3	0.404	0.006	0.373
RG120164		9.68	3.05	4.65	0.017	0.202	0.028	0.021	0.04	5.30	5.0	0.02	16.7	0.375	0.004	0.396
RG120165		6.55	2.75	4.85	0.017	0.113	0.020	0.022	0.05	6.46	7.9	0.02	32.7	0.361	0.004	0.268
RG120166		5.15	1.970	4.17	0.019	0.055	0.015	0.013	0.03	7.11	1.7	0.01	35.6	0.403	0.006	0.647
RG120167		7.11	1.800	3.40	0.012	0.066	0.036	0.019	0.03	4.72	4.5	0.02	24.2	0.735	0.008	0.216
RG120168		2.16	1.600	6.35	0.013	0.023	0.022	0.012	0.02	4.79	1.1	0.01	4.6	1.070	0.006	0.274
RG120169		12.25	3.06	5.47	0.016	0.201	0.077	0.041	0.04	2.97	9.9	0.02	7.6	1.560	0.009	0.372
RG120170		5.06	4.69	9.40	0.030	0.325	0.113	0.052	0.04	6.96	13.1	0.03	13.3	0.763	0.012	0.446



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **TINONE RESOURCES CORPORATION**
1001-1030 WEST GEORGIA ST
VANCOUVER BC V6E 2Y3
CANADA

Page: 3 - C
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-JAN-2021
 Account: TINONE

Project: Panama Project

CERTIFICATE OF ANALYSIS BR20296775

Sample Description	Method Analyte Units LOD	AuME-ST43 Ni ppm 0.02	AuME-ST43 P % 0.0005	AuME-ST43 Pb ppm 0.005	AuME-ST43 Pd ppm 0.001	AuME-ST43 Pt ppm 0.001	AuME-ST43 Rb ppm 0.005	AuME-ST43 Re ppm 0.0002	AuME-ST43 S % 0.002	AuME-ST43 Sb ppm 0.002	AuME-ST43 Sc ppm 0.005	AuME-ST43 Se ppm 0.002	AuME-ST43 Sn ppm 0.01	AuME-ST43 Sr ppm 0.01	AuME-ST43 Ta ppm 0.005	AuME-ST43 Te ppm 0.001
RG120131		2.38	0.0026	5.93	<0.001	<0.001	11.55	<0.0002	<0.002	0.214	0.812	0.061	0.36	2.46	<0.005	0.001
RG120132		16.10	0.0054	13.90	0.001	0.002	9.80	<0.0002	0.015	0.452	3.34	0.226	0.39	2.74	<0.005	0.012
RG120133		3.31	0.0050	8.89	<0.001	<0.001	21.2	<0.0002	0.010	0.271	1.825	0.163	0.57	2.46	<0.005	0.008
RG120134		1.10	0.0028	4.59	<0.001	<0.001	11.05	<0.0002	0.004	0.243	0.679	0.045	0.49	1.39	<0.005	<0.001
RG120135		2.11	0.0049	12.40	0.002	<0.001	6.35	<0.0002	0.010	0.506	2.33	0.328	0.40	1.83	<0.005	0.009
RG120136		3.53	0.0079	11.45	<0.001	<0.001	10.80	<0.0002	0.010	0.285	1.660	0.207	0.49	4.01	<0.005	0.008
RG120137		0.54	0.0032	4.10	<0.001	<0.001	7.87	<0.0002	0.004	0.167	0.407	0.042	0.39	1.86	<0.005	0.001
RG120138		1.63	0.0092	7.98	0.001	<0.001	9.48	<0.0002	0.018	0.555	1.770	0.219	0.66	8.57	<0.005	0.011
RG120139		1.33	0.0055	4.66	<0.001	<0.001	8.16	<0.0002	0.008	0.312	0.704	0.084	0.32	4.10	<0.005	0.003
RG120140		3.91	0.0055	5.99	<0.001	<0.001	7.47	<0.0002	0.010	0.796	1.090	0.186	0.47	2.10	<0.005	0.018
RG120141		1.60	0.0055	5.73	0.001	<0.001	8.41	<0.0002	0.010	0.712	1.010	0.308	0.61	4.21	<0.005	0.022
RG120142		5.87	0.0053	5.88	<0.001	<0.001	4.57	<0.0002	0.004	0.186	1.180	1.445	1.18	6.71	<0.005	0.013
RG120143		1.37	0.0062	2.93	<0.001	<0.001	2.96	<0.0002	0.010	0.122	0.236	0.199	0.39	3.94	<0.005	0.002
RG120144		1.56	0.0032	4.85	<0.001	<0.001	5.78	<0.0002	0.009	0.198	0.479	0.361	0.61	4.49	<0.005	0.007
RG120145		0.39	0.0035	3.60	<0.001	<0.001	3.71	<0.0002	0.005	0.217	0.485	0.239	0.35	1.68	<0.005	0.006
RG120146		1.60	0.0057	4.36	<0.001	<0.001	7.67	<0.0002	0.014	0.232	0.983	0.374	0.75	4.58	<0.005	0.010
RG120147		5.47	0.0113	7.67	0.001	<0.001	10.10	<0.0002	0.024	0.193	2.62	1.000	0.70	3.77	<0.005	0.015
RG120148		0.73	0.0030	2.03	<0.001	<0.001	5.74	<0.0002	0.006	0.222	0.399	0.182	0.38	2.56	<0.005	0.003
RG120149		0.50	0.0011	1.510	<0.001	<0.001	2.97	<0.0002	<0.002	0.051	0.178	0.014	0.37	3.11	<0.005	<0.001
RG120150		1.29	0.0037	4.38	<0.001	<0.001	8.10	<0.0002	0.007	0.264	0.710	0.091	0.50	4.24	<0.005	0.003
RG120151		0.79	0.0025	4.23	0.001	<0.001	9.98	<0.0002	0.005	0.415	0.525	0.067	0.51	2.42	<0.005	0.004
RG120152		1.72	0.0028	3.52	<0.001	<0.001	11.60	<0.0002	0.006	0.218	0.573	0.085	0.52	3.28	<0.005	0.001
RG120153		4.60	0.0058	7.25	<0.001	<0.001	10.10	<0.0002	0.017	0.297	1.625	0.817	1.26	5.96	<0.005	0.025
RG120154		2.85	0.0048	5.90	<0.001	<0.001	10.60	<0.0002	0.010	0.194	0.912	0.149	0.34	2.99	<0.005	0.003
RG120155		6.55	0.0076	7.95	<0.001	<0.001	12.85	<0.0002	0.012	0.284	1.885	0.230	0.51	3.22	<0.005	0.009
RG120156		3.22	0.0055	8.29	<0.001	<0.001	13.05	<0.0002	0.019	0.411	2.23	0.286	0.91	2.52	<0.005	0.017
RG120157		5.28	0.0059	14.35	<0.001	0.001	11.05	<0.0002	0.020	0.570	3.68	0.990	0.95	3.77	<0.005	0.045
RG120158		2.38	0.0039	7.79	<0.001	<0.001	19.70	<0.0002	0.011	0.337	1.310	0.109	0.89	2.98	<0.005	0.007
RG120159		1.66	0.0040	8.16	<0.001	<0.001	11.70	<0.0002	0.013	0.448	2.07	0.266	0.73	2.60	<0.005	0.015
RG120160		1.83	0.0058	9.58	0.001	<0.001	14.40	<0.0002	0.013	0.302	1.975	0.147	0.77	2.93	<0.005	0.013
RG120161		1.61	0.0040	6.00	<0.001	<0.001	15.90	<0.0002	0.007	0.284	1.080	0.063	0.53	2.21	<0.005	0.003
RG120162		1.65	0.0034	6.46	<0.001	<0.001	11.65	<0.0002	0.009	0.321	1.115	0.073	0.57	1.80	<0.005	0.003
RG120163		3.20	0.0064	8.44	0.001	<0.001	12.20	<0.0002	0.011	0.356	1.725	0.108	0.60	2.78	<0.005	0.010
RG120164		2.29	0.0068	7.99	<0.001	<0.001	8.06	<0.0002	0.015	0.414	1.270	0.156	0.56	3.86	<0.005	0.008
RG120165		1.74	0.0043	7.75	<0.001	<0.001	10.25	<0.0002	0.009	0.295	1.915	0.134	0.61	1.57	<0.005	0.010
RG120166		1.18	0.0052	4.60	<0.001	<0.001	7.23	<0.0002	0.010	0.272	0.594	0.190	0.58	2.73	<0.005	0.009
RG120167		2.80	0.0050	7.54	<0.001	<0.001	7.62	<0.0002	0.013	0.815	0.933	0.327	0.46	5.17	<0.005	0.016
RG120168		1.04	0.0037	4.48	<0.001	<0.001	5.20	<0.0002	0.010	0.386	0.339	0.425	0.51	4.26	<0.005	0.011
RG120169		3.02	0.0050	8.17	<0.001	<0.001	6.66	<0.0002	0.018	1.015	1.495	0.987	0.68	4.28	<0.005	0.040
RG120170		4.21	0.0081	7.79	<0.001	<0.001	7.68	<0.0002	0.019	0.286	2.66	1.010	1.37	4.13	<0.005	0.021



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **TINONE RESOURCES CORPORATION**
1001-1030 WEST GEORGIA ST
VANCOUVER BC V6E 2Y3
CANADA

Page: 3 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-JAN-2021
 Account: TINONE

Project: Panama Project

CERTIFICATE OF ANALYSIS BR20296775

Sample Description	Method Analyte Units LOD	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43
		Th	Ti	Ti	U	V	W	Y	Zn
		ppm 0.0005	% 0.0001	ppm 0.0005	ppm 0.0005	ppm 0.05	ppm 0.001	ppm 0.001	ppm 0.1
RG120131		9.24	0.0017	0.0743	0.459	15.75	0.022	1.140	7.7
RG120132		16.85	0.0009	0.266	1.115	23.1	0.267	2.74	20.3
RG120133		13.90	0.0009	0.307	0.866	23.7	0.202	2.04	14.4
RG120134		5.47	0.0031	0.0621	0.270	20.0	0.014	0.518	4.6
RG120135		22.7	0.0031	0.0715	0.922	27.0	0.037	1.075	7.6
RG120136		13.65	0.0011	0.0912	0.830	27.1	0.069	0.693	4.9
RG120137		3.08	0.0047	0.0436	0.214	12.40	0.017	0.641	5.0
RG120138		9.14	0.0013	0.0934	0.464	29.9	0.090	0.457	3.2
RG120139		4.62	0.0022	0.0447	0.297	17.70	0.059	0.550	2.7
RG120140		8.00	0.0074	0.0458	0.596	19.95	0.119	1.210	16.1
RG120141		16.15	0.0010	0.0540	0.465	27.9	0.047	1.065	10.0
RG120142		7.84	0.0018	0.0411	0.568	75.7	0.044	0.525	2.8
RG120143		1.560	0.0015	0.0164	0.156	14.80	0.417	0.334	2.4
RG120144		6.82	0.0007	0.0485	0.232	27.1	0.319	0.512	3.9
RG120145		4.70	0.0036	0.0310	0.189	14.05	1.735	0.548	1.0
RG120146		10.80	0.0010	0.0533	0.462	31.0	0.516	0.511	5.4
RG120147		13.25	0.0009	0.0705	0.774	32.9	0.223	1.675	3.9
RG120148		5.33	0.0006	0.0348	0.170	16.20	0.043	0.427	3.6
RG120149		0.932	0.0048	0.0108	0.0575	9.09	0.346	0.534	1.6
RG120150		6.06	0.0014	0.0482	0.309	18.65	0.035	0.752	7.0
RG120151		4.58	0.0013	0.0566	0.229	17.35	0.044	0.664	5.4
RG120152		5.98	0.0018	0.0525	0.253	18.65	0.027	0.604	7.5
RG120153		14.95	0.0007	0.0664	0.646	61.1	0.025	0.950	6.8
RG120154		3.50	0.0014	0.137	0.525	12.40	0.053	3.81	7.9
RG120155		5.41	0.0013	0.181	1.355	18.80	0.116	12.60	12.1
RG120156		17.35	0.0010	0.128	0.888	44.2	0.045	1.780	8.2
RG120157		33.9	0.0011	0.131	1.520	52.7	0.036	2.15	8.6
RG120158		17.15	0.0008	0.130	0.460	33.8	0.026	0.776	10.9
RG120159		19.40	0.0010	0.0863	0.604	28.8	0.035	0.733	4.8
RG120160		11.20	0.0013	0.116	0.584	28.4	0.064	0.819	5.6
RG120161		6.47	0.0025	0.0880	0.383	19.45	0.035	0.954	5.5
RG120162		8.23	0.0019	0.0610	0.482	22.1	0.021	0.668	6.3
RG120163		12.35	0.0023	0.0776	0.723	27.8	0.057	0.865	7.4
RG120164		14.45	0.0013	0.0569	0.531	28.8	0.046	0.736	6.0
RG120165		12.85	0.0011	0.0808	0.702	27.1	0.028	0.766	4.8
RG120166		5.57	0.0032	0.0397	0.429	22.6	0.033	1.080	5.5
RG120167		8.01	0.0011	0.0479	0.543	23.3	0.040	0.926	9.8
RG120168		1.905	0.0017	0.0230	0.173	38.8	0.095	0.746	1.6
RG120169		13.30	0.0005	0.0733	0.557	37.7	0.081	0.947	2.8
RG120170		19.40	0.0011	0.0826	1.030	60.3	0.576	1.215	4.9



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **TINONE RESOURCES CORPORATION**
1001-1030 WEST GEORGIA ST
VANCOUVER BC V6E 2Y3
CANADA

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 20-JAN-2021
Account: TINONE

Project: Panama Project

CERTIFICATE OF ANALYSIS BR20296775

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	AuME-ST43 Au ppm 0.0001	AuME-ST43 Ag ppm 0.001	AuME-ST43 Al % 0.01	AuME-ST43 As ppm 0.01	AuME-ST43 B ppm 2	AuME-ST43 Ba ppm 0.05	AuME-ST43 Be ppm 0.005	AuME-ST43 Bi ppm 0.0005	AuME-ST43 Ca % 0.01	AuME-ST43 Cd ppm 0.001	AuME-ST43 Ce ppm 0.001	AuME-ST43 Co ppm 0.001	AuME-ST43 Cr ppm 0.01	AuME-ST43 Cs ppm 0.001
RG120171		0.96	0.0462	0.008	1.37	1.77	<2	13.80	0.126	0.142	0.01	<0.001	12.80	0.489	17.20	0.954
RG120172		0.96	0.0029	0.010	1.87	11.35	<2	17.95	0.171	0.234	0.02	0.002	7.54	0.362	26.1	0.710
RG120173		0.93	0.0024	0.014	1.26	23.7	<2	15.45	0.241	0.589	0.01	0.002	8.21	0.596	28.6	0.596
RG120174		0.85	0.0040	0.011	0.69	1.86	<2	20.2	0.181	0.188	0.01	0.003	7.38	0.664	14.75	0.763
RG120175		0.93	0.0062	0.010	1.57	15.15	<2	20.6	0.289	0.355	0.01	0.004	8.25	0.361	19.50	0.777
RG120176		0.95	0.0280	0.005	0.04	1.85	<2	4.59	0.011	0.0542	<0.01	0.001	8.51	0.155	1.02	0.470
RG120177		0.97	0.0015	0.012	0.51	7.00	<2	10.20	0.116	0.166	0.01	<0.001	53.5	0.100	8.57	0.474
RG120178		0.93	0.0023	0.005	0.62	4.50	<2	18.00	0.167	0.325	<0.01	0.005	18.70	0.768	15.40	0.430
RG120179		0.93	0.0098	0.004	0.24	1.22	<2	7.65	0.053	1.860	<0.01	0.001	13.75	0.269	7.62	0.224
RG120180		0.95	0.0036	0.004	0.35	0.27	<2	8.17	0.045	0.152	0.01	0.004	11.50	0.173	4.35	0.374
RG120181		0.86	0.0027	0.012	1.29	0.21	<2	28.5	0.313	0.353	0.02	0.001	27.0	0.765	11.60	1.190
RG120182		0.85	0.0048	0.012	2.18	0.57	<2	35.8	0.459	0.368	0.01	0.005	29.2	2.19	22.8	1.510
RG120183		0.96	0.0026	0.006	0.55	0.09	<2	27.3	0.303	0.129	<0.01	<0.001	20.1	1.220	5.79	1.225
RG120184		0.75	0.0103	0.015	2.53	0.62	<2	21.9	0.319	0.315	<0.01	<0.001	7.36	0.892	36.6	1.920
RG120185		0.88	0.0075	0.020	3.21	0.83	<2	25.9	0.382	0.365	0.01	0.002	10.40	1.385	40.1	2.92
RG120186		0.91	0.0019	0.008	1.64	0.95	<2	20.2	0.271	0.314	0.01	<0.001	9.24	0.482	36.4	0.909
RG120187		0.84	0.0014	0.010	1.76	0.58	<2	28.5	0.341	0.324	0.01	<0.001	9.46	1.110	30.6	1.650
RG120188		0.89	0.0007	0.003	1.18	0.12	<2	5.27	0.069	0.117	<0.01	<0.001	6.59	0.321	11.20	0.872
RG120189		0.93	0.0018	0.012	3.44	0.60	<2	29.0	0.362	0.518	<0.01	<0.001	29.4	0.727	47.7	0.995
RG120190		0.94	0.0080	0.013	2.08	6.27	<2	11.65	0.110	0.139	0.01	<0.001	16.25	0.269	25.2	0.917
RG120191		0.89	0.0166	0.012	2.16	8.12	<2	28.4	0.239	0.265	0.01	<0.001	15.55	0.638	32.8	0.830
RG120192		0.95	0.0695	0.020	1.65	6.12	<2	20.1	0.179	0.371	0.01	0.001	13.25	0.378	21.6	0.866
RG120193		0.92	0.0022	0.012	1.56	5.45	<2	20.5	0.160	0.238	0.01	0.001	18.75	0.436	22.1	0.864
RG120194		0.88	0.0184	0.017	2.46	9.75	<2	12.50	0.246	0.293	0.01	0.001	52.2	0.244	31.2	0.558
RG120195		0.87	0.0038	0.002	0.04	0.07	<2	1.59	0.011	0.0600	0.01	<0.001	4.39	0.057	1.07	0.212
RG120196		0.80	0.0249	0.009	1.51	9.34	<2	17.75	0.131	0.295	0.03	0.002	10.95	0.314	25.6	0.483
RG120197		0.93	0.0016	0.009	0.85	11.45	<2	21.7	0.218	0.186	<0.01	<0.001	5.91	0.348	13.00	0.584
RG120198		0.97	0.0074	0.012	2.17	5.41	<2	30.5	0.465	0.313	<0.01	<0.001	17.15	0.596	29.6	1.440
RG120199		0.87	0.0112	0.010	1.69	7.92	<2	23.4	0.293	0.380	0.01	<0.001	14.70	0.429	27.3	0.770
RG120200		0.93	0.0041	0.012	0.72	5.33	<2	23.2	0.137	0.118	<0.01	0.005	27.8	0.249	13.45	0.666
RG120201		0.85	0.0074	0.022	2.50	5.40	<2	21.4	0.377	0.224	0.01	<0.001	15.15	0.818	35.8	2.45
RG120202		0.94	0.794	0.073	1.66	2.41	<2	19.85	0.310	0.182	0.01	<0.001	18.10	0.685	22.8	3.28
RG120203		0.94	0.0045	0.021	0.83	11.90	<2	14.40	0.133	0.317	<0.01	0.011	56.6	0.244	15.80	0.490
RG120204		0.89	0.0014	0.005	0.97	0.37	<2	15.70	0.258	0.277	<0.01	0.004	36.4	2.11	18.20	1.130
RG120205		0.96	0.0019	0.006	1.68	0.29	<2	21.2	0.310	0.336	<0.01	0.003	9.80	0.635	30.1	0.891
RG120206		0.72	0.0029	0.004	1.92	0.31	<2	30.5	0.372	0.325	0.01	<0.001	18.80	0.805	24.2	1.355
RG120207		0.92	0.0255	0.016	1.89	0.72	<2	18.50	0.295	0.256	<0.01	0.002	13.40	1.095	21.4	1.805
RG120208		0.92	0.0129	0.010	1.39	0.32	<2	18.05	0.189	0.263	<0.01	0.001	11.45	0.698	18.35	1.110
RG120209		0.93	0.105	0.019	1.01	0.16	<2	12.50	0.154	1.400	<0.01	<0.001	14.70	0.837	17.65	0.899
RG120210		0.76	0.0018	0.017	1.35	0.19	<2	18.60	0.383	0.262	<0.01	<0.001	12.85	0.974	20.5	1.370



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **TINONE RESOURCES CORPORATION**
1001-1030 WEST GEORGIA ST
VANCOUVER BC V6E 2Y3
CANADA

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 20-JAN-2021
Account: TINONE

Project: Panama Project

CERTIFICATE OF ANALYSIS BR20296775

Sample Description	Method Analyte Units LOD	AuME-ST43 Cu ppm 0.01	AuME-ST43 Fe % 0.001	AuME-ST43 Ga ppm 0.004	AuME-ST43 Ge ppm 0.005	AuME-ST43 Hf ppm 0.002	AuME-ST43 Hg ppm 0.002	AuME-ST43 In ppm 0.005	AuME-ST43 K % 0.01	AuME-ST43 La ppm 0.002	AuME-ST43 Li ppm 0.1	AuME-ST43 Mg % 0.01	AuME-ST43 Mn ppm 0.1	AuME-ST43 Mo ppm 0.002	AuME-ST43 Na % 0.001	AuME-ST43 Nb ppm 0.002
RG120171		2.95	1.630	3.27	0.017	0.054	0.037	0.017	0.03	6.67	6.1	0.02	26.5	0.385	0.004	0.422
RG120172		11.50	2.68	4.97	0.016	0.106	0.028	0.026	0.04	3.87	9.1	0.03	18.1	0.971	0.004	0.228
RG120173		25.4	3.19	4.81	0.019	0.099	0.022	0.022	0.05	3.85	4.6	0.01	22.8	0.477	0.004	0.246
RG120174		9.22	1.970	3.44	0.016	0.035	0.015	0.011	0.06	3.60	3.4	0.03	30.0	0.315	0.006	0.532
RG120175		14.75	2.10	3.91	0.014	0.137	0.030	0.020	0.04	4.12	7.2	0.02	18.2	0.737	0.007	0.246
RG120176		0.74	0.038	0.429	0.008	0.004	0.003	<0.005	0.01	4.19	<0.1	<0.01	2.1	0.055	0.004	0.052
RG120177		4.05	1.110	1.520	0.043	0.046	0.011	0.012	0.03	27.3	2.6	0.01	3.9	1.240	0.003	0.059
RG120178		15.25	1.630	3.24	0.019	0.054	0.005	0.017	0.03	9.34	1.8	0.01	18.3	0.156	0.004	0.245
RG120179		2.29	0.720	1.470	0.011	0.045	0.004	0.007	0.02	7.16	0.2	<0.01	12.8	0.154	0.002	0.251
RG120180		1.43	0.490	1.275	0.007	0.013	0.007	0.005	0.02	5.78	1.1	0.01	14.5	0.233	0.004	0.182
RG120181		8.93	1.570	3.79	0.009	0.057	0.020	0.014	0.05	4.88	10.3	0.03	68.2	0.438	0.009	0.513
RG120182		18.50	2.37	5.07	0.017	0.140	0.032	0.024	0.05	5.38	10.9	0.03	69.3	0.417	0.003	0.478
RG120183		2.46	0.520	1.335	0.014	0.028	0.008	0.005	0.03	10.20	5.0	0.03	36.6	0.110	0.004	0.205
RG120184		7.31	3.66	7.30	0.015	0.135	0.012	0.037	0.04	4.10	13.1	0.03	40.0	0.549	0.004	0.185
RG120185		14.65	3.61	7.46	0.016	0.188	0.034	0.040	0.06	5.44	17.6	0.04	45.6	0.597	0.008	0.327
RG120186		7.86	3.19	5.11	0.018	0.332	0.020	0.021	0.05	4.43	7.1	0.03	33.5	0.291	0.007	0.483
RG120187		7.51	4.24	5.01	0.022	0.265	0.015	0.025	0.05	3.76	12.9	0.03	18.1	0.325	0.005	0.388
RG120188		0.77	1.020	2.57	0.013	0.140	0.042	0.015	0.02	3.19	4.4	0.01	9.7	0.234	0.002	0.271
RG120189		11.80	4.74	8.24	0.043	0.281	0.041	0.042	0.05	15.45	12.5	0.03	12.1	0.611	0.008	0.228
RG120190		2.52	2.27	6.13	0.026	0.146	0.086	0.030	0.02	7.96	7.4	0.01	10.0	0.434	0.008	0.585
RG120191		11.05	3.06	6.08	0.027	0.119	0.060	0.029	0.04	7.48	6.9	0.03	14.4	0.699	0.006	0.300
RG120192		6.88	2.64	5.42	0.030	0.059	0.057	0.025	0.04	6.73	8.5	0.02	14.6	0.603	0.008	0.435
RG120193		7.52	1.930	5.69	0.024	0.054	0.051	0.026	0.03	9.69	7.5	0.02	13.6	1.110	0.004	0.471
RG120194		3.34	1.890	5.15	0.059	0.486	0.121	0.059	0.03	25.4	3.6	0.01	3.3	2.03	0.005	0.847
RG120195		0.71	0.036	0.390	<0.005	0.004	0.006	<0.005	0.01	2.19	<0.1	<0.01	7.6	0.040	0.003	0.095
RG120196		4.87	2.00	4.06	0.021	0.316	0.059	0.023	0.03	5.33	4.1	0.02	11.9	0.317	0.005	0.373
RG120197		7.88	1.760	2.61	0.011	0.047	0.011	0.013	0.04	2.97	3.8	0.02	16.6	0.989	0.006	0.118
RG120198		18.80	3.19	6.47	0.024	0.116	0.032	0.028	0.05	8.05	8.8	0.03	14.4	2.86	0.005	0.185
RG120199		15.45	3.23	5.51	0.027	0.122	0.031	0.026	0.04	7.35	7.2	0.03	15.9	0.636	0.006	0.136
RG120200		4.45	1.260	2.26	0.034	0.081	0.026	0.012	0.02	14.00	3.1	0.01	7.6	0.280	0.004	0.110
RG120201		3.22	3.82	7.25	0.023	0.180	0.056	0.040	0.05	7.95	13.5	0.04	20.3	0.601	0.008	0.183
RG120202		2.66	2.24	4.08	0.023	0.117	0.022	0.025	0.04	9.64	10.7	0.03	14.7	0.316	0.006	0.151
RG120203		26.8	1.390	2.86	0.056	0.135	0.015	0.019	0.03	27.6	3.2	0.01	7.5	0.277	0.004	0.135
RG120204		12.35	2.82	4.22	0.025	0.087	0.013	0.013	0.06	6.00	9.8	0.06	41.7	0.227	0.004	0.305
RG120205		18.05	2.84	5.45	0.018	0.181	0.028	0.022	0.05	3.81	7.0	0.02	28.0	0.303	0.005	0.263
RG120206		11.10	2.20	5.67	0.019	0.140	0.025	0.026	0.05	5.44	8.6	0.03	39.3	0.295	0.006	0.230
RG120207		6.58	2.30	5.24	0.020	0.105	0.055	0.027	0.05	6.57	20.0	0.02	41.0	0.456	0.005	0.510
RG120208		5.03	2.01	4.85	0.020	0.114	0.021	0.021	0.04	5.55	8.7	0.02	36.8	0.321	0.005	0.441
RG120209		5.50	2.06	3.83	0.021	0.092	0.025	0.017	0.05	6.93	6.2	0.02	49.5	0.278	0.004	0.516
RG120210		6.59	2.10	4.53	0.021	0.123	0.018	0.021	0.04	6.42	8.8	0.02	25.9	0.319	0.006	0.299



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **TINONE RESOURCES CORPORATION**
1001-1030 WEST GEORGIA ST
VANCOUVER BC V6E 2Y3
CANADA

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 20-JAN-2021
Account: TINONE

Project: Panama Project

CERTIFICATE OF ANALYSIS BR20296775

Sample Description	Method Analyte Units LOD	AuME-ST43 Ni ppm 0.02	AuME-ST43 P % 0.0005	AuME-ST43 Pb ppm 0.005	AuME-ST43 Pd ppm 0.001	AuME-ST43 Pt ppm 0.001	AuME-ST43 Rb ppm 0.005	AuME-ST43 Re ppm 0.0002	AuME-ST43 S % 0.002	AuME-ST43 Sb ppm 0.002	AuME-ST43 Sc ppm 0.005	AuME-ST43 Se ppm 0.002	AuME-ST43 Sn ppm 0.01	AuME-ST43 Sr ppm 0.01	AuME-ST43 Ta ppm 0.005	AuME-ST43 Te ppm 0.001
RG120171		2.35	0.0050	3.80	<0.001	<0.001	7.90	<0.0002	0.009	0.165	0.706	0.227	0.58	2.65	<0.005	0.008
RG120172		2.21	0.0044	4.00	<0.001	<0.001	9.07	<0.0002	0.011	0.301	1.100	0.469	0.65	3.46	<0.005	0.019
RG120173		4.53	0.0053	4.57	<0.001	<0.001	7.07	<0.0002	0.012	0.462	1.465	0.663	0.44	1.99	<0.005	0.049
RG120174		3.16	0.0054	4.78	<0.001	<0.001	8.60	<0.0002	0.012	0.246	1.050	0.118	0.56	2.80	<0.005	0.012
RG120175		1.96	0.0051	6.40	<0.001	<0.001	10.75	<0.0002	0.014	0.879	1.310	0.403	0.54	2.19	<0.005	0.026
RG120176		0.16	0.0014	1.510	<0.001	<0.001	1.295	<0.0002	0.005	0.083	0.101	0.014	0.25	1.65	<0.005	0.002
RG120177		0.91	0.0066	4.11	<0.001	<0.001	5.55	<0.0002	0.008	3.03	0.495	0.388	0.24	3.06	<0.005	0.023
RG120178		1.36	0.0046	7.45	<0.001	<0.001	5.81	<0.0002	0.008	0.722	0.899	0.161	0.39	3.45	<0.005	0.014
RG120179		0.48	0.0023	2.84	<0.001	<0.001	3.63	<0.0002	0.005	0.160	0.273	0.059	0.37	3.34	<0.005	0.149
RG120180		0.47	0.0029	2.58	<0.001	<0.001	6.36	<0.0002	0.008	0.147	0.216	0.043	0.29	2.01	<0.005	0.005
RG120181		1.98	0.0055	7.78	<0.001	<0.001	14.45	<0.0002	0.010	0.225	0.814	0.093	0.73	6.03	<0.005	0.006
RG120182		4.48	0.0061	11.90	0.001	<0.001	16.60	<0.0002	0.013	0.392	2.12	0.187	0.76	3.63	<0.005	0.010
RG120183		1.92	0.0019	4.33	<0.001	<0.001	13.65	<0.0002	0.009	0.110	0.614	0.035	0.28	1.81	<0.005	<0.001
RG120184		3.32	0.0035	6.00	<0.001	<0.001	13.30	<0.0002	0.021	0.216	1.695	0.156	1.06	1.38	<0.005	0.007
RG120185		6.40	0.0053	7.46	0.001	<0.001	21.0	<0.0002	0.015	0.299	1.910	0.236	1.08	3.03	<0.005	0.013
RG120186		2.27	0.0053	8.62	0.001	<0.001	13.40	<0.0002	0.015	0.718	1.910	0.326	0.61	3.43	<0.005	0.016
RG120187		3.47	0.0037	12.80	<0.001	<0.001	15.85	<0.0002	0.028	0.547	2.80	0.224	0.64	2.30	<0.005	0.007
RG120188		1.96	0.0028	4.09	<0.001	<0.001	4.45	<0.0002	0.015	0.096	0.741	0.122	0.38	0.53	<0.005	0.002
RG120189		4.19	0.0072	14.90	<0.001	<0.001	11.40	<0.0002	0.022	0.593	2.64	0.392	0.96	3.06	<0.005	0.026
RG120190		2.27	0.0113	6.04	<0.001	<0.001	5.75	<0.0002	0.023	0.199	0.858	1.080	0.83	3.43	<0.005	0.015
RG120191		3.62	0.0064	6.81	<0.001	<0.001	10.40	<0.0002	0.018	0.424	2.59	1.050	0.76	3.68	<0.005	0.030
RG120192		2.04	0.0086	6.22	<0.001	<0.001	9.10	<0.0002	0.020	0.396	1.240	0.670	0.79	2.88	<0.005	0.050
RG120193		3.36	0.0060	8.62	<0.001	<0.001	8.38	<0.0002	0.010	0.618	0.813	0.681	0.70	3.83	<0.005	0.015
RG120194		2.75	0.0124	12.60	<0.001	<0.001	5.38	<0.0002	0.035	1.480	3.26	2.31	0.47	3.64	<0.005	0.032
RG120195		0.21	0.0009	1.140	<0.001	<0.001	0.682	<0.0002	0.003	0.052	0.135	0.014	0.21	1.11	<0.005	<0.001
RG120196		2.37	0.0048	5.10	0.001	<0.001	3.72	<0.0002	0.014	0.398	1.135	0.949	0.54	4.42	<0.005	0.035
RG120197		0.82	0.0033	6.41	<0.001	<0.001	9.86	<0.0002	0.007	0.501	0.908	0.311	0.35	1.69	<0.005	0.010
RG120198		3.82	0.0050	7.57	0.001	<0.001	15.75	<0.0002	0.013	0.359	2.02	0.502	0.70	1.71	<0.005	0.018
RG120199		2.18	0.0045	6.41	0.001	<0.001	12.35	<0.0002	0.012	0.541	1.910	0.468	0.64	2.46	<0.005	0.025
RG120200		1.00	0.0047	4.19	<0.001	<0.001	7.84	<0.0002	0.006	0.307	0.690	0.231	0.34	2.65	<0.005	0.011
RG120201		2.91	0.0045	8.11	<0.001	<0.001	14.95	<0.0002	0.016	0.464	1.985	0.671	1.24	4.28	<0.005	0.011
RG120202		1.92	0.0040	5.49	<0.001	<0.001	18.25	<0.0002	0.010	0.245	1.110	0.242	0.73	3.48	<0.005	0.008
RG120203		1.36	0.0049	8.15	<0.001	<0.001	5.89	<0.0002	0.008	0.879	1.310	0.305	0.31	2.79	<0.005	0.018
RG120204		6.28	0.0043	4.92	<0.001	<0.001	11.40	<0.0002	0.009	0.320	0.902	0.095	0.38	2.23	<0.005	0.006
RG120205		2.99	0.0045	9.24	0.001	<0.001	11.70	<0.0002	0.012	0.883	1.665	0.144	0.53	1.56	<0.005	0.007
RG120206		2.99	0.0039	11.40	<0.001	<0.001	16.05	<0.0002	0.017	0.227	2.35	0.135	0.83	1.88	<0.005	0.004
RG120207		3.78	0.0039	7.51	<0.001	<0.001	19.85	<0.0002	0.016	0.270	1.155	0.212	0.77	1.63	<0.005	0.005
RG120208		2.98	0.0037	6.28	<0.001	<0.001	15.50	<0.0002	0.015	0.258	0.922	0.107	0.66	1.33	<0.005	0.003
RG120209		2.09	0.0037	6.70	<0.001	<0.001	14.10	<0.0002	0.010	0.367	0.815	0.125	0.51	1.44	<0.005	0.038
RG120210		2.51	0.0024	7.30	<0.001	<0.001	16.25	<0.0002	0.018	0.181	1.290	0.068	0.60	1.13	<0.005	0.004



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **TINONE RESOURCES CORPORATION**
1001-1030 WEST GEORGIA ST
VANCOUVER BC V6E 2Y3
CANADA

Page: 4 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-JAN-2021
 Account: TINONE

Project: Panama Project

CERTIFICATE OF ANALYSIS BR20296775

Sample Description	Method Analyte Units LOD	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43
		Th	Ti	Ti	U	V	W	Y	Zn
		ppm 0.0005	% 0.0001	ppm 0.0005	ppm 0.0005	ppm 0.05	ppm 0.001	ppm 0.001	ppm 0.1
RG120171		5.98	0.0021	0.0515	0.304	23.6	0.200	0.894	5.3
RG120172		15.45	0.0008	0.0718	0.446	32.5	0.057	0.759	6.0
RG120173		17.05	0.0017	0.0508	0.920	25.3	0.124	1.820	13.1
RG120174		7.57	0.0033	0.0580	0.501	19.90	0.111	1.255	13.6
RG120175		13.70	0.0008	0.0725	0.702	25.2	0.052	0.882	6.0
RG120176		0.660	0.0029	0.0057	0.0410	3.74	0.498	0.398	0.8
RG120177		4.00	0.0003	0.0479	0.203	12.50	0.237	2.05	3.3
RG120178		11.10	0.0046	0.0283	0.396	16.40	0.032	1.710	12.8
RG120179		3.77	0.0064	0.0142	0.167	10.45	0.158	0.687	4.5
RG120180		1.580	0.0023	0.0170	0.104	9.19	0.051	0.467	2.9
RG120181		5.31	0.0013	0.0964	0.463	17.25	0.038	0.970	8.2
RG120182		12.65	0.0016	0.154	1.045	25.5	0.048	1.690	8.4
RG120183		3.05	0.0034	0.0854	0.260	8.16	0.044	1.985	7.2
RG120184		13.70	0.0012	0.0913	0.543	47.1	0.015	0.790	9.5
RG120185		17.40	0.0017	0.128	0.825	44.1	0.021	1.020	11.9
RG120186		24.3	0.0023	0.0761	0.764	29.9	0.041	0.784	6.6
RG120187		17.65	0.0012	0.161	1.190	34.1	0.034	0.762	16.8
RG120188		4.69	0.0033	0.0222	0.257	19.65	0.019	0.471	2.4
RG120189		32.2	0.0008	0.114	0.886	51.7	0.027	1.670	4.3
RG120190		7.30	0.0020	0.0541	0.428	37.1	0.066	1.015	2.6
RG120191		15.40	0.0010	0.0737	0.942	38.7	0.058	1.255	7.8
RG120192		9.14	0.0009	0.0746	0.619	34.9	0.096	1.060	6.2
RG120193		8.97	0.0009	0.0641	0.446	32.2	0.078	1.550	5.2
RG120194		15.10	0.0013	0.0355	0.883	28.4	0.132	3.58	2.9
RG120195		0.638	0.0080	0.0026	0.0419	3.65	0.011	0.249	1.5
RG120196		15.55	0.0022	0.0296	0.426	24.3	0.136	0.525	3.7
RG120197		5.93	0.0011	0.0618	0.315	19.55	0.066	0.533	7.7
RG120198		16.35	0.0008	0.151	0.813	30.7	0.041	1.860	10.8
RG120199		16.05	0.0008	0.0933	0.605	29.4	0.046	1.010	8.7
RG120200		6.52	0.0014	0.0537	0.253	14.40	0.319	1.575	3.1
RG120201		14.25	0.0011	0.128	0.673	45.9	0.083	0.850	5.2
RG120202		9.43	0.0011	0.139	0.443	23.8	0.044	0.787	4.2
RG120203		15.65	0.0017	0.0473	0.733	18.25	0.020	1.700	4.0
RG120204		11.10	0.0028	0.0995	0.729	22.8	0.045	2.57	19.6
RG120205		18.70	0.0024	0.0825	0.801	24.3	0.045	1.400	8.6
RG120206		16.25	0.0019	0.106	0.836	27.1	0.019	1.655	12.8
RG120207		9.68	0.0012	0.138	0.556	28.6	0.046	0.844	12.5
RG120208		7.46	0.0022	0.0752	0.415	26.7	0.030	0.724	7.4
RG120209		7.01	0.0045	0.0674	0.392	20.9	0.045	0.859	9.0
RG120210		9.41	0.0023	0.106	0.533	26.1	0.018	0.881	10.9



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **TINONE RESOURCES CORPORATION**
1001-1030 WEST GEORGIA ST
VANCOUVER BC V6E 2Y3
CANADA

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 20-JAN-2021
Account: TINONE

Project: Panama Project

CERTIFICATE OF ANALYSIS BR20296775

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	AuME-ST43 Au ppm 0.0001	AuME-ST43 Ag ppm 0.001	AuME-ST43 Al % 0.01	AuME-ST43 As ppm 0.01	AuME-ST43 B ppm 2	AuME-ST43 Ba ppm 0.05	AuME-ST43 Be ppm 0.005	AuME-ST43 Bi ppm 0.0005	AuME-ST43 Ca % 0.01	AuME-ST43 Cd ppm 0.001	AuME-ST43 Ce ppm 0.001	AuME-ST43 Co ppm 0.001	AuME-ST43 Cr ppm 0.01	AuME-ST43 Cs ppm 0.001
RG120211		0.96	0.0012	0.009	1.54	0.21	<2	17.95	0.183	0.450	<0.01	0.001	10.40	0.466	23.4	1.100
RG120212		0.84	0.0029	0.009	1.44	4.96	<2	27.9	0.281	0.249	0.01	0.009	13.00	1.745	23.7	1.125
RG120213		0.90	0.0010	0.005	1.08	1.59	<2	22.2	0.227	0.117	<0.01	0.001	27.5	0.277	12.10	0.781
RG120214		0.89	0.0083	0.005	1.56	4.82	<2	19.20	0.218	0.190	0.01	<0.001	19.20	0.490	20.3	1.175
RG120215		0.98	0.0113	0.022	1.83	15.30	<2	32.9	0.345	0.482	<0.01	0.003	9.97	0.662	25.1	0.944
RG120216		0.92	0.0046	0.011	1.45	8.02	<2	23.9	0.306	0.200	<0.01	0.003	5.87	0.536	29.7	1.020
RG120217		0.94	0.0068	0.006	1.66	6.03	<2	24.1	0.274	0.285	0.01	0.009	10.05	0.344	22.8	0.971
RG120218		0.95	0.0072	0.007	1.18	0.84	<2	20.6	0.285	0.156	<0.01	0.001	22.4	0.507	12.65	1.025
RG120219		0.88	0.0419	0.006	0.85	1.00	<2	8.43	0.107	0.0990	0.01	0.001	10.75	0.309	11.90	1.270
RG120220		0.97	0.0123	0.007	2.12	23.9	<2	17.95	0.331	0.204	0.01	<0.001	36.9	0.648	51.1	1.570
RG120221		0.82	0.0404	0.018	1.05	9.81	<2	18.25	0.140	0.422	<0.01	0.004	10.05	0.240	15.25	0.803
RG120222		0.69	0.0051	0.009	1.54	5.31	<2	18.50	0.227	0.305	<0.01	0.005	4.86	0.995	21.7	1.150
RG120223		0.83	0.0034	0.003	1.88	2.45	<2	25.1	0.272	0.336	<0.01	0.003	8.08	0.549	26.8	1.085
RG120224		0.91	0.0046	0.013	1.37	2.26	<2	17.50	0.265	0.261	<0.01	<0.001	9.48	0.722	21.4	1.575
RG120225		0.90	0.0012	0.006	1.36	0.18	<2	25.0	0.292	0.363	0.01	0.002	5.93	0.810	25.5	1.050
RG120226		0.93	0.0010	0.007	1.44	0.49	<2	21.6	0.248	0.275	<0.01	<0.001	8.64	0.655	16.10	1.430
RG120227		0.75	0.0050	0.015	2.13	0.50	<2	30.0	0.339	0.357	0.01	0.003	6.88	0.718	27.8	0.930
RG120228		0.92	0.0007	0.006	1.96	0.49	<2	29.8	0.284	0.286	0.01	<0.001	11.85	0.715	25.8	1.170
RG120229		0.87	0.0008	0.013	1.52	0.80	<2	25.5	0.340	0.207	0.01	0.005	9.21	0.875	18.80	2.41
RG120230		0.89	0.0013	0.016	0.98	0.42	<2	29.9	0.340	0.285	<0.01	0.003	15.45	1.235	18.35	1.215
RG120231		0.81	0.0031	0.010	1.44	0.44	<2	25.0	0.334	0.284	0.01	<0.001	13.00	1.055	22.5	1.265
RG120232		0.95	0.0051	0.007	0.60	0.14	<2	14.30	0.124	0.185	<0.01	<0.001	11.70	0.441	7.81	1.020
RG120233		0.94	0.0011	0.008	1.63	6.49	<2	28.3	0.302	0.203	0.01	0.002	16.00	0.396	20.6	0.917
RG120234		0.96	0.0001	0.002	0.34	5.64	<2	12.00	0.082	0.0556	0.01	0.005	32.2	0.163	7.59	0.376
RG120235		0.81	0.0003	0.008	1.04	2.44	<2	13.90	0.200	0.202	<0.01	<0.001	16.05	0.383	12.25	0.973
RG120236		0.95	0.0021	0.012	1.51	5.97	<2	25.8	0.295	0.473	<0.01	0.002	13.55	0.821	21.6	1.740
RG120237		0.78	0.0036	0.012	1.78	23.0	<2	18.80	0.241	0.345	<0.01	0.003	9.44	0.435	24.4	1.320
RG120238		0.86	0.0008	0.006	0.69	2.30	<2	40.5	0.918	0.192	0.01	0.004	62.0	1.685	14.65	4.21
RG120239		0.72	0.0025	0.008	0.65	2.08	<2	39.4	0.363	0.214	<0.01	0.004	21.5	0.508	16.60	3.89
RG120240		0.85	0.0013	0.009	1.51	0.49	<2	26.7	0.255	0.253	0.01	<0.001	7.95	0.659	24.0	1.710
RG120241		0.86	0.0008	<0.001	0.25	0.08	<2	6.83	0.045	0.130	<0.01	<0.001	12.40	0.182	2.95	0.947
RG120242		0.86	0.0011	0.008	2.54	1.89	<2	35.3	0.239	0.338	<0.01	0.002	11.10	0.664	40.4	1.290
RG120243		0.88	0.0031	0.007	1.75	4.99	<2	21.6	0.194	1.115	<0.01	<0.001	16.65	0.289	35.6	0.950
RG120244		0.94	0.0018	0.003	1.07	0.53	<2	24.6	0.275	0.229	<0.01	0.002	9.10	0.526	14.30	1.950
RG120245		0.70	0.0043	0.011	2.50	18.05	<2	37.7	0.339	0.327	0.01	0.004	17.35	0.663	40.1	1.550
RG120246		0.87	0.0017	0.009	2.35	2.45	<2	28.6	0.363	0.303	0.01	<0.001	6.62	0.835	51.6	2.69
RG120247		0.97	0.0026	0.010	0.78	0.62	<2	28.1	0.369	0.201	<0.01	<0.001	25.4	1.210	13.40	1.565
RG120248		0.93	0.0028	0.007	1.70	2.27	<2	24.5	0.231	0.258	0.01	0.001	4.70	0.433	34.9	1.155
RG120249		0.62	0.0006	0.006	2.06	2.19	<2	31.0	0.314	0.332	<0.01	<0.001	15.40	0.638	26.5	1.295
RG120250		0.95	0.0077	0.003	0.45	0.12	<2	16.50	0.181	0.170	<0.01	<0.001	15.65	0.538	6.06	1.645



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **TINONE RESOURCES CORPORATION**
1001-1030 WEST GEORGIA ST
VANCOUVER BC V6E 2Y3
CANADA

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 20-JAN-2021
Account: TINONE

Project: Panama Project

CERTIFICATE OF ANALYSIS BR20296775

Sample Description	Method Analyte Units LOD	AuME-ST43 Cu ppm 0.01	AuME-ST43 Fe % 0.001	AuME-ST43 Ga ppm 0.004	AuME-ST43 Ge ppm 0.005	AuME-ST43 Hf ppm 0.002	AuME-ST43 Hg ppm 0.002	AuME-ST43 In ppm 0.005	AuME-ST43 K % 0.01	AuME-ST43 La ppm 0.002	AuME-ST43 Li ppm 0.1	AuME-ST43 Mg % 0.01	AuME-ST43 Mn ppm 0.1	AuME-ST43 Mo ppm 0.002	AuME-ST43 Na % 0.001	AuME-ST43 Nb ppm 0.002
RG120211		6.89	2.45	5.11	0.018	0.111	0.020	0.024	0.03	5.27	7.8	0.02	19.8	0.344	0.004	0.160
RG120212		22.2	2.17	4.44	0.022	0.094	0.030	0.027	0.05	6.16	7.7	0.04	30.5	0.213	0.007	0.192
RG120213		4.06	1.190	3.07	0.030	0.056	0.015	0.015	0.03	14.30	5.2	0.02	11.0	0.242	0.008	0.094
RG120214		1.20	1.470	3.72	0.020	0.133	0.034	0.021	0.03	9.73	7.6	0.04	9.7	0.336	0.007	0.097
RG120215		15.55	2.29	5.07	0.018	0.118	0.013	0.028	0.06	5.23	8.7	0.04	13.7	0.688	0.007	0.120
RG120216		15.20	2.97	5.11	0.018	0.132	0.018	0.021	0.04	3.26	5.4	0.02	11.6	0.466	0.007	0.120
RG120217		13.65	2.03	4.46	0.020	0.127	0.022	0.021	0.05	4.68	7.8	0.03	11.8	0.371	0.008	0.134
RG120218		3.00	1.180	3.24	0.024	0.046	0.030	0.017	0.03	11.20	5.7	0.02	16.0	0.298	0.005	0.135
RG120219		1.50	1.600	3.35	0.018	0.052	0.034	0.013	0.02	5.56	3.7	0.02	25.2	0.303	0.004	0.157
RG120220		5.68	4.48	6.68	0.044	0.346	0.038	0.033	0.03	17.30	6.2	0.03	15.2	0.571	0.006	0.136
RG120221		8.29	1.470	3.08	0.019	0.105	0.028	0.017	0.03	4.89	4.2	0.01	12.6	0.899	0.005	0.141
RG120222		13.65	2.29	5.16	0.018	0.077	0.028	0.019	0.05	2.83	7.8	0.02	34.5	0.427	0.004	0.252
RG120223		10.65	2.54	5.62	0.016	0.196	0.027	0.025	0.04	3.27	8.1	0.03	19.5	0.417	0.006	0.113
RG120224		7.93	2.21	4.78	0.021	0.098	0.048	0.021	0.05	4.75	8.0	0.02	23.3	0.485	0.002	0.194
RG120225		11.40	3.40	4.90	0.021	0.088	0.022	0.017	0.05	3.25	9.0	0.02	27.6	0.221	0.006	0.247
RG120226		5.53	1.780	4.79	0.018	0.062	0.015	0.020	0.04	4.15	10.3	0.03	22.7	0.329	0.006	0.216
RG120227		10.30	3.04	6.72	0.013	0.162	0.031	0.032	0.05	3.39	9.2	0.02	37.8	0.544	0.004	0.394
RG120228		5.88	2.96	6.92	0.018	0.126	0.022	0.030	0.04	5.55	7.6	0.03	38.3	0.524	0.001	0.257
RG120229		7.10	1.980	4.24	0.013	0.112	0.039	0.020	0.06	4.99	9.4	0.03	78.2	0.301	<0.001	0.517
RG120230		5.69	1.980	3.78	0.019	0.066	0.015	0.016	0.05	7.86	8.3	0.04	27.3	0.224	0.001	0.273
RG120231		8.48	2.26	4.61	0.018	0.098	0.019	0.023	0.04	6.08	10.1	0.03	29.0	0.377	<0.001	0.297
RG120232		1.93	1.030	2.27	0.011	0.023	0.013	0.008	0.02	5.65	4.6	0.01	13.9	0.150	<0.001	0.204
RG120233		5.13	1.810	4.08	0.021	0.076	0.020	0.021	0.04	7.84	8.1	0.03	12.0	0.656	0.005	0.102
RG120234		2.81	0.760	1.905	0.027	0.052	0.005	0.007	0.02	14.95	0.6	0.01	9.5	0.218	<0.001	0.101
RG120235		3.61	1.770	3.63	0.017	0.050	0.032	0.015	0.03	7.63	6.8	0.01	15.0	0.410	<0.001	0.230
RG120236		16.60	2.44	5.01	0.022	0.084	0.036	0.020	0.10	7.16	11.8	0.12	60.4	1.360	0.001	0.303
RG120237		11.25	2.79	5.41	0.018	0.149	0.060	0.024	0.04	5.63	7.7	0.02	25.4	1.630	0.004	0.184
RG120238		8.77	0.820	2.50	0.049	0.010	0.022	0.016	0.05	31.5	11.1	0.08	54.9	0.272	<0.001	0.285
RG120239		7.88	0.750	3.31	0.021	0.062	0.019	0.021	0.03	11.80	7.6	0.03	9.0	0.538	<0.001	0.123
RG120240		5.93	2.33	5.10	0.013	0.165	0.025	0.027	0.05	3.96	8.8	0.03	55.2	0.398	0.002	0.254
RG120241		0.38	0.195	1.215	0.011	0.011	0.006	0.005	0.01	6.10	0.3	0.01	15.8	0.085	0.001	0.147
RG120242		4.77	4.47	8.02	0.022	0.233	0.022	0.040	0.03	5.48	8.3	0.02	13.7	0.578	<0.001	0.148
RG120243		8.89	3.63	7.10	0.026	0.198	0.025	0.026	0.03	8.00	6.5	0.02	10.5	1.630	<0.001	0.074
RG120244		3.58	2.10	3.92	0.020	0.092	0.015	0.018	0.03	4.99	7.9	0.02	24.5	0.260	0.006	0.171
RG120245		15.85	4.07	8.49	0.034	0.308	0.043	0.037	0.05	8.19	10.6	0.03	29.7	0.726	0.004	0.236
RG120246		12.10	4.08	8.64	0.025	0.213	0.044	0.037	0.05	2.39	11.4	0.04	64.6	0.536	0.010	0.343
RG120247		3.43	1.560	2.64	0.030	0.064	0.019	0.013	0.03	11.30	5.6	0.02	21.8	0.261	0.001	0.106
RG120248		4.87	3.39	6.29	0.022	0.201	0.032	0.025	0.04	2.25	6.3	0.02	27.0	0.422	<0.001	0.382
RG120249		7.77	2.51	5.44	0.026	0.142	0.019	0.025	0.05	7.18	8.8	0.03	28.2	0.483	0.005	0.190
RG120250		1.51	0.700	1.710	0.020	0.026	0.006	0.007	0.02	9.30	4.9	0.02	22.6	0.082	0.005	0.155



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **TINONE RESOURCES CORPORATION**
1001-1030 WEST GEORGIA ST
VANCOUVER BC V6E 2Y3
CANADA

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 20-JAN-2021
Account: TINONE

Project: Panama Project

CERTIFICATE OF ANALYSIS BR20296775

Sample Description	Method Analyte Units LOD	AuME-ST43 Ni ppm 0.02	AuME-ST43 P % 0.0005	AuME-ST43 Pb ppm 0.005	AuME-ST43 Pd ppm 0.001	AuME-ST43 Pt ppm 0.001	AuME-ST43 Rb ppm 0.005	AuME-ST43 Re ppm 0.0002	AuME-ST43 S % 0.002	AuME-ST43 Sb ppm 0.002	AuME-ST43 Sc ppm 0.005	AuME-ST43 Se ppm 0.002	AuME-ST43 Sn ppm 0.01	AuME-ST43 Sr ppm 0.01	AuME-ST43 Ta ppm 0.005	AuME-ST43 Te ppm 0.001
RG1 20211		1.64	0.0021	6.05	<0.001	<0.001	11.40	<0.0002	0.014	0.393	1.150	0.076	0.63	0.91	<0.005	0.006
RG1 20212		4.07	0.0036	8.83	<0.001	<0.001	11.60	<0.0002	0.018	0.519	1.415	0.379	0.57	2.96	<0.005	0.013
RG1 20213		1.19	0.0029	4.76	<0.001	<0.001	11.20	<0.0002	0.010	0.316	0.776	0.093	0.47	2.26	<0.005	0.003
RG1 20214		1.83	0.0025	4.50	<0.001	<0.001	10.50	<0.0002	0.010	0.331	0.795	0.311	0.67	2.86	<0.005	0.015
RG1 20215		3.44	0.0036	7.28	<0.001	<0.001	15.95	<0.0002	0.010	0.646	1.365	0.397	0.72	2.65	<0.005	0.039
RG1 20216		3.92	0.0049	8.56	<0.001	<0.001	11.75	<0.0002	0.013	0.339	2.30	0.501	0.52	2.11	<0.005	0.012
RG1 20217		1.80	0.0047	9.14	<0.001	<0.001	12.05	<0.0002	0.011	0.423	1.560	0.386	0.58	3.58	<0.005	0.012
RG1 20218		1.89	0.0038	6.27	<0.001	<0.001	12.25	<0.0002	0.008	0.200	1.215	0.142	0.53	2.27	<0.005	0.005
RG1 20219		1.34	0.0037	3.17	<0.001	<0.001	5.34	<0.0002	0.007	0.183	0.731	0.119	0.51	2.29	<0.005	0.004
RG1 20220		2.41	0.0088	12.25	0.003	<0.001	10.10	<0.0002	0.024	1.100	5.47	1.155	0.96	3.34	<0.005	0.023
RG1 20221		1.19	0.0035	5.07	<0.001	<0.001	7.94	<0.0002	0.012	0.345	0.985	0.386	0.48	1.98	<0.005	0.048
RG1 20222		3.83	0.0042	8.81	0.001	<0.001	11.85	<0.0002	0.012	0.728	1.250	0.347	0.59	1.25	<0.005	0.013
RG1 20223		1.95	0.0032	6.69	<0.001	<0.001	14.30	<0.0002	0.016	0.627	1.585	0.343	0.67	1.72	<0.005	0.010
RG1 20224		2.35	0.0037	7.78	0.001	<0.001	15.10	<0.0002	0.013	0.433	1.810	0.240	0.60	1.32	<0.005	0.008
RG1 20225		3.72	0.0046	10.45	<0.001	<0.001	12.25	<0.0002	0.012	0.390	1.130	0.106	0.47	3.02	<0.005	0.005
RG1 20226		2.17	0.0026	7.78	<0.001	<0.001	15.25	<0.0002	0.022	0.232	1.335	0.124	0.58	1.61	<0.005	0.002
RG1 20227		3.10	0.0051	8.88	<0.001	<0.001	12.25	<0.0002	0.014	0.442	1.420	0.201	0.86	3.12	<0.005	0.010
RG1 20228		2.30	0.0044	8.70	<0.001	<0.001	13.00	<0.0002	0.015	0.463	1.840	0.144	0.94	2.76	<0.005	0.010
RG1 20229		2.36	0.0070	9.58	<0.001	<0.001	15.80	<0.0002	0.006	0.522	1.550	0.165	0.69	2.58	<0.005	0.007
RG1 20230		2.78	0.0042	9.46	<0.001	<0.001	12.85	<0.0002	0.013	0.280	1.145	0.111	0.39	1.98	<0.005	0.006
RG1 20231		3.23	0.0036	9.98	<0.001	<0.001	15.20	<0.0002	0.014	0.276	1.505	0.137	0.59	2.58	<0.005	0.005
RG1 20232		1.08	0.0027	6.47	<0.001	<0.001	10.10	<0.0002	0.009	0.197	0.450	0.064	0.35	1.09	<0.005	0.002
RG1 20233		1.49	0.0034	6.13	<0.001	<0.001	12.25	<0.0002	0.008	0.639	1.355	0.313	0.60	2.71	<0.005	0.010
RG1 20234		0.77	0.0041	3.74	<0.001	<0.001	3.66	<0.0002	<0.002	0.248	0.466	0.125	0.18	3.30	<0.005	0.003
RG1 20235		1.14	0.0028	6.25	<0.001	<0.001	8.55	<0.0002	0.002	0.353	0.937	0.216	0.54	1.65	<0.005	0.004
RG1 20236		3.84	0.0066	11.65	<0.001	<0.001	14.40	<0.0002	0.009	0.986	1.325	0.509	0.61	5.24	<0.005	0.021
RG1 20237		2.61	0.0047	14.30	<0.001	<0.001	12.00	<0.0002	0.018	0.687	1.595	1.105	0.61	2.60	<0.005	0.019
RG1 20238		5.10	0.0049	16.50	<0.001	<0.001	12.40	<0.0002	0.017	0.203	1.620	0.151	0.32	3.06	<0.005	0.004
RG1 20239		3.01	0.0028	9.29	0.001	<0.001	9.58	<0.0002	0.056	0.382	1.500	0.220	0.35	1.75	<0.005	0.008
RG1 20240		2.53	0.0036	6.13	<0.001	<0.001	18.45	<0.0002	0.013	0.350	1.175	0.127	0.80	4.34	<0.005	0.003
RG1 20241		0.34	0.0012	2.65	<0.001	<0.001	6.59	<0.0002	0.002	0.118	0.250	0.018	0.32	0.59	<0.005	<0.001
RG1 20242		3.01	0.0048	9.28	<0.001	<0.001	8.81	<0.0002	0.022	0.446	2.57	0.415	0.82	1.98	<0.005	0.018
RG1 20243		1.02	0.0045	38.0	0.001	<0.001	8.59	<0.0002	0.034	0.310	2.66	0.444	0.60	2.28	<0.005	0.013
RG1 20244		1.53	0.0019	9.59	<0.001	<0.001	13.40	<0.0002	0.031	0.196	1.355	0.107	0.49	1.13	<0.005	0.003
RG1 20245		3.48	0.0046	11.95	0.001	0.001	12.15	<0.0002	0.026	1.165	1.995	1.010	0.88	3.32	<0.005	0.024
RG1 20246		2.94	0.0067	12.60	<0.001	<0.001	15.45	<0.0002	0.015	0.835	5.18	0.348	0.87	3.17	<0.005	0.013
RG1 20247		1.89	0.0014	10.85	<0.001	<0.001	13.50	<0.0002	0.016	0.258	2.10	0.066	0.39	1.25	<0.005	0.003
RG1 20248		1.67	0.0050	9.78	<0.001	0.001	8.98	<0.0002	0.017	0.745	1.955	0.498	0.70	2.28	<0.005	0.015
RG1 20249		2.33	0.0043	9.99	<0.001	<0.001	14.45	<0.0002	0.011	0.323	1.755	0.303	0.78	2.51	<0.005	0.011
RG1 20250		0.94	0.0016	7.68	<0.001	0.001	9.10	<0.0002	0.012	0.162	0.597	0.029	0.30	0.88	<0.005	0.001



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **TINONE RESOURCES CORPORATION**
1001-1030 WEST GEORGIA ST
VANCOUVER BC V6E 2Y3
CANADA

Page: 5 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-JAN-2021
 Account: TINONE

Project: Panama Project

CERTIFICATE OF ANALYSIS BR20296775

Sample Description	Method Analyte Units LOD	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43
		Th	Ti	Ti	U	V	W	Y	Zn
		ppm 0.0005	% 0.0001	ppm 0.0005	ppm 0.0005	ppm 0.05	ppm 0.001	ppm 0.001	ppm 0.1
RG120211		11.55	0.0014	0.0850	0.446	28.0	0.020	0.808	6.0
RG120212		15.05	0.0016	0.0797	0.675	22.7	0.025	2.62	4.21
RG120213		7.79	0.0011	0.0684	0.254	16.75	0.053	1.465	6.9
RG120214		10.55	0.0010	0.0749	0.374	24.3	0.051	0.776	3.2
RG120215		15.55	0.0007	0.110	0.546	30.0	0.057	1.540	11.1
RG120216		14.80	0.0009	0.103	0.751	28.4	0.040	1.565	13.0
RG120217		14.90	0.0006	0.101	0.587	23.8	0.051	1.370	4.9
RG120218		5.76	0.0011	0.0771	0.407	17.90	0.039	1.795	4.0
RG120219		3.00	0.0029	0.0319	0.277	20.0	0.025	0.635	3.0
RG120220		23.3	0.0016	0.217	1.600	40.4	0.103	1.395	4.4
RG120221		9.89	0.0016	0.0637	0.506	19.60	0.059	0.771	3.3
RG120222		11.45	0.0019	0.0713	0.608	24.1	0.031	1.935	16.0
RG120223		23.3	0.0010	0.115	0.615	25.0	0.024	1.205	6.6
RG120224		12.65	0.0016	0.121	0.779	28.6	0.034	0.689	8.3
RG120225		14.40	0.0020	0.107	0.628	25.5	0.032	2.04	6.9
RG120226		6.99	0.0012	0.103	0.506	23.9	0.023	0.851	9.3
RG120227		14.60	0.0010	0.0808	0.621	36.1	0.062	0.731	12.5
RG120228		13.30	0.0014	0.0848	0.614	39.2	0.034	0.886	7.8
RG120229		9.14	0.0016	0.111	0.640	23.4	0.083	0.798	6.5
RG120230		11.05	0.0015	0.0918	0.539	19.55	0.060	1.720	7.1
RG120231		13.30	0.0014	0.127	0.757	26.8	0.027	1.045	9.4
RG120232		3.82	0.0012	0.0760	0.269	14.85	0.029	0.616	3.6
RG120233		10.75	0.0007	0.0876	0.503	22.9	0.102	1.105	7.0
RG120234		5.66	0.0015	0.0232	0.273	9.12	0.167	1.655	8.5
RG120235		4.88	0.0011	0.0647	0.347	22.4	0.076	1.050	9.1
RG120236		10.45	0.0024	0.132	0.775	26.4	0.045	2.36	15.7
RG120237		16.95	0.0008	0.163	0.800	31.7	0.027	1.190	6.5
RG120238		5.54	0.0031	0.0968	1.460	16.75	0.032	12.60	18.4
RG120239		12.10	0.0016	0.0808	0.742	27.6	0.041	3.32	14.3
RG120240		13.35	0.0014	0.112	0.466	31.6	0.036	0.554	8.8
RG120241		1.300	0.0042	0.0336	0.146	8.79	0.035	0.564	2.9
RG120242		17.40	0.0009	0.0825	0.801	49.8	0.038	0.838	3.7
RG120243		22.2	0.0007	0.120	0.851	32.9	0.044	1.200	3.7
RG120244		10.90	0.0015	0.115	0.548	22.8	0.024	1.155	5.3
RG120245		23.8	0.0008	0.105	0.896	41.9	0.042	1.190	10.2
RG120246		18.30	0.0018	0.132	1.400	83.4	0.053	0.562	8.4
RG120247		11.15	0.0015	0.104	0.695	17.75	0.037	3.39	8.2
RG120248		19.80	0.0018	0.0863	0.761	31.2	0.045	0.414	4.7
RG120249		16.80	0.0010	0.103	0.611	28.6	0.051	0.936	7.2
RG120250		5.22	0.0026	0.0783	0.370	10.60	0.036	1.425	4.2



Project: Panama Project

Page: 6 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 20-JAN-2021
Account: TINONE

[illegible]

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **TINONE RESOURCES CORPORATION**
1001-1030 WEST GEORGIA ST
VANCOUVER BC V6E 2Y3
CANADA

Page: 6 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 20-JAN-2021
Account: TINONE

Project: Panama Project

CERTIFICATE OF ANALYSIS BR20296775

Sample Description	Method Analyte Units LOD	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.01	0.001	0.004	0.005	0.002	0.002	0.005	0.01	0.002	0.1	0.01	0.1	0.002	0.001	0.002
RG120251		14.65	3.60	6.77	0.026	0.269	0.068	0.031	0.04	8.77	6.8	0.02	41.7	10.05	0.003	0.245
RG120252		7.03	2.50	5.46	0.017	0.153	0.042	0.022	0.05	3.06	9.4	0.03	65.8	0.478	0.005	0.390
RG120253		15.75	3.36	6.32	0.032	0.196	0.047	0.028	0.09	11.65	13.4	0.07	31.1	0.371	0.002	0.552



Project: Panama Project

Page: 6 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 20-JAN-2021
Account: TINONE

[illegible]



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **TINONE RESOURCES CORPORATION**
1001-1030 WEST GEORGIA ST
VANCOUVER BC V6E 2Y3
CANADA

Page: 6 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-JAN-2021
 Account: TINONE

Project: Panama Project

CERTIFICATE OF ANALYSIS BR20296775

Sample Description	Method Analyte Units LOD	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43
		Th	Ti	Tl	U	V	W	Y	Zn	Zr
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.0005	0.0001	0.0005	0.0005	0.05	0.001	0.001	0.1	0.01
RG120251		24.2	0.0012	0.113	1.230	33.1	0.051	1.395	5.5	12.10
RG120252		14.55	0.0017	0.0949	0.617	27.7	0.045	0.485	6.0	6.50
RG120253		16.55	0.0035	0.142	0.999	39.2	0.031	1.875	19.1	9.04



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **TINONE RESOURCES CORPORATION**
1001-1030 WEST GEORGIA ST
VANCOUVER BC V6E 2Y3
CANADA

Page: **Appendix 1**
Total # Appendix Pages: **1**
Finalized Date: **20-JAN-2021**
Account: **TINONE**

Project: Panama Project

CERTIFICATE OF ANALYSIS BR20296775

	CERTIFICATE COMMENTS
	<p style="text-align: center;">LABORATORY ADDRESSES</p> <p>Processed at ALS Perth located at 31 Denninup Way, Malaga, Australia. Processed at ALS Perth Sample Preparation at 79 Distinction Road, Wangara, WA, Australia AuME-ST43</p> <p>Processed at ALS Brisbane located at 32 Shand Street, Stafford, Brisbane, QLD, Australia. Processed at ALS Brisbane Sample Preparation at 23 Pineapple Street, Zillmere, QLD, 4034, Australia</p>
Applies to Method:	LEV-01
Applies to Method:	LOG-22
	SCR-41
	WEI-21