



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **TINONE RESOURCES CORPORATION**
1001-1030 WEST GEORGIA ST
VANCOUVER BC V6E 2Y3
CANADA

Page: 1
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 18-DEC-2020
This copy reported on 23-DEC-2020
Account: TINONE

QC CERTIFICATE BR20281264

Project: Panama Project

This report is for 190 Soil samples submitted to our lab in Burnie, TAS, Australia on 1-DEC-2020.

The following have access to data associated with this certificate:

RUSSELL FULTON

STUART SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
LEV-01	Waste Disposal Levy
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
AuME-ST43	25g Super Trace Au + Multi Element PKG

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: HYP-PKG being run under BR20283906.

Signature:

Shaun Kenny, Brisbane Laboratory Manager



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **TINONE RESOURCES CORPORATION**
1001-1030 WEST GEORGIA ST
VANCOUVER BC V6E 2Y3
CANADA

Page: 2 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 18-DEC-2020
Account: TINONE

Project: Panama Project

QC CERTIFICATE OF ANALYSIS BR20281264

Sample Description	Method Analyte Units LOD	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43
		Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.0001	0.001	0.01	0.01	10	0.5	0.01	0.001	0.01	0.001	0.003	0.001	0.01	0.005	0.01
STANDARDS																
GLG313-1		0.0288	4.37	2.90	2.65	<10	22.3	0.26	0.266	0.18	0.012	20.9	3.40	35.7	1.125	16.50
GLG313-1		0.0289	1.425	2.69	2.90	<10	21.3	0.28	0.258	0.17	0.012	20.2	3.39	36.0	1.110	16.65
GLG313-1		0.0325	0.729	3.45	3.12	<10	25.9	0.30	0.288	0.22	0.013	25.1	3.79	41.1	1.265	18.25
GLG313-1		0.0295	0.930	3.29	2.93	<10	24.8	0.28	0.267	0.21	0.010	23.0	3.28	38.7	1.155	16.80
GLG313-1		0.0290	4.87	2.92	2.87	<10	22.8	0.27	0.266	0.18	0.013	21.9	3.14	37.1	1.155	16.85
GLG313-1		0.0293	2.07	2.98	2.85	<10	22.6	0.24	0.264	0.18	0.012	21.8	3.40	36.7	1.115	16.50
Target Range - Lower Bound		0.0275	0.587	2.52	2.40	<10	18.1	0.23	0.249	0.14	0.011	17.80	2.94	31.0	0.993	14.75
Upper Bound		0.0338	0.720	3.10	2.95	20	25.7	0.30	0.307	0.19	0.016	21.7	3.60	37.9	1.225	16.95
MRGeo08		0.0036	4.14	2.34	35.8	<10	121.0	0.74	0.617	0.90	2.25	69.7	19.25	92.7	10.20	627
MRGeo08		0.0034	3.90	2.34	33.7	<10	153.5	0.80	0.571	0.95	2.20	68.5	18.60	87.4	10.15	596
Target Range - Lower Bound		0.0034	4.01	2.23	29.7	<10	111.5	0.72	0.585	0.86	2.02	66.2	17.10	79.7	9.49	587
Upper Bound		0.0044	4.91	2.75	36.3	30	152.0	0.90	0.717	1.08	2.47	81.0	20.9	97.5	11.60	675
OREAS 601b		0.757	47.8	0.53	274	<10	20.6	0.43	17.40	0.55	2.08	34.6	2.55	22.8	1.005	1010
OREAS 601b		0.763	50.0	0.54	285	<10	26.5	0.44	17.70	0.57	2.11	34.3	2.46	23.9	0.988	1040
OREAS 601b		0.757	49.5	0.53	288	<10	19.5	0.44	17.65	0.57	2.11	34.4	2.46	23.0	0.978	1030
OREAS 601b		0.749	47.5	0.51	268	<10	23.9	0.41	17.90	0.54	2.03	33.8	2.28	22.9	0.967	977
OREAS 601b		0.763	49.0	0.45	268	<10	31.7	0.42	17.05	0.54	2.08	32.2	2.48	23.0	0.910	1000
Target Range - Lower Bound			46.6	0.50	258	<10	19.7	0.36	16.90	0.48	1.815	31.1	2.19	21.9	0.849	961
Upper Bound			57.0	0.63	315	20	27.8	0.46	20.6	0.61	2.22	38.0	2.68	26.7	1.050	1105
OREAS 907		0.0953	1.350	0.63	42.0	<10	170.0	0.76	21.1	0.25	0.559	62.7	44.5	8.39	0.811	6310
OREAS 907		0.0965	1.300	0.82	42.3	<10	206	0.87	22.1	0.26	0.566	69.8	47.0	8.53	1.040	6360
OREAS 907		0.0973	1.305	0.71	41.3	<10	184.0	0.78	21.4	0.24	0.548	64.5	43.6	8.33	0.888	6030
Target Range - Lower Bound		0.0845	1.170	0.75	35.5		172.0	0.77	20.1	0.22	0.485	61.4	39.3	7.72	0.894	5920
Upper Bound		0.1035	1.430	0.93	43.5		234	0.97	24.5	0.30	0.595	75.0	48.1	9.46	1.105	6820
BLANKS																
BLANK		<0.0001	<0.001	<0.01	<0.01	<10	<0.5	<0.01	<0.001	<0.01	<0.001	<0.003	<0.001	<0.01	<0.005	<0.01
BLANK		<0.0001	<0.001	<0.01	<0.01	<10	<0.5	<0.01	<0.001	<0.01	0.001	<0.003	<0.001	0.01	<0.005	<0.01
BLANK		<0.0001	<0.001	<0.01	<0.01	<10	<0.5	<0.01	<0.001	<0.01	<0.001	<0.003	0.001	<0.01	<0.005	<0.01
BLANK		<0.0001	<0.001	<0.01	<0.01	<10	<0.5	<0.01	<0.001	<0.01	<0.001	<0.003	<0.001	<0.01	<0.005	0.01
BLANK		<0.0001	<0.001	<0.01	<0.01	<10	<0.5	<0.01	<0.001	<0.01	<0.001	<0.003	<0.001	<0.01	<0.005	<0.01
BLANK		<0.0001	<0.001	<0.01	<0.01	<10	<0.5	<0.01	<0.001	<0.01	<0.001	<0.003	<0.001	<0.01	<0.005	0.01
BLANK		<0.0001	<0.001	<0.01	<0.01	<10	<0.5	<0.01	<0.001	<0.01	<0.001	<0.003	<0.001	0.01	<0.005	<0.01
BLANK		<0.0001	<0.001	<0.01	<0.01	<10	<0.5	<0.01	<0.001	<0.01	<0.001	<0.003	<0.001	<0.01	<0.005	<0.01
Target Range - Lower Bound		<0.0001	<0.001	<0.01	<0.01	<10	<0.5	<0.01	<0.001	<0.01	<0.001	<0.003	<0.001	<0.01	<0.005	<0.01
Upper Bound		0.0002	0.002	0.02	0.02	20	1.0	0.02	0.002	0.02	0.002	0.006	0.002	0.02	0.010	0.02

Comments: HYP-PKG being run under BR20283906.

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **TINONE RESOURCES CORPORATION**
1001-1030 WEST GEORGIA ST
VANCOUVER BC V6E 2Y3
CANADA

Page: 2 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 18-DEC-2020
Account: TINONE

Project: Panama Project

QC CERTIFICATE OF ANALYSIS BR20281264

Sample Description	Method Analyte Units LOD	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43
		Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.001	0.004	0.005	0.002	0.004	0.005	0.01	0.002	0.1	0.01	0.1	0.01	0.001	0.002
		0.04													
STANDARDS															
GLG313-1		3.50	11.55	0.058	0.671	0.007	0.046	0.14	9.82	5.3	0.20	176.0	7.46	0.043	0.363
GLG313-1		3.40	10.85	0.049	1.310	0.008	0.042	0.14	9.40	5.4	0.19	170.5	7.49	0.037	0.469
GLG313-1		3.97	13.15	0.065	0.874	0.008	0.047	0.16	11.45	5.5	0.22	193.5	8.23	0.055	0.445
GLG313-1		3.84	12.30	0.059	0.631	0.011	0.041	0.16	10.60	5.6	0.22	182.5	7.81	0.050	0.291
GLG313-1		3.52	11.40	0.050	1.330	0.008	0.045	0.15	10.20	5.4	0.20	172.5	7.59	0.042	0.412
GLG313-1		3.56	9.44	0.043	1.265	0.006	0.040	0.15	10.05	5.1	0.20	173.5	7.41	0.046	0.397
Target Range - Lower Bound		3.10	9.06	0.033	0.821	<0.004	0.027	0.11	8.49	4.4	0.15	152.5	6.18	0.034	0.229
Upper Bound		3.79	11.10	0.063	1.010	0.016	0.051	0.17	10.40	5.6	0.21	186.5	7.57	0.044	0.315
MRGeo08		3.56	9.18	0.113	0.613	0.060	0.156	1.25	33.4	34.0	1.12	373	14.85	0.274	2.63
MRGeo08		3.38	9.08	0.116	0.602	0.067	0.145	1.19	34.2	29.3	1.07	363	14.00	0.298	2.60
Target Range - Lower Bound		3.23	8.77	0.111	0.428	0.047	0.137	1.12	32.6	29.1	1.01	341	13.10	0.277	0.237
Upper Bound		3.95	10.75	0.161	0.528	0.075	0.179	1.40	39.8	35.7	1.25	417	16.05	0.341	0.325
OREAS 601b		1.760	3.47	0.089	0.684	0.210	0.416	0.20	17.15	7.0	0.04	178.0	4.83	0.058	0.416
OREAS 601b		1.880	3.25	0.091	0.917	0.197	0.425	0.21	16.55	7.1	0.04	183.5	4.96	0.061	0.416
OREAS 601b		1.850	3.28	0.096	0.796	0.200	0.434	0.20	16.55	6.9	0.04	180.0	4.79	0.059	0.379
OREAS 601b		1.730	3.02	0.083	0.897	0.179	0.419	0.19	16.45	6.6	0.04	173.5	4.70	0.053	0.360
OREAS 601b		1.690	2.99	0.084	0.821	0.181	0.418	0.18	15.50	6.7	0.03	174.0	4.62	0.053	0.365
Target Range - Lower Bound		1.670	2.84	0.076	0.768	0.167	0.373	0.18	15.20	6.3	0.02	163.5	4.36	0.053	0.320
Upper Bound		2.05	3.49	0.116	0.943	0.235	0.467	0.24	18.60	8.0	0.06	200	5.36	0.067	0.438
OREAS 907		7.10	11.70	0.114	0.626	0.010	2.32	0.20	31.5	2.5	0.18	291	5.85	0.066	0.053
OREAS 907		8.06	14.05	0.141	0.310	0.013	2.51	0.26	34.6	3.0	0.20	294	5.83	0.078	0.081
OREAS 907		7.57	12.55	0.128	0.659	0.014	2.31	0.22	31.9	2.7	0.19	280	5.79	0.071	0.057
Target Range - Lower Bound		7.36	12.40		0.358	0.006	2.11	0.22	30.8	2.9	0.17	266	5.07	0.070	0.064
Upper Bound		9.00	15.20		0.442	0.026	2.59	0.29	37.6	3.8	0.23	326	6.21	0.088	0.092
BLANKS															
BLANK		<0.001	<0.004	<0.005	<0.002	<0.004	<0.005	<0.01	<0.002	<0.1	<0.01	<0.1	<0.01	0.010	<0.002
BLANK		<0.001	<0.004	<0.005	<0.002	<0.004	<0.005	<0.01	<0.002	<0.1	<0.01	<0.1	<0.01	<0.001	<0.002
BLANK		<0.001	<0.004	<0.005	<0.002	<0.004	<0.005	<0.01	<0.002	<0.1	<0.01	<0.1	<0.01	0.001	<0.002
BLANK		<0.001	<0.004	<0.005	<0.002	<0.004	<0.005	<0.01	<0.002	<0.1	<0.01	<0.1	<0.01	0.001	<0.002
BLANK		<0.001	<0.004	<0.005	<0.002	<0.004	<0.005	<0.01	<0.002	<0.1	<0.01	<0.1	<0.01	0.001	<0.002
BLANK		<0.001	<0.004	<0.005	<0.002	<0.004	<0.005	<0.01	<0.002	<0.1	<0.01	<0.1	<0.01	0.001	<0.002
BLANK		<0.001	<0.004	<0.005	<0.002	<0.004	<0.005	<0.01	<0.002	<0.1	<0.01	<0.1	<0.01	<0.001	<0.002
BLANK		<0.001	<0.004	<0.005	<0.002	<0.004	<0.005	<0.01	<0.002	<0.1	<0.01	<0.1	<0.01	<0.001	<0.002
Target Range - Lower Bound		<0.001	<0.004	<0.005	<0.002	<0.004	<0.005	<0.01	<0.002	<0.1	<0.01	<0.1	<0.01	<0.001	<0.002
Upper Bound		0.002	0.008	0.010	0.004	0.008	0.010	0.02	0.004	0.2	0.02	0.2	0.02	0.002	0.004

Comments: HYP-PKG being run under BR20283906.

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **TINONE RESOURCES CORPORATION**
1001-1030 WEST GEORGIA ST
VANCOUVER BC V6E 2Y3
CANADA

Page: 2 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 18-DEC-2020
Account: TINONE

Project: Panama Project

QC CERTIFICATE OF ANALYSIS BR20281264

Sample Description	Method Analyte Units LOD	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43
		P	Pb	Pd	Pt	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.001	0.005	0.001	0.001	0.005	0.001	0.01	0.005	0.005	0.1	0.01	0.01	0.005	0.01	0.002
STANDARDS																
GLG313-1		0.022	18.15	<0.001	0.002	25.5	<0.001	0.03	0.591	2.48	0.2	1.32	8.84	<0.005	0.01	25.9
GLG313-1		0.021	18.30	<0.001	0.003	24.9	<0.001	0.03	0.559	2.53	0.1	1.27	8.24	<0.005	0.02	25.1
GLG313-1		0.023	20.8	<0.001	0.002	27.7	<0.001	0.03	0.644	2.80	0.2	1.57	10.60	<0.005	0.01	28.9
GLG313-1		0.023	19.35	0.002	0.002	24.5	<0.001	0.03	0.588	2.78	0.2	1.47	9.66	<0.005	0.02	27.2
GLG313-1		0.022	19.00	<0.001	0.003	23.9	<0.001	0.05	0.578	2.55	0.1	1.37	8.48	<0.005	0.01	26.1
GLG313-1		0.022	18.20	<0.001	0.003	24.0	<0.001	0.03	0.569	2.34	0.1	1.35	8.59	<0.005	0.01	26.1
Target Range - Lower Bound		0.018	15.45	<0.001	<0.001	21.8	<0.001	<0.01	0.473	2.27	<0.1	1.06	7.40	<0.005	<0.01	21.7
Upper Bound		0.025	18.90	0.003	0.005	26.7	0.002	0.05	0.590	2.79	0.3	1.32	9.07	0.010	0.03	26.5
MRGeo08		0.093	1050	0.005	0.002	149.0	0.009	0.28	2.90	7.04	0.9	3.17	66.2	0.010	0.03	20.4
MRGeo08		0.088	985	0.006	0.002	145.0	0.008	0.27	3.09	7.41	0.8	3.13	72.8	0.011	0.02	19.95
Target Range - Lower Bound		0.091	946	0.002	<0.001	132.5	0.006	0.24	2.49	6.57	0.8	3.04	66.8	<0.005	<0.01	19.30
Upper Bound		0.113	1155	0.006	0.004	161.5	0.010	0.32	3.05	8.04	1.3	3.74	81.6	0.015	0.04	23.6
OREAS 601b		0.015	221	<0.001	0.002	10.90	0.001	0.73	20.2	0.915	10.4	1.10	28.3	<0.005	12.80	6.35
OREAS 601b		0.016	230	0.001	0.003	10.40	0.001	0.76	20.7	0.837	10.7	1.09	27.9	<0.005	11.95	6.30
OREAS 601b		0.016	226	<0.001	0.001	10.35	0.001	0.75	20.1	0.906	10.8	1.09	27.0	<0.005	15.45	6.27
OREAS 601b		0.015	215	<0.001	0.002	10.10	<0.001	0.73	19.40	0.897	9.8	1.08	27.2	<0.005	12.75	5.99
OREAS 601b		0.016	219	<0.001	0.002	9.33	0.001	0.69	20.1	0.829	9.8	0.94	25.4	<0.005	12.95	5.83
Target Range - Lower Bound		0.013	207			9.25		0.66	18.10	0.742	9.2	0.96	23.8	<0.005	12.25	5.21
Upper Bound		0.019	253			11.30		0.83	22.1	0.918	11.4	1.20	29.2	0.010	15.00	6.37
OREAS 907		0.020	31.2	<0.001	0.002	12.50	<0.001	0.06	2.58	1.840	7.7	2.07	10.85	<0.005	0.27	6.27
OREAS 907		0.019	33.5	<0.001	<0.001	15.50	<0.001	0.06	2.57	2.10	9.9	2.27	12.10	<0.005	0.24	7.38
OREAS 907		0.020	31.8	0.001	0.002	12.80	<0.001	0.06	2.55	1.925	9.1	2.11	10.75	<0.005	0.28	6.76
Target Range - Lower Bound		0.017	29.0			12.90		0.04	2.22	1.770	8.4	2.10	9.98	<0.005	0.22	6.29
Upper Bound		0.023	35.4			15.80		0.09	2.72	2.17	10.5	2.58	12.20	0.013	0.29	7.70
BLANKS																
BLANK		<0.001	<0.005	<0.001	<0.001	<0.005	<0.001	0.01	<0.005	<0.005	<0.1	<0.01	<0.01	<0.005	<0.01	<0.002
BLANK		<0.001	<0.005	<0.001	<0.001	<0.005	<0.001	<0.01	<0.005	<0.005	<0.1	<0.01	<0.01	<0.005	<0.01	<0.002
BLANK		<0.001	<0.005	<0.001	<0.001	<0.005	<0.001	<0.01	<0.005	<0.005	<0.1	<0.01	<0.01	<0.005	<0.01	<0.002
BLANK		<0.001	<0.005	<0.001	<0.001	<0.005	<0.001	<0.01	<0.005	<0.005	<0.1	<0.01	<0.01	<0.005	<0.01	<0.002
BLANK		<0.001	<0.005	<0.001	<0.001	<0.005	<0.001	<0.01	<0.005	<0.005	<0.1	<0.01	<0.01	<0.005	<0.01	<0.002
BLANK		<0.001	<0.005	<0.001	<0.001	<0.005	<0.001	<0.01	<0.005	<0.005	<0.1	<0.01	<0.01	<0.005	<0.01	<0.002
BLANK		<0.001	<0.005	<0.001	<0.001	<0.005	<0.001	0.02	<0.005	<0.005	<0.1	<0.01	<0.01	<0.005	<0.01	<0.002
BLANK		<0.001	<0.005	<0.001	<0.001	<0.005	<0.001	<0.01	<0.005	<0.005	<0.1	<0.01	<0.01	<0.005	<0.01	<0.002
Target Range - Lower Bound		<0.001	<0.005	<0.001	<0.001	<0.005	<0.001	<0.01	<0.005	<0.005	<0.1	<0.01	<0.01	<0.005	<0.01	<0.002
Upper Bound		0.002	0.010	0.002	0.002	0.010	0.002	0.02	0.010	0.010	0.2	0.02	0.02	0.010	0.02	0.004

Comments: HYP-PKG being run under BR20283906.

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **TINONE RESOURCES CORPORATION**
1001-1030 WEST GEORGIA ST
VANCOUVER BC V6E 2Y3
CANADA

Page: 2 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-DEC-2020
 Account: TINONE

Project: Panama Project

QC CERTIFICATE OF ANALYSIS BR20281264

Sample Description	Method Analyte Units LOD	AuME-ST43 Ti %	AuME-ST43 Ti ppm	AuME-ST43 U ppm	AuME-ST43 V ppm	AuME-ST43 W ppm	AuME-ST43 Y ppm	AuME-ST43 Zn ppm	AuME-ST43 Zr ppm
STANDARDS									
GLG313-1		0.090	0.220	8.21	92.0	0.068	10.85	22.4	24.9
GLG313-1		0.089	0.213	8.14	90.4	0.110	10.55	21.2	45.1
GLG313-1		0.106	0.229	9.32	103.0	0.077	12.35	22.3	32.8
GLG313-1		0.101	0.214	8.76	96.1	0.057	11.25	21.4	23.6
GLG313-1		0.091	0.213	8.48	91.7	0.067	10.65	21.5	47.2
GLG313-1		0.090	0.216	8.44	92.0	0.086	10.70	22.5	47.0
Target Range - Lower Bound		0.075	0.190	7.04	83.2	0.064	9.42	19.4	26.3
Upper Bound		0.094	0.237	8.61	102.0	0.089	11.50	23.9	35.7
MRGeo08		0.308	0.769	5.56	100.0	2.11	19.25	735	17.65
MRGeo08		0.302	0.711	5.44	94.9	2.08	18.50	708	17.30
Target Range - Lower Bound		0.281	0.700	4.97	88.5	1.835	16.95	679	14.00
Upper Bound		0.345	0.860	6.09	108.5	2.49	20.7	831	19.00
OREAS 601b		0.016	1.055	2.03	3.4	1.635	5.15	255	27.5
OREAS 601b		0.016	1.040	1.925	3.3	1.700	4.97	261	33.7
OREAS 601b		0.015	1.025	1.920	3.2	1.745	4.94	255	30.7
OREAS 601b		0.015	1.000	1.785	3.1	1.470	4.82	257	33.1
OREAS 601b		0.012	1.025	1.750	3.0	1.705	4.42	259	29.2
Target Range - Lower Bound		0.014	0.943	1.830	2.7	1.465	4.34	231	26.5
Upper Bound		0.019	1.155	2.25	3.5	1.985	5.31	282	35.9
OREAS 907		0.007	0.096	1.355	4.4	0.895	5.24	126.0	24.6
OREAS 907		0.011	0.105	1.740	4.7	0.838	6.35	129.5	15.05
OREAS 907		0.008	0.097	1.465	4.4	0.893	5.51	125.5	27.3
Target Range - Lower Bound		0.008	0.094	1.625	4.2	0.766	5.31	115.0	14.90
Upper Bound		0.014	0.120	1.995	5.4	1.040	6.49	141.0	20.2
BLANKS									
BLANK		<0.001	<0.002	<0.005	<0.1	0.002	<0.003	<0.1	<0.01
BLANK		<0.001	<0.002	<0.005	<0.1	<0.001	<0.003	<0.1	<0.01
BLANK		<0.001	<0.002	<0.005	<0.1	0.001	<0.003	<0.1	<0.01
BLANK		<0.001	<0.002	<0.005	<0.1	0.001	<0.003	<0.1	<0.01
BLANK		<0.001	<0.002	<0.005	<0.1	0.002	<0.003	<0.1	<0.01
BLANK		<0.001	<0.002	<0.005	<0.1	0.001	<0.003	<0.1	<0.01
BLANK		<0.001	<0.002	<0.005	<0.1	0.001	<0.003	<0.1	<0.01
BLANK		<0.001	<0.002	<0.005	<0.1	<0.001	<0.003	<0.1	<0.01
Target Range - Lower Bound		<0.001	<0.002	<0.005	<0.1	<0.001	<0.003	<0.1	<0.01
Upper Bound		0.002	0.004	0.010	0.2	0.002	0.006	0.2	0.02

Comments: HYP-PKG being run under BR20283906.

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **TINONE RESOURCES CORPORATION**
1001-1030 WEST GEORGIA ST
VANCOUVER BC V6E 2Y3
CANADA

Page: 3 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 18-DEC-2020
Account: TINONE

Project: Panama Project

QC CERTIFICATE OF ANALYSIS BR20281264

Method Analyte Units LOD	AuME-ST43 Au ppm	AuME-ST43 Ag ppm	AuME-ST43 Al %	AuME-ST43 As ppm	AuME-ST43 B ppm	AuME-ST43 Ba ppm	AuME-ST43 Be ppm	AuME-ST43 Bi ppm	AuME-ST43 Ca %	AuME-ST43 Cd ppm	AuME-ST43 Ce ppm	AuME-ST43 Co ppm	AuME-ST43 Cr ppm	AuME-ST43 Cs ppm	AuME-ST43 Cu ppm
Sample Description	0.0001	0.001	0.01	0.01	10	0.5	0.01	0.001	0.01	0.001	0.003	0.001	0.01	0.005	0.01
DUPLICATES															
RG119912	0.0006	0.016	0.70	0.26	<10	20.3	0.16	0.168	0.01	<0.001	71.2	0.951	7.78	2.10	3.46
DUP	0.0006	0.017	0.64	0.29	<10	18.7	0.14	0.173	0.01	<0.001	67.1	0.889	7.55	1.995	3.40
Target Range - Lower Bound	0.0005	0.015	0.63	0.25	<10	17.5	0.13	0.161	<0.01	<0.001	65.7	0.873	7.27	1.940	3.30
Upper Bound	0.0007	0.018	0.71	0.30	20	21.5	0.17	0.180	0.02	0.002	72.6	0.967	8.06	2.15	3.56
RG119930	0.0009	0.015	0.62	7.73	<10	8.4	0.07	0.288	<0.01	0.003	34.7	0.168	16.80	0.400	12.80
DUP	0.0008	0.015	0.67	7.30	<10	9.8	0.07	0.281	<0.01	<0.001	38.6	0.174	16.85	0.409	12.50
Target Range - Lower Bound	0.0007	0.013	0.60	7.13	<10	7.9	0.06	0.269	<0.01	<0.001	34.8	0.161	15.95	0.379	12.20
Upper Bound	0.0010	0.017	0.69	7.90	20	10.3	0.08	0.300	0.02	0.003	38.5	0.181	17.70	0.430	13.10
RG119940	0.0010	0.014	2.81	12.55	<10	18.9	0.23	0.273	0.01	0.001	25.4	0.685	58.7	1.180	10.90
DUP	0.0009	0.015	2.10	12.85	<10	13.8	0.21	0.266	0.01	<0.001	13.45	0.525	52.6	1.040	9.83
Target Range - Lower Bound	0.0008	0.013	2.32	12.05	<10	14.6	0.20	0.255	<0.01	<0.001	18.45	0.574	52.9	1.050	9.99
Upper Bound	0.0011	0.016	2.59	13.35	20	18.1	0.24	0.284	0.02	0.002	20.4	0.636	58.4	1.170	10.75
RG119960	0.0002	0.014	0.27	0.53	<10	4.9	0.03	0.076	<0.01	0.005	13.85	0.204	4.02	0.561	1.74
DUP	0.0024	0.014	0.26	0.55	<10	4.7	0.03	0.073	<0.01	0.003	9.37	0.174	3.80	0.469	1.67
Target Range - Lower Bound	0.0011	0.012	0.24	0.50	<10	3.9	0.02	0.070	<0.01	0.003	11.05	0.179	3.70	0.484	1.64
Upper Bound	0.0015	0.016	0.29	0.58	20	5.7	0.04	0.079	0.02	0.005	12.20	0.199	4.12	0.546	1.77
RG119977	0.0007	0.012	1.04	1.00	<10	14.5	0.15	0.185	0.01	0.002	21.4	0.436	17.15	0.871	5.72
DUP	0.0007	0.016	1.10	0.92	<10	15.1	0.16	0.189	0.01	<0.001	25.9	0.497	17.85	0.985	5.99
Target Range - Lower Bound	0.0006	0.012	1.01	0.90	<10	13.2	0.14	0.177	<0.01	<0.001	22.5	0.442	16.60	0.877	5.64
Upper Bound	0.0008	0.016	1.13	1.02	20	16.4	0.17	0.197	0.02	0.002	24.8	0.491	18.40	0.979	6.07
RG119995	0.0009	0.015	2.21	0.42	<10	32.1	0.35	0.445	0.04	0.001	19.10	1.020	34.2	1.015	11.50
DUP	0.0010	0.027	2.14	0.46	<10	32.0	0.33	0.454	0.04	0.003	18.30	1.000	34.0	1.010	11.30
Target Range - Lower Bound	0.0008	0.019	2.06	0.41	<10	29.1	0.31	0.426	0.03	<0.001	17.75	0.959	32.4	0.957	11.00
Upper Bound	0.0011	0.023	2.29	0.47	20	35.0	0.37	0.473	0.05	0.003	19.65	1.060	35.8	1.070	11.80
RG120010	0.0037	0.023	1.87	10.90	<10	18.5	0.22	0.241	0.01	0.005	21.7	0.407	27.5	1.135	7.58
DUP	0.0037	0.024	2.29	10.70	<10	21.4	0.27	0.268	0.01	0.003	37.8	0.553	31.6	1.320	9.17
Target Range - Lower Bound	0.0034	0.021	1.97	10.25	<10	18.0	0.22	0.241	<0.01	0.003	28.3	0.455	28.1	1.160	8.07
Upper Bound	0.0040	0.026	2.19	11.35	20	21.9	0.27	0.268	0.02	0.005	31.2	0.505	31.0	1.295	8.68
RG120030	0.0008	0.007	0.80	0.24	<10	16.8	0.18	0.217	0.01	0.001	46.2	0.546	14.50	0.545	11.65
DUP	0.0007	0.006	0.76	0.27	<10	16.3	0.19	0.222	0.01	0.001	43.9	0.502	14.35	0.516	11.80
Target Range - Lower Bound	0.0006	0.005	0.73	0.23	<10	14.8	0.17	0.208	<0.01	<0.001	42.8	0.497	13.70	0.499	11.30
Upper Bound	0.0009	0.008	0.83	0.28	20	18.3	0.20	0.231	0.02	0.002	47.3	0.551	15.15	0.562	12.15

Comments: HYP-PKG being run under BR20283906.

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **TINONE RESOURCES CORPORATION**
1001-1030 WEST GEORGIA ST
VANCOUVER BC V6E 2Y3
CANADA

Page: 3 - B
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-DEC-2020
 Account: TINONE

Project: Panama Project

QC CERTIFICATE OF ANALYSIS BR20281264

Method Analyte Units LOD	AuME-ST43 Fe %	AuME-ST43 Ga ppm	AuME-ST43 Ge ppm	AuME-ST43 Hf ppm	AuME-ST43 Hg ppm	AuME-ST43 In ppm	AuME-ST43 K %	AuME-ST43 La ppm	AuME-ST43 Li ppm	AuME-ST43 Mg %	AuME-ST43 Mn ppm	AuME-ST43 Mo ppm	AuME-ST43 Na %	AuME-ST43 Nb ppm	AuME-ST43 Ni ppm
Sample Description	0.001	0.004	0.005	0.002	0.004	0.005	0.01	0.002	0.1	0.01	0.1	0.01	0.001	0.002	0.04
DUPLICATES															
RG119912	0.600	2.92	0.075	0.005	0.042	0.007	0.06	35.7	5.6	0.04	106.0	0.15	0.002	0.609	2.79
DUP	0.550	2.54	0.065	0.005	0.042	0.008	0.06	33.5	4.8	0.04	98.7	0.16	0.004	0.607	2.70
Target Range - Lower Bound	0.545	2.59	0.060	0.003	0.035	<0.005	0.05	32.9	4.8	0.03	97.1	0.14	0.002	0.560	2.57
Upper Bound	0.605	2.87	0.080	0.007	0.049	0.010	0.07	36.3	5.6	0.05	107.5	0.17	0.004	0.656	2.92
RG119930	1.770	3.19	0.054	0.074	0.012	0.012	0.02	16.90	0.4	0.01	9.1	0.36	0.005	0.263	0.99
DUP	1.800	3.26	0.044	0.082	0.014	0.012	0.03	18.70	0.4	0.01	9.4	0.36	0.006	0.271	1.03
Target Range - Lower Bound	1.695	3.06	0.040	0.072	0.008	0.006	<0.01	16.90	0.3	<0.01	8.7	0.33	0.004	0.245	0.92
Upper Bound	1.875	3.39	0.058	0.084	0.018	0.018	0.04	18.70	0.5	0.02	9.8	0.39	0.007	0.289	1.10
RG119940	4.16	9.51	0.043	0.512	0.033	0.041	0.05	11.55	10.8	0.04	24.6	0.96	0.007	1.280	3.29
DUP	4.16	8.59	0.037	0.507	0.029	0.045	0.04	5.92	6.3	0.04	17.2	0.93	0.007	1.225	2.30
Target Range - Lower Bound	3.95	8.59	0.032	0.482	0.025	0.036	0.03	8.30	8.0	0.03	19.8	0.89	0.006	1.155	2.62
Upper Bound	4.37	9.51	0.048	0.537	0.037	0.050	0.06	9.17	9.1	0.05	22.0	1.00	0.008	1.350	2.97
RG119960	0.620	2.06	0.017	0.009	0.014	0.005	0.01	7.14	0.3	<0.01	15.5	0.20	0.004	0.256	1.22
DUP	0.630	1.980	0.014	0.008	0.015	0.006	0.01	4.73	0.2	<0.01	8.9	0.19	0.004	0.213	1.22
Target Range - Lower Bound	0.593	1.915	0.009	0.006	0.009	<0.005	<0.01	5.64	<0.1	<0.01	11.5	0.18	0.003	0.215	1.12
Upper Bound	0.657	2.13	0.022	0.011	0.020	0.010	0.02	6.23	0.4	0.02	12.9	0.21	0.005	0.254	1.32
RG119977	1.750	3.86	0.029	0.040	0.058	0.016	0.03	9.10	4.6	0.01	42.9	0.41	0.005	0.554	1.56
DUP	1.760	4.04	0.037	0.036	0.059	0.018	0.04	11.20	5.3	0.02	49.0	0.41	0.005	0.585	1.78
Target Range - Lower Bound	1.665	3.75	0.026	0.034	0.050	0.011	0.02	9.64	4.6	<0.01	43.6	0.38	0.004	0.525	1.55
Upper Bound	1.845	4.15	0.040	0.042	0.067	0.023	0.05	10.65	5.3	0.02	48.3	0.44	0.006	0.614	1.79
RG119995	3.63	7.36	0.038	0.184	0.041	0.031	0.07	9.11	9.0	0.04	96.7	0.58	0.012	0.945	3.68
DUP	3.73	7.17	0.039	0.183	0.048	0.028	0.07	8.81	7.9	0.04	93.2	0.59	0.013	0.918	3.67
Target Range - Lower Bound	3.50	6.90	0.031	0.172	0.037	0.023	0.06	8.51	7.9	0.03	90.1	0.55	0.011	0.860	3.45
Upper Bound	3.87	7.63	0.046	0.195	0.052	0.036	0.08	9.41	9.0	0.05	99.8	0.62	0.014	1.005	3.90
RG120010	2.25	4.53	0.044	0.235	0.083	0.037	0.03	9.78	5.6	0.01	30.8	2.19	0.007	0.476	2.81
DUP	2.28	5.49	0.059	0.293	0.082	0.040	0.04	17.80	10.1	0.02	37.9	2.23	0.008	0.550	3.89
Target Range - Lower Bound	2.15	4.76	0.043	0.249	0.072	0.032	0.02	13.10	7.4	<0.01	32.5	2.09	0.006	0.473	3.14
Upper Bound	2.38	5.26	0.060	0.279	0.093	0.045	0.05	14.50	8.3	0.02	36.2	2.33	0.009	0.553	3.56
RG120030	1.860	3.56	0.064	0.095	0.024	0.012	0.04	22.1	3.3	0.02	27.2	0.18	0.006	0.292	1.84
DUP	1.880	3.52	0.067	0.093	0.023	0.013	0.04	21.1	3.1	0.02	24.8	0.19	0.006	0.277	1.81
Target Range - Lower Bound	1.775	3.36	0.056	0.087	0.018	0.007	0.03	20.5	2.9	<0.01	24.6	0.17	0.005	0.261	1.69
Upper Bound	1.965	3.72	0.075	0.101	0.029	0.018	0.05	22.7	3.5	0.03	27.4	0.20	0.007	0.308	1.96

Comments: HYP-PKG being run under BR20283906.

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **TINONE RESOURCES CORPORATION**
1001-1030 WEST GEORGIA ST
VANCOUVER BC V6E 2Y3
CANADA

Page: 3 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 18-DEC-2020
Account: TINONE

Project: Panama Project

QC CERTIFICATE OF ANALYSIS BR20281264

Sample Description	Method Analyte Units LOD	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43
		P	Pb	Pd	Pt	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.001	0.005	0.001	0.001	0.005	0.001	0.01	0.005	0.005	0.1	0.01	0.01	0.005	0.01	0.002
		DUPLICATES														
RG119912		0.006	5.41	<0.001	<0.001	19.70	<0.001	0.03	0.103	0.690	0.1	0.56	2.73	<0.005	0.01	6.26
DUP		0.006	5.73	<0.001	<0.001	18.80	<0.001	0.03	0.101	0.668	0.1	0.57	2.68	<0.005	<0.01	6.09
Target Range - Lower Bound		0.005	5.29	<0.001	<0.001	18.30	<0.001	0.02	0.089	0.640	<0.1	0.53	2.56	<0.005	<0.01	5.86
Upper Bound		0.007	5.85	0.002	0.002	20.2	0.002	0.04	0.115	0.718	0.2	0.60	2.85	0.010	0.02	6.49
RG119930		0.004	4.19	<0.001	0.001	4.84	<0.001	0.01	0.610	0.782	0.3	0.47	1.91	<0.005	0.02	8.73
DUP		0.005	4.51	<0.001	<0.001	5.05	<0.001	0.01	0.615	0.786	0.3	0.47	2.17	<0.005	0.03	9.22
Target Range - Lower Bound		0.003	4.13	<0.001	<0.001	4.69	<0.001	<0.01	0.562	0.740	0.2	0.44	1.93	<0.005	<0.01	8.52
Upper Bound		0.006	4.57	0.002	0.002	5.20	0.002	0.02	0.663	0.828	0.4	0.50	2.15	0.010	0.04	9.43
RG119940		0.007	9.92	<0.001	0.001	6.94	<0.001	0.02	0.912	2.44	1.1	1.59	5.88	<0.005	0.03	15.85
DUP		0.005	8.02	<0.001	0.001	5.38	<0.001	0.02	0.984	2.04	1.0	1.48	3.51	<0.005	0.03	15.30
Target Range - Lower Bound		0.005	8.52	<0.001	<0.001	5.85	<0.001	<0.01	0.872	2.12	0.9	1.45	4.45	<0.005	0.02	14.80
Upper Bound		0.007	9.42	0.002	0.002	6.47	0.002	0.03	1.025	2.36	1.2	1.62	4.94	0.010	0.04	16.35
RG119960		0.003	2.99	<0.001	<0.001	2.20	<0.001	0.01	0.092	0.261	0.1	0.39	1.11	<0.005	<0.01	1.115
DUP		0.003	2.91	<0.001	<0.001	1.755	<0.001	0.01	0.090	0.258	0.1	0.34	1.09	<0.005	0.01	0.824
Target Range - Lower Bound		0.002	2.80	<0.001	<0.001	1.875	<0.001	<0.01	0.079	0.242	<0.1	0.34	1.04	<0.005	<0.01	0.919
Upper Bound		0.004	3.10	0.002	0.002	2.08	0.002	0.02	0.103	0.277	0.2	0.39	1.17	0.010	0.02	1.020
RG119977		0.008	7.73	<0.001	0.001	9.47	<0.001	0.02	0.314	1.120	0.2	0.58	2.08	<0.005	0.03	5.11
DUP		0.008	7.84	<0.001	<0.001	10.75	<0.001	0.01	0.311	1.190	0.2	0.60	2.20	<0.005	0.02	5.57
Target Range - Lower Bound		0.007	7.39	<0.001	<0.001	9.60	<0.001	<0.01	0.284	1.090	<0.1	0.55	2.02	<0.005	<0.01	5.07
Upper Bound		0.009	8.18	0.002	0.002	10.60	0.002	0.02	0.341	1.220	0.3	0.63	2.26	0.010	0.04	5.61
RG119995		0.010	11.30	<0.001	0.001	13.55	<0.001	0.02	0.486	1.685	0.3	1.03	9.35	<0.005	0.01	13.65
DUP		0.011	11.35	<0.001	0.001	13.30	<0.001	0.02	0.537	1.620	0.2	0.96	9.44	<0.005	0.02	13.40
Target Range - Lower Bound		0.009	10.75	<0.001	<0.001	12.75	<0.001	<0.01	0.468	1.565	<0.1	0.94	8.92	<0.005	<0.01	12.85
Upper Bound		0.012	11.90	0.002	0.002	14.10	0.002	0.03	0.555	1.740	0.4	1.05	9.87	0.010	0.02	14.20
RG120010		0.009	11.85	0.001	<0.001	12.20	<0.001	0.02	1.645	0.910	0.9	0.68	2.34	<0.005	0.03	16.35
DUP		0.010	14.20	0.001	0.001	15.60	<0.001	0.02	1.590	1.270	0.9	0.82	4.64	<0.005	0.03	19.15
Target Range - Lower Bound		0.008	12.35	<0.001	<0.001	13.20	<0.001	<0.01	1.490	1.030	0.8	0.70	3.31	<0.005	0.02	16.85
Upper Bound		0.011	13.70	0.002	0.002	14.60	0.002	0.03	1.745	1.150	1.0	0.80	3.67	0.010	0.04	18.65
RG120030		0.005	5.08	<0.001	<0.001	9.41	<0.001	0.01	0.442	0.781	0.1	0.48	3.19	<0.005	0.01	13.35
DUP		0.005	4.90	<0.001	<0.001	8.72	<0.001	0.01	0.430	0.733	0.2	0.46	2.97	<0.005	0.01	13.00
Target Range - Lower Bound		0.004	4.74	<0.001	<0.001	8.61	<0.001	<0.01	0.398	0.714	<0.1	0.44	2.92	<0.005	<0.01	12.50
Upper Bound		0.006	5.24	0.002	0.002	9.52	0.002	0.02	0.474	0.800	0.2	0.50	3.24	0.010	0.02	13.85

Comments: HYP-PKG being run under BR20283906.

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **TINONE RESOURCES CORPORATION**
1001-1030 WEST GEORGIA ST
VANCOUVER BC V6E 2Y3
CANADA

Page: 3 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-DEC-2020
 Account: TINONE

Project: Panama Project

QC CERTIFICATE OF ANALYSIS BR20281264

Sample Description	Method Analyte Units LOD	AuME-ST43 Ti %	AuME-ST43 Ti ppm	AuME-ST43 U ppm	AuME-ST43 V ppm	AuME-ST43 W ppm	AuME-ST43 Y ppm	AuME-ST43 Zn ppm	AuME-ST43 Zr ppm
		0.001	0.002	0.005	0.1	0.001	0.003	0.1	0.01
DUPLICATES									
RG119912		0.006	0.094	0.589	11.3	0.098	3.21	11.3	0.28
DUP		0.005	0.095	0.574	11.2	0.115	3.00	11.0	0.26
Target Range - Lower Bound		0.004	0.085	0.547	10.6	0.098	2.95	10.5	0.24
Upper Bound		0.007	0.104	0.616	11.9	0.115	3.26	11.8	0.30
RG119930		0.002	0.045	0.382	22.9	0.050	1.940	9.1	4.34
DUP		0.002	0.047	0.404	22.6	0.040	2.19	9.7	4.39
Target Range - Lower Bound		<0.001	0.041	0.368	21.5	0.041	1.960	8.8	4.03
Upper Bound		0.003	0.051	0.418	24.0	0.049	2.17	10.0	4.70
RG119940		0.003	0.070	0.873	57.6	0.707	1.415	7.2	20.4
DUP		0.003	0.062	0.819	55.5	1.285	0.722	5.9	21.5
Target Range - Lower Bound		0.002	0.059	0.799	53.6	0.920	1.010	6.1	19.35
Upper Bound		0.004	0.073	0.893	59.5	1.070	1.125	7.0	22.5
RG119960		0.005	0.010	0.173	12.4	0.420	0.621	1.8	0.33
DUP		0.004	0.008	0.149	11.9	0.574	0.448	1.4	0.32
Target Range - Lower Bound		0.003	0.006	0.148	11.4	0.459	0.505	1.4	0.29
Upper Bound		0.006	0.012	0.174	12.9	0.535	0.564	1.8	0.36
RG119977		0.001	0.067	0.579	22.9	0.254	1.090	5.8	1.71
DUP		0.002	0.071	0.598	23.3	0.194	1.285	6.8	1.50
Target Range - Lower Bound		<0.001	0.062	0.554	21.8	0.206	1.125	5.9	1.47
Upper Bound		0.002	0.076	0.623	24.4	0.242	1.250	6.7	1.74
RG119995		0.002	0.077	0.913	41.0	0.208	0.922	5.3	8.57
DUP		0.002	0.075	0.908	41.3	0.381	0.898	5.5	8.48
Target Range - Lower Bound		<0.001	0.068	0.860	39.0	0.271	0.862	5.0	7.88
Upper Bound		0.003	0.084	0.961	43.3	0.318	0.959	5.8	9.17
RG120010		0.001	0.105	0.764	31.7	0.574	1.505	4.3	10.40
DUP		0.001	0.133	0.844	34.3	0.316	2.75	6.4	12.95
Target Range - Lower Bound		<0.001	0.108	0.759	31.3	0.411	2.02	5.0	10.80
Upper Bound		0.002	0.130	0.849	34.8	0.479	2.24	5.7	12.55
RG120030		0.002	0.048	0.914	15.5	0.061	2.61	9.1	3.78
DUP		0.001	0.045	0.871	15.4	0.062	2.40	8.5	3.82
Target Range - Lower Bound		<0.001	0.041	0.843	14.6	0.056	2.38	8.3	3.51
Upper Bound		0.002	0.052	0.942	16.3	0.067	2.63	9.3	4.10

Comments: HYP-PKG being run under BR20283906.

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **TINONE RESOURCES CORPORATION**
1001-1030 WEST GEORGIA ST
VANCOUVER BC V6E 2Y3
CANADA

Page: 4 - A
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-DEC-2020
 Account: TINONE

Project: Panama Project

QC CERTIFICATE OF ANALYSIS BR20281264

Sample Description	Method Analyte Units LOD	AuME-ST43 Au ppm	AuME-ST43 Ag ppm	AuME-ST43 Al %	AuME-ST43 As ppm	AuME-ST43 B ppm	AuME-ST43 Ba ppm	AuME-ST43 Be ppm	AuME-ST43 Bi ppm	AuME-ST43 Ca %	AuME-ST43 Cd ppm	AuME-ST43 Ce ppm	AuME-ST43 Co ppm	AuME-ST43 Cr ppm	AuME-ST43 Cs ppm	AuME-ST43 Cu ppm
		0.0001	0.001	0.01	0.01	10	0.5	0.01	0.001	0.01	0.001	0.003	0.001	0.01	0.005	0.01
DUPLICATES																
RG120045		0.0065	0.022	1.08	1.33	<10	16.0	0.18	0.236	0.02	0.004	17.60	0.955	17.00	0.873	11.05
DUP		0.0027	0.023	1.37	0.94	<10	19.4	0.20	0.253	0.02	0.002	25.9	1.150	19.85	1.115	12.40
Target Range - Lower Bound		0.0043	0.020	1.15	1.07	<10	15.9	0.17	0.231	<0.01	0.002	20.7	0.999	17.50	0.939	11.30
Upper Bound		0.0049	0.025	1.30	1.20	20	19.5	0.21	0.258	0.03	0.004	22.8	1.105	19.35	1.050	12.15
RG120065		0.0034	0.009	1.25	1.84	<10	28.2	0.26	0.221	0.01	0.005	29.9	2.10	21.2	3.47	10.20
DUP		0.0027	0.010	1.20	2.00	<10	27.6	0.26	0.216	0.01	0.006	28.4	2.08	20.8	3.41	10.10
Target Range - Lower Bound		0.0028	0.008	1.15	1.81	<10	25.3	0.24	0.207	<0.01	0.004	27.7	1.985	19.95	3.26	9.78
Upper Bound		0.0033	0.011	1.30	2.03	20	30.5	0.28	0.230	0.02	0.007	30.6	2.20	22.1	3.62	10.50
RG120080		0.0014	0.013	1.82	0.19	<10	26.4	0.37	0.314	0.02	0.002	12.45	0.881	28.0	1.035	11.55
DUP		0.0014	0.012	1.55	0.23	<10	24.1	0.35	0.304	0.02	0.002	11.65	0.758	26.4	0.996	10.80
Target Range - Lower Bound		0.0012	0.011	1.59	0.19	<10	22.9	0.33	0.293	<0.01	<0.001	11.45	0.778	25.8	0.960	10.75
Upper Bound		0.0016	0.014	1.78	0.23	20	27.6	0.39	0.325	0.03	0.003	12.65	0.861	28.6	1.070	11.60

Comments: HYP-PKG being run under BR20283906.

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **TINONE RESOURCES CORPORATION**
1001-1030 WEST GEORGIA ST
VANCOUVER BC V6E 2Y3
CANADA

Page: 4 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 18-DEC-2020
Account: TINONE

Project: Panama Project

QC CERTIFICATE OF ANALYSIS BR20281264

Sample Description	Method Analyte Units LOD	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43
		Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
		%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.001	0.004	0.005	0.002	0.004	0.005	0.01	0.002	0.1	0.01	0.1	0.01	0.001	0.002	0.04
		DUPLICATES														
RG120045		1.980	3.90	0.029	0.066	0.092	0.018	0.05	7.06	4.2	0.03	119.5	0.70	0.005	0.866	3.17
DUP		2.10	4.87	0.045	0.042	0.099	0.018	0.07	11.20	7.1	0.04	147.5	0.74	0.006	0.998	4.19
Target Range - Lower Bound		1.935	4.16	0.029	0.049	0.084	0.012	0.05	8.67	5.3	0.02	126.5	0.67	0.004	0.860	3.46
Upper Bound		2.14	4.61	0.045	0.059	0.107	0.024	0.07	9.59	6.0	0.05	140.5	0.77	0.007	1.005	3.90
RG120065		1.940	4.90	0.061	0.043	0.045	0.019	0.08	14.90	11.7	0.08	74.9	0.48	0.007	0.870	6.91
DUP		1.940	4.60	0.057	0.047	0.047	0.024	0.08	14.25	10.8	0.08	72.3	0.48	0.006	0.822	6.72
Target Range - Lower Bound		1.840	4.51	0.050	0.041	0.039	0.015	0.07	13.85	10.6	0.07	69.8	0.45	0.005	0.781	6.43
Upper Bound		2.04	4.99	0.068	0.049	0.053	0.028	0.09	15.30	11.9	0.09	77.4	0.51	0.008	0.911	7.20
RG120080		2.58	5.87	0.034	0.158	0.035	0.028	0.07	5.64	10.6	0.04	45.2	0.43	0.007	0.457	2.76
DUP		2.43	5.52	0.037	0.160	0.036	0.026	0.06	5.07	8.9	0.03	38.2	0.43	0.006	0.416	2.42
Target Range - Lower Bound		2.38	5.41	0.028	0.149	0.029	0.021	0.05	5.09	9.2	0.02	39.5	0.40	0.005	0.402	2.42
Upper Bound		2.63	5.98	0.043	0.169	0.042	0.033	0.08	5.62	10.3	0.05	43.9	0.46	0.008	0.471	2.76

Comments: HYP-PKG being run under BR20283906.

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **TINONE RESOURCES CORPORATION**
1001-1030 WEST GEORGIA ST
VANCOUVER BC V6E 2Y3
CANADA

Page: 4 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 18-DEC-2020
Account: TINONE

Project: Panama Project

QC CERTIFICATE OF ANALYSIS BR20281264

Sample Description	Method Analyte Units LOD	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43	AuME-ST43
		P	Pb	Pd	Pt	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.001	0.005	0.001	0.001	0.005	0.001	0.01	0.005	0.005	0.1	0.01	0.01	0.005	0.01	0.002
		DUPLICATES														
RG120045		0.014	8.25	<0.001	<0.001	12.35	<0.001	0.02	0.264	0.890	0.4	0.62	3.30	<0.005	0.02	4.43
DUP		0.015	9.24	<0.001	<0.001	16.45	<0.001	0.02	0.300	1.170	0.3	0.68	4.20	<0.005	0.03	4.88
Target Range - Lower Bound		0.013	8.30	<0.001	<0.001	13.70	<0.001	<0.01	0.256	0.974	0.2	0.61	3.55	<0.005	<0.01	4.42
Upper Bound		0.016	9.19	0.002	0.002	15.15	0.002	0.03	0.308	1.085	0.5	0.69	3.95	0.010	0.04	4.89
RG120065		0.012	8.92	<0.001	<0.001	17.85	<0.001	0.03	0.326	2.01	0.3	0.59	3.19	<0.005	0.02	8.08
DUP		0.012	8.80	<0.001	<0.001	17.50	<0.001	0.03	0.326	1.865	0.3	0.61	3.01	<0.005	0.02	8.17
Target Range - Lower Bound		0.010	8.41	<0.001	<0.001	16.80	<0.001	0.02	0.297	1.835	0.2	0.56	2.94	<0.005	<0.01	7.72
Upper Bound		0.014	9.31	0.002	0.002	18.55	0.002	0.04	0.355	2.04	0.4	0.64	3.27	0.010	0.03	8.53
RG120080		0.006	7.20	0.001	0.001	15.80	<0.001	0.01	0.368	1.590	0.2	0.77	4.93	<0.005	0.01	14.80
DUP		0.006	6.59	0.001	0.001	14.75	<0.001	0.01	0.404	1.410	0.2	0.72	4.89	<0.005	0.01	13.95
Target Range - Lower Bound		0.005	6.55	<0.001	<0.001	14.50	<0.001	<0.01	0.352	1.420	<0.1	0.70	4.65	<0.005	<0.01	13.65
Upper Bound		0.007	7.24	0.002	0.002	16.05	0.002	0.02	0.420	1.580	0.3	0.79	5.17	0.010	0.02	15.10

Comments: HYP-PKG being run under BR20283906.

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **TINONE RESOURCES CORPORATION**
1001-1030 WEST GEORGIA ST
VANCOUVER BC V6E 2Y3
CANADA

Page: 4 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 18-DEC-2020
Account: TINONE

Project: Panama Project

QC CERTIFICATE OF ANALYSIS BR20281264

Sample Description	Method Analyte Units LOD	AuME-ST43 Ti %	AuME-ST43 Ti ppm	AuME-ST43 U ppm	AuME-ST43 V ppm	AuME-ST43 W ppm	AuME-ST43 Y ppm	AuME-ST43 Zn ppm	AuME-ST43 Zr ppm
		0.001	0.002	0.005	0.1	0.001	0.003	0.1	0.01
DUPLICATES									
RG120045		0.002	0.080	0.541	23.5	0.336	0.949	9.1	2.16
DUP		0.002	0.097	0.577	25.7	0.187	1.285	13.0	1.47
Target Range - Lower Bound		<0.001	0.080	0.526	23.3	0.241	1.060	10.4	1.67
Upper Bound		0.003	0.097	0.592	25.9	0.282	1.175	11.7	1.96
RG120065		0.004	0.137	0.911	26.5	0.166	3.21	19.4	2.06
DUP		0.004	0.134	0.905	26.1	0.184	3.15	19.1	2.16
Target Range - Lower Bound		0.003	0.123	0.858	24.9	0.161	3.02	18.2	1.94
Upper Bound		0.005	0.148	0.958	27.7	0.189	3.34	20.3	2.28
RG120080		0.001	0.091	0.523	31.9	0.036	0.825	7.0	7.26
DUP		0.001	0.083	0.510	31.1	0.077	0.760	6.3	7.14
Target Range - Lower Bound		<0.001	0.078	0.486	29.8	0.051	0.750	6.2	6.65
Upper Bound		0.002	0.096	0.547	33.2	0.062	0.835	7.1	7.75

Comments: HYP-PKG being run under BR20283906.

***** See Appendix Page for comments regarding this certificate *****



Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 18-DEC-2020
Account: TINONE

Project: Panama Project

QC CERTIFICATE OF ANALYSIS BR20281264

	CERTIFICATE COMMENTS			
Applies to Method:	LABORATORY ADDRESSES			
	Processed at ALS Brisbane located at 32 Shand Street, Stafford, Brisbane, QLD, Australia. Processed at ALS Brisbane Sample Preparation at 23 Pineapple Street, Zillmere, QLD, 4034, Australia			
	AuME-ST43	LEV-01	LOG-21	SCR-41
	WEI-21			