



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate

Accreditation No: 825, Corporate Site No: 818.

To: CRESSWELLS TRANSPORT PTY LTD

PO BOX 310

DELORAINIE TAS 7304

Page: 1

Total # Pages: 4 (A – B)

Plus Appendix Pages

Finalized Date: 10-MAR-2021

Account: CRETRA

CERTIFICATE BU21027566

Project: Cresswells

This report is for 82 samples of Drill Chip submitted to our lab in Burnie, TAS, Australia on 5-FEB-2021.

The following have access to data associated with this certificate:

TONY CRESSWELL

KEN MORRISON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-QC	Pulverizing QC Test
LOG-22	Sample login – Rcd w/o BarCode
LEV-01	Waste Disposal Levy
CRU-21	Crush entire sample
PUL-23	Pulv Sample – Split/Retain
BAG-01	Bulk Master for Storage
SPL-21	Split sample – riffle splitter

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-GRA05CE	LOI by CERES Furnace TGA System	HAG
ME-XRF26	Whole Rock By Fusion/XRF	XRF
ME-GRA05	H2O/LOI by TGA furnace	TGA

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Shaun Kenny, Brisbane Laboratory Manager



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate

Accreditation No: 825, Corporate Site No: 818.

To: CRESSWELLS TRANSPORT PTY LTD

PO BOX 310

DELORAIN TAS 7304

Page: 2 - A

Total # Pages: 4 (A - B)

Plus Appendix Pages

Finalized Date: 10-MAR-2021

Account: CRETRA

Project: Cresswells

CERTIFICATE OF ANALYSIS BU21027566

Sample Description	Method Analyte Units LOD	WEI-21	ME-XRF26	ME-XRF26	ME-XRF26	ME-XRF26	ME-XRF26	ME-XRF26	ME-XRF26	ME-XRF26	ME-XRF26	ME-XRF26	ME-XRF26	ME-XRF26	ME-XRF26	ME-XRF26
		Recvd Wt.	Al2O3	BaO	CaO	Cr2O3	Fe2O3	K2O	MgO	MnO	Na2O	P2O5	SO3	SiO2	SrO	TiO2
		kg	%	%	%	%	%	%	%	%	%	%	%	%	%	%
		0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
RR101 1-1		1.91	0.16	<0.01	31.3	<0.01	0.36	0.05	20.2	<0.01	0.05	0.01	0.06	0.74	0.01	0.01
RR102 1-2		2.56	0.12	<0.01	31.8	<0.01	0.17	0.04	19.90	<0.01	0.04	0.01	0.06	0.78	0.01	0.01
RR103 1-3		3.34	0.09	<0.01	31.9	<0.01	0.15	0.04	19.95	<0.01	0.04	0.01	0.06	0.48	0.01	0.01
RR104 1-4		2.13	0.05	<0.01	31.1	<0.01	0.12	0.03	20.3	<0.01	0.04	0.01	0.05	1.57	0.01	<0.01
RR105 1-5		2.58	0.24	<0.01	30.6	<0.01	0.17	0.06	20.2	<0.01	0.04	0.01	0.06	1.66	0.01	0.02
RR201 2-1		1.88	0.13	<0.01	30.8	<0.01	0.34	0.05	20.9	<0.01	0.04	0.01	0.06	0.39	0.01	0.01
RR202 2-2		2.14	0.17	<0.01	30.7	<0.01	0.33	0.06	20.8	0.01	0.04	0.01	0.07	0.57	0.01	0.01
RR203 2-3		2.54	0.15	<0.01	31.1	<0.01	0.30	0.04	20.8	<0.01	0.04	0.01	0.06	0.40	0.01	0.01
RR204 2-4		2.58	0.05	<0.01	30.8	<0.01	0.24	0.04	21.0	<0.01	0.04	0.01	0.05	0.32	<0.01	0.01
RR205 2-5		2.43	0.02	<0.01	30.7	<0.01	0.14	0.03	20.9	<0.01	0.04	0.01	0.06	0.56	<0.01	0.01
RR301 3-1		2.13	0.20	<0.01	31.3	<0.01	0.21	0.04	20.2	<0.01	0.04	0.01	0.06	0.59	0.01	0.02
RR302 3-2		1.97	0.12	<0.01	30.9	<0.01	0.27	0.05	21.0	<0.01	0.03	0.01	0.06	0.37	<0.01	0.01
RR303 3-3		2.50	0.09	<0.01	30.8	<0.01	0.20	0.04	20.8	<0.01	0.03	0.01	0.05	0.42	<0.01	0.01
RR401 4-1		1.95	0.09	<0.01	30.5	<0.01	0.36	0.03	21.0	0.01	0.04	0.01	0.06	0.38	0.01	0.01
RR402 4-2		2.18	0.13	<0.01	30.7	<0.01	0.49	0.04	20.9	0.01	0.03	0.01	0.07	0.39	<0.01	0.01
RR403 4-3		2.67	0.10	<0.01	31.0	<0.01	0.80	0.04	20.4	0.01	0.03	0.01	0.07	0.38	0.01	0.01
RR404 4-4		2.28	0.07	<0.01	31.1	<0.01	0.35	0.03	20.9	0.01	0.04	0.01	0.06	0.33	0.01	0.01
RR405 4-5		2.36	0.10	<0.01	30.3	<0.01	0.34	0.03	20.8	0.01	0.04	0.01	0.06	1.03	<0.01	0.01
RR501 5-1		2.01	0.18	<0.01	30.3	<0.01	0.24	0.03	21.1	<0.01	0.03	0.01	0.06	0.81	<0.01	0.02
RR502 5-2		2.47	0.11	<0.01	30.3	<0.01	0.42	0.03	20.7	0.01	0.03	0.01	0.07	1.47	<0.01	0.01
RR503 5-3		2.32	0.10	<0.01	31.0	<0.01	0.50	0.04	20.4	0.01	0.04	0.01	0.07	0.40	0.01	0.01
RR601 6-1		2.29	0.68	<0.01	29.1	0.01	0.21	0.05	20.3	<0.01	0.04	0.01	0.10	3.38	<0.01	0.09
RR602 6-2		2.45	0.45	<0.01	29.8	<0.01	0.37	0.04	20.7	0.01	0.03	0.01	0.13	1.67	<0.01	0.05
RR701 7-1		1.78	0.59	<0.01	29.5	<0.01	0.19	0.05	20.6	<0.01	0.03	0.01	0.08	2.08	<0.01	0.07
RR702 7-2		2.49	0.22	<0.01	30.3	<0.01	0.45	0.03	20.9	0.01	0.03	0.01	0.11	0.68	<0.01	0.02
RR703 7-3		2.65	0.09	<0.01	30.4	<0.01	0.44	0.03	20.9	0.01	0.03	0.01	0.12	0.37	<0.01	0.01
RR704 7-4		2.01	0.24	<0.01	30.4	<0.01	0.34	0.04	20.6	0.01	0.03	0.01	0.17	0.82	<0.01	0.02
RR705 7-5		2.21	0.21	<0.01	30.6	0.01	0.26	0.03	21.1	0.01	0.03	0.01	0.12	0.51	<0.01	0.02
RR801 8-1		1.64	0.19	<0.01	30.2	<0.01	0.37	0.03	21.0	0.01	0.03	0.01	0.13	0.56	<0.01	0.02
RR802 8-2		2.33	0.11	<0.01	30.5	<0.01	0.99	0.03	20.7	0.02	0.04	0.01	0.09	0.32	0.01	0.01
RR803 8-3		2.42	0.04	<0.01	30.6	<0.01	0.54	0.02	21.0	0.01	0.04	0.01	0.08	0.24	<0.01	0.01
RR804 8-4		2.31	0.12	<0.01	30.8	<0.01	0.72	0.04	20.8	0.01	0.04	0.01	0.10	0.32	0.01	0.01
RR901 9-1		1.86	0.14	<0.01	30.5	<0.01	0.25	0.03	21.2	<0.01	0.03	0.01	0.07	0.47	<0.01	0.02
RR902 9-2		2.42	0.07	<0.01	30.6	<0.01	0.26	0.03	21.2	0.01	0.03	0.01	0.12	0.22	<0.01	0.01
RR903 9-3		1.82	0.12	<0.01	30.7	<0.01	0.30	0.03	21.2	0.01	0.03	0.01	0.18	0.30	<0.01	0.01
RR1001 10-1		1.80	0.12	<0.01	30.5	<0.01	0.22	0.02	21.0	<0.01	0.03	0.01	0.06	0.47	<0.01	0.01
RR1002 10-2		2.08	0.11	<0.01	30.8	<0.01	0.66	0.03	20.7	0.01	0.03	0.01	0.08	0.28	<0.01	0.01
RR1003 10-3		2.43	0.02	<0.01	30.6	<0.01	0.23	0.03	21.2	<0.01	0.03	0.01	0.06	0.19	<0.01	<0.01
RR1004 10-4		2.48	0.09	<0.01	30.8	<0.01	0.27	0.03	20.9	<0.01	0.03	0.01	0.07	0.30	<0.01	0.01
RR1005 10-5		2.28	0.11	<0.01	30.6	<0.01	0.21	0.03	20.9	<0.01	0.03	0.01	0.07	0.36	<0.01	0.01



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate

Accreditation No: 825, Corporate Site No: 818.

To: CRESSWELLS TRANSPORT PTY LTD

PO BOX 310

DELORAIN TAS 7304

Page: 2 – B

Total # Pages: 4 (A – B)

Plus Appendix Pages

Finalized Date: 10-MAR-2021

Account: CRETRA

Project: Cresswells

CERTIFICATE OF ANALYSIS BU21027566

Sample Description	Method Analyte Units LOD	ME-XRF26	ME-GRA05	PUL-QC
		Total	LOI	Pass75um
		%	%	%
		0.01	0.01	0.01
RR101 1-1		100.00	47.03	93.1
RR102 1-2		99.99	47.01	
RR103 1-3		99.99	47.23	
RR104 1-4		99.65	46.34	
RR105 1-5		99.90	46.81	
RR201 2-1		100.30	47.52	
RR202 2-2		100.20	47.40	
RR203 2-3		100.45	47.53	
RR204 2-4		100.25	47.65	
RR205 2-5		100.00	47.50	
RR301 3-1		100.15	47.44	
RR302 3-2		100.15	47.32	
RR303 3-3		100.00	47.53	
RR401 4-1		100.10	47.59	
RR402 4-2		100.30	47.49	
RR403 4-3		100.25	47.39	
RR404 4-4		100.45	47.52	
RR405 4-5		100.05	47.29	
RR501 5-1		100.40	47.58	
RR502 5-2		100.20	47.03	
RR503 5-3		100.00	47.40	
RR601 6-1		100.15	46.16	
RR602 6-2		100.15	46.87	
RR701 7-1		99.88	46.65	
RR702 7-2		100.15	47.37	
RR703 7-3		99.98	47.54	
RR704 7-4		99.95	47.24	
RR705 7-5		100.40	47.44	
RR801 8-1		100.05	47.47	
RR802 8-2		100.25	47.39	
RR803 8-3		100.20	47.58	
RR804 8-4		100.35	47.36	
RR901 9-1		100.35	47.61	
RR902 9-2		100.25	47.65	
RR903 9-3		100.50	47.60	
RR1001 10-1		100.10	47.65	
RR1002 10-2		100.25	47.52	
RR1003 10-3		100.10	47.72	
RR1004 10-4		100.10	47.55	
RR1005 10-5		99.92	47.57	94.2



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate

Accreditation No: 825, Corporate Site No: 818.

To: CRESSWELLS TRANSPORT PTY LTD

PO BOX 310

DELORAIN TAS 7304

Page: 3 - A

Total # Pages: 4 (A - B)

Plus Appendix Pages

Finalized Date: 10-MAR-2021

Account: CRETRA

Project: Cresswells

CERTIFICATE OF ANALYSIS BU21027566

Sample Description	Method Analyte Units LOD	WEI-21	ME-XRF26	ME-XRF26	ME-XRF26	ME-XRF26	ME-XRF26	ME-XRF26	ME-XRF26	ME-XRF26	ME-XRF26	ME-XRF26	ME-XRF26	ME-XRF26	ME-XRF26	ME-XRF26
		Recvd Wt.	Al2O3	BaO	CaO	Cr2O3	Fe2O3	K2O	MgO	MnO	Na2O	P2O5	SO3	SiO2	SrO	TiO2
		kg	%	%	%	%	%	%	%	%	%	%	%	%	%	%
		0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
RR1101 11-1		2.20	0.07	<0.01	30.4	<0.01	0.23	0.03	21.2	<0.01	0.03	0.01	0.05	0.25	<0.01	0.01
RR1102 11-2		2.33	0.06	<0.01	30.6	<0.01	0.28	0.03	21.2	<0.01	0.04	0.01	0.08	0.37	<0.01	0.01
RR1103 11-3		2.49	0.07	<0.01	30.6	<0.01	0.55	0.03	20.9	0.01	0.03	0.01	0.08	0.24	<0.01	0.01
RR1104 11-4		2.52	0.04	<0.01	30.8	0.01	0.34	0.02	21.2	0.01	0.04	0.01	0.06	0.18	<0.01	0.01
RR1201 12-1		2.02	0.18	<0.01	30.3	<0.01	0.43	0.03	20.9	0.01	0.04	0.01	0.09	0.60	<0.01	0.02
RR1202 12-2		2.23	0.16	<0.01	30.4	<0.01	0.38	0.03	20.8	<0.01	0.04	0.01	0.09	0.78	<0.01	0.02
RR1203 12-3		2.49	0.15	<0.01	30.7	<0.01	0.46	0.04	20.9	0.01	0.04	0.01	0.19	0.39	0.01	0.02
RR1204 12-4		2.42	0.09	<0.01	30.6	<0.01	0.41	0.03	20.9	0.01	0.04	0.01	0.13	0.38	0.01	0.01
RR1301 13-1		2.20	0.21	<0.01	30.5	<0.01	0.19	0.04	21.0	<0.01	0.03	0.01	0.12	0.66	<0.01	0.02
RR1302 13-2		2.47	0.18	<0.01	30.6	<0.01	0.45	0.05	20.7	0.01	0.03	0.01	0.09	0.39	<0.01	0.01
RR1303 13-3		2.32	0.13	<0.01	30.9	<0.01	0.46	0.05	20.8	0.01	0.04	0.01	0.09	0.35	<0.01	0.01
RR1304 13-4		2.57	0.06	<0.01	30.6	<0.01	0.27	0.03	21.1	0.01	0.04	0.01	0.07	0.21	<0.01	0.01
RR1401 14-1		2.16	0.22	<0.01	31.1	<0.01	0.51	0.05	20.3	0.01	0.03	0.01	0.06	0.51	0.01	0.02
RR1402 14-2		2.74	0.13	<0.01	30.8	<0.01	0.40	0.04	20.6	0.01	0.03	0.01	0.07	0.50	0.01	0.01
RR1403 14-3		3.34	0.04	<0.01	30.4	<0.01	0.17	0.03	21.0	<0.01	0.03	0.01	0.06	1.06	<0.01	0.01
RR1404 14-4		2.28	0.04	<0.01	28.7	<0.01	0.12	0.02	19.90	<0.01	0.03	0.01	0.06	6.55	<0.01	<0.01
RR1501 15-1		2.07	0.11	<0.01	30.8	<0.01	0.30	0.04	20.7	0.01	0.03	0.01	0.06	0.46	<0.01	0.01
RR1502 15-2		2.73	0.09	<0.01	30.7	<0.01	0.23	0.03	21.0	<0.01	0.03	0.01	0.06	0.51	<0.01	0.01
RR1503 15-3		2.46	0.02	<0.01	30.1	<0.01	0.13	0.03	20.9	<0.01	0.05	0.01	0.06	1.68	<0.01	0.01
RR1504 15-4		2.48	0.24	<0.01	30.5	<0.01	0.24	0.06	20.7	<0.01	0.03	0.01	0.06	1.27	<0.01	0.02
RR1505 15-5		2.71	0.08	<0.01	30.9	<0.01	0.13	0.03	20.8	<0.01	0.04	0.01	0.05	0.56	<0.01	0.01
RR1601 16-1		2.46	0.13	<0.01	30.9	<0.01	0.23	0.04	20.6	<0.01	0.04	0.01	0.06	0.78	<0.01	0.01
RR1602 16-2		2.22	0.05	<0.01	30.5	<0.01	0.13	0.03	21.0	<0.01	0.03	0.01	0.06	1.39	<0.01	0.01
RR1603 16-3		2.65	0.12	<0.01	28.7	<0.01	0.16	0.04	19.60	<0.01	0.04	0.01	0.06	7.35	0.01	0.01
RR1701 17-1		2.17	0.14	<0.01	30.7	<0.01	0.20	0.04	21.1	<0.01	0.03	0.01	0.06	0.51	<0.01	0.01
RR1702 17-2		2.33	0.07	<0.01	30.3	<0.01	0.19	0.03	21.0	<0.01	0.03	0.01	0.06	1.41	<0.01	0.01
RR1703 17-3		2.15	0.05	<0.01	30.2	<0.01	0.14	0.03	21.0	<0.01	0.04	0.01	0.06	1.65	<0.01	0.01
RR1704 17-4		2.59	0.10	<0.01	29.4	<0.01	0.18	0.04	20.2	<0.01	0.04	0.01	0.06	5.13	<0.01	0.01
RR1705 17-5		2.52	0.06	<0.01	30.9	<0.01	0.16	0.03	21.1	<0.01	0.04	0.01	0.06	0.48	<0.01	0.01
RR1801 18-1		1.79	0.12	<0.01	30.8	<0.01	0.20	0.04	21.1	0.01	0.04	0.01	0.05	0.36	<0.01	0.01
RR1802 18-2		1.99	0.11	<0.01	30.7	<0.01	0.23	0.04	21.1	0.01	0.03	0.01	0.06	0.57	<0.01	0.01
RR1803 18-3		2.62	0.08	<0.01	30.8	<0.01	0.20	0.03	21.3	0.01	0.04	0.01	0.06	0.36	<0.01	0.01
RR1804 18-4		2.81	0.07	<0.01	30.6	<0.01	0.18	0.02	21.3	0.01	0.03	0.01	0.06	0.17	<0.01	0.01
RR1901 19-1		2.29	0.23	<0.01	30.7	<0.01	0.24	0.05	20.7	<0.01	0.04	0.01	0.05	0.56	<0.01	0.02
RR1902 19-2		2.27	0.15	<0.01	30.7	<0.01	0.50	0.05	20.7	0.01	0.04	0.01	0.07	0.85	<0.01	0.01
RR1903 19-3		2.24	0.08	<0.01	30.9	<0.01	0.37	0.03	20.9	0.01	0.03	0.01	0.06	0.38	<0.01	0.01
RR1904 19-4		2.54	0.06	<0.01	30.5	<0.01	0.29	0.03	21.0	0.01	0.04	0.01	0.06	0.89	<0.01	0.01
RR2001 20-1		2.15	0.35	<0.01	30.2	<0.01	0.39	0.04	20.6	0.01	0.04	0.01	0.09	1.07	0.01	0.04
RR2002 20-2		2.42	0.26	<0.01	30.6	<0.01	0.58	0.04	20.8	0.01	0.04	0.01	0.10	0.67	0.01	0.02
RR2003 20-3		2.33	0.19	<0.01	30.8	<0.01	0.70	0.05	20.6	0.01	0.04	0.01	0.12	0.64	0.01	0.02



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate

Accreditation No: 825, Corporate Site No: 818.

To: CRESSWELLS TRANSPORT PTY LTD

PO BOX 310

DELORAIN TAS 7304

Page: 3 - B

Total # Pages: 4 (A - B)

Plus Appendix Pages

Finalized Date: 10-MAR-2021

Account: CRETRA

Project: Cresswells

CERTIFICATE OF ANALYSIS BU21027566

Sample Description	Method Analyte Units LOD	ME-XRF26	ME-GRA05	PUL-QC
		Total	LOI	Pass7Sum
		%	%	%
		0.01	0.01	0.01
RR1101 11-1		99.99	47.69	
RR1102 11-2		100.35	47.64	
RR1103 11-3		100.15	47.59	
RR1104 11-4		100.35	47.57	
RR1201 12-1		100.05	47.44	
RR1202 12-2		100.05	47.31	
RR1203 12-3		100.35	47.40	
RR1204 12-4		100.15	47.50	
RR1301 13-1		100.30	47.49	
RR1302 13-2		100.05	47.49	
RR1303 13-3		100.30	47.45	
RR1304 13-4		100.10	47.69	
RR1401 14-1		100.20	47.38	
RR1402 14-2		100.10	47.49	
RR1403 14-3		100.20	47.37	
RR1404 14-4		100.15	44.72	
RR1501 15-1		100.05	47.49	
RR1502 15-2		100.25	47.52	
RR1503 15-3		100.10	47.09	
RR1504 15-4		100.25	47.07	
RR1505 15-5		100.20	47.55	
RR1601 16-1		100.30	47.46	
RR1602 16-2		100.40	47.16	
RR1603 16-3		100.30	44.19	
RR1701 17-1		100.40	47.57	
RR1702 17-2		100.30	47.18	
RR1703 17-3		100.30	47.10	
RR1704 17-4		100.55	45.34	
RR1705 17-5		100.50	47.60	
RR1801 18-1		100.40	47.64	
RR1802 18-2		100.40	47.52	
RR1803 18-3		100.65	47.73	
RR1804 18-4		100.25	47.77	
RR1901 19-1		100.10	47.46	
RR1902 19-2		100.40	47.28	
RR1903 19-3		100.40	47.62	
RR1904 19-4		100.25	47.33	
RR2001 20-1		100.15	47.27	
RR2002 20-2		100.55	47.40	
RR2003 20-3		100.50	47.30	94.7

***** See Appendix Page for comments regarding this certificate *****

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate

Accreditation No: 825, Corporate Site No: 818.

To: CRESSWELLS TRANSPORT PTY LTD

PO BOX 310

DELORAIN TAS 7304

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 10-MAR-2021

Account: CRETRA

Project: Cresswells

CERTIFICATE OF ANALYSIS BU21027566

CERTIFICATE COMMENTS

ACCREDITATION COMMENTS

Applies to Method:

NATA Accreditation covers the performance of this service but does not cover the performance of ALS Brisbane Sample Preparation. Corporate Accreditation No: 825, Corporate Site No: 818. The Technical Signatory is James Lo, XRF Supervising Chemist

ME-GRA05

ME-XRF26

LABORATORY ADDRESSES

Applies to Method:

Processed at ALS Brisbane located at 32 Shand Street, Stafford, Brisbane, QLD, Australia. Processed at ALS Brisbane Sample Preparation at 23 Pineapple Street, Zillmere, QLD, 4034, Australia

ME-GRA05

ME-GRA05CE

ME-XRF26

Applies to Method:

Processed at ALS Burnie located at 39 River Road, Burnie, TAS, Australia.

BAG-01

CRU-21

LEV-01

LOG-22

PUL-23

PUL-QC

SPL-21

WEI-21